



US010778343B2

(12) **United States Patent**
Bell et al.

(10) **Patent No.:** **US 10,778,343 B2**
(45) **Date of Patent:** **Sep. 15, 2020**

(54) **METHOD FOR MITIGATING PASSIVE INTERMODULATION**

(71) Applicant: **JOHNS MANVILLE**, Denver, CO (US)

(72) Inventors: **Thomas Bell**, Colorado Springs, CO (US); **Christopher Griffin**, Aurora, CO (US); **Jacob Heaps**, Edgewater, CO (US); **Joel Hazy**, Brighton, CO (US)

(73) Assignee: **Johns Manville**, Denver, CO (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 268 days.

(21) Appl. No.: **15/786,785**

(22) Filed: **Oct. 18, 2017**

(65) **Prior Publication Data**
US 2018/0152253 A1 May 31, 2018

Related U.S. Application Data

(60) Provisional application No. 62/426,673, filed on Nov. 28, 2016.

(51) **Int. Cl.**
H04B 15/02 (2006.01)
H01Q 3/26 (2006.01)
(Continued)

(52) **U.S. Cl.**
CPC **H04B 15/02** (2013.01); **B29C 48/0011** (2019.02); **B29C 48/0021** (2019.02);
(Continued)

(58) **Field of Classification Search**
CPC combination set(s) only.
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,386,354 A 5/1983 Watson
4,640,851 A * 2/1987 Pusch B32B 15/08
428/17

(Continued)

FOREIGN PATENT DOCUMENTS

CN 1571623 A 1/2005
CN 102468529 A 5/2012

(Continued)

OTHER PUBLICATIONS

Anritsu Company, Identifying Sources of External PIM, pp. 1-10, Nov. 22, 2016 <<https://dl.cdn-anritsu.com/en-us/test-measurement/files/Technical-Notes/White-Paper/11410-00992A.pdf>> (Year: 2016).*

(Continued)

Primary Examiner — Yuwen Pan


Assistant Examiner — Erica L Fleming-Hall

(74) *Attorney, Agent, or Firm* — Robert D. Touslee

(57) **ABSTRACT**

Materials and methods for mitigating passive intermodulation. A membrane for reducing passive intermodulation includes a first polymeric layer, a second polymeric layer, and a continuous metal layer encapsulated between the first and second polymeric layers. A self-adhesive radio frequency barrier tape includes a waterproof polymeric top layer, a metal-containing layer adhered by an adhesive layer to the polymeric top layer, a pressure sensitive adhesive layer adhered to the metal-containing layer, and a release liner on a bottom surface of the pressure sensitive adhesive layer. A method of mitigating passive intermodulation includes passing a probe over an area of interest, the probe being sensitive to an intermodulation frequency of interest, and identifying a suspected source of passive intermodulation when the amplitude of the probe output exceeds a threshold at the frequency of interest. The method further

(Continued)



includes covering the suspected passive intermodulation source with a radio frequency barrier material.

15 Claims, 11 Drawing Sheets

(51) Int. Cl.

- H04B 17/10** (2015.01)
- H01Q 1/24** (2006.01)
- C09J 7/20** (2018.01)
- C09J 7/22** (2018.01)
- C09J 7/29** (2018.01)
- B29C 48/154** (2019.01)
- B29C 48/00** (2019.01)
- C09J 7/38** (2018.01)
- B32B 7/02** (2019.01)
- B32B 15/085** (2006.01)
- B32B 15/20** (2006.01)
- B32B 27/30** (2006.01)
- B32B 27/32** (2006.01)
- G21F 1/12** (2006.01)
- H01Q 17/00** (2006.01)
- B32B 3/26** (2006.01)
- B32B 7/06** (2019.01)
- B32B 7/12** (2006.01)
- B32B 11/08** (2006.01)
- B32B 15/08** (2006.01)
- H04B 15/00** (2006.01)
- H04B 17/345** (2015.01)
- B32B 11/00** (2006.01)
- H01Q 15/14** (2006.01)
- C09J 195/00** (2006.01)

(52) U.S. Cl.

- CPC **B29C 48/154** (2019.02); **B32B 3/266** (2013.01); **B32B 7/02** (2013.01); **B32B 7/06** (2013.01); **B32B 7/12** (2013.01); **B32B 11/08** (2013.01); **B32B 15/08** (2013.01); **B32B 15/085** (2013.01); **B32B 15/20** (2013.01); **B32B 27/304** (2013.01); **B32B 27/32** (2013.01); **C09J 7/20** (2018.01); **C09J 7/22** (2018.01); **C09J 7/29** (2018.01); **C09J 7/38** (2018.01); **G21F 1/125** (2013.01); **H01Q 1/246** (2013.01); **H01Q 3/267** (2013.01); **H01Q 17/00** (2013.01); **H04B 15/00** (2013.01); **H04B 17/104** (2015.01); **B29C 48/022** (2019.02); **B32B 11/00** (2013.01); **B32B 2250/05** (2013.01); **B32B 2250/40** (2013.01); **B32B 2307/212** (2013.01); **B32B 2311/24** (2013.01); **B32B 2323/16** (2013.01); **B32B 2327/06** (2013.01); **B32B 2395/00** (2013.01); **C09J 195/00** (2013.01); **C09J 2201/606** (2013.01); **C09J 2205/10** (2013.01); **C09J 2400/163** (2013.01); **C09J 2423/166** (2013.01); **C09J 2427/006** (2013.01); **C09J 2495/00** (2013.01); **C09J 2495/006** (2013.01); **H01Q 15/14** (2013.01); **H04B 17/345** (2015.01)

(56)

References Cited

U.S. PATENT DOCUMENTS

- 5,025,207 A * 6/1991 Gauthier G01R 19/17 324/76.13
- 5,456,779 A 10/1995 Sinha

- 5,458,162 A * 10/1995 Sinha D03D 15/02 139/419
- 5,493,771 A * 2/1996 Sinha H01Q 15/168 29/600
- 5,494,755 A * 2/1996 McCloskey H05K 9/00 428/344
- 5,517,206 A 5/1996 Boone et al.
- 5,598,989 A 2/1997 Ross et al.
- 5,757,246 A 5/1998 Johnson
- 5,885,906 A * 3/1999 Reynolds H01Q 1/288 343/832
- 5,886,294 A 3/1999 Scrimshire et al.
- 6,067,053 A 5/2000 Runyon et al.
- 6,222,503 B1 4/2001 Gietema et al.
- 6,479,119 B1 * 11/2002 Simpson B32B 7/12 428/40.1
- 7,227,508 B2 6/2007 Wang et al.
- 7,391,381 B2 6/2008 Wang et al.
- 7,429,961 B2 * 9/2008 Sievenpiper H01Q 15/0013 343/700 MS
- 7,639,207 B2 12/2009 Sievenpiper et al.
- 8,253,644 B2 * 8/2012 Hnatiw H01Q 1/52 244/1 A
- 8,507,086 B2 * 8/2013 Padiyath B32B 3/02 428/189
- 9,112,283 B2 8/2015 Shoemaker
- 9,653,852 B2 * 5/2017 Smentek H01F 38/14
- 10,033,175 B1 * 7/2018 Schumacher H02G 3/24
- 2003/0054127 A1 * 3/2003 Heifetz B29C 63/0017 428/40.1
- 2005/0216075 A1 * 9/2005 Wang A61L 29/18 623/1.15
- 2008/0223186 A1 * 9/2008 Leichliter B26D 7/08 83/29
- 2009/0023403 A1 * 1/2009 LaBerge H04B 7/18517 455/114.2
- 2009/0318087 A1 * 12/2009 Mattila H04B 1/109 455/63.1
- 2010/0139178 A1 * 6/2010 Ehrman B32B 5/08 52/58
- 2011/0050530 A1 3/2011 Hnatiw
- 2013/0310023 A1 * 11/2013 Bevan H04B 1/1027 455/423
- 2014/0119197 A1 * 5/2014 Maca H04B 17/0085 370/241
- 2014/0292609 A1 10/2014 Schadler
- 2015/0042536 A1 * 2/2015 Emerick H01Q 9/40 343/843
- 2015/0171902 A1 * 6/2015 Fleischer H04B 1/525 375/285
- 2016/0307606 A1 * 10/2016 McGuire, Jr. G11B 33/1406
- 2017/0279202 A1 * 9/2017 Galla H01Q 19/062
- 2018/0058071 A1 * 3/2018 Grube E04D 1/10

FOREIGN PATENT DOCUMENTS

- CN 203406418 U 1/2014
- DE 20 2004 012 762 U1 1/2005
- EP 2 573 865 A1 3/2013
- EP 3 032 642 A1 6/2016
- GB 2065156 A 6/1981
- JP 2002076740 A 3/2002
- JP 2008028549 A 2/2008
- JP 2012129772 A 7/2012
- WO 2006096696 A2 9/2006

OTHER PUBLICATIONS

- Anritsu Company, Test Probe for More Efficient and Effective Location of External PIM Sources, Nov. 22, 2016, pp. 1-2.
- Johns Manville Sales GmbH, Evalith® Glasfaservlies / glass fiber nonwoven, May 17, 2017, p. 1.
- Isola a.s., Isola Mestertekk Robust roof covering suitable for our tough Nordic climate, Sep. 29, 2017, pp. 1-2.
- Isola a.s., Isola Mestertekk Single layer roofing felt for flat and pitched roofs, Sep. 3, 2013, pp. 1-3.

(56)

References Cited

OTHER PUBLICATIONS

Anritsu America, Passive Intermodulation (PIM), Oct. 20, 2017, pp. 1-13.

Anritsu, The PIM Source, Sep. 29, 2017, pp. 1-5.

Johns Manville, Dynaclad® Fiber Glass-Reinforced, SBS Aluminum Foil-Surfaced, Cap or Flashing Sheet, Mar. 2016, pp. 1-2.

* cited by examiner




FIG. 1




FIG. 2




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19

1

METHOD FOR MITIGATING PASSIVE INTERMODULATION

CROSS REFERENCE TO RELATED APPLICATIONS

This application claims the benefit of provisional U.S. patent application No. 62/426,673, filed Nov. 28, 2016 and titled "PIM Reducing RF Barrier", the entire disclosure of which is hereby incorporated by reference herein for all purposes.

BACKGROUND

An essential element of modern mobile communications systems is the "cell site." The cell site includes one or more directional base station antennas aimed at a desired geographical area of coverage with coaxial cable connecting the antennas to base station radio equipment. The base station radio equipment acts as a transceiver, transmitting high power signals (37 dBm to 49 dBm channel power) in the direction of mobile users and receives low power signals (as low as -106 dBm channel power) from mobile user equipment. Often the range of a cell site is uplink limited, meaning that the distance that a particular cell site is able to cover is limited by the transmit power of the mobile equipment and the path loss between the mobile equipment and the cell site. The signal received at the cell site from mobile equipment reduces by 6 dB each time the distance between the mobile equipment and the cell site is doubled. Eventually, the signal from the mobile equipment drops to a level where the base station receiver is not able to distinguish the signal from background noise, and the call is dropped.

Mobile operators typically design their network of cell sites to achieve a signal-to-interference plus noise ratio (SINR) of >6 dB across the region of coverage. This means that the signal level arriving from mobile equipment at each base station receiver should be at least 6 dB higher than all sources of noise generated within or received by the base station receiver. For data networks, the network of cell sites may be designed to achieve even higher SINR levels to enable faster data transmission.

In order to achieve the strongest possible signal from mobile equipment, it is desirable to locate the cell site antennas at an elevation that is higher than the average clutter (trees, buildings, etc.) in the area to be covered. This can be achieved by erecting a tower at the cell site to support the antennas at the desired elevation or can be achieved by mounting the antennas on existing infrastructure, such as building rooftops. When mounting antennas on buildings, the building owner may require for aesthetic reasons that the operator only install the antennas at locations that are not visible from the ground outside the building. This often forces the antennas to be installed near the center of the building rooftop rather than near the edges of the building.

For example, FIG. 1 shows a ground-level perspective view of a building **100**, showing that no cell site is visible. However, FIG. 2 shows building **100** from an upper oblique view, revealing cell site **200** on roof **201**, set back from the edges of roof **201**.

The performance of cell sites installed on building rooftops is often limited due to passive intermodulation (PIM). Passive intermodulation occurs when the high-power downlink signals broadcast by the base station antennas mix at passive, non-linear junctions in the RF path, creating new signals. If these new signals (intermodulation products) fall in an operator's uplink band, they act as interference and

2

reduce SINR. As the SINR is reduced, the geographic coverage of the cell site is reduced and the data capacity of that cell site is reduced.

BRIEF SUMMARY

According to one aspect, a method of mitigating passive intermodulation comprises injecting two signals of two known frequencies into an antenna system, such that the antenna system produces radio frequency radiation containing the two known frequencies directed toward an area to be tested for passive intermodulation. The method further comprises calculating an intermodulation frequency from the two known frequencies, and connecting a probe to a spectrum analyzer. The spectrum analyzer is configured to receive radio frequency signals produced at the intermodulation frequency. The method further comprises passing the probe over the area to be tested while simultaneously monitoring the signal received by the spectrum analyzer, and identifying a suspected source of passive intermodulation when the spectrum analyzer detects a signal amplitude above a threshold value at the intermodulation frequency. The method further comprises covering the suspected source of passive intermodulation with a temporary radio frequency barrier material configured to mitigate passive intermodulation, and re-measuring the signal amplitude at the suspected source of passive intermodulation at the intermodulation frequency with the radio frequency barrier material in place, to verify a reduction in passive intermodulation. The method further comprises replacing the temporary radio frequency barrier material with a permanent radio frequency barrier material. In some embodiments, the permanent radio frequency barrier material comprises a first polymeric layer, a second polymeric layer, and a metal layer encapsulated between the first and second polymeric layers. In some embodiments, the metal layer is continuous. In some embodiments, the metal layer is perforated. In some embodiments, the metal layer is deposited on a plastic sheet, and the metal layer and the plastic sheet are encapsulated between the first and second polymeric layers. In some embodiments, at least one of the first and second polymeric layers comprises thermoplastic polyolefin (TPO). In some embodiments, at least one of the first and second polymeric layers comprises ethylene propylene diene monomer (EPDM). In some embodiments, at least one of the first and second polymeric layers comprises polyvinyl chloride (PVC). In some embodiments, at least one of the first and second polymeric layers comprises modified bitumen. In some embodiments, the area to be tested for passive intermodulation is on a rooftop, and covering the suspected source of passive intermodulation with a permanent radio frequency barrier material comprises covering the suspected source of passive intermodulation with a walk pad. In some embodiments, the area to be tested for passive intermodulation is on a rooftop, and covering the suspected source of passive intermodulation with a permanent radio frequency barrier material comprises covering most or all of the area to be tested with a roofing membrane configured to be a radio frequency barrier. In some embodiments, covering the suspected source of passive intermodulation with a permanent radio frequency barrier material comprises covering the suspected source of passive intermodulation with a self-adhesive radio frequency barrier material.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 shows a ground-level perspective view of a building.

FIG. 2 shows the building of FIG. 1 from an upper oblique view, revealing a cell site on the roof of the building.

FIG. 3 illustrates the generation of passive intermodulation.

FIG. 4 illustrates the building of FIG. 1 with an RF barrier installed on the roof of the building, in accordance with embodiments of the invention.

FIGS. 5 and 6 show measurements of a typical cell site installation, before and after placement of an RF barrier in accordance with embodiments of the invention.

FIG. 7 illustrates a PIM barrier membrane, in accordance with embodiments of the invention.

FIG. 8 illustrates a process of making a PIM barrier membrane, in accordance with embodiments of the invention.

FIG. 9 illustrates a PIM barrier membrane in accordance with other embodiments of the invention.

FIG. 10 illustrates an exploded view of a self-adhesive RF barrier tape in accordance with embodiments of the invention.

FIG. 11 shows an edge view of the self-adhesive RF barrier tape of FIG. 10, in its assembled state.

FIG. 12 illustrates a technique for locating PIM sources, in accordance with embodiments of the invention.

FIG. 13 shows suspected PIM sources covered with respective pieces of barrier material, in accordance with embodiments of the invention.

FIG. 14 illustrates large pieces of barrier material applied to the entire area of interest on a roof, in accordance with embodiments of the invention.

FIG. 15 illustrates a mat RF barrier, in accordance with embodiments of the invention.

FIG. 16 illustrates the installation of the mat RF barrier of FIG. 15, in accordance with embodiments of the invention.

FIG. 17 illustrates a mat RF barrier in accordance with other embodiments of the invention.

FIG. 18 illustrates an RF barrier membrane in accordance with other embodiments of the invention.

FIG. 19 illustrates the installation of the RF barrier membrane of FIG. 18, in accordance with embodiments of the invention.

DETAILED DESCRIPTION

Loosely touching metal-to-metal surfaces as well as rusty metal surfaces behave in a non-linear fashion and can generate PIM when illuminated with RF energy. On rooftop cell site installations where the antennas are placed near the center of the roof, many non-linear objects may be present in front of the antenna. PIM sources may be located within the cellular network equipment or externally. Common external sources include loosely contacting sheet metal flashing used for weatherproofing, loose connections at overlapping metal decking members, rusty bolts, vent pipes, and the like. Common internal sources may include loose mechanical junctions, oxidized or contaminated surfaces, connections or contact between dissimilar metals, and the like. Loose metal-to-metal contacts can also occur at the fastener locations, where due to time and thermal expansion, the heads of screws or nails are no longer applying high contact pressure. Since steel is a common material used in roof construction, rust is likely to form at locations where moisture has been able to penetrate the roof membrane.

FIG. 3 shows an enlarged view of a portion of FIG. 2, and illustrates PIM in more detail. Cell site 200 includes one or more antennas 301, connected to control electronics 302. Cell site 200 may be surrounded by an RF-transparent

screen 303 for aesthetic purposes. Antenna 301 transmits relatively high-power downlink signals 304, and receives relatively low-power uplink signals 305 from a number of cellular phones in the vicinity.

In FIG. 3, various PIM sources 306 are shown emitting RF noise 307 in response to exposure to downlink signals 304. Some of the RF noise is directed toward antenna 301, and some may fall within the uplink band, thus reducing the uplink SINR. Many PIM sources 306 may be encompassed in the relatively wide area of roof 201 exposed between cell site 200 and the edges of roof 201 and subject to downlink signals 304.

Rooftop PIM sources at cellular installations have been shown to produce 3rd order intermodulation products (IM3) as high as -50 dBm when the site is tested by injecting 43 dBm test tones into the cell site antenna. This level of PIM is almost 50 dB (100,000 times) higher than the typical “passing” PIM level required for acceptable site performance.

In accordance with embodiments of the invention, covering the non-linear objects on the rooftop with an RF barrier significantly reduces the PIM generated by these non-linear objects. For every 1 dB that the RF barrier is able to attenuate the signal arriving at a non-linear junction, the IM3 level seen at the base station receiver is typically reduced by 3.5 dB.

FIG. 4 illustrates building 100 and cell site 200 with an RF barrier 401 installed on roof 201, over PIM sources 306. RF barrier 401 reduces the RF energy reaching PIM sources 306, and consequently reduces the amount of PIM generated at sources 306.

RF barrier 401 preferably reduces the RF energy reaching PIM sources 306 by at least 10 dB. This will reduce the magnitude of PIM generated by PIM sources under the barrier by approximately 35 dB. In other embodiments more or less attenuation may be provided. For example, FIGS. 5 and 6 show measurements of a typical cell site installation, before and after placement of an RF barrier such as RF barrier 401. In the example of FIGS. 5 and 6, a reduction in PIM magnitude of approximately 36 dB was achieved, from -61.1 dBm to -97.8 dBm.

The attenuation may be achieved through absorption, reflection or a combination of the two. For example, a reflective material such as RF barrier 401 reflects at least some of the original RF signals 304 from antenna 301, reducing the induced current in the underlying PIM sources, and ultimately reducing the magnitude of the PIM generated.

Preferably, the materials used to construct RF barrier 401 do not themselves become a PIM source. For example, RF barrier 401 should not contain loose metal-to-metal contacts, and should be installable in a way that prevents loose metal-to-metal contacts from being formed. Preferably, RF barrier 401 can be cut in the field to custom shapes without generating burrs that could touch other metal surfaces and generate PIM.

In cases where the RF barrier is applied to existing rooftop surfaces, it is desirable that RF barrier 401 and any mounting system for RF barrier 401 not penetrate the existing roof membrane, so that any warranty of the existing roof is not voided. In addition, penetrations are preferably avoided because they are typically made with metal fasteners, which could become PIM sources themselves.

Preferably, the materials of RF barrier 401 provide good environmental stability and durability, similar to typical roofing materials. For example, RF barrier 401 may provide up to 10 years or more of operating life when installed in a

rooftop environment. This includes exposure to ultraviolet radiation, wind, rain, snow, extreme heat and extreme cold. The material of RF barrier **401** preferably will not rot, support fungal growth or delaminate after long term environmental exposure. In addition, an RF barrier **401** applied in an area subject to foot traffic should be able to withstand people walking on the barrier without physical damage or deterioration in performance.

FIG. **7** illustrates a PIM barrier membrane **700**, in accordance with embodiments of the invention. Example membrane **700** includes a metal layer **701** sandwiched between two polymeric layers **702** and **703**. Metal layer **701** may include, for example, a layer of aluminum having a thickness of 10 to 100 nanometers. Other metals may be used, for example copper, and other thicknesses of metal may be used if desired. For example, in other embodiments, the thickness of the metal layer may be up to 40 microns or more. The metal of metal layer **701** may be vapor deposited or otherwise coated on a film **704** such as a 0.0005 to 0.025 inch thick polyester film or other plastic film for ease of handling. In some embodiments, the metal layer **701** may be enclosed between two similar plastic films **704** and **705**. In some embodiments, metal layer **701** may be a metal foil, which in turn may be bonded to a reinforcement mat made of polyester, glass, or another suitable material.

Metal layer **701** may be continuous, and formed without folds or other features that may cause metal-to-metal contact. In other embodiments, the metal layer may be perforated, having very small holes to improve adhesion of the polymeric layers. Any holes should preferably have a size of no more than $\frac{1}{50}^{th}$ of the wavelength of the lowest operating frequency of the cell site.

Polymeric layers **702** and **703** may be made of thermoplastic polyolefin (TPO), ethylene propylene diene monomer (EPDM), polyvinyl chloride (PVC), modified bitumen, or another suitable polymer with sufficient durability for use on a roof. Polymeric layers **702** and **703** may each have a thickness of between 0.010 and 0.100 inches, or another suitable thickness. Membrane **700** may have an overall thickness of between 0.020 and 0.250 inches, or another suitable thickness. In some embodiments, membrane **700** may have an overall thickness of between 0.040 and 0.150 inches, and may preferably have a thickness between 0.050 and 0.100 inches. Polymeric layers **702** and **703** may be made of the same material or of different materials. For example, polymeric layer **702** could be made of TPO and polymeric layer **703** of EPDM. Many combinations are possible.

Polymeric layers **702** and **703** may include a fire retardant such as magnesium hydroxide, calcium carbonate, talc, zinc borate, or another fire suitable retardant. Preferably, the fire retardant is non-halogenated. In some embodiments, the fire retardant may comprise 20-40 weight percent of the polymeric layers.

Polymeric layers **702** and **703** may also include various stabilizers such as high and low molecular weight hindered amine light stabilizers, phosphate antioxidants, phenolic antioxidants, or other suitable stabilizers. In some embodiments, one of polymeric layers **702** and **703** may be designated as a top layer of membrane **700**, and may include more stabilizer than the bottom layer. For example, top layer **702** may include 1-5 weight percent of a stabilizer or stabilizers, while bottom layer **703** may include 1-2 percent of a stabilizer or stabilizers. The formulations of top and bottom layers **702** and **703** need not be identical. For example, top and bottom layers **702** and **703** may use different fire retardants or different stabilizers, or may differ in other

respects. In other embodiments, the formulations of top and bottom layers **702** and **703** may be the same.

For the purposes of this disclosure, the words “top” and “bottom” refer to the orientations of the various materials in the figures. While these orientations correspond to orientation of the materials as they would be installed on a rooftop, it is to be recognized that the materials may be installed in other orientations, for example on a vertical wall, and that the claims are intended to encompass these other orientations.

FIG. **8** illustrates a process of making a PIM barrier membrane such as membrane **700**, in accordance with embodiments of the invention. Metal layer **701** and its support film or films **704** and **705** are paid off of a supply roll **801**, and passed between calendaring rollers **804** and **805**. Extruders **802** and **803** inject the material of polymeric layers **702** and **703**. The completed membrane **700** is wound into a roll **806** for storage and shipment to a job site.

The process shown in FIG. **8** is known as co-extrusion, because both layers **702** and **703** are formed at the same or nearly the same time. In other embodiments, only one of layers **702** or **703** may be formed in a first pass. The half-completed membrane may then be sent through a second extrusion pass to form the other polymeric layer.

The extruder of FIG. **8** may have a length to diameter ration of 40:1, 50:1, 60:1, or another usable ratio. The components of polymeric layers **702** and **703** may be fed into extruders **802** and **803** in neat or pre-pelletized form. Each extruder may include an extruder screw and transfer zones that are optimized to mix the formulation components. From the extruder, the formulation can go through a melt pump which prevents pressure fluctuation of the melt going into the die. The die lip is used to control the amount of formulation being applied to the metallic film.

Calendaring rollers **804** and **805** form a calendaring stack, and may be stainless or treated galvanized rollers. More than two rollers may be used, for example four rollers. The thickness of membrane **700** is controlled by the the lip and the gap or opening of the calendaring rollers. The gap or pressure generated from the calendaring rollers helps control adhesion of the polymeric layers to the metallic film.

Completed membrane **700** may be considered a “single ply” membrane, even though it comprises various layers. In the field of roofing, the term “single ply” distinguishes a roofing membrane such as membrane **700** from a “built up roof”, in which multiple components such as asphalt and ballast are separately applied to the roof. Membrane **700** may be supplied in any workable size, for example in rolls up to 50 feet wide or more and 100 feet long or more. In some embodiments, membrane **700** may be provided in rolls about 6 feet wide.

Metal layer **701** provides the desired RF attenuation in the 500 MHz to 6000 MHz frequency range. Plastic film layers **704** and **705** on both sides of the metal layer **701** provide electrical insulation to prevent unwanted metal-to-metal contact when the membrane contacts other metal surfaces or is folded back on itself. Because the metal layer is very thin, burrs do not form when the membrane is cut with a razor blade.

In some embodiments, for example when higher RF attenuation is required, a second layer of aluminum or other metal can be added to the stack. For example, FIG. **9** illustrates a PIM barrier membrane **900** in accordance with other embodiments of the invention. In membrane **900**, two metal layers **901** and **902** are interleaved with three plastic film support layers **903**, **904**, and **905**. Layers **901-905** are then encapsulated between polymeric layers **906** and **907**,

for example in an extrusion process similar to that described above. Metal layers **901** and **902** may be similar to metal layer **701** described above. For example, metal layers **901** and **902** may be made of aluminum, copper, or another suitable metal, and may be 10 to 100 nanometers thick, or another suitable thickness. Plastic film layers **903-905** may be similar to film layers **704** and **705** described above, and polymeric layers **906** and **907** may be similar to layers **702** and **703** described above. Intermediate plastic film layer **904** prevents the two metal layers **901** and **902** from touching each other, so that the two metal layers do not become a PIM source.

In other embodiments, additional shielding may be provided using a single, thicker layer of metal.

A PIM barrier membrane such as membrane **700** or membrane **900** may be attached to a roof in any suitable way. In some embodiments, the edges of the PIM barrier membrane are heat welded to the existing roof membrane. In other embodiments, the PIM barrier membrane may be adhered to the existing roof using an adhesive or using a tape at the edges of the membrane. A PIM barrier membrane in accordance with embodiments of the invention may also be used in re-roofing applications and in new construction.

The polymeric layers of a membrane embodying the invention may be of any available color. For example, top layer **702** or **906** may be colored to match an existing roof, either by coloring the material of which the layer is made to match the existing roof, or by adding a coloring layer to the top of the membrane. In other embodiments, the color may be selected for different reasons. For example, top layer **702** or **906** may be made white or otherwise highly reflective to reduce the absorption of heat into the building.

While a membrane such as membrane **700** or membrane **900** is effective in mitigating PIM, other forms of RF barrier may be useful as well, alone or in conjunction with a barrier such as membrane **700** or membrane **900**. For example, a self-adhesive barrier may be helpful for vertical or irregularly shaped surfaces.

FIG. **10** illustrates an exploded view of a self-adhesive RF barrier tape **1000** in accordance with embodiments of the invention. Self-adhesive RF barrier tape **1000** includes a polymeric top layer **1001**, made of a waterproof, durable material suitable for exposure to the elements on a rooftop. For example, polymeric top layer **1001** may be made of TPO thermoplastic polyolefin (TPO), ethylene propylene diene monomer (EPDM), polyvinyl chloride (PVC), or another suitable material. Polymeric top layer **1001** may have a thickness of 0.030-0.060 inches, or another suitable thickness. The top surface of polymeric top layer **1001** may be of any suitable color, for example black, white, gray, or another color. The top surface may be the natural color of the material of polymeric top layer **1001**, or may be painted or otherwise coated to impart a different color. A highly reflective color such as white may be preferable in cool roof applications.

The underside **1002** of polymeric top layer **1001** is coated before assembly with an adhesive, for example an acrylic adhesive.

Self-adhesive RF barrier tape **1000** further includes a metal layer **1003**. Metal layer **1003** may include, for example, a layer of aluminum 10 to 100 nanometers thick, vapor deposited on a plastic film (not separately shown). Other metals and thicknesses may be used. For example, in other embodiments the thickness of metal layer **1003** may be up to 40 microns or more. In some embodiments, metal layer **1003** may be about 18 microns thick. The plastic film may be made of polyethylene, polyester, polypropylene, or

another suitable material, and may have a thickness of 0.0005 to 0.025 inches, or another suitable thickness. In some embodiments, metal layer **701** may be a metal foil, which in turn may be bonded to a reinforcement mat made of polyester, glass, or another suitable material.

Self-adhesive RF barrier tape **1000** further includes an adhesive layer **1004**. Adhesive layer **1004** may be made of an adhesive composition that can adhere to at least some common roofing materials. Examples of common roofing materials may include TPO, EPDM, PVC, modified bitumen, metals, brick, fiberglass, and wood. Adhesive layer **1004** may include a pressure sensitive adhesive. In some embodiments, adhesive layer **1004** is made of bitumen (asphalt) or modified bitumen and has a thickness of between 0.030 and 0.060 inches. Other adhesives and thicknesses may be used as well.

A release liner **1005** is preferably temporarily attached to the bottom surface of adhesive layer **1004**. Release liner **1005** may be a thin plastic, a silicone-coated paper, or another material that lightly adheres to the adhesive of adhesive layer **1004**, but can be easily removed without damaging adhesive layer **1004**. Self-adhesive RF barrier tape **1000** may be shipped to a job site with release liner **1005** in place, and release liner **1005** is then removed just prior to installation of tape **1000**.

FIG. **11** shows an edge view of self-adhesive RF barrier tape **1000**, in its assembled state. In order from the top, self-adhesive RF barrier tape **1000** includes polymeric top layer **1001**, and a layer of adhesive **1101** on the underside of polymeric top layer **1001**. Metal layer **1003** is adhered to adhesive **1101**, and is supported by plastic film layer **1102**. Adhesive layer **1004** is adhered to plastic film layer **1102**, and is covered on its bottom side by release liner **1005**. In other embodiments, the positioning of metal layer **1003** and plastic film layer **1102** may be reversed.

Self-adhesive RF barrier tape **1000** may be manufactured in any workable size, for example in rolls 60 inches wide or more. Narrower tapes may be made, or may be cut from wider tapes. For example, widths of 6, 12, 18, or 24 inches may be produced, or other widths.

Prior to attaching self-adhesive RF barrier tape **1000** to a rooftop surface, the roof surface should be clean, dry and free of oils or grease. Dusty surfaces may be primed with a water or solvent based primer prior to applying the RF barrier to improve adhesion. Self-adhesive RF barrier tape **1000** should be un-rolled and the pressure sensitive adhesive side pressed against the surface to be covered. A roller can be used to help press the adhesive into the roof surface to help maximize adhesion.

Referring again to FIG. **3**, PIM sources such as sources **306** may not be apparent from a visual inspection of roof **201**, because they may be buried within roof **201**. The presence of PIM at a particular cell site may be suggested by a statistical analysis of the performance of the cell site. For example, a cell site with significant PIM may have a shorter average call duration or a higher percentage of dropped calls than another similarly-situated site. If the differences in performance are not explained by other factors, PIM may be suspected.

It is desirable to have a method of finding and mitigating PIM sources, in accordance with embodiments of the invention. Such a method may be practiced when PIM is specifically suspected, or as a matter of general practice for network optimization.

FIG. **12** illustrates a technique for locating PIM sources, in accordance with embodiments of the invention, in the context of building **100** and cell site **200**. Two signals of

known frequency are injected into antenna **301**, which produces radio frequency (RF) radiation **1201** containing the two known frequencies toward part of roof **201**. The RF radiation excites passive intermodulation (PIM) sources **306**, which re-radiate broad spectrum RF radiation.

An intermodulation frequency is calculated from the known frequencies of the two injected signals. Preferably, this is the third-order intermodulation frequency IM3, but other frequencies could be used.

A worker **1202** “walks” the roof area of interest, carrying a probe **1203** sensitive to the RF radiation produced by PIM sources **306**. Probe **1203** is passed over the roof and receives intermodulation frequencies generated by PIM sources generated at locations on the roof. Probe **1203** may be, for example, a PIMHunter™ probe manufactured by Anritsu Corporation of Kanagawa, Japan, or another suitable kind of probe.

The signal received by probe **1203** is fed to a spectrum analyzer **1204**. A spectrum analyzer is an instrument that can separate an electronic signal into its frequency components, and measure the amplitude of the signal as a function of frequency. Spectrum analyzer **1204** may be, for example, a model MS2720T Spectrum Master™ spectrum analyzer manufactured by Anritsu Corporation, or another suitable kind of spectrum analyzer.

Worker **1202** sweeps the area of interest while monitoring the output of spectrum analyzer **1204**. Preferably, at least the area of roof **201** within the half power beamwidth Θ of antenna **301** is swept. Worker **1202** monitors the output of spectrum analyzer **1204** to see if the amplitude of any sensed signal at the intermodulation frequency exceeds a predetermined threshold. For example, worker **1202** may monitor a graphical display of spectrum analyzer **1204**. Depending on the model of spectrum analyzer used, spectrum analyzer **1204** may be able to generate an audible signal when the threshold is exceeded at the frequency of interest.

When the threshold amplitude is exceeded, it may be suspected that a PIM source has been detected. The roof location may be marked for mitigation.

Once potential PIM sources such as sources **306** have been located, each potential source can be covered with a radio frequency barrier material configured to mitigate passive intermodulation. FIG. 13 shows suspected PIM sources **306** covered with respective pieces of barrier material **1301**, in accordance with embodiments of the invention. Barrier material **1301** may be temporary and put in place for additional testing and verification, or may be a permanent application.

Suitable barrier materials may include absorptive materials such as RF absorbing foams, or reflective materials such as metal foil encapsulated between nonconductive insulation, for example polymeric layers as described above.

Roof **201** may be re-measured with barrier materials **1301** in place to test whether the PIM has been satisfactorily mitigated. Re-measurement may verify a reduction in PIM caused by PIM sources **306**, or may reveal that additional mitigation measures are needed. For example, the re-measurement may detect additional PIM sources that were not previously detected, as PIM is a dynamic phenomenon and may be affected by foot traffic on roof **201**, nearby metal objects, wind, or other factors. Any additional PIM sources may be mitigated similarly to PIM sources **306**. Any mitigated PIM sources that still radiate significantly at the intermodulation frequency may have additional layers of barrier material **1301** applied. Any number of test-and-mitigate iterations may be performed.

If barrier materials **1301** are temporary, they are preferably removed and replaced with more permanent materials, for example barrier membranes having a metal layer encapsulated between polymeric layers, as described above. The barrier material may be self-adhesive, may be adhered to the existing roof with an added adhesive or by heat welding, or may be affixed to the roof in another suitable way. Preferably, the existing roof is not damaged. For example, the barrier material is preferably not attached using penetrating fasteners.

The relatively small pieces of barrier material **1301** shown in FIG. 13 may be called “walkpads.” In other embodiments, larger areas of roof **201**, possibly including multiple PIM sources, may be covered with PIM barrier material, rather than covering the PIM sources individually. FIG. 14 illustrates larger pieces of barrier material **1401** applied to the entire area of interest on roof **201**. Barrier material **1401** is preferably supplied in a roll, so that installation of larger areas may be simplified.

In applications where PIM mitigation would be desirable but the building owner does not want the RF barrier permanently attached to the roof surface, a “mat” RF barrier **1500** can be deployed as shown in FIG. 15. The mat may be constructed using the same rugged outer layer **1501** and insulated metal layer **1502** as self-adhesive RF barrier tape **1000** described above, or similar materials suitable for exposure to the elements on a roof. However, the bottom layer **1503** in this form is a thick rubber mat such as is commonly used for lining gym floors or horse stalls. Additional layers such as adhesive layers, film backing for metal layer **1502**, or other layers may be present. The mat material **1503** may have a thickness of 0.5 to 0.75 inches, or another suitable thickness. The weight of the rubber mat provides ballast to hold the RF barrier in place. Additional ballast in the form of concrete blocks can be applied to the top of the mat if desired or necessary, for example in areas with higher wind requirements.

Such mat type RF barriers may be supplied in square sections measuring 36 inches by 36 inches, or in another suitable shape and size. Larger sections are possible to manufacture but are not practical for transporting onto rooftops due to their size and weight. To cover large surface areas, multiple mats can be deployed and mechanically joined together as shown in FIG. 16. To prevent RF energy from passing through the gap between mats and exciting PIM sources below, self-adhesive RF barrier material **1000** can be applied over the seams. While this tape does not create a continuous electrical connection between the individual barriers, it does provide sufficient capacitive coupling between barriers provide a continuous RF barrier. Additional mat connector mechanisms **1601** may be provided if desired.

An alternate method for producing the mat style RF barrier material **1700** is shown in FIG. 17. In this configuration, the outer rugged layer **1701** is replaced with a 0.25 inch to 0.38 inch rubber mat layer and the lower mat layer **1703** is reduced in thickness to 0.25 inch to 0.38 inch, yielding the same over-all mat thickness. Metal layer **1702** is encapsulated between mat layers **1701** and **1703**. Other layers may be present as well.

In some cases, it may be desirable to replace an existing roof membrane with an RF barrier membrane rather than apply separate RF barriers on top of the existing membrane. This might be the case when an RF barrier needs to be applied to reduce PIM, but the existing roofing system is close to the end of its useful life. For this application, an RF barrier **1800** as shown in FIG. 18 may be used. RF barrier **1800** comprises an outer rugged layer **1801** with inner

11

insulated metal layer **1802** as previously described with a second outer rugged layer **1803**. The thicknesses of the outer rugged layers may be reduced to 0.015 inch to 0.030 inch per layer to maintain the overall membrane thickness. Outer layers **1801** and **1803** may be made of, for example, EPDM, TPO, or PVC. Installation of this membrane may utilize the existing installation processes and bonding materials. The self-adhesive tape RF barrier material **1000** as shown in FIG. **10** can be used at the seams to achieve a continuous RF barrier, as shown in FIG. **19**.

The invention has now been described in detail for the purposes of clarity and understanding. However, those skilled in the art will appreciate that certain changes and modifications may be practiced within the scope of the appended claims.

What is claimed is:

1. A method of mitigating passive intermodulation, the method comprising:

injecting two signals of two known frequencies into an antenna system, such that the antenna system produces radio frequency radiation containing the two known frequencies directed toward an area to be tested for passive intermodulation;

calculating an intermodulation frequency from the two known frequencies;

connecting a probe to a spectrum analyzer, the spectrum analyzer configured to receive radio frequency signals produced at the intermodulation frequency;

passing the probe over the area to be tested while simultaneously monitoring the signal received by the spectrum analyzer;

identifying a suspected source of passive intermodulation when the spectrum analyzer detects a signal amplitude above a threshold value at the intermodulation frequency;

covering the suspected source of passive intermodulation with a temporary radio frequency barrier material configured to mitigate passive intermodulation;

re-measuring the signal amplitude at the suspected source of passive intermodulation at the intermodulation frequency with the radio frequency barrier material in place, to verify a reduction in passive intermodulation; and

replacing the temporary radio frequency barrier material with a roofing membrane configured to be a radio frequency barrier.

2. The method of claim **1**, wherein the roofing membrane comprises:

a first polymeric layer;

a second polymeric layer; and

a metal layer encapsulated between the first and second polymeric layers.

3. The method of claim **2**, wherein the metal layer is continuous.

4. The method of claim **2**, wherein the metal layer is perforated.

5. The method of claim **2**, wherein the metal layer is deposited on a plastic sheet, and the metal layer and the plastic sheet are encapsulated between the first and second polymeric layers.

6. The method of claim **2**, wherein at least one of the first and second polymeric layers comprises thermoplastic polyolefin (TPO).

7. The method of claim **2**, wherein at least one of the first and second polymeric layers comprises ethylene propylene diene monomer (EPDM).

12

8. The method of claim **2**, wherein at least one of the first and second polymeric layers comprises polyvinyl chloride (PVC).

9. The method of claim **2**, wherein at least one of the first and second polymeric layers comprises modified bitumen.

10. A method of mitigating passive intermodulation, the method comprising:

injecting two signals of two known frequencies into an antenna system, such that the antenna system produces radio frequency radiation containing the two known frequencies directed toward an area to be tested for passive intermodulation;

calculating an intermodulation frequency from the two known frequencies;

connecting a probe to a spectrum analyzer, the spectrum analyzer configured to receive radio frequency signals produced at the intermodulation frequency;

passing the probe over the area to be tested while simultaneously monitoring the signal received by the spectrum analyzer;

identifying a suspected source of passive intermodulation when the spectrum analyzer detects a signal amplitude above a threshold value at the intermodulation frequency;

covering the suspected source of passive intermodulation with a temporary radio frequency barrier material configured to mitigate passive intermodulation;

re-measuring the signal amplitude at the suspected source of passive intermodulation at the intermodulation frequency with the radio frequency barrier material in place, to verify a reduction in passive intermodulation; and

covering the suspected source of passive intermodulation with a walk pad.

11. The method of claim **1**, wherein the area to be tested for passive intermodulation is on a rooftop.

12. The method of claim **1**, wherein replacing the temporary radio frequency barrier material with a roofing membrane configured to be a radio frequency barrier comprises replacing the temporary radio frequency barrier material with a self-adhesive roofing membrane material.

13. The method of claim **1**, wherein the roofing membrane comprises a metal-containing layer encapsulated between two layers of polymeric roofing membrane material, and wherein the roofing membrane has an overall thickness of between 0.020 and 0.25 inches.

14. A method of mitigating passive intermodulation, the method comprising:

injecting two signals of two known frequencies into an antenna system, such that the antenna system produces radio frequency radiation containing the two known frequencies directed toward an area to be tested for passive intermodulation;

calculating an intermodulation frequency from the two known frequencies;

connecting a probe to a spectrum analyzer, the spectrum analyzer configured to receive radio frequency signals produced at the intermodulation frequency;

passing the probe over the area to be tested while simultaneously monitoring the signal received by the spectrum analyzer;

identifying a suspected source of passive intermodulation when the spectrum analyzer detects a signal amplitude above a threshold value at the intermodulation frequency;

13

covering the suspected source of passive intermodulation
with a temporary radio frequency barrier material con-
figured to mitigate passive intermodulation;
re-measuring the signal amplitude at the suspected source
of passive intermodulation at the intermodulation fre- 5
quency with the radio frequency barrier material in
place, to verify a reduction in passive intermodulation;
and
replacing the temporary radio frequency barrier material
with a radio frequency barrier mat, the radio frequency 10
barrier mat comprising a metal-containing layer joined
to a rubber mat layer.

15. The method of claim **14**, wherein the radio frequency
barrier mat has an overall thickness of 0.5 to 0.75 inches.

* * * * *

15

14