

US011430750B2

(12) **United States Patent**  
**Huang et al.**

(10) **Patent No.:** **US 11,430,750 B2**  
(45) **Date of Patent:** **Aug. 30, 2022**

(54) **SEMICONDUCTOR DEVICE PACKAGE HAVING AN ANTENNA FORMED OVER A FOAMING AGENT FILLED CAVITY IN A SUPPORT LAYER**

24/19 (2013.01); *H01L 24/20* (2013.01);  
*H01Q 1/2283* (2013.01); *H01L 2223/6677*  
(2013.01); *H01L 2224/214* (2013.01)

(71) Applicant: **Advanced Semiconductor Engineering, Inc.**, Kaohsiung (TW)

(58) **Field of Classification Search**  
CPC . *H01L 23/66*; *H01L 23/3128*; *H01L 23/5383*;  
*H01L 23/5386*; *H01L 23/5389*  
See application file for complete search history.

(72) Inventors: **Wen Hung Huang**, Kaohsiung (TW);  
**Min Lung Huang**, Kaohsiung (TW);  
**Yuh-Shan Su**, Kaohsiung (TW)

(56) **References Cited**

(73) Assignee: **ADVANCED SEMICONDUCTOR ENGINEERING, INC.**, Kaohsiung (TW)

U.S. PATENT DOCUMENTS

(\*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 276 days.

7,696,930 B2	4/2010	Akkermans et al.	
8,988,299 B2	3/2015	Kam et al.	
9,252,491 B2 *	2/2016	Liu .....	<i>H01Q 1/38</i>
9,620,847 B2	4/2017	Kamgaing	
11,152,315 B2 *	10/2021	Chang .....	<i>H01L 24/10</i>
2010/0164783 A1 *	7/2010	Choudhury .....	<i>H01Q 21/065</i> 342/175
2016/0218072 A1 *	7/2016	Liao .....	<i>H01L 23/49816</i>
2019/0280374 A1 *	9/2019	Kim .....	<i>H01L 21/568</i>

\* cited by examiner

(21) Appl. No.: **16/425,702**

*Primary Examiner* — Anh D Mai

(22) Filed: **May 29, 2019**

(74) *Attorney, Agent, or Firm* — Foley & Lardner LLP

(65) **Prior Publication Data**

US 2020/0381375 A1 Dec. 3, 2020

(51) **Int. Cl.**

<i>H01L 23/66</i>	(2006.01)
<i>H01L 23/31</i>	(2006.01)
<i>H01L 23/538</i>	(2006.01)
<i>H01L 23/00</i>	(2006.01)
<i>H01L 21/48</i>	(2006.01)
<i>H01L 21/56</i>	(2006.01)
<i>H01Q 1/22</i>	(2006.01)


(57) **ABSTRACT**

A semiconductor device package includes a first substrate, an antenna, a support layer, a dielectric layer and a second substrate. The first substrate has a first surface and a second surface opposite to the first surface. The antenna element is disposed on the second surface of the first substrate. The support layer is disposed on the first surface of the first substrate and at the periphery of the first surface of the first substrate. The support layer has a first surface facing away from the first substrate. The dielectric layer is disposed on the first surface of the support layer and spaced apart from the first substrate. The dielectric layer is chemically bonded to the support layer. The second substrate is disposed on a first surface of the dielectric layer facing away from the support layer.

(52) **U.S. Cl.**

CPC ..... *H01L 23/66* (2013.01); *H01L 21/4853* (2013.01); *H01L 21/4857* (2013.01); *H01L 21/565* (2013.01); *H01L 23/3128* (2013.01); *H01L 23/5383* (2013.01); *H01L 23/5386* (2013.01); *H01L 23/5389* (2013.01); *H01L*

**15 Claims, 14 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3A




FIG. 3B




FIG. 3C






FIG. 3D




FIG. 3E






FIG. 3F




FIG. 4A




FIG. 4B




FIG. 4C




FIG. 5A




FIG. 5B






FIG. 5C



1

**SEMICONDUCTOR DEVICE PACKAGE  
HAVING AN ANTENNA FORMED OVER A  
FOAMING AGENT FILLED CAVITY IN A  
SUPPORT LAYER**

BACKGROUND

1. Technical Field

The present disclosure relates to a semiconductor device package and a method of manufacturing the same, and more particularly to a semiconductor device package including an antenna and a method of manufacturing the same.

2. Description of the Related Art

The development of mobile communication has caused demand for high data rates and stable communication quality, and high frequency wireless transmission (e.g., 28 GHz or 60 GHz) has become one of the most important topics in the mobile communication industry. In order to achieve such high frequency wireless transmission, the signal can be transmitted in a band having wavelengths from about ten to about one millimeter (“millimeter wave,” or “mmWave”). However, the signal attenuation is one of the problems in millimeter wave transmission.

SUMMARY

In accordance with some embodiments of the present disclosure, a semiconductor device package includes a first substrate, an antenna, a support layer, a dielectric layer and a second substrate. The first substrate has a first surface and a second surface opposite to the first surface. The antenna element is disposed on the second surface of the first substrate. The support layer is disposed on the first surface of the first substrate and at the periphery of the first surface of the first substrate. The support layer has a first surface facing away from the first substrate. The dielectric layer is disposed on the first surface of the support layer and spaced apart from the first substrate. The dielectric layer is chemically bonded to the support layer. The second substrate is disposed on a first surface of the dielectric layer facing away from the support layer.

In accordance with some embodiments of the present disclosure, a semiconductor device package includes a first substrate, an antenna element, a second substrate and a foaming agent. The first substrate has a first surface and a second surface opposite to the first surface. The antenna element is disposed on the second surface of the first substrate. The second substrate is disposed on the first substrate. The first substrate and the second substrate define a cavity. The foaming agent is disposed within the cavity.

In accordance with some embodiments of the present disclosure, a method of manufacturing a semiconductor device package includes (a) precuring a first photosensitive element on a first substrate; (b) precuring a second photosensitive element on a second substrate; (c) attaching the first photosensitive element to the second photosensitive element; and (d) full curing the first photosensitive element and the second photosensitive element.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 illustrates a cross-sectional view of a semiconductor device package in accordance with some embodiments of the present disclosure.

2

FIG. 2 illustrates a cross-sectional view of a semiconductor device package in accordance with some embodiments of the present disclosure.

FIG. 3A, FIG. 3B, FIG. 3C, FIG. 3D, FIG. 3E and FIG. 3F illustrate a semiconductor manufacturing method in accordance with some embodiments of the present disclosure.

FIG. 4A, FIG. 4B and FIG. 4C illustrate a semiconductor manufacturing method in accordance with some embodiments of the present disclosure.

FIG. 5A, FIG. 5B and FIG. 5C illustrate a semiconductor manufacturing method in accordance with some embodiments of the present disclosure.

Common reference numerals are used throughout the drawings and the detailed description to indicate the same or similar components. The present disclosure will be readily understood from the following detailed description taken in conjunction with the accompanying drawings.

DETAILED DESCRIPTION

FIG. 1 illustrates a cross-sectional view of a semiconductor device package 1 in accordance with some embodiments of the present disclosure. The semiconductor device package 1 includes substrates 10, 12, a dielectric layer 11, an antenna element 13, an electronic component 14, electrical contacts 15 and a package body 16.

The substrate 10 may be, for example, a printed circuit board, such as a paper-based copper foil laminate, a composite copper foil laminate, or a polymer-impregnated glass-fiber-based copper foil laminate. In some embodiments, the substrate 10 may be a single-layer substrate or multi-layer substrate. The substrate 10 has a surface 101 and a surface 102 opposite to the surface 101.

The antenna pattern 13 is disposed on the surface 102 of the substrate 10. In some embodiments, the antenna pattern 13 penetrates the substrate 10 and is exposed from the surface 101 of the substrate 10. In some embodiments, the antenna pattern 13 includes a plurality of antenna elements. For example, the antenna pattern 13 may include an array of antenna elements. In some embodiments, the antenna pattern 13 may include an M×N array of antenna elements, where M and N are integers greater than 0. In some embodiments, the antenna pattern 13 is formed of or includes gold (Au), silver (Ag), copper (Cu), platinum (Pt), Palladium (Pd), other metal(s) or alloy(s), or a combination of two or more thereof.

The dielectric layer 11 is disposed on the surface 101 of the substrate 10. The dielectric layer 11 has surfaces 111, 112, 113 and 114. The surface 111 faces away from the substrate 10. The surface 112 connected to the surface 101 of the substrate 10. The surface 113 faces the substrate 10 and is spaced apart from the substrate 10. The surface 114 is extended between the surface 112 and the surface 113. The dielectric layer 11 has a portion 11a (also can be referred to as “support element”) disposed on the surface 101 of the substrate 10 and a portion 11b disposed on the portion 11a. In some embodiments, the portion 11a of the dielectric layer 11 is chemically bonded to the portion 11b of the dielectric layer 11. The portion 11a is disposed at the periphery of the surface 101 of the substrate 10. In some embodiments, the dielectric layer 11 and the substrate 10 define a cavity 10c (or a chamber). For example, the portion 11b of the dielectric layer 11 defines an upper portion of the cavity 10c, the substrate 10 defines a lower portion of the cavity 10c, and the portion 11a of the dielectric layer 11 defines a sidewall of the cavity 10c. For example, the surface 113 of the



dielectric layer **11** defines an upper surface of the cavity **10c**, the surface **101** of the substrate **10** defines a lower surface of the cavity **10c**, and the surface **114** of the dielectric layer **11** defines the sidewall of the cavity **10c**.

The dielectric layer **11** may include a conductive layer **11r** disposed therein. In some embodiments, the conductive layer **11r** penetrates the portion **11b** of the dielectric layer **11** and is exposed from the surface **111** and the surface **113** of the dielectric layer **11** for electrical connections. A conductive element **10p** (e.g., copper pillar) is disposed within the cavity **10c** and electrically connects the antenna pattern **13** to the conductive layer **11r**. The conductive element **10p** is, or includes, a conductive material such as a metal or metal alloy. Examples of the conductive material include Au, Ag, Cu, Pt, Pd, or an alloy thereof. In some embodiments, the conductive element **10p** may be omitted, and signal can be transmitted between the antenna pattern **13** and the conductive layer **11r** through coupling.

In some embodiments, the dielectric layer **11** includes a photosensitive material. For example, the dielectric layer **11** includes expanded polyolefin (EPO), solder resist, polyimide (PI), epoxy and/or polybenzoxazole (PBO). In some embodiments, the portion **11a** and the portion **11b** of the dielectric layer **11** are formed of the same material. Alternatively, the portion **11a** and the portion **11b** of the dielectric layer **11** are formed of different materials.

The substrate **12** is disposed on the surface **111** of the dielectric layer **11**. The substrate **12** may be, for example, a printed circuit board, such as a paper-based copper foil laminate, a composite copper foil laminate, or a polymer-impregnated glass-fiber-based copper foil laminate. The substrate **12** may include an interconnection structure **12r**, such as a redistribution layer (RDL) or a grounding element. In some embodiments, a portion of the interconnection structure **12r** is exposed from the substrate **12** to be electrically connected to the conductive layer **11r** of the dielectric layer **11**. The interconnection structure **12r** is, or includes, a conductive material such as a metal or metal alloy. Examples of the conductive material include Au, Ag, Cu, Pt, Pd, or an alloy thereof. In some embodiments, the substrate **12** may be a single-layer substrate or multi-layer substrate which includes a core layer and a conductive material. The conductive material and/or structure may include a plurality of traces. The substrate **12** may include one or more conductive pads **12c** in proximity to, adjacent to, or embedded in and exposed at a surface **121** of the substrate **12**. The substrate **12** may include a solder resist **12m** (or solder mask) on the surface **121** of the substrate **12** to fully expose or to expose at least a portion of the conductive pads **12c** for electrical connections. For example, the solder resist **12m** may cover a portion of the conductive pads **12c**.

The electronic component **14** is disposed on the surface **121** of the substrate **12** and electrically connected to the conductive pads **12c** of the substrate **12**. The electronic component **14** may be an active electronic component, such as an integrated circuit (IC) chip or a die. In some embodiments, the conductive pads **12c** are directly connected to conductive terminals (e.g., copper pillars) of an active surface of the electronic component **14**. In other embodiments, the electronic component **14** may be electrically connected to the substrate **12** by way of flip-chip or wire-bond techniques.

The electrical contacts **15** are disposed on the substrate **12** (e.g., on the conductive pads of the substrate **12**) to provide electrical connections between the semiconductor device package **1** and any other circuit boards (e.g., substrate, PCB,

motherboard or the like) or circuits. In some embodiments, the electrical contacts **15** are solder balls or conductive pillars.

The package body **16** is disposed on the substrate **12** and covers or encapsulates a portion of the electronic component **14** and the electrical contacts **15**. The back surface of the electronic component **14** is exposed from the package body **16**. In some embodiments, the back surface of the electronic component **14** is substantially coplanar with a surface **162** of the package body **16**. A portion of the electrical contacts **15** is exposed from the package body **16** for electrical connections. In some embodiments, the package body **16** includes an epoxy resin having fillers, a molding compound (e.g., an epoxy molding compound or other molding compound), a polyimide, a phenolic compound or material, a material with a silicone dispersed therein, or a combination thereof.

As shown in FIG. 1, since the dielectric layer **11** and the substrate **10** are arranged to define a height, a distance, a cavity (e.g. an air cavity) or cavities therebetween, a gain, bandwidth and radiation efficiency of the antenna pattern **13** can be improved. In some embodiments, the cavity **10c** may be a vacuum cavity (or a vacuum chamber) or a near-vacuum cavity, which can prevent the delamination between the substrate **10** and the dielectric layer **11** or the substrate **12** due to the expansion of the air during the thermal process and in turn to increase the reliability of the semiconductor device package **1**.

FIG. 2 illustrates a cross-sectional view of a semiconductor device package **2** in accordance with some embodiments of the present disclosure. The semiconductor device package **2** is similar to the semiconductor device package **1** in FIG. 1 and the differences therebetween are described below.

A support structure **22** is disposed on the surface **101** of the substrate **10**. The support structure **22** is disposed at the periphery of the surface **101** of the substrate **10**. The support structure **22**, the substrate **10** and the substrate **12** define a cavity **20c**. In some embodiments, the support structure **22** can be the dielectric layer **11** as shown in FIG. 1. Alternatively, the support structure **22** may be or include any other suitable materials, such as solder resist. The support structure **22** is connected to the substrate **12** through an adhesion layer **21** (e.g., die attach film (DAF) or tape). In some embodiments, the conductive element **10p** may penetrate the adhesion layer **21** to electrically connect to the interconnection structure **12r**. In some embodiments, the adhesion layer **21** may include a conductive material. For example, at least a portion (e.g., the portion corresponds to the conductive element **10**) of the adhesion layer **21** is electrically conductive to provide electrical connections between the substrate **12** and the conductive element **10p**.

A foaming agent **23** is disposed within the cavity **20c**. The foaming agent **23** is surrounded by the support structure **22**. In some embodiments, the foaming agent **23** is formed of or includes a material having a dielectric constant (Dk) and a dissipation factor (Df) less than Dk and DF of dielectric materials. For example, Dk of the foaming agent **23** is equal to or less than 3, and Df of the foaming agent **23** is equal to or less than 0.001.

In accordance with the embodiments in FIG. 2, since the Dk and Df of the forming agent **23** is less than those of dielectric materials, the gain, bandwidth and radiation efficiency of the antenna pattern **13** can be improved. In addition, the foaming agent **23** is disposed within the cavity **20c** to cover air within the cavity **20c**, which can prevent the delamination between the substrate **10** and the support structure **22** or the substrate **12** due to the expansion of the



air during the thermal process and in turn to increase the reliability of the semiconductor device package 2.

FIG. 3A, FIG. 3B, FIG. 3C, FIG. 3D, FIG. 3E and FIG. 3F illustrate a semiconductor manufacturing method in accordance with some embodiments of the present disclosure.

Referring to FIG. 3A, a carrier 39 with adhesion layers 39h is provided. Substrates 10 are disposed on both surfaces of the carrier 39. In some embodiments, the substrates 10 may be disposed by, for example, lamination. One or more openings 10h are formed to penetrate the substrates 10 to expose a portion of the carrier 39 (or the adhesion layers 39h). In some embodiments, the openings 10h can be formed by, for example, drilling, etching or any other suitable processes. A patterned photoresist 39p (or photo-mask) is then disposed on the substrates 10.

Referring to FIG. 3B, an antenna pattern 13 is formed on the substrates 10 and within the openings 10h. In some embodiments, the antenna pattern 13 is defined by the patterned photoresist 39p. For example, the antenna pattern 13 is formed at the location that is exposed from the patterned photoresist 39p. In some embodiments, the antenna pattern 13 is formed by, for example, wet process or any other suitable processes. The photoresist 39p is then removed.

Referring to FIG. 3C, the carrier 39 and the adhesion layer 39h are removed from the substrates 10 to expose a surface 101 of the substrate 10 and a portion of the antenna pattern 13.

Referring to FIG. 3D, a patterned photoresist 39p1 (or photomask) is disposed on the surface 101 of the substrate 10. The patterned photoresist 39p1 has one or more openings 39ph to expose the antenna pattern 13.

Referring to FIG. 3E, conductive elements 10p are formed within the openings 39ph defined by the patterned photoresist 39p1 by, for example, wet process. The patterned photoresist 39p1 is removed. Then, a dielectric layer 11a is formed on the surface 101 of the substrate 10. The dielectric layer 11a and the surface 101 of the substrate 10 define a cavity 10c. In some embodiments, a foaming agent 23 is then filled within the cavity 10c as shown in FIG. 3F.

FIG. 4A, FIG. 4B and FIG. 4C illustrate a semiconductor manufacturing method in accordance with some embodiments of the present disclosure. In some embodiments, the method illustrated in FIG. 4A, FIG. 4B and FIG. 4C are used to manufacture the semiconductor device package 1 in FIG. 1.

Referring to FIG. 4A, the structure as shown in FIG. 3E and a dielectric layer 11b with a substrate 12 thereon are provided. A first temperature is provided to the dielectric layer 11a to heat (or soft bake or precure) the dielectric layer 11a (e.g., soft baking process or procuring process). A second temperature is provided to the dielectric layer 11b to heat (or soft bake or precure) the dielectric layer 11b (e.g., soft baking process or procuring process). In some embodiments, the first temperature can be equal to, greater than or less than the second temperature depending on different design specifications.

Referring to FIG. 4B, the dielectric layer 11b is attached to the dielectric layer 11a. Then, a third temperature is provided to the dielectric layers 11a and 11b to heat (hard bake or full cure) the dielectric layers 11a and 11b (e.g., hard baking process or full curing process), so that the dielectric layer 11a is bonded to the dielectric layer 11b. In accordance with the embodiments in FIG. 4B, the dielectric layer 11a is connected to the dielectric layer 11b through chemical bond,

which can provide a better bond strength between the dielectric layer 11a and the dielectric layer 11b.

Referring to FIG. 4C, an electronic component 14 is disposed on the substrate 12. The electronic component 14 is electrically connected to the conductive pads 12c of the substrate 12. In some embodiments, electrical contacts 15 may be disposed on the substrate 12, and then a package body 16 can be formed on the substrate 12 to form the semiconductor device package 1 as shown in FIG. 1.

FIG. 5A, FIG. 5B and FIG. 5C illustrate a semiconductor manufacturing method in accordance with some embodiments of the present disclosure. In some embodiments, the method illustrated in FIG. 5A, FIG. 5B and FIG. 5C are used to manufacture the semiconductor device package 2 in FIG. 2.

Referring to FIG. 5A, the structure as shown in FIG. 3F and a substrate 12 with an adhesion layer 21 are provided. The substrate 12 is then attached to the dielectric layer 11a through the adhesion layer 21 as shown in FIG. 5B.

Referring to FIG. 5C, an electronic component 14 is disposed on the substrate 12. The electronic component 14 is electrically connected to the conductive pads 12c of the substrate 12. In some embodiments, electrical contacts 15 may be disposed on the substrate 12, and then a package body 16 can be formed on the substrate 12 to form the semiconductor device package 2 as shown in FIG. 2.

As used herein, the terms “substantially,” “substantial,” “approximately,” and “about” are used to denote and account for small variations. For example, when used in conjunction with a numerical value, the terms can refer to a range of variation of less than or equal to  $\pm 10\%$  of that numerical value, such as less than or equal to  $\pm 5\%$ , less than or equal to  $\pm 4\%$ , less than or equal to  $\pm 3\%$ , less than or equal to  $\pm 2\%$ , less than or equal to  $\pm 1\%$ , less than or equal to  $\pm 0.5\%$ , less than or equal to  $\pm 0.1\%$ , or less than or equal to  $\pm 0.05\%$ . As another example, a thickness of a film or a layer being “substantially uniform” can refer to a standard deviation of less than or equal to  $\pm 10\%$  of an average thickness of the film or the layer, such as less than or equal to  $\pm 5\%$ , less than or equal to  $\pm 4\%$ , less than or equal to  $\pm 3\%$ , less than or equal to  $\pm 2\%$ , less than or equal to  $\pm 1\%$ , less than or equal to  $\pm 0.5\%$ , less than or equal to  $\pm 0.1\%$ , or less than or equal to  $\pm 0.05\%$ . The term “substantially coplanar” can refer to two surfaces within micrometers of lying along a same plane, such as within  $40\ \mu\text{m}$ , within  $30\ \mu\text{m}$ , within  $20\ \mu\text{m}$ , within  $10\ \mu\text{m}$ , or within  $1\ \mu\text{m}$  of lying along the same plane. Two surfaces or components can be deemed to be “substantially perpendicular” if an angle therebetween is, for example,  $90^\circ \pm 10^\circ$ , such as  $\pm 5^\circ$ ,  $\pm 4^\circ$ ,  $\pm 3^\circ$ ,  $\pm 2^\circ$ ,  $\pm 1^\circ$ ,  $\pm 0.5^\circ$ ,  $\pm 0.1^\circ$ , or  $\pm 0.05^\circ$ . When used in conjunction with an event or circumstance, the terms “substantially,” “substantial,” “approximately,” and “about” can refer to instances in which the event or circumstance occurs precisely, as well as instances in which the event or circumstance occurs to a close approximation.

As used herein, the singular terms “a,” “an,” and “the” may include plural referents unless the context clearly dictates otherwise. In the description of some embodiments, a component provided “on” or “over” another component can encompass cases where the former component is directly on (e.g., in physical contact with) the latter component, as well as cases where one or more intervening components are located between the former component and the latter component.

As used herein, the terms “conductive,” “electrically conductive” and “electrical conductivity” refer to an ability to transport an electric current. Electrically conductive mate-



rials typically indicate those materials that exhibit little or no opposition to the flow of an electric current. One measure of electrical conductivity is Siemens per meter (S/m). Typically, an electrically conductive material is one having a conductivity greater than approximately  $10^4$  S/m, such as at least  $10^5$  S/m or at least  $10^6$  S/m. The electrical conductivity of a material can sometimes vary with temperature. Unless otherwise specified, the electrical conductivity of a material is measured at room temperature.

Additionally, amounts, ratios, and other numerical values are sometimes presented herein in a range format. It can be understood that such range formats are used for convenience and brevity, and should be understood flexibly to include not only numerical values explicitly specified as limits of a range, but also all individual numerical values or sub-ranges encompassed within that range as if each numerical value and sub-range is explicitly specified.

While the present disclosure has been described and illustrated with reference to specific embodiments thereof, these descriptions and illustrations do not limit the present disclosure. It can be clearly understood by those skilled in the art that various changes may be made, and equivalent elements may be substituted within the embodiments without departing from the true spirit and scope of the present disclosure as defined by the appended claims. The illustrations may not necessarily be drawn to scale. There may be distinctions between the artistic renditions in the present disclosure and the actual apparatus, due to variables in manufacturing processes and such. There may be other embodiments of the present disclosure which are not specifically illustrated. The specification and drawings are to be regarded as illustrative rather than restrictive. Modifications may be made to adapt a particular situation, material, composition of matter, method, or process to the objective, spirit and scope of the present disclosure. All such modifications are intended to be within the scope of the claims appended hereto. While the methods disclosed herein have been described with reference to particular operations performed in a particular order, it can be understood that these operations may be combined, sub-divided, or re-ordered to form an equivalent method without departing from the teachings of the present disclosure. Therefore, unless specifically indicated herein, the order and grouping of the operations are not limitations of the present disclosure.

What is claimed is:

1. A semiconductor device package, comprising:
  - a first substrate having a first surface and a second surface opposite to the first surface;
  - an antenna element disposed on the second surface of the first substrate;
  - a second substrate disposed on the first surface of the first substrate, wherein a cavity is defined between the first substrate and the second substrate; and
  - a dielectric material disposed within the cavity, wherein a portion of the antenna element penetrates the first substrate and electrically connected to the second substrate through a conductive element, and wherein the conductive element is disposed within the cavity.
2. The semiconductor device package of claim 1, further comprising a support element disposed between the first substrate and the second substrate and surrounding the dielectric material.
3. The semiconductor device package of claim 2, further comprising an adhesion layer disposed between the support element and the second substrate.

4. The semiconductor device package of claim 1, further comprising an integrated circuit (IC) disposed on the second substrate.

5. The semiconductor device package of claim 3, wherein a dielectric constant (Dk) and a dissipation factor (Df) of a material of the dielectric material are less than Dk and DF of the adhesion layer.

6. The semiconductor device package of claim 5, wherein Dk of the material of the dielectric material is equal to or less than 3, and Df of the material of the dielectric material is equal to or less than 0.001.

7. The semiconductor device package of claim 1, wherein the dielectric material includes a porous material.

8. A semiconductor device package, comprising:
 

- a first substrate having a first surface and a second surface opposite to the first surface;
- an antenna element disposed on the second surface of the first substrate;
- a second substrate disposed on the first surface of the first substrate, wherein a cavity is defined between the first substrate and the second substrate; and
- a dielectric material disposed within the cavity, wherein a portion of the antenna element penetrates the first substrate and electrically connected to the second substrate through a conductive element, wherein the antenna element is in contact with the dielectric material.

9. A semiconductor device package, comprising:
 

- a first substrate having a first surface and a second surface opposite to the first surface;
- an antenna element disposed on the second surface of the first substrate;
- a support layer disposed on the first surface of the first substrate and at the periphery of the first surface of the first substrate, the support layer having a first surface facing away from the first substrate, the support layer including a dielectric material;
- a dielectric layer disposed on the first surface of the support layer and spaced apart from the first substrate; and
- a second substrate disposed on a first surface of the dielectric layer facing away from the support layer, wherein the dielectric layer further includes a second surface opposite to the first surface of the dielectric layer; the support layer includes an inner surface; the inner surface of the support layer, the second surface of the dielectric layer and the first surface of the first substrate define a cavity filled by a foaming agent; the antenna element penetrates the first substrate and is electrically connected to the second substrate through a conductive element; and wherein the conductive element is disposed within the cavity.

10. The semiconductor device package of claim 9, further comprising an integrated circuit (IC) disposed on the second substrate.

11. The semiconductor device package of claim 9, wherein the foaming agent is surrounded by the support layer.

12. The semiconductor device package of claim 9, wherein the conductive element is surrounded by the support layer.

13. The semiconductor device package of claim 9, wherein a dielectric constant (Dk) and a dissipation factor (Df) of a material of the foaming agent are less than Dk and DF of dielectric materials.

14. The semiconductor device package of claim 13, wherein Dk of the material of the foaming agent is equal to or less than 3, and Df of the material of the foaming agent is equal to or less than 0.001.

15. The semiconductor device package of claim 9, 5 wherein the support layer and the antenna element are physically separated from each other.

\* \* \* \* \*