



(12) **United States Patent**  
**Yamazaki et al.**

(10) **Patent No.:** **US 11,742,014 B2**  
(45) **Date of Patent:** **Aug. 29, 2023**

(54) **SEMICONDUCTOR DEVICE**

(71) Applicant: **Semiconductor Energy Laboratory Co., Ltd., Atsugi (JP)**

(72) Inventors: **Shunpei Yamazaki, Setagaya (JP); Kiyoshi Kato, Atsugi (JP); Hajime Kimura, Atsugi (JP); Atsushi Miyaguchi, Hadano (JP); Tatsunori Inoue, Isehara (JP)**

(73) Assignee: **Semiconductor Energy Laboratory Co., Ltd., Kanagawa-ken (JP)**

(\*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **17/829,579**

(22) Filed: **Jun. 1, 2022**

(65) **Prior Publication Data**  
US 2022/0293159 A1 Sep. 15, 2022

**Related U.S. Application Data**

(63) Continuation of application No. 17/048,330, filed as application No. PCT/IB2019/053299 on Apr. 22, 2019, now Pat. No. 11,355,176.

(30) **Foreign Application Priority Data**  
May 2, 2018 (JP) ..... 2018-088846

(51) **Int. Cl.**  
**G11C 11/405** (2006.01)  
**G06F 12/0893** (2016.01)  
(Continued)

(52) **U.S. Cl.**  
CPC ..... **G11C 11/405** (2013.01); **G06F 12/0893** (2013.01); **H01L 27/1225** (2013.01); **H10B 12/00** (2023.02)

(58) **Field of Classification Search**

CPC ..... G11C 11/405; G11C 5/14; G11C 7/04; G11C 11/4074; G06F 12/0893;  
(Continued)

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

8,341,353 B2 12/2012 Venkumahanti et al.  
8,541,846 B2 9/2013 Saito  
(Continued)

**FOREIGN PATENT DOCUMENTS**

CN 103081092 A 5/2013  
JP 10-187536 A 7/1998  
(Continued)

**OTHER PUBLICATIONS**

International Search Report (Application No. PCT/IB2019/053299) dated Jul. 16, 2019.

(Continued)


*Primary Examiner* — Michael T Tran

(74) *Attorney, Agent, or Firm* — ROBINSON INTELLECTUAL PROPERTY LAW OFFICE; Eric J. Robinson

(57) **ABSTRACT**

A semiconductor device in which a memory region at each level of a memory device can be changed is provided. The semiconductor device includes a memory device including a first and a second memory circuit and a control circuit. The first memory circuit includes a first capacitor and a first transistor which has a function of holding charges held in the first capacitor. The second memory circuit includes a second transistor, a second capacitor which is electrically connected to a gate of the second transistor, and a third transistor which has a function of holding charges held in the second capacitor. The first and the third transistors each have a semiconductor layer including an oxide semiconductor, a gate, and a back gate. The voltage applied to the back gate of the first

(Continued)



or the third transistor is adjusted, whereby the memory region of each of the first and the second memory circuit is changed.

**4 Claims, 24 Drawing Sheets**

(51) **Int. Cl.**

**H01L 27/12** (2006.01)

**H10B 12/00** (2023.01)

(58) **Field of Classification Search**

CPC ..... H01L 27/108; H01L 27/1225; H01L 21/8258; H01L 29/78696; H01L 29/78648; H01L 29/7869; H01L 27/10897; H01L 27/0688

USPC ..... 365/148, 159

See application file for complete search history.

(56)

**References Cited**

U.S. PATENT DOCUMENTS

8,737,109	B2	5/2014	Yamazaki et al.	
8,778,742	B1 *	7/2014	Kang	H10B 43/00 257/326
9,449,706	B2	9/2016	Yamazaki et al.	
9,653,611	B2	5/2017	Atsumi et al.	
9,959,212	B2	5/2018	Takeda	
9,959,919	B2	5/2018	Saida et al.	
9,959,932	B1	5/2018	Zhang et al.	
10,192,871	B2	1/2019	Onuki et al.	
10,204,925	B2	2/2019	Yoneda	
10,297,322	B2	5/2019	Yamazaki et al.	
10,388,364	B2	8/2019	Ishizu et al.	
11,276,088	B1 *	3/2022	Sai	G06Q 30/0275
11,423,259	B1 *	8/2022	Pratusevich	G06V 10/454
2009/0086540	A1 *	4/2009	Hung	H01L 29/40114 365/185.05
2012/0051118	A1	3/2012	Yamazaki et al.	
2012/0294070	A1	11/2012	Matsuzaki et al.	
2013/0100741	A1	4/2013	Choi et al.	
2013/0128673	A1	5/2013	Terada et al.	
2013/0268728	A1 *	10/2013	Ramanujan	G06F 12/0893 711/143
2014/0073126	A1	3/2014	Shen et al.	
2014/0252443	A1	9/2014	Kawai et al.	
2014/0286105	A1	9/2014	Lin et al.	

2015/0001610	A1 *	1/2015	Zhang	H01L 29/4916 438/287
2016/0099070	A1	4/2016	Jiang et al.	
2016/0247579	A1	8/2016	Ueda et al.	
2016/0267008	A1	9/2016	Takeda	
2016/0276008	A1	9/2016	Saida et al.	
2016/0283393	A1 *	9/2016	Kawaba	G06F 12/0893
2017/0083237	A1	3/2017	Potash	
2017/0207244	A1	7/2017	Kato	
2017/0221916	A1 *	8/2017	Tseng	H01L 29/42344
2018/0018752	A1	1/2018	Kurokawa	
2018/0024958	A1	1/2018	Nachimuthu et al.	
2018/0090498	A1	3/2018	Onuki et al.	
2018/0130804	A1	5/2018	Luan et al.	
2018/0165396	A1	6/2018	Lin et al.	
2018/0166460	A1	6/2018	Manabe	
2018/0175074	A1	6/2018	Kurokawa	
2018/0357975	A1	12/2018	Sone et al.	
2019/0027211	A1	1/2019	Morris et al.	
2019/0295606	A1 *	9/2019	Parry	G11C 16/20
2019/0392899	A1 *	12/2019	Daryanani	G11C 16/0425
2021/0090681	A1 *	3/2021	Harms	G11C 29/028
2021/0208299	A1 *	7/2021	Wang	G01V 1/50
2021/0286100	A1 *	9/2021	Chen	G01R 33/3415
2021/0288108	A1 *	9/2021	Sharma	H01L 45/1233
2021/0298157	A1 *	9/2021	Olaleye	H05B 47/155
2022/0020427	A1 *	1/2022	Lu	G11C 11/4074
2022/0367450	A1 *	11/2022	Yamazaki	H01L 29/792
2022/0406365	A1 *	12/2022	Kim	G11C 11/4096
2023/0044654	A1 *	2/2023	Oh	G06F 13/1668

FOREIGN PATENT DOCUMENTS

JP	2012-069932	A	4/2012
JP	2013-517577		5/2013
JP	2015-180994	A	10/2015
JP	2016-170729	A	9/2016
JP	2016-177689	A	10/2016
JP	2018-056558	A	4/2018
JP	2019-036280	A	3/2019
KR	2013-0107285	A	10/2013
WO	WO-2011/088370		7/2011
WO	WO-2012/026503		3/2012

OTHER PUBLICATIONS

Written Opinion (Application No. PCT/IB2019/053299) dated Jul. 16, 2019.

\* cited by examiner

FIG. 1A




FIG. 1B




FIG. 2




FIG. 3A




FIG. 3B1




FIG. 3B2




FIG. 4A




FIG. 4B




FIG. 5




FIG. 6






FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12A




FIG. 12B




FIG. 13




FIG. 14






FIG. 15A

500




FIG. 15B

500




FIG. 15C

300




FIG. 16A




FIG. 16C




FIG. 16B




FIG. 17A

500B




FIG. 17C

500B




FIG. 17B

500B




FIG. 18A

500C




FIG. 18C

500C







FIG. 18B

500C





**FIG. 19B**




FIG. 20A 500E




FIG. 20C 500E




FIG. 20B 500E




FIG. 21A




FIG. 21B




FIG. 22A




FIG. 22B






FIG. 23A




FIG. 23B




FIG. 23C




FIG. 23D




FIG. 23E




FIG. 23F




FIG. 23G




FIG. 23H




FIG. 24A





FIG. 24B



## 1

## SEMICONDUCTOR DEVICE

## TECHNICAL FIELD

One embodiment of the present invention relates to a semiconductor device.

Note that one embodiment of the present invention is not limited to the above technical field. The technical field of one embodiment of the invention disclosed in this specification and the like relates to an object, a method, or a manufacturing method. One embodiment of the present invention relates to a process, a machine, manufacture, or a composition of matter. Alternatively, one embodiment of the present invention relates to a semiconductor device, a display device, a light-emitting device, a power storage device, a storage device, a driving method thereof, or a manufacturing method thereof.

## BACKGROUND ART

A variety of structures of computer systems for data processing are proposed according to applications and many computer systems employ architectures in which a memory unit is divided into a plurality of levels and a memory device with different performance is allocated to each level. In such computer systems, a structure is well known in which memory devices such as resisters, cache memory devices, main memory devices, and auxiliary memory devices are provided.

Patent Document 1 discloses an invention in which a transistor including an oxide semiconductor in its semiconductor layer is used for a memory circuit and the memory circuit is used for a register, a cache memory device, and a main memory device. The oxide semiconductor has a wider band gap than silicon and the like and has a smaller intrinsic carrier concentration; thus, the transistor including an oxide semiconductor in its semiconductor layer has characteristics of an extremely low off-state current. Thus, the use of the transistor for a memory circuit enables stored data to be held for a long time.

## REFERENCE

Patent Document

[Patent Document 1] Japanese Published Patent Application No. 2015-180994

## SUMMARY OF THE INVENTION

## Problems to be Solved by the Invention

Required performance for memory devices including resisters, cache memory devices, and main memory devices is different. Thus, it is difficult to share a memory region between the memory devices. Specifically, for example, it is difficult for a main memory device to compensate for the lack of capacity of a cache memory device when the cache memory device capacity runs short.

An object of one embodiment of the present invention is to provide a novel semiconductor device. Another object of one embodiment of the present invention is to provide a semiconductor device capable of reducing power consumption. Another object of one embodiment of the present invention is to provide a semiconductor device capable of reducing its area. Another object of one embodiment of the

## 2

present invention is to provide a semiconductor device capable of expanding memory device capacity.

One embodiment of the present invention does not necessarily achieve all the above objects and only needs to achieve at least one of the objects. The descriptions of the above objects do not preclude the existence of other objects. Other objects will be apparent from and can be derived from the descriptions of the specification, the drawings, the claims, and the like.

## Means for Solving the Problems

(1)

One embodiment of the present invention is a semiconductor device including a memory device and a control circuit. The memory device includes a first memory circuit which operates in a first memory level and a second memory circuit which operates in a second memory level. The first memory level is a level with a higher access speed than the second memory level. The first memory circuit includes a first capacitor and a first transistor which has a function of holding charges held in the first capacitor. The second memory circuit includes a second transistor, a second capacitor which is electrically connected to a gate of the second transistor, and a third transistor which has a function of holding charges held in the second capacitor. The first and the third transistor each include a semiconductor layer including an oxide semiconductor, a first gate, and a second gate. The control circuit has a function of inputting a voltage to the second gate of the first transistor so that the first memory circuit is changed from the first memory level to the second memory level and a function of inputting a voltage to the second gate of the third transistor so that the second memory circuit is changed from the second memory level to the first memory level.

(2)

One embodiment of the present invention is the semiconductor device in the above (1) structure in which the control circuit includes a temperature sensing circuit. The temperature sensing circuit has a function of outputting a correction voltage depending on a temperature around the memory device. The control circuit has a function of changing a voltage applied to the second gate of each of the first transistor and the third transistor depending on the correction voltage.

(3)

One embodiment of the present invention is a semiconductor device including a memory device and a control circuit. The memory device includes a first memory circuit which operates in a first memory level and a second memory circuit which operates in a second memory level. The first memory level is a level with a higher access speed than the second memory level. The first memory circuit includes a first capacitor and a first transistor which has a function of holding charges held in the first capacitor. The second memory circuit includes a second transistor, a second capacitor which is electrically connected to a gate of the second transistor, and a third transistor which has a function of holding charges held in the second capacitor. The first and the third transistor each include a semiconductor layer including an oxide semiconductor, a first gate, and a second gate. The control circuit includes a function of inputting a voltage to the second gate of the first transistor so that the first memory circuit is changed from the first memory level to the second memory level and a function of inputting a voltage to the second gate of the third transistor so that the second memory circuit is changed from the second memory

## 3

level to the first memory level. The control circuit also includes a controller, a plurality of voltage generation circuits, and a switching circuit. The memory device has a function of outputting a signal of using status of a memory capacity of the memory device to the controller. The controller has a function of controlling the switching circuit so that a voltage output from any one of the plurality of the voltage generation circuits is applied to the second gates of the first transistor and the third transistor in response to the signal.

(4)

One embodiment of the present invention is the semiconductor device in the above (3) structure in which the control circuit includes a temperature sensing circuit. The temperature sensing circuit has a function of outputting a correction voltage depending on a temperature around the memory device. The control circuit has a function of changing a voltage applied to the second gate of each of the first transistor and the third transistor depending on the correction voltage.

(5)

One embodiment of the present invention is a semiconductor device including a memory device and a control circuit. The memory device includes a first memory circuit which operates in a first memory level and a second memory circuit which operates in a second memory level. The first memory level is a level with a higher access speed than the second memory level. The first memory circuit includes a first capacitor and a first transistor which has a function of holding charges held in the first capacitor. The second memory circuit includes a second transistor, a second capacitor which is electrically connected to a gate of the second transistor, and a third transistor which has a function of holding charges held in the second capacitor. The first and the third transistor each include a semiconductor layer including an oxide semiconductor, a first gate, and a second gate. The control circuit includes a function of inputting a voltage to the second gate of the first transistor so that the first memory circuit is changed from the first memory level to the second memory level and a function of inputting a voltage to the second gate of the third transistor so that the second memory circuit is changed from the second memory level to the first memory level. The control circuit also includes a controller, a plurality of voltage generation circuits, and a switching circuit. The memory device has a function of outputting a signal of using status of a memory capacity of the memory device to the controller. The controller has a function of controlling the switching circuit so that a voltage output from any one of the plurality of the voltage generation circuits is applied to the second gates of the first transistor and the third transistor in response to the signal. The first memory circuit includes a region overlapping with the second memory circuit.

(6)

One embodiment of the present invention is the semiconductor device in the above (5) structure in which the control circuit includes a temperature sensing circuit. The temperature sensing circuit has a function of outputting a correction voltage depending on a temperature around the memory device. The control circuit has a function of changing a voltage applied to the second gate of each of the first transistor and the third transistor depending on the correction voltage.

(7)

One embodiment of the present invention is the semiconductor device in any one of the above (1) to (6) structures, in which the oxide semiconductor includes one or more

## 4

materials selected from indium, an element M (the element M is aluminum, gallium, yttrium, or tin), and zinc.

Note that in this specification and the like, a semiconductor device refers to a device that utilizes semiconductor characteristics, and means a circuit including a semiconductor element (a transistor, a diode, a photodiode, and the like), a device including the circuit, and the like. The semiconductor device also means all devices that can function by utilizing semiconductor characteristics. For example, an integrated circuit, a chip including an integrated circuit, and an electronic component including a chip in a package are examples of the semiconductor device. Moreover, a memory device, a display device, a light-emitting device, a lighting device, an electronic device, and the like themselves might be semiconductor devices, or might include semiconductor devices.

In the case where there is a description "X and Y are connected" in this specification and the like, the case where X and Y are electrically connected, the case where X and Y are functionally connected, and the case where X and Y are directly connected are regarded as being disclosed in this specification and the like. Accordingly, without being limited to a predetermined connection relationship, for example, a connection relation shown in drawings or texts, a connection relationship other than one shown in drawings or texts is disclosed in the drawings or the texts. Each of X and Y denotes an object (e.g., a device, an element, a circuit, a wiring, an electrode, a terminal, a conductive film, or a layer).

For example, in the case where X and Y are electrically connected, one or more elements that allow an electrical connection between X and Y (e.g., a switch, a transistor, a capacitor, an inductor, a resistor, a diode, a display element, a light-emitting element, and a load) can be connected between X and Y. Note that a switch has a function of being controlled to be turned on or off. That is, the switch has a function of being in a conduction state (on state) or a non-conduction state (off state) to determine whether current flows or not.

For example, in the case where X and Y are functionally connected, at least one circuit that enables functional connection between X and Y (for example, a logic circuit (an inverter, a NAND circuit, a NOR circuit, or the like); a signal converter circuit (a DA converter circuit, an AD converter circuit, a gamma correction circuit, or the like); a potential level converter circuit (a power supply circuit (a step-up circuit, a step-down circuit, or the like), a level shifter circuit for changing the potential level of a signal, or the like); a voltage source; a current source; a switching circuit; an amplifier circuit (a circuit that can increase signal amplitude, the amount of current, or the like, an operational amplifier, a differential amplifier circuit, a source follower circuit, a buffer circuit, or the like); a signal generation circuit; a memory circuit; or a control circuit) can be connected between X and Y. For example, even when another circuit is interposed between X and Y, X and Y are functionally connected when a signal output from X is transmitted to Y.

Note that an explicit description, X and Y are electrically connected, includes the case where X and Y are electrically connected (that is, the case where X and Y are connected with another element or another circuit provided therebetween), the case where X and Y are functionally connected (that is, the case where X and Y are functionally connected with another circuit provided therebetween), and the case where X and Y are directly connected (that is, the case where X and Y are connected without another element or another

## 5

circuit provided therebetween). That is, the explicit expression “X and Y are electrically connected” is the same as the explicit simple expression “X and Y are connected”.

Alternatively, it can be expressed as, for example, “X, Y, a source (or a first terminal or the like) of a transistor, and a drain (or a second terminal or the like) of the transistor are electrically connected to each other, and X, the source (or the first terminal or the like) of the transistor, the drain (or the second terminal or the like) of the transistor, and Y are electrically connected to each other in this order”. Alternatively, it can be expressed as “a source (or a first terminal or the like) of a transistor is electrically connected to X, a drain (or a second terminal or the like) of the transistor is electrically connected to Y, and X, the source (or the first terminal or the like) of the transistor, the drain (or the second terminal or the like) of the transistor, and Y are electrically connected to each other in this order”. Alternatively, it can be expressed as “X is electrically connected to Y through a source (or a first terminal or the like) and a drain (or a second terminal or the like) of a transistor, and X, the source (or the first terminal or the like) of the transistor, the drain (or the second terminal or the like) of the transistor, and Y are provided in this connection order”. When the connection order in a circuit structure is defined by an expression similar to the above examples, a source (or a first terminal or the like) and a drain (or a second terminal or the like) of a transistor can be distinguished from each other to specify the technical scope. Note that these expressions are examples and the expression is not limited to these expressions. Here, X, Y, Z1, and Z2 denote an object (e.g., a device, an element, a circuit, a wiring, an electrode, a terminal, a conductive film, and a layer).

Even when independent components are electrically connected to each other in a circuit diagram, one component has functions of a plurality of components in some cases. For example, when part of a wiring also functions as an electrode, one conductive film has functions of both components: a function of the wiring and a function of the electrode. Thus, “electrical connection” in this specification includes in its category such a case where one conductive film has functions of a plurality of components.

Furthermore, in this specification and the like, a transistor includes three terminals called a gate, a source, and a drain. The gate functions as a control terminal for controlling the conducting state of the transistor. Two terminals functioning as the source and the drain are input/output terminals of the transistor. One of the two input/output terminals serves as the source and the other serves as the drain on the basis of the conductivity type (n-channel type or p-channel type) of the transistor and the levels of potentials applied to the three terminals of the transistor. Thus, the terms of a source and a drain are interchangeably used in this specification and the like. In this specification and the like, expressions “one of a source and a drain” (or a first electrode or a first terminal) and “the other of the source and the drain” (or a second electrode or a second terminal) are used in description of the connection relation of a transistor. Depending on the structure, a transistor may include a back gate in addition to the above three terminals.

Furthermore, in this specification and the like, a node can be referred to as a terminal, a wiring, an electrode, a conductive layer, a conductor, an impurity region, or the like depending on the circuit structure, the device structure, or the like. Furthermore, a terminal, a wiring, or the like can be referred to as a node.

In this specification and the like, “voltage” and “potential” can be replaced with each other as appropriate. The

## 6

“voltage” refers to a potential difference from a reference potential. When the reference potential is a ground potential, for example, the “voltage” can be expressed as the “potential”. The ground potential does not necessarily mean 0 V. Potentials are relative values, and the potential applied to a wiring or the like is changed depending on the reference potential, in some cases.

Generally, “current” is defined as a charge transfer (electrical conduction) in response to a transfer of positively charged particles; for example, the description “electrical conduction of positively charged particles” can be rephrased as “electrical conduction of negatively charged particles in the opposite direction”. Therefore, unless otherwise specified, current in this specification and the like refers to a charge transfer (electrical conduction) caused by carrier movement. Examples of a carrier here include an electron, a hole, an anion, a cation, and a complex ion, and the type of carrier differs between current flow systems (e.g., a semiconductor, a metal, an electrolyte solution, and a vacuum). The direction of current in a wiring or the like refers to the direction in which a positive carrier moves, and is expressed as a positive current amount. In other words, the direction in which a negative carrier moves is opposite to the direction of current, and is expressed as a negative current amount. Thus, in the case where the polarity of current (or the direction of current) is not specified in this specification and the like, the description “current flows from an element A to an element B” can be rephrased as “current flows from an element B to an element A”, for example. The description “current is input to element A” can be rephrased as “current is output from element A”.

Ordinal numbers such as “first,” “second,” and “third” in this specification and the like are used in order to avoid confusion among components. Thus, the terms do not limit the number of components. In addition, the terms do not limit the order of components. In this specification and the like, for example, a “first” component in one embodiment can be referred to as a “second” component in other embodiments or claims. Furthermore, in this specification and the like, for example, a “first” component in one embodiment can be omitted in other embodiments or claims.

In this specification and the like, terms for describing arrangement, such as “over” and “under” are used for convenience to describe the positional relation between components with reference to drawings in some cases. The positional relation between components is changed as appropriate in accordance with a direction in which the components are described. Thus, terms for the description are not limited to terms used in the specification and the like, and description can be made appropriately depending on the situation. For example, the expression “an insulator over (on) a top surface of a conductor” can be replaced with the expression “an insulator on a bottom surface of a conductor” when the direction of a drawing showing these components is rotated by 180°.

Furthermore, the term “over” or “under” does not necessarily mean that a component is placed directly above or directly below and in direct contact with another component. For example, the expression “an electrode B over an insulating layer A” does not necessarily mean that the electrode B is formed on and in direct contact with the insulating layer A and does not exclude the case where another component is provided between the insulating layer A and the electrode B.

In this specification and the like, the terms “film,” “layer,” and the like can be interchanged with each other depending on the case or according to circumstances. For example, the

term “conductive layer” can be changed into the term “conductive film” in some cases. Moreover, the term “insulating film” can be changed into the term “insulating layer” in some cases. Alternatively, the term “film,” “layer,” or the like is not used and can be interchanged with another term depending on the case or according to circumstances. For example, the term “conductive layer” or “conductive film” can be changed into the term “conductor” in some cases. Furthermore, for example, the term “insulating layer” or “insulating film” can be changed into the term “insulator” in some cases.

In addition, in this specification and the like, the term “electrode” or “wiring” does not functionally limit a component. For example, an “electrode” is used as part of a “wiring” in some cases, and vice versa. Furthermore, the term “electrode” or “wiring” can also mean the case where a plurality of “electrodes” or “wirings” are formed in an integrated manner.

In this specification and the like, the terms “wiring”, “signal line”, “power supply line”, and the like can be interchanged with each other depending on circumstances or conditions. For example, the term “wiring” can be changed into the term “signal line” in some cases. Also, for example, the term “wiring” can be changed into the term “power source line” in some cases. Inversely, the term “signal line”, “power source line”, or the like can be changed into the term “wiring” in some cases. The term “power source line” or the like can be changed into the term “signal line” or the like in some cases. Inversely, the term “signal line” or the like can be changed into the term “power source line” or the like in some cases. The term “potential” that is applied to a wiring can be changed into the term “signal” or the like depending on the case or according to circumstances. Inversely, the term “signal” or the like can be changed into the term “potential” in some cases.

In this specification and the like, an impurity in a semiconductor refers to an element other than a main component of a semiconductor layer, for example. For example, an element with a concentration of lower than 0.1 atomic % is an impurity. If a semiconductor contains an impurity, formation of the DOS (Density of States) in the semiconductor, decrease in the carrier mobility, or decrease in the crystallinity may occur, for example. In the case where the semiconductor is an oxide semiconductor, examples of an impurity that changes characteristics of the semiconductor include Group 1 elements, Group 2 elements, Group 13 elements, Group 14 elements, Group 15 elements, and transition metals other than the main components; specifically, there are hydrogen (contained also in water), lithium, sodium, silicon, boron, phosphorus, carbon, and nitrogen, for example. In the case of an oxide semiconductor, oxygen vacancies might be formed by entry of impurities such as hydrogen. Furthermore, in the case where the semiconductor is silicon, examples of the impurity that changes characteristics of the semiconductor include oxygen, Group 1 elements except for hydrogen, Group 2 elements, Group 13 elements, and Group 15 elements.

In this specification and the like, a switch is in a conduction state (on state) or in a non-conduction state (off state) to determine whether current flows or not. Alternatively, a switch has a function of selecting and changing a current path. Examples of the switch that can be used are an electrical switch, a mechanical switch, and the like. That is, a switch can be any element capable of controlling current, and is not limited to a certain element.

Examples of the electrical switch are a transistor (for example, a bipolar transistor or a MOS transistor), a diode

(for example, a PN diode, a PIN diode, a Schottky diode, a MIM (Metal Insulator Metal) diode, a MIS (Metal Insulator Semiconductor) diode, or a diode-connected transistor), and a logic circuit in which such elements are combined. Note that in the case of using a transistor as a switch, a “conduction state” of the transistor refers to a state where a source electrode and a drain electrode of the transistor can be regarded as being electrically short-circuited. Furthermore, a “non-conduction state” of the transistor refers to a state where the source electrode and the drain electrode of the transistor can be regarded as being electrically disconnected. Note that in the case where a transistor operates just as a switch, there is no particular limitation on the polarity (conductivity type) of the transistor.

An example of the mechanical switch is a switch formed using a MEMS (micro electro mechanical system) technology, such as a digital micromirror device (DMD). Such a switch includes an electrode which can be moved mechanically, and operates by controlling conduction and non-conduction with movement of the electrode.

#### Effect of the Invention

According to one embodiment of the present invention, a novel device can be provided. Alternatively, according to one embodiment of the present invention, a semiconductor device capable of reducing power consumption can be provided. Alternatively, according to one embodiment of the present invention, a semiconductor device capable of reducing its area can be provided. Alternatively, according to one embodiment of the present invention, a semiconductor device capable of expanding memory device capacity can be provided.

Note that the descriptions of the effects do not disturb the existence of other effects. Note that one embodiment of the present invention does not need to have all these effects. Effects other than these will be apparent from the descriptions of the specification, the drawings, the claims, and the like and effects other than these can be derived from the descriptions of the specification, the drawings, the claims, and the like.

#### BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1(A) is a block diagram showing a structure example of a memory device. FIG. 1(B) is a diagram showing an example of levels of memory regions of the memory device.

FIG. 2 is a diagram showing an example of levels of memory regions of a memory device.

FIGS. 3(A), (B1), and (B2) are circuit diagrams showing examples of memory cell structures included in a memory device.

FIGS. 4(A) and 4(B) are diagrams showing examples of levels of memory regions of a memory device.

FIG. 5 is a block diagram showing a structure example of a memory device.

FIG. 6 is a block diagram showing a structure example of a memory device.

FIG. 7 is a block diagram showing a structure example of a memory device.

FIG. 8 is a block diagram showing a structure example of a memory device.

FIG. 9 is a block diagram showing a structure example of a memory device.

FIG. 10 is a block diagram showing a structure example of a memory cell array included in a memory device.

FIG. 11 is a block diagram showing a structure example of a memory cell array included in a memory device.

FIGS. 12(A) and 12(B) are diagrams showing a structure example of a memory cell array included in a memory device.

FIG. 13 is a diagram showing a structure example of a memory cell array included in a memory device.

FIG. 14 is a cross-sectional view showing a structure example of a semiconductor device.

FIGS. 15(A), 15(B), and 15(C) are cross-sectional views showing structure examples of transistors.

FIG. 16(A) is a top view showing a structure example of a transistor and FIGS. 16(B) and 16(C) are cross-sectional views showing the structure example of the transistor.

FIG. 17(A) is a top view showing a structure example of a transistor and FIGS. 17(B) and 17(C) are cross-sectional views showing the structure example of the transistor.

FIG. 18(A) is a top view showing a structure example of a transistor and FIGS. 18(B) and 18(C) are cross-sectional views showing the structure example of the transistor.

FIG. 19(A) is a top view showing a structure example of a transistor and FIGS. 19(B) and 19(C) are cross-sectional views showing the structure example of the transistor.

FIG. 20(A) is a top view showing a structure example of a transistor and FIGS. 20(B) and 20(C) are cross-sectional views showing the structure example of the transistor.

FIG. 21(A) is a top view showing a structure example of a transistor and FIG. 21(B) is a perspective view showing the structure example of the transistor.

FIGS. 22(A) and 22(B) are cross-sectional views showing a structure example of a transistor.

FIGS. 23(A), 23(B), 23(C), 23(D), 23(E), 23(F), 23(G), and 23(H) are perspective views showing examples of electronic devices.

FIGS. 24(A) and 24(B) are perspective views showing examples of electronic devices.

#### MODE FOR CARRYING OUT THE INVENTION

In this specification and the like, a metal oxide is an oxide of metal in a broad sense. Metal oxides are classified into an oxide insulator, an oxide conductor (including a transparent oxide conductor), an oxide semiconductor (also simply referred to as an OS), and the like. For example, in the case where a metal oxide is used in an active layer of a transistor, the metal oxide is referred to as an oxide semiconductor in some cases. That is, when a metal oxide can form a channel formation region of a transistor that has at least one of an amplifying function, a rectifying function, and a switching function, the metal oxide can be referred to as a metal oxide semiconductor or shortly as an OS. Moreover, when an OS FET or an OS transistor is described, it can also be referred to as a transistor including a metal oxide or an oxide semiconductor.

Furthermore, in this specification and the like, a metal oxide containing nitrogen is in some cases also collectively referred to as a metal oxide. A metal oxide containing nitrogen may be referred to as a metal oxynitride.

In this specification and the like, one embodiment of the present invention can be constituted by appropriately combining the structure described in an embodiment with any of the structures described in the other embodiments. In addition, in the case where a plurality of structure examples are described in one embodiment, the structure examples can be combined as appropriate.

Note that a content (or part of the content) described in one embodiment can be applied to, combined with, or

replaced with at least one of another content (or part of the content) in the embodiment and a content (or part of the content) described in one or a plurality of different embodiments (or one or a plurality of different examples), for example.

Note that in each embodiment (or the example), a content described in the embodiment is a content described with reference to a variety of diagrams or a content described with text disclosed in the specification.

Note that by combining a diagram (or part thereof) described in one embodiment with at least one of another part of the diagram, a different diagram (or part thereof) described in the embodiment, and a diagram (or part thereof) described in one or a plurality of different embodiments, much more diagrams can be formed.

Embodiments described in the specification are described with reference to drawings. Note that the embodiments can be implemented in many different modes, and it will be readily appreciated by those skilled in the art that modes and details can be changed in various ways without departing from the spirit and scope thereof. Therefore, the present invention should not be interpreted as being limited to the description in the embodiments. Note that in the structures of the invention in the embodiments, the same portions or portions having similar functions are denoted by the same reference numerals in different drawings, and repeated description thereof is omitted in some cases. Also, in perspective views, some components might not be shown for clarity of the drawings.

In the drawings in this specification, the size, the layer thickness, or the region is exaggerated for clarity in some cases. Therefore, they are not limited to the illustrated scale.

The drawings are schematic views showing ideal examples, and embodiments of the present invention are not limited to shapes or values shown in the drawings. For example, the following can be included: variation in signal, voltage, or current due to noise or difference in timing.

#### Embodiment 1

In this embodiment, structure examples of one embodiment of the present invention are described.

<Structure Example of Semiconductor Device>

FIG. 1(A) shows a structure example of a semiconductor device 11 of one embodiment of the present invention. The semiconductor device 11 includes a memory circuit 210, a memory circuit 220, a memory circuit 230, a memory circuit 240, and a control circuit 20 which constitute a memory device.

Although not shown in FIG. 1(A), the semiconductor device 11 includes an integrated circuit (a CPU and a GPU are given for example); the memory circuit 210 may be included in the integrated circuit, and the memory circuit 220 may be included in the integrated circuit.

In addition, a DOSRAM (Dynamic Oxide Semiconductor Random Access Memory) (registered trademark) can be used for the memory circuit 220 and a NOSRAM (Dynamic Oxide Semiconductor Random Access Memory) (registered trademark) can be used for the memory circuit 230. Note that the details of a DOSRAM and a NOSRAM are described later.

FIG. 1(B) is a diagram of an example showing the memory circuits of the memory device included in the semiconductor device 11 shown in FIG. 1(A) by level.

FIG. 1(B) is a hierarchy of the memory circuits of the memory device included in the semiconductor device 11 in the order of access speed. The diagram shows that the

## 11

memory circuit **210** is at the top level, the memory circuit **220** is at the level under the memory circuit **210**, the memory circuit **230** is at the level under the memory circuit **220**, and the memory circuit **240** is at the lowest level.

Note that in this specification and the like, the memory circuits of the memory device included in the semiconductor device **11** are called a first memory region **110**, a second memory region **120**, a third memory region **130**, and a fourth memory region **140** in this order from the top. In particular, the first memory region **110** is used as a memory region for a register or the like, the second memory region **120** is used as a memory region for a cache memory device, the third memory region **130** is used as a memory region for a main memory device, and the fourth memory region **140** is used as a memory region for an auxiliary memory device.

The memory circuit **210** of the first memory region **110** holds the result and the state of an arithmetic operation of an integrated circuit or the like. Therefore, the memory circuit **210** is electrically connected to the memory circuit **220** and the memory circuit **230** to send and receive necessary data for the arithmetic operation.

The memory circuit **210** which can be used for the first memory region **110** includes a register, a flip-flop, an SRAM (Static Random Access Memory), and the like, for example.

Since the second memory region **120** is used as a memory region of a cache memory device, the memory circuit **220** holds part of data copied from the memory circuit **230** which is in the third memory region **130** and functions as a main memory device; thus, the memory circuit **220** is electrically connected to the memory circuit **230**.

The second memory region **120** corresponds to a memory region of a cache memory device, and thus the second memory region **120** can be divided further in a plurality of levels to be provided. For example, FIG. 2 shows the case where the memory circuit **220** is divided into three levels. The memory circuit **220** in FIG. 2 includes memory regions of a cache **121** to a cache **123**; the cache **121** (primary cache, L1 cache) is provided at the level under the first memory region **110**, the cache **122** (secondary cache, L2 cache) is provided at the level under the cache **121**, and the cache **123** (tertiary cache, L3 cache) is provided at the level under the cache **122**.

Note that the number of levels of the second memory region **120** is not limited to the above. In other words, the second memory region **120** may be composed of only one level, two levels, or more than or equal to four levels.

The memory circuit **240** which can be used for the fourth memory region **140** is electrically connected to the memory circuit **230** since the data input from the memory circuit **230** in the third memory region is held.

The memory circuit **240** that can be used for the fourth memory region **140** can include a nonvolatile memory or the like, for example. Examples of the nonvolatile memory include flash memories, hard disk drives, and solid-state drives.

The control circuit **20** is electrically connected to the memory circuit **220** and the memory circuit **230**. The control circuit **20** has a function of changing a memory region at each level of the second memory region **120** and the third memory region **130** in the semiconductor device **11**.

The higher the level of a memory circuit is, the higher operation speed is required. In addition, the lower the level of a memory circuit is, the larger capacity and the higher density (or the smaller area per bit) are required. For example, the first memory region **110** is required to have high operation speed since data used for arithmetic operation in an IC or the like is held. In addition, for example, the

## 12

primary cache, which is positioned at the top level in the second memory region **120**, is required to operate fast since the frequency of access is the highest. In contrast, although the secondary cache, the tertiary cache, and the like are not required to operate as fast as the primary cache, a large capacity is required and area per bit is required to be decreased.

Furthermore, the higher the level of a memory circuit is, the higher the data rewriting frequency (or refresh frequency) to the memory device becomes; thus, data holding time can be shortened as the specification of the memory device. In contrast, when the lower the level of a memory circuit is, the lower the data rewriting frequency (or refresh frequency) to the memory device becomes; thus, data holding time is required to be long as the specification of the memory device.

In one embodiment of the present invention, data holding time of the memory device at each level is changed to increase and decrease the memory region at each level in accordance with the using status of the semiconductor device. That is, the memory device or the semiconductor device of one embodiment of the present invention can change performance of the memory device at each level in accordance with the using status.

<Circuit Structure Example of DOSRAM and NOSRAM>

Next, circuit structures of a memory cell of the DOSRAM that can be used for the memory circuit **220** and a memory cell of the NOSRAM that can be used for the memory circuit **230** are described.

Note that a low-level potential and a high-level potential used in the following description do not represent any particular potentials, and specific potentials may be different between wirings. For example, a low-level potential and a high-level potential applied to the wiring WOL may be different from a low-level potential and a high-level potential applied to a wiring BIL.

FIG. 3(A) shows a circuit structure example of a memory cell of the DOSRAM. A memory cell **221** includes a transistor **M1** and a capacitor **CA**. Note that the transistor **M1** includes a front gate (simply referred to as a gate in some cases) and a back gate.

A first terminal of the transistor **M1** is connected to a first terminal of the capacitor **CA**. A second terminal of the transistor **M1** is connected to the wiring BIL. A gate of the transistor **M1** is connected to the wiring WOL. A back gate of the transistor **M1** is connected to a wiring BGL. A second terminal of the capacitor **CA** is connected to a wiring CAL.

The transistor **M1** functions as a write transistor in the memory cell **221**. Note that the write transistor is preferably an OS transistor described later.

The wiring BIL functions as a bit line, and the wiring WOL functions as a word line. The wiring CAL functions as a wiring for applying a predetermined potential to the second terminal of the capacitor **CA**. In data writing and reading, a low-level potential (referred to as reference potential in some cases) is preferably applied to the wiring CAL.

The wiring BGL functions as a wiring for applying a potential to the back gate of the transistor **M1**. By applying a freely selected potential to the wiring BGL, the threshold voltage of the transistor **M1** can be increased or decreased.

Data writing and reading are performed in such a manner that a high-level potential is applied to the wiring WOL to turn on the transistor **M1** so that continuity between the wiring BIL and the first terminal of the capacitor **CA** is established.

Specifically, data writing is performed by applying a potential corresponding to data to be written to the wiring



BIL to write the potential to the first terminal of the capacitor CA through the transistor M1. After data writing, a low-level potential is applied to the wiring WOL to turn off the transistor M1, whereby the potential can be held in the memory cell 221.

In data reading, first, the wiring BIL is precharged at an appropriate potential, such as a middle potential between a low-level potential and a high-level potential, and then the wiring BIL is brought into an electrically floating state. After that, a high-level potential is applied to the wiring WOL to turn on the transistor M1, so that the potential of the wiring BIL is changed. Since the potential of the wiring BIL changes depending on the potential written to the first terminal of the capacitor CA, data held in the memory cell 221 can be read using the changed potential of the wiring BIL.

The memory cell 221 described above is not limited to the circuit structure shown in FIG. 3(A), and the circuit structure of the memory cell 221 may be changed as appropriate.

FIG. 3(B1) shows a circuit structure example of a memory cell of the NOSRAM. A memory cell 231 includes a transistor M2, a transistor M3, and a capacitor CB. Note that the transistor M2 includes a front gate (simply referred to as a gate in some cases) and a back gate.

The transistor M2 functions as a write transistor in the memory cell 231. Note that the write transistor is preferably an OS transistor described later.

The transistor M3 functions as a read transistor in the memory cell 231. The read transistor is preferably an OS transistor, which is described later, or a transistor whose semiconductor layer includes silicon. Note that, in this operation example, the transistor M3 is assumed to operate in a saturation region unless otherwise specified. In other words, the gate voltage, the source voltage, and the drain voltage of the transistor M3 are assumed to be appropriately biased to voltages in the range where the transistor operates in the saturation region.

A first terminal of the transistor M2 is connected to a first terminal of the capacitor CB. A second terminal of the transistor M2 is connected to a wiring WBL. A gate of the transistor M2 is connected to the wiring WOL. A back gate of the transistor M2 is connected to the wiring BGL. A second terminal of the capacitor CB is connected to the wiring CAL. A first terminal of the transistor M3 is connected to a wiring RBL. A second terminal of the transistor M3 is connected to a wiring SL. A gate of the transistor M3 is connected to the first terminal of the capacitor CB.

The wiring WBL functions as a write bit line, the wiring RBL functions as a read bit line, and the wiring WOL functions as a word line. The wiring CAL functions as a wiring for applying a predetermined potential to the second terminal of the capacitor CB. When data is held, a low-level potential (referred to as a reference potential in some cases) is preferably applied to the wiring CAL and when data is written and when data is read, a high-level potential is preferably applied to the wiring CAL.

The wiring BGL functions as a wiring for applying a potential to the back gate of the transistor M2. By applying a freely selected potential to the wiring BGL, the threshold voltage of the transistor M2 can be increased or decreased.

Data writing is performed in such a manner that a high-level potential is applied to the wiring WOL to turn on the transistor M2, so that continuity between the wiring WBL and the first terminal of the capacitor CB is established. Specifically, when the transistor M2 is in an on state, a potential corresponding to information stored in the wiring WBL is applied, whereby the potential is written to the first

terminal of the capacitor CB and the gate of the transistor M3. After that, a low-level potential is applied to the wiring WOL to turn off the transistor M2, whereby the potential of the first terminal of the capacitor CB and the potential of the gate of the transistor M3 are held.

Data reading is performed by applying a predetermined potential to the wiring SL. The current flowing between a source and a drain of the transistor M3 and the potential of the first terminal of the transistor M3 are determined by the potential of the gate of the transistor M3 and the potential of the second terminal of the transistor M3. Thus, the potential of the wiring RBL electrically connected to the first terminal of the transistor M3 is read out, so that the potential of the first terminal of the capacitor CB (or the gate of the transistor M3) can be read out. In other words, data written into this memory cell can be read out from the potential held in the first terminal of the capacitor CB (or the gate of the transistor M3).

The memory cell 231 described above is not limited to the circuit structure shown in FIG. 3(B1) and the circuit structure of the memory cell 231 may be changed as appropriate. For example, the wiring WBL and the wiring RBL may be combined into one wiring BIL. FIG. 3(B2) shows a circuit structure example of such a memory cell. In a memory cell 232, one wiring BIL corresponds to the wiring WBL and the wiring RBL in the memory cell 231, and the second terminal of the transistor M2 and the first terminal of the transistor M3 are connected to the wiring BIL. In other words, the memory cell 232 operates with one wiring BIL functioning as a write bit line and a read bit line.

The DOSRAM and the NOSRAM are memory devices including OS transistors as write transistors, as described above. The semiconductor layer of the OS transistor includes a metal oxide described in Embodiment 3. For example, one or more materials selected from indium, an element M (M is aluminum, gallium, yttrium, or tin), and zinc can be used for the metal oxide. In particular, when a metal oxide including indium, gallium, and zinc is included in the semiconductor layer, the band gap of the semiconductor layer can be increased. Thus, the off-state current of the OS transistor can be reduced.

<Changing Method of Memory Region at Each Level of Memory Device>

The OS transistor with the structure described in Embodiment 3 can have a back gate. In the OS transistor including a back gate, a potential is applied to the back gate, whereby the threshold voltage of the OS transistor can be changed. For example, when the OS transistor is an n-channel transistor, the threshold voltage of the OS transistor can be shifted in the negative direction by applying a positive potential to the back gate and the threshold voltage of the OS transistor can be shifted in the positive direction by applying a negative potential to the back gate.

The off-state current of the OS transistor can be increased and decreased by changing the threshold voltage of the OS transistor. In the case where the off-state current of the OS transistor is increased, the transfer speed of electric charges corresponding to the held data between the source and drain of the OS transistor becomes fast; thus, the data holding time is shortened and the operation speed of the OS transistor (sometimes referred to as driving frequency) can be increased. In the case where the off-state current of the OS transistor is decreased, the transfer speed of electric charges corresponding to the held data between the source and drain of the OS transistor becomes slow; thus, the data holding time is prolonged and the operation speed of the OS tran-

15

sistor can be decreased. That is, the data holding time and the operation speed can be adjusted by changing the threshold voltage of the OS transistor.

Here, the case where the DOSRAM is used as the memory circuit **220** and the NOSRAM is used as the memory circuit **230** of the semiconductor device **11** is considered. For example, in the semiconductor device **11** in FIGS. **1(A)** and **1(B)**, when the memory circuit **210** used as the first memory region is short of memory capacity and the memory circuit **220** used as the second memory region **120** has an extra memory capacity, as shown in FIG. **4(A)**, the threshold voltage of the OS transistor included in a memory circuit **220a** which is part of the memory circuit **220** is lowered to shorten the data holding time of the memory circuit **220a** and increase the operation speed, whereby the memory circuit **220a** can be used as the first memory region **110**.

Specifically, when the transistor **M1** in the memory cell **221** of the memory circuit **220a** is operated with a voltage applied to the gate higher than or equal to  $-0.8$  V and lower than or equal to  $2.5$  V, a voltage higher than or equal to  $-1.5$  V and lower than  $1.5$  V is applied to the back gate of the transistor **M1**, for example, whereby the memory circuit **220a** can be used as the first memory region **110**.

Furthermore, for example, in the semiconductor device **11** in FIGS. **1(A)** and **1(B)**, when the memory circuit **230** used as the third memory region **130** is short of memory capacity and the memory circuit **220** used as the second memory region **120** has an extra memory capacity, as shown in FIG. **4(A)**, the threshold voltage of the OS transistor included in a memory circuit **220b** which is part of the memory circuit **220** is increased to prolong the data held time of the memory circuit **220b** and decrease the operation speed, whereby the memory circuit **220b** can be used as the third memory region **130**.

Specifically, in the case where the transistor **M1** in the memory cell **221** of the memory circuit **220b** is operated with a voltage applied to the gate higher than or equal to  $-0.8$  V and lower than or equal to  $2.5$  V, a voltage higher than or equal to  $-7.5$  V and lower than  $-4.5$  V is applied to the back gate of the transistor **M1**, for example, whereby the memory circuit **220b** can be used as the third memory region **130**.

Note that when the memory region of the memory circuit **220** in the semiconductor device **11** in FIGS. **1(A)** and **1(B)** is not changed to a memory region at another level, that is, the memory circuit **220** is intended to normally operate as the second memory region **120**, a potential applied to the gate of the transistor **M1** ranges from  $-0.8$  V to  $2.5$  V and a potential applied to the back gate of the transistor **M1** ranges from  $-4.5$  V to  $-1.5$  V, for example.

Furthermore, for example, in the semiconductor device **11** in FIGS. **1(A)** and **1(B)**, when the memory circuit **220** used as the second memory region **120** is short of memory capacity and the memory circuit **230** used as the third memory region **130** has an extra memory capacity, as shown in FIG. **4(B)**, the threshold voltage of the OS transistor included in a memory circuit **230a** which is part of the memory circuit **230** is lowered to shorten the data holding time of the memory circuit **230a**, whereby the memory circuit **230a** can be used as the second memory region **120**.

Specifically, in the case where the transistor **M2** in the memory cell **231** (memory cell **232**) of the memory circuit **230a** is operated with a voltage applied to the gate higher than or equal to  $-0.8$  V and lower than or equal to  $2.5$  V, a voltage higher than or equal to  $-4.5$  V and lower than  $-1.5$  V is applied to the back gate of the transistor **M2**, for

16

example, whereby the memory circuit **230a** can be used as the second memory region **120**.

Furthermore, for example, in the semiconductor device **11** in FIGS. **1(A)** and **1(B)**, when the memory circuit **240** used as the fourth memory region **140** is short of memory capacity and the memory circuit **230** used as the third memory region **130** has an extra memory capacity, as shown in FIG. **4(B)**, the threshold voltage of the OS transistor included in a memory circuit **230b** which is part of the memory circuit **230** is increased to prolong the data holding time of the memory circuit **230b**, whereby the memory circuit **230b** can be used as the fourth memory region **140**.

Specifically, in the case where the transistor **M2** in the memory cell **231** (memory cell **232**) of the memory circuit **230b** is operated with a voltage applied to the gate higher than or equal to  $-0.8$  V and lower than or equal to  $2.5$  V, a voltage lower than  $-7.5$  V is applied to the back gate of the transistor **M2**, for example, whereby the memory circuit **230b** can be used as the fourth memory region **140**.

Note that in the case where the memory region of the memory circuit **230** in the semiconductor device **11** in FIGS. **1(A)** and **1(B)** is not changed to a memory region at another level, that is, the memory circuit **230** is intended to normally operate as the third memory region **130**, a potential applied to the gate of the transistor **M1** ranges from  $-0.8$  V to  $2.5$  V and a potential applied to the back gate of the transistor **M1** ranges from  $-7.5$  V to lower than  $-4.5$  V, for example.

In addition, voltages applied to the gate of the transistor **M1** of the memory cell **221** and the gate of the transistor **M2** of the memory cell **231** (memory cell **232**) can be in almost the same range. Specifically, the same circuit can be used for circuits for generating positive voltages (or negative voltages) applied to the gate of the transistor **M1** and the gate of the transistor **M2**. Thus, the number of circuits for generating voltages applied to the gates of the transistor **M1** and the transistor **M2** does not need to be large, whereby power consumption of the semiconductor device **11** can be reduced. In particular, in the case where a negative voltage is applied to the gates of the transistors, power consumption for generating the negative voltage might be increased; thus, it is preferable to share a circuit for generating a negative voltage (e.g., a charge pump circuit can be given), which is applied to each gate of the transistor **M1** and the transistor **M2**.

The ranges of the voltages applied to the gate and back gate of the transistor **M1** (the transistor **M2**) are examples. Transistor characteristics in a semiconductor device in general change depending on materials, structures, or the like of a semiconductor layer of the transistor included in the semiconductor device; thus, the range of the voltage applied to the gate and back gate needs to be set for each circumstance.

Furthermore, transistor characteristics of a semiconductor device in general change depending on an environment where the semiconductor device drives. Specifically, the higher the temperature of the environment where the semiconductor device drives becomes, the higher the drain current corresponding to the voltage between the gate and source becomes and the higher the driving frequency of the transistor becomes. That is, performance of the semiconductor device may be changed depending on the environmental temperature. Therefore, the semiconductor device preferably has a structure in which transistor characteristics are appropriately adjusted by changing the voltage applied to the back gate of an OS transistor which is a write transistor depending on the environmental temperature. In other words, a voltage appropriate for the environmental

temperature where the semiconductor device 11 drives is applied to each back gate of the transistor M1 and transistor M2 included in the memory cell 221 and the memory cell 231 (memory cell 232), whereby the memory circuit 220 and memory circuit 230 can operate appropriately in the environmental temperature.

#### <Control Circuit 20>

Next, a circuit structure for controlling the threshold voltages of the write transistors included in the memory circuit 220 and the memory circuit 230 (corresponding to the transistor M1 in FIG. 3(A) and the transistor M2 in FIGS. 3(B1) and 3(B2)) is described.

FIG. 5 is a block diagram showing the control circuit 20 for controlling the threshold voltages of the write transistors. Note that in FIG. 5, a memory unit 30 including the memory circuit 220 and the memory circuit 230 is shown to describe an electrical connection with the memory device.

The control circuit 20 includes a control unit 21, a voltage generation circuit 22[1] to a voltage generation circuit 22[P] (P is an integer greater than or equal to 1), a circuit 23A, a circuit 23B, and a temperature sensing circuit 25. In the case where the potential of the back gate is not changed depending on the environmental temperature, the control circuit 20 can have a structure without the temperature sensing circuit 25.

The control unit 21 is electrically connected to the memory unit 30, the voltage generation circuit 22[1] to the voltage generation circuit 22[P], the circuit 23A, the circuit 23B, and the temperature sensing circuit 25. Each of the voltage generation circuit 22[1] to the voltage generation circuit 22[P] is electrically connected to the circuit 23A and the circuit 23B. The circuit 23A is electrically connected to the memory circuit 220 through a plurality of wirings BGL1, and the circuit 23B is electrically connected to the memory circuit 230 through a plurality of wirings BGL2.

The memory unit 30 has a function of sending a signal about each using status of the memory circuit 220 and the memory circuit 230 (e.g., a proportion of the memory capacity used to the whole memory capacity) to the control unit 21. The control unit 21 receives the signal, and then sends signals to circuits included in the control circuit 20 to change the allocation of each level of the memory unit 30 (e.g., the first memory region 110, the second memory region 120, the third memory region 130, and the fourth memory region 140 shown in FIG. 1(B)), according to the using status. Specifically, the control unit 21 sends signals to the voltage generation circuit 22[1] to the voltage generation circuit 22[P], the circuit 23A, and the circuit 23B.

Each of the voltage generation circuit 22[1] to the voltage generation circuit 22[P] has a function of generating a voltage applied to the back gates of the write transistors. Furthermore, the voltage generation circuit 22[1] to the voltage generation circuit 22[P] have a function of starting or stopping generation of the voltage in response to signals sent from the control unit 21. Owing to this function, voltage generation circuits necessary for generating a voltage in the allocation of each level of the memory unit 30 are driven and unnecessary voltage generation circuits can be stopped. Therefore, only necessary circuits of the voltage generation circuit 22[1] to the voltage generation circuit 22[P] can be driven and power consumption of the control circuit 20 can be reduced.

Furthermore, a charge pump circuit can be used for a circuit that generates a negative voltage among the voltage generation circuit 22[1] to the voltage generation circuit 22[P], for example.

The circuit 23A has a function of selecting a voltage applied to each of the plurality of the wirings BGL1 from voltages generated by the voltage generation circuit 22[1] to the voltage generation circuit 22[P]. Note that which voltage is selected for each of the plurality of the wirings BGL1 is determined according to the signal sent from the control unit 21. Owing to this function, a predetermined voltage can be applied from the wiring BGL1 to the back gate of the write transistor included in the memory circuit 220, so that the memory circuit 220 can be divided into regions corresponding to the allocated levels. For example, when the memory circuit 220 is divided into p (p is an integer greater than or equal to 2 and less than or equal to P) levels, the circuit 23A applies p-types of voltages to the plurality of the wirings BGL1 to divide the memory circuit 220 into p regions.

Similarly, the circuit 23B has a function of selecting a voltage applied to each of the plurality of the wirings BGL2 from voltages generated by the voltage generation circuit 22[1] to the voltage generation circuit 22[P]. Note that which voltage is selected for each of the plurality of the wirings BGL2 is determined according to the signal sent from the control unit 21. Owing to this function, a predetermined voltage can be applied from the wiring BGL2 to the back gate of the write transistor included in the memory circuit 230, so that the memory circuit 230 can be divided into regions corresponding to the allocated levels.

#### <Operation Example>

Here, an operation example of the control circuit 20 is described. Note that in this operation example, the case where the potential of the back gate is not changed depending on the environmental temperature is described.

As an initial step of the operation example, for example, as the using status of the memory unit 30, the case is considered where the whole memory capacity of the memory circuit 220 to which the second memory region 120 is allocated is used for holding data and part of the memory capacity of the memory circuit 230 to which the third memory region 130 is allocated is used for holding data as shown in FIG. 6. Note that at this point, a voltage generation circuit 22[p1] (p1 is an integer greater than or equal to 1 and less than or equal to P) generates a voltage applied to the back gates of the write transistors included in the memory cells used for the second memory region 120 among the memory cells in the memory circuit 220 and a voltage generation circuit 22[p2] (p2 is an integer greater than or equal to 1 and less than or equal to P and not p1) generates a voltage applied to the back gates of the write transistors included in the memory cells used for the third memory region 130 among the memory cells in the memory circuit 230.

In this case, when the memory unit 30 determines that the second memory region 120 is short of memory capacity, the memory unit 30 sends a signal Sig1 to the control unit 21 that the whole memory capacity of the memory circuit 220 is in use and part of the memory capacity of the memory circuit 230 is available.

Receiving the signal, the control unit 21 sends a signal Sig2 to the voltage generation circuit 22[1] to the voltage generation circuit 22[P] and sends a signal Sig3 to the circuit 23B. The signal Sig2 and the signal Sig3 are signals for allocating the second memory region 120 to the memory circuit 230.

Specifically, in order to allocate the second memory region 120 to the predetermined region of the memory circuit 230, the signal Sig2 can be a signal for selecting a circuit generating a voltage applied to the back gate of the write transistor included in the region. Here, a voltage

generation circuit **22**[p3] (p3 is an integer greater than or equal to 1 and less than or equal to P and not p2) is selected here. The voltage generation circuit **22**[p3] may be the same as the voltage generation circuit **22**[0] or a different circuit.

Note that the structure may be employed in which the voltage generation circuit which is not selected by the signal Sig2 is stopped as described above. For example, when an electrical connection between a voltage generation circuit and a wiring for supplying a driving voltage is made to be a non-conduction state by a switching element or the like, the voltage generation circuit can be stopped. With this, only the necessary voltage generation circuit is driven, so that power consumption of the control circuit **20** can be reduced.

The signal Sig3 can be a signal including an instruction that a voltage generated in the voltage generation circuit **22**[p3] is applied to the BGL2 which is electrically connected to the back gate of the write transistor in the predetermined region of the memory circuit **230**. The signal Sig3 still may include an instruction that a voltage generated in the voltage generation circuit **22**[p2] is applied to the back gate of the write transistor included in the region of the third memory region **130** in the memory circuit **230**.

The signal Sig3 is sent to the circuit **23B**, whereby the voltage generated in the voltage generation circuit **22**[p3] can be applied to the back gate of the write transistor in the region of the memory circuit **230** to which the second memory region **120** is newly allocated, for example. Thus, the second memory region **120** can be allocated to the predetermined region of the memory circuit **230**. The block diagram of FIG. 7 shows a subsequent state of the block diagram of FIG. 6 and shows an example in which the signal Sig3 is sent to the circuit **23B** and the second memory region **120** is allocated to all the remaining regions where the memory capacity is available in the memory circuit **230** of the memory unit **30**.

<Temperature Control>

Next, a method for changing potentials applied to the back gates of the write transistors of the memory unit **30** (the transistor M1 and the transistor M2) depending on environmental temperature is described.

The temperature sensing circuit **25** can have a structure shown in FIG. 8, for example. Note that to describe the electrical connection structure with the temperature sensing circuit **25**, FIG. 8 also shows the control unit **21**, the voltage generation circuit **22**[1], the voltage generation circuit **22**[P], the circuit **23A**, and the wiring BGL1. Note that the circuit **23B**, the wiring BGL2, and the memory unit **30** are omitted.

The temperature sensing circuit **25** includes a temperature sensor **25a**, an analog-to-digital converter circuit **25b**, and a voltage control circuit **25c**.

The temperature sensor **25a** has a function of sensing the temperature around the semiconductor device **11** and outputting an analog signal corresponding to the temperature. The output analog signal is sent to the analog-to-digital converter circuit **25b**. As the temperature sensor **25a**, for example, a resistance thermometer of platinum, nickel, or copper, a thermistor, a thermocouple, an IC temperature sensor, or the like can be used.

The analog-to-digital converter circuit **25b** has a function of converting an analog signal to a digital signal. The digital signal is sent to the voltage control circuit **25c**.

The voltage control circuit **25c** has a function of generating a correction voltage in response to the digital signal. For example, the voltage control circuit **25c** includes a memory device in which a correspondence table is stored to match the digital signal to a correction voltage and a circuit generating a correction voltage, and reads the level of the

correction voltage that corresponds to the digital signal sent from the analog-to-digital converter circuit **25b**. After reading the level of the correction voltage, the correction voltage is generated by the circuit generating a correction voltage and sent to the circuit **23A** and the circuit **23B** through the control unit **21**. Note that in FIG. 5, FIG. 6, FIG. 7, and FIG. 8, the temperature sensing circuit **25** is electrically connected to the control unit **21**; however, the temperature sensing circuit **25** may be directly and electrically connected to the circuit **23A** and the circuit **23B**.

Here, the circuit **23A** (the circuit **23B**) includes a plurality of capacitors CF, and one electrode of two pairs of electrodes of the plurality of the capacitors CF is electrically connected to a plurality of the wirings BGL1 (a plurality of the wirings BGL2). The correction voltage sent to the circuit **23A** (the circuit **23B**) is applied to the other of the two pairs of the electrodes of the capacitors CF.

The circuit **23A** (the circuit **23B**) includes an internal circuit **231N**. The internal circuit **231N** has a function of applying a plurality of kinds of voltages generated by the voltage generation circuit **22**[1] to the voltage generation circuit **22**[P] to each of the plurality of the wirings BGL1 (the plurality of the wirings BGL2) in response to the signal which is received from the control unit **21**.

When the potentials of the back gates are changed depending on the environmental temperature, first, the internal circuit **231N** applies potentials to the plurality of the wirings BGL1 (the plurality of the wirings BGL2) and then applies correction voltages to the other of the two pairs of the electrodes of the capacitors CF. Thus, the potentials of the plurality of the wirings BGL1 (the plurality of the wirings BGL2) are changed depending on the correction voltages owing to capacitive coupling of the capacitors CF connected to each of them. In this manner, the semiconductor device **11** can correct characteristics of the write transistors in the memory unit **30** depending on the environmental temperature because the semiconductor device **11** has the temperature sensing circuit **25**.

Note that one embodiment of the present invention is not limited to the circuit structure described in this embodiment and can be changed as appropriate.

Note that this embodiment can be combined with other embodiments in this specification as appropriate.

## Embodiment 2

In this embodiment, a structure example of a memory cell array **40** which constitutes the DOSRAM, the NOSRAM, or the like described in the above embodiment and peripheral circuits thereof is described. Note that in this embodiment, the memory cell array **40** and its peripheral circuits are collectively referred to as a memory device **200**.

<Structure Example of Memory Device>

FIG. 9 shows a structure example of a memory device. The memory device **200** includes a peripheral circuit **50** and the memory cell array **40**. The peripheral circuit **50** includes a row decoder **53**, a word line driver circuit **51**, a bit line driver circuit **52**, an output circuit **54**, and a control logic circuit **56**. FIG. 9 also shows the control circuit **20** described in Embodiment 1.

The bit line driver circuit **52** includes a column decoder **52a**, a precharge circuit **52b**, a sense amplifier **52c**, and a write circuit **52d**. The precharge circuit **52b** has a function of precharging a wiring SL, a wiring CAL, a wiring BIL, and the like. The sense amplifier **52c** has a function of amplifying a data signal read from the wiring BIL and the wiring RBL. Note that the wiring SL, the wiring CAL, and the

## 21

wiring RBL are wirings connected to a memory cell included in the cell array **40** and is described later in detail. The amplified data signal is output to the outside of the memory device **200** as a digital data signal RDATA through the output circuit **54**.

As power supply voltages from the outside, a low power supply voltage (VSS), a high power supply voltage (VDD) for the peripheral circuit **50**, and a high power supply voltage (VIL) for the memory cell array **40** are supplied to the memory device **200**.

Control signals (CE, WE, RE), an address signal ADDR, and a data signal WDATA are input to the memory device **200** from the outside. The address signal ADDR is input to the row decoder **53** and the column decoder **52a**, and WDATA is input to the write circuit **52d**.

The control logic circuit **56** processes the input signals (CE, WE, RE) from the outside, and generates control signals for the row decoder **53** and the column decoder **52a**. CE denotes a chip enable signal, WE denotes a write enable signal, and RE denotes a read enable signal. Signals processed by the control logic circuit **56** are not limited to the above, and other control signals may be input as necessary.

Note that whether each circuit or each signal described above is provided or not can be appropriately determined as needed.

Not only the memory cell array **40** but also the peripheral circuit **50** preferably include an OS transistor. Thus, the peripheral circuit **50** and the memory cell array **40** can be fabricated through the same manufacturing process, whereby manufacturing cost of the memory device **200** can be reduced.

#### <Structure Example of Memory Cell Array>

FIG. **10** shows details of the memory cell array **40** in the case where a DOSRAM is used as a memory cell. The memory cell array **40** includes a total of  $m \times n$  memory cells **221** of  $m$  cells ( $m$  is an integer of 1 or more) in one column and  $n$  cells ( $n$  is an integer of 1 or more) in one row, and the memory cells **221** are arranged in a matrix. FIG. **10** also shows addresses of the memory cells **221** and shows memory cells **221** positioned at addresses of  $[1,1]$ ,  $[m,1]$ ,  $[i,j]$ ,  $[1,n]$ , and  $[m,n]$  ( $i$  is an integer of 1 to  $m$ , and  $j$  is an integer of 1 to  $n$ ). Note that with the structure of the memory cell **221**, the number of the wirings WOL which connect the memory cell array **40** to the word line driver circuit **51** is  $m$  (in FIG. **10**, only the wiring WOL[1], the wiring WOL[ $i$ ], and the wiring WOL[ $m$ ] are shown), and the number of the wirings BGL which connect the memory cell array **40** to the control circuit **20** is also  $m$  (in FIG. **10**, only the wiring BGL[1], the wiring BGL[ $i$ ], and the wiring BGL[ $m$ ] are shown). Furthermore, the number of the wirings BIL which connect the memory cell array **40** to the bit line driver circuit **52** is  $n$  (in FIG. **10**, only the wiring BIL[1], the wiring BIL[ $j$ ], and the wiring BIL[ $n$ ] are shown).

FIG. **11** shows details of the memory cell array **40** in the case where a NOSRAM is used as a memory cell. The cell array **40** includes a total of  $m \times n$  memory cells **231** of  $m$  cells ( $m$  is an integer of 1 or more) in one column and  $n$  cells ( $n$  is an integer of 1 or more) in one row, and the memory cells **231** are arranged in a matrix. FIG. **11** also shows addresses of the memory cells **231** and shows memory cells **231** positioned at addresses of  $[1,1]$ ,  $[m,1]$ ,  $[i,j]$ ,  $[1,n]$ , and  $[m,n]$  ( $i$  is an integer of 1 to  $m$ , and  $j$  is an integer of 1 to  $n$ ). Note that with the structure of the memory cell **231**, the number of the wirings WOL which connect the memory cell array **40** to the word line driver circuit **51** is  $m$  (in FIG. **11**, only the wiring WOL[1], the wiring WOL[ $i$ ], and the wiring WOL[ $m$ ] are shown), and the number of the wirings BGL which

## 22

connect the memory cell array **40** to the control circuit **20** is also  $m$  (in FIG. **11**, only the wiring BGL[1], the wiring BGL[ $i$ ], and the wiring BGL[ $m$ ] are shown). Note that although the number of the wirings CAL is also  $m$  (in FIG. **11**, only the wiring CAL[1], the wiring CAL[ $i$ ], and the wiring CAL[ $m$ ] are shown), the destination which the memory cell **231** is connected to through the wirings CAL is omitted. Furthermore, the number of each of the wirings RBL, the wirings WBL, and the wirings SL which connect the memory cell array **40** to the bit line driver circuit **52** is  $n$  (in FIG. **11**, only the wiring RBL[1], the wiring RBL[ $j$ ], the wiring RBL[ $n$ ], the wiring WBL[1], the wiring WBL[ $j$ ], the wiring WBL[ $n$ ], the wiring SL[1], the wiring SL[ $j$ ], and the wiring SL[ $n$ ] are shown).

In each of the memory cell array **40** shown in FIG. **10** and FIG. **11**, the wiring BGL[1] to the wiring BGL[ $m$ ] are provided by row; thus, the change of the region in each layer of the memory device described in Embodiment 1 is performed by row. Note that the arrangement of the wirings BGL which are electrically connected to the back gates of the transistors M1 (the transistors M2) in the memory cells **221** (the memory cells **231**) in the memory cell array **40** is not limited to that in FIG. **10** and FIG. **11**. For example, the wiring BGL may be provided in each of the transistors M1 (the transistors M2) in a plurality of the memory cells **221** (memory cells **231**), and the change of the region in each layer of the memory device may be performed in each memory cell **221** (memory cell **231**). Alternatively, for example, the memory cells **221** (memory cells **231**) in the memory cell array **40** may be divided into regions such as  $2 \times 2$  or  $2 \times 3$ , and the different wiring BGL may be provided in each region, so that the change of the region in each layer of the memory device is performed.

Note that although the memory cells **221** and the memory cells **231** are arranged in a two-dimensional way in each of the memory cell array **40** shown in FIG. **10** and FIG. **11**, they may be arranged in a three-dimensional way as shown in FIGS. **12(A)** and **12(B)**. In FIG. **12(A)**, the wiring BIL provided in the memory cell array **40** is substantially perpendicular to the bit line driver circuit **52**. In FIG. **12(B)**, a plurality of the memory cell arrays **40** and the bit line driver circuit **52** are overlapped with each other. Although the cases in which the memory cells **221** are used are shown in FIGS. **12(A)** and **12(B)**, the memory cells **231** can be arranged in a three-dimensional way, similarly. Although the bit line driver circuit **52** is arranged in a lower layer in FIGS. **12(A)** and **12(B)**, the word line driver circuit **51**, the row decoder **53**, or a stacked circuit of a plurality of circuits selected from them may be used instead of the bit line driver circuit **52**.

The memory device **200** is structured as shown in FIG. **10** and FIG. **11**, whereby the circuit area can be small and the memory capacity can be large.

Furthermore, although a structure including the plurality of the memory cell arrays **40** in FIG. **10** is shown in FIGS. **12(A)** and **12(B)**, a structure in which the memory cell arrays **40** shown in FIG. **10** and FIG. **11** are overlapped with each other may be used as shown in FIG. **13**. In other words, the memory device **200** may have a structure in which a DOSRAM and a NOSRAM are overlapped with each other, that is, a structure in which the memory circuit **220** and the memory circuit **230** are overlapped with each other. Note that in FIG. **13**, the electrical connection between each memory cell array **40** and the bit line driver circuit **52** is omitted to show clearly the overlapping structure. Although the bit line driver circuit **52** is arranged in a lower layer in FIG. **13**, the word line driver circuit **51**, the row decoder **53**, or a stacked circuit of a plurality of circuits selected from

## 23

them may be used instead of the bit line driver circuit **52**. In particular, by providing a circuit such as a voltage generation circuit in a lower layer or a precharge circuit, the memory circuit **220** and the memory circuit **230** can share the circuit in their operations.

Note that one embodiment of the present invention is not limited to the circuit structure described in this embodiment and can be changed as appropriate. For example, although the memory cell **221** and the memory cell **231** are used in the memory cell array **40** in this embodiment, another memory cell may be used.

Note that this embodiment can be combined with other embodiments in this specification as appropriate.

## Embodiment 3

In this embodiment, a structure example of an OS transistor that can be used for the semiconductor device described in the above embodiment is described.

## &lt;Structure Example of Semiconductor Device&gt;

A semiconductor device shown in FIG. **14** includes a transistor **300**, a transistor **500**, and a capacitor **600**. FIG. **15(A)** is a cross-sectional view of the transistor **500** in the channel length direction, FIG. **15(B)** is a cross-sectional view of the transistor **500** in the channel width direction, and FIG. **15(C)** is a cross-sectional view of the transistor **300** in the channel width direction.

The transistor **500** is a transistor containing a metal oxide in a channel formation region (OS transistor). Since the off-state current of the transistor **500** is extremely low, when the transistor **500** is used for the semiconductor device, especially for the transistor **M2** in the memory cell **231**, first data can be held for a long time. In other words, the frequency of refresh operation is low or refresh operation is not required; thus, power consumption of the semiconductor device can be reduced.

The transistor **500** is provided over the transistor **300**, and the capacitor **600** is provided over the transistor **300** and the transistor **500**. Note that the capacitor **CB** in the memory cell **231** can be used as the capacitor **600**.

The transistor **300** is provided over a substrate **311** and includes a conductor **316**, an insulator **315**, a semiconductor region **313** that is part of the substrate **311**, and a low-resistance region **314a** and a low-resistance region **314b** each functioning as a source region or a drain region. Note that the transistor **300** can be used as the transistors **M3** in the above embodiment, for example.

As shown in FIG. **15(C)**, in the transistor **300**, a top surface and a side surface in the channel width direction of the semiconductor region **313** are covered with the conductor **316** with the insulator **315** therebetween. The effective channel width is increased by using the transistor **300** of a Fin-type, whereby the on-state characteristics of the transistor **300** can be improved. In addition, since contribution of an electric field of the gate electrode can be increased, the off-state characteristics of the transistor **300** can be improved.

Note that the transistor **300** can be a p-channel transistor or an n-channel transistor.

A region of the semiconductor region **313** where a channel is formed, a region in the vicinity thereof, the low-resistance region **314a** and the low-resistance region **314b** functioning as a source region and a drain region, and the like preferably contain a semiconductor such as a silicon-based semiconductor, further preferably contain single crystal silicon. Alternatively, the regions may be formed using a material containing Ge (germanium), SiGe (silicon germa-

## 24

num), GaAs (gallium arsenide), GaAlAs (gallium aluminum arsenide), or the like. A structure may be employed in which silicon whose effective mass is controlled by applying stress to the crystal lattice and thereby changing the lattice spacing is used. Alternatively, the transistor **300** may be an HEMT (High Electron Mobility Transistor) with GaAs and GaAlAs, or the like.

The low-resistance region **314a** and the low-resistance region **314b** contain an element which imparts n-type conductivity, such as arsenic or phosphorus, or an element which imparts p-type conductivity, such as boron, in addition to the semiconductor material used for the semiconductor region **313**.

For the conductor **316** functioning as a gate electrode, a semiconductor material such as silicon containing the element which imparts n-type conductivity, such as arsenic or phosphorus, or the element which imparts p-type conductivity, such as boron, or a conductive material such as a metal material, an alloy material, or a metal oxide material can be used.

Note that since the work function of a conductor depends on a material of the conductor, threshold voltage of the transistor can be adjusted by selecting the material of the conductor. Specifically, it is preferable to use a material such as titanium nitride or tantalum nitride for the conductor. Moreover, in order to ensure both conductivity and embeddability, it is preferable to use stacked layers of metal materials such as tungsten and aluminum for the conductor, and it is particularly preferable to use tungsten in terms of heat resistance.

Note that the transistor **300** shown in FIG. **14** is an example and the structure is not limited thereto; an appropriate transistor is used in accordance with a circuit configuration or a driving method. For example, the transistor **300** may have a structure similar to that of the transistor **500** using an oxide semiconductor (not shown). Note that the details of the transistor **500** are described later.

An insulator **320**, an insulator **322**, an insulator **324**, and an insulator **326** are stacked in this order to cover the transistor **300**.

For the insulator **320**, the insulator **322**, the insulator **324**, and the insulator **326**, silicon oxide, silicon oxynitride, silicon nitride oxide, silicon nitride, aluminum oxide, aluminum oxynitride, aluminum nitride oxide, aluminum nitride, or the like is used, for example.

Note that in this specification, silicon oxynitride refers to a material that contains oxygen at a higher proportion than nitrogen, and silicon nitride oxide refers to a material that contains nitrogen at a higher proportion than oxygen. Furthermore, in this specification, aluminum oxynitride refers to a material that contains oxygen at a higher proportion than nitrogen, and aluminum nitride oxide refers to a material that contains nitrogen at a higher proportion than oxygen.

The insulator **322** may have a function of a planarization film for reducing a level difference caused by the transistor **300** or the like provided below the insulator **322**. For example, a top surface of the insulator **322** may be planarized by planarization treatment using a chemical mechanical polishing (CMP) method or the like to improve planarity.

The insulator **324** is preferably formed using a film having a barrier property that prevents diffusion of hydrogen or impurities from the substrate **311**, the transistor **300**, or the like into a region where the transistor **500** is provided.

For the film having a barrier property against hydrogen, silicon nitride formed by a CVD method can be used, for example. Here, the diffusion of hydrogen to a semiconductor element including an oxide semiconductor, such as the

transistor **500**, degrades the characteristics of the semiconductor element in some cases. Therefore, a film that inhibits hydrogen diffusion is preferably provided between the transistor **500** and the transistor **300**. The film that inhibits hydrogen diffusion is specifically a film from which a small amount of hydrogen is released.

The amount of released hydrogen can be measured by thermal desorption spectroscopy (TDS), for example. The amount of hydrogen released from the insulator **324** that is converted into hydrogen atoms per area of the insulator **324** is less than or equal to  $10 \times 10^{15}$  atoms/cm<sup>2</sup>, preferably less than or equal to  $5 \times 10^{15}$  atoms/cm<sup>2</sup>, in the TDS analysis in a film-surface temperature range of 50° C. to 500° C., for example.

Note that the dielectric constant of the insulator **326** is preferably lower than that of the insulator **324**. For example, the dielectric constant of the insulator **326** is preferably lower than 4, further preferably lower than 3. The dielectric constant of the insulator **326** is, for example, preferably 0.7 times or less, further preferably 0.6 times or less the dielectric constant of the insulator **324**. When a material with a low dielectric constant is used for an interlayer film, the parasitic capacitance generated between wirings can be reduced.

A conductor **328**, a conductor **330**, and the like that are connected to the capacitor **600** or the transistor **500** are embedded in the insulator **320**, the insulator **322**, the insulator **324**, and the insulator **326**. Note that the conductor **328** and the conductor **330** each have a function of a plug or a wiring. A plurality of conductors functioning as plugs or wirings are collectively denoted by the same reference numeral in some cases. Furthermore, in this specification and the like, a wiring and a plug connected to the wiring may be a single component. That is, there are cases where part of a conductor functions as a wiring and part of a conductor functions as a plug.

As a material for each of the plugs and wirings (the conductor **328**, the conductor **330**, and the like), a single layer or a stacked layer of a conductive material such as a metal material, an alloy material, a metal nitride material, or a metal oxide material can be used. It is preferable to use a high-melting-point material that has both heat resistance and conductivity, such as tungsten or molybdenum, and it is particularly preferable to use tungsten. Alternatively, it is preferable to form the plugs and wirings with a low-resistance conductive material such as aluminum or copper. The use of a low-resistance conductive material can reduce wiring resistance.

A wiring layer may be provided over the insulator **326** and the conductor **330**. For example, in FIG. **14**, an insulator **350**, an insulator **352**, and an insulator **354** are stacked sequentially. Furthermore, a conductor **356** is formed in the insulator **350**, the insulator **352**, and the insulator **354**. The conductor **356** has a function of a plug or a wiring that is connected to the transistor **300**. Note that the conductor **356** can be provided using a material similar to those for the conductor **328** and the conductor **330**.

For example, like the insulator **324**, the insulator **350** is preferably formed using an insulator having a barrier property against hydrogen. Furthermore, the conductor **356** preferably contains a conductor having a barrier property against hydrogen. In particular, the conductor having a barrier property against hydrogen is formed in an opening of the insulator **350** having a barrier property against hydrogen. With this structure, the transistor **300** and the transistor **500** can be separated by a barrier layer, so that the diffusion of hydrogen from the transistor **300** into the transistor **500** can be inhibited.

Note that for the conductor having a barrier property against hydrogen, tantalum nitride is preferably used, for example. The use of a stack including tantalum nitride and tungsten having high conductivity can inhibit the diffusion of hydrogen from the transistor **300** while the conductivity of a wiring is kept. In that case, the tantalum nitride layer having a barrier property against hydrogen is preferably in contact with the insulator **350** having a barrier property against hydrogen.

A wiring layer may be provided over the insulator **354** and the conductor **356**. For example, in FIG. **14**, an insulator **360**, an insulator **362**, and an insulator **364** are stacked sequentially. Furthermore, a conductor **366** is formed in the insulator **360**, the insulator **362**, and the insulator **364**. The conductor **366** has a function of a plug or a wiring. Note that the conductor **366** can be provided using a material similar to those for the conductor **328** and the conductor **330**.

For example, like the insulator **324**, the insulator **360** is preferably formed using an insulator having a barrier property against hydrogen. Furthermore, the conductor **366** preferably contains a conductor having a barrier property against hydrogen. In particular, the conductor having a barrier property against hydrogen is preferably formed in an opening portion of the insulator **360** having a barrier property against hydrogen. With this structure, the transistor **300** and the transistor **500** can be separated by a barrier layer, so that the diffusion of hydrogen from the transistor **300** into the transistor **500** can be inhibited.

A wiring layer may be provided over the insulator **364** and the conductor **366**. For example, in FIG. **14**, an insulator **370**, an insulator **372**, and an insulator **374** are stacked sequentially. Furthermore, a conductor **376** is formed in the insulator **370**, the insulator **372**, and the insulator **374**. The conductor **376** has a function of a plug or a wiring. Note that the conductor **376** can be provided using a material similar to those for the conductor **328** and the conductor **330**.

For example, like the insulator **324**, the insulator **370** is preferably formed using an insulator having a barrier property against hydrogen. Furthermore, the conductor **376** preferably contains a conductor having a barrier property against hydrogen. In particular, the conductor having a barrier property against hydrogen is preferably formed in an opening portion of the insulator **370** having a barrier property against hydrogen. With this structure, the transistor **300** and the transistor **500** can be separated by a barrier layer, so that the diffusion of hydrogen from the transistor **300** into the transistor **500** can be inhibited.

A wiring layer may be provided over the insulator **374** and the conductor **376**. For example, in FIG. **14**, an insulator **380**, an insulator **382**, and an insulator **384** are stacked sequentially. Furthermore, a conductor **386** is formed in the insulator **380**, the insulator **382**, and the insulator **384**. The conductor **386** has a function of a plug or a wiring. Note that the conductor **386** can be provided using a material similar to those for the conductor **328** and the conductor **330**.

For example, like the insulator **324**, the insulator **380** is preferably formed using an insulator having a barrier property against hydrogen. Furthermore, the conductor **386** preferably contains a conductor having a barrier property against hydrogen. In particular, the conductor having a barrier property against hydrogen is preferably formed in an opening portion of the insulator **380** having a barrier property against hydrogen. With this structure, the transistor **300** and the transistor **500** can be separated by a barrier layer, so that the diffusion of hydrogen from the transistor **300** into the transistor **500** can be inhibited.

Although the wiring layer including the conductor **356**, the wiring layer including the conductor **366**, the wiring layer including the conductor **376**, and the wiring layer including the conductor **386** are described above, the semiconductor device of this embodiment is not limited thereto. Three or less wiring layers that are similar to the wiring layer including the conductor **356** may be provided, or five or more wiring layers that are similar to the wiring layer including the conductor **356** may be provided.

An insulator **510**, an insulator **512**, an insulator **514**, and an insulator **516** are provided to be stacked in this order over the insulator **384**. A substance having a barrier property against oxygen or hydrogen is preferably used for one of the insulator **510**, the insulator **512**, the insulator **514**, and the insulator **516**.

For example, the insulator **510** and the insulator **514** are preferably formed using a film having a barrier property that prevents diffusion of hydrogen or impurities from the substrate **311**, the region where the transistor **300** is provided, or the like into the region where the transistor **500** is provided. Therefore, a material similar to that for the insulator **324** can be used.

For the film having a barrier property against hydrogen, silicon nitride formed by a CVD method can be used, for example. Here, the diffusion of hydrogen to a semiconductor element including an oxide semiconductor, such as the transistor **500**, degrades the characteristics of the semiconductor element in some cases. Therefore, a film that inhibits hydrogen diffusion is preferably provided between the transistor **500** and the transistor **300**. The film that inhibits hydrogen diffusion is specifically a film from which a small amount of hydrogen is released.

For the film having a barrier property against hydrogen used as the insulator **510** and the insulator **514**, for example, a metal oxide such as aluminum oxide, hafnium oxide, or tantalum oxide is preferably used.

In particular, aluminum oxide has an excellent blocking effect that prevents the passage of both oxygen and impurities such as hydrogen and moisture which are factors of a change in electrical characteristics of the transistor. Accordingly, aluminum oxide can prevent the entry of impurities such as hydrogen and moisture into the transistor **500** in the fabrication process and after the fabrication of the transistor. In addition, release of oxygen from the oxide included in the transistor **500** can be inhibited. Therefore, aluminum oxide is suitably used for a protective film of the transistor **500**.

The insulator **512** and the insulator **516** can be formed using a material similar to that for the insulator **320**, for example. When a material with a relatively low dielectric constant is used for these insulators, the parasitic capacitance between wirings can be reduced. Silicon oxide films, silicon oxynitride films, or the like can be used as the insulator **512** and the insulator **516**, for example.

A conductor **518**, a conductor included in the transistor **500** (a conductor **503** for example), and the like are embedded in the insulator **510**, the insulator **512**, the insulator **514**, and the insulator **516**. Note that the conductor **518** functions as a plug or a wiring that is connected to the capacitor **600** or the transistor **300**. The conductor **518** can be provided using a material similar to those for the conductor **328** and the conductor **330**.

In particular, the conductor **518** in a region in contact with the insulator **510** and the insulator **514** is preferably a conductor having a barrier property against oxygen, hydrogen, and water. With this structure, the transistor **300** and the transistor **500** can be separated by the layer having a barrier property against oxygen, hydrogen, and water; thus, the

diffusion of hydrogen from the transistor **300** into the transistor **500** can be inhibited.

The transistor **500** is provided above the insulator **516**.

As shown in FIGS. **15(A)** and **15(B)**, the transistor **500** includes the conductor **503** positioned to be embedded in the insulator **514** and the insulator **516**; an insulator **520** positioned over the insulator **516** and the conductor **503**; an insulator **522** positioned over the insulator **520**; an insulator **524** positioned over the insulator **522**; an oxide **530a** positioned over the insulator **524**; an oxide **530b** positioned over the oxide **530a**; a conductor **542a** and a conductor **542b** positioned apart from each other over the oxide **530b**; an insulator **580** that is positioned over the conductor **542a** and the conductor **542b** and includes an opening overlapping with a region between the conductor **542a** and the conductor **542b**; an oxide **530c** positioned on a bottom and a side surface of the opening; an insulator **550** positioned on a formation surface of the oxide **530c**; and a conductor **560** positioned on a formation surface of the insulator **550**.

Furthermore, as shown in FIGS. **15(A)** and **15(B)**, an insulator **544** is preferably positioned between the insulator **580** and the oxide **530a**, the oxide **530b**, the conductor **542a**, and the conductor **542b**. In addition, as shown in FIGS. **15(A)** and **15(B)**, the conductor **560** preferably includes a conductor **560a** provided inside the insulator **550** and a conductor **560b** embedded inside the conductor **560a**. Moreover, as shown in FIGS. **15(A)** and **15(B)**, an insulator **574** is preferably positioned over the insulator **580**, the conductor **560**, and the insulator **550**.

Hereinafter, the oxide **530a**, the oxide **530b**, and the oxide **530c** may be collectively referred to as an oxide **530**.

The transistor **500** has a structure in which three layers of the oxide **530a**, the oxide **530b**, and the oxide **530c** are stacked in the region where the channel is formed and its vicinity; however, the present invention is not limited thereto. For example, a single layer of the oxide **530b**, a two-layer structure of the oxide **530b** and the oxide **530a**, a two-layer structure of the oxide **530b** and the oxide **530c**, or a stacked-layer structure of four or more layers may be provided. Although the conductor **560** is shown to have a stacked-layer structure of two layers in the transistor **500**, the present invention is not limited thereto. For example, the conductor **560** may have a single-layer structure or a stacked-layer structure of three or more layers. Note that the transistor **500** shown in FIG. **14** and FIGS. **15(A)** and **15(B)** is an example, and the structure is not limited thereto; an appropriate transistor can be used in accordance with a circuit configuration or a driving method.

Here, the conductor **560** functions as a gate electrode of the transistor, and the conductor **542a** and the conductor **542b** function as a source electrode and a drain electrode. As described above, the conductor **560** is formed to be embedded in the opening of the insulator **580** and the region between the conductor **542a** and the conductor **542b**. The positions of the conductor **560**, the conductor **542a**, and the conductor **542b** are selected in a self-aligned manner with respect to the opening of the insulator **580**. That is, in the transistor **500**, the gate electrode can be positioned between the source electrode and the drain electrode in a self-aligned manner. Therefore, the conductor **560** can be formed without an alignment margin, resulting in a reduction in the area occupied by the transistor **500**. Accordingly, miniaturization and high integration of the semiconductor device can be achieved.

In addition, since the conductor **560** is formed in the region between the conductor **542a** and the conductor **542b** in a self-aligned manner, the conductor **560** does not have a



region overlapping with the conductor **542a** or the conductor **542b**. Thus, parasitic capacitance formed between the conductor **560** and each of the conductor **542a** and the conductor **542b** can be reduced. As a result, the transistor **500** can have improved switching speed and excellent frequency characteristics.

The conductor **560** sometimes functions as a first gate (also referred to as top gate) electrode. The conductor **503** sometimes functions as a second gate (also referred to as bottom gate) electrode. In that case, the threshold voltage of the transistor **500** can be controlled by changing a potential applied to the conductor **503** independently of a potential applied to the conductor **560**. In particular, the threshold voltage of the transistor **500** can be higher than 0 V and the off-state current can be reduced by applying a negative potential to the conductor **503**. Thus, a drain current at the time when a potential applied to the conductor **560** is 0 V can be lower in the case where a negative potential is applied to the conductor **503** than in the case where a negative potential is not applied to the conductor **503**.

The conductor **503** is positioned to be overlapped with by the oxide **530** and the conductor **560**. Thus, when potentials are applied to the conductor **560** and the conductor **503**, an electric field generated by the conductor **560** and an electric field generated by the conductor **503** are connected, so that the channel formation region formed in the oxide **530** can be covered. In this specification and the like, a transistor structure in which a channel formation region is electrically surrounded by electric fields of a first gate electrode and a second gate electrode is referred to as a surrounded channel (S-channel) structure.

The conductor **503** has a structure similar to that of the conductor **518**; a conductor **503a** is formed in contact with an inner wall of an opening in the insulator **514** and the insulator **516**, and a conductor **503b** is formed on the inner side.

The insulator **520**, the insulator **522**, the insulator **524**, and the insulator **550** have a function of a gate insulating film.

Here, as the insulator **524** in contact with the oxide **530**, an insulator that contains oxygen more than oxygen in the stoichiometric composition is preferably used. That is, an excess-oxygen region is preferably formed in the insulator **524**. When such an insulator containing excess oxygen is provided in contact with the oxide **530**, oxygen vacancies in the oxide **530** can be reduced and the reliability of the transistor **500** can be improved.

As the insulator including an excess-oxygen region, specifically, an oxide material that releases part of oxygen by heating is preferably used. An oxide that releases oxygen by heating is an oxide film in which the amount of released oxygen converted into oxygen atoms is greater than or equal to  $1.0 \times 10^{18}$  atoms/cm<sup>3</sup>, preferably greater than or equal to  $1.0 \times 10^{19}$  atoms/cm<sup>3</sup>, further preferably greater than or equal to  $2.0 \times 10^{19}$  atoms/cm<sup>3</sup> or greater than or equal to  $3.0 \times 10^{20}$  atoms/cm<sup>3</sup> in TDS (Thermal Desorption Spectroscopy) analysis. Note that the temperature of the film surface in the TDS analysis is preferably higher than or equal to 100° C. and lower than or equal to 700° C., or higher than or equal to 100° C. and lower than or equal to 400° C.

In the case where the insulator **524** includes an excess-oxygen region, it is preferred that the insulator **522** have a function of inhibiting diffusion of oxygen (e.g., an oxygen atom, an oxygen molecule, or the like) (the oxygen is less likely to pass).

When the insulator **522** has a function of inhibiting diffusion of oxygen or impurities, oxygen contained in the oxide **530** is not diffused to the insulator **520** side, which is preferable.

Furthermore, the conductor **503** can be prevented from reacting with oxygen contained in the insulator **524** or the oxide **530**.

For the insulator **522**, a single layer or stacked layers of an insulator containing what is called a high-k material such as aluminum oxide, hafnium oxide, an oxide containing aluminum and hafnium (hafnium aluminate), tantalum oxide, zirconium oxide, lead zirconate titanate (PZT), strontium titanate (SrTiO<sub>3</sub>), or (Ba,Sr)TiO<sub>3</sub> (BST) are preferably used, for example. With miniaturization and high integration of transistors, a problem such as leakage current may arise because of a thinner gate insulating film. When a high-k material is used for an insulator functioning as the gate insulating film, a gate potential during operation of the transistor can be reduced while the physical thickness of the gate insulator is kept.

It is particularly preferable to use an insulator containing an oxide of one or both of aluminum and hafnium, which is an insulating material having a function of inhibiting diffusion of impurities, oxygen, and the like (the oxygen is less likely to pass). Aluminum oxide, hafnium oxide, an oxide containing aluminum and hafnium (hafnium aluminate), or the like is preferably used as the insulator containing an oxide of one or both of aluminum and hafnium. In the case where the insulator **522** is formed using such a material, the insulator **522** functions as a layer that inhibits release of oxygen from the oxide **530** and entry of impurities such as hydrogen from the periphery of the transistor **500** into the oxide **530**.

Alternatively, aluminum oxide, bismuth oxide, germanium oxide, niobium oxide, silicon oxide, titanium oxide, tungsten oxide, yttrium oxide, or zirconium oxide may be added to these insulators, for example. Alternatively, these insulators may be subjected to nitriding treatment. Silicon oxide, silicon oxynitride, or silicon nitride may be stacked over the insulator.

It is preferable that the insulator **520** be thermally stable. For example, silicon oxide and silicon oxynitride, which have thermal stability, are suitable. Furthermore, when an insulator which is a high-k material is combined with silicon oxide or silicon oxynitride, the insulator **520** having a stacked-layer structure that has thermal stability and a high dielectric constant can be obtained.

Note that the insulator **520**, the insulator **522**, and the insulator **524** may each have a stacked-layer structure of two or more layers. In that case, without limitation to a stacked-layer structure formed of the same material, a stacked-layer structure formed of different materials may be employed.

In the transistor **500**, a metal oxide functioning as an oxide semiconductor is preferably used as the oxide **530** including a channel formation region. For example, as the oxide **530**, a metal oxide such as an In-M-Zn oxide (the element M is one or more kinds selected from aluminum, gallium, yttrium, copper, vanadium, beryllium, boron, titanium, iron, nickel, germanium, zirconium, molybdenum, lanthanum, cerium, neodymium, hafnium, tantalum, tungsten, magnesium, and the like) is preferably used. The In-M-Zn oxide that can be used as the oxide **530** is particularly preferably a CAAC-OS or a CAC-OS each of which is described in Embodiment 4. Furthermore, as the oxide **530**, an In-Ga oxide or an In-Zn oxide may be used.

The metal oxide functioning as the channel formation region in the oxide **530** has a band gap of preferably 2 eV

or higher, further preferably 2.5 eV or higher. With the use of a metal oxide having such a wide bandgap, the off-state current of the transistor can be reduced.

When the oxide **530** includes the oxide **530a** under the oxide **530b**, it is possible to inhibit diffusion of impurities into the oxide **530b** from the components formed below the oxide **530a**. Moreover, including the oxide **530c** over the oxide **530b** makes it possible to inhibit diffusion of impurities into the oxide **530b** from the components formed above the oxide **530c**.

Note that the oxide **530** preferably has a stacked-layer structure of oxides that differ in the atomic ratio of metal atoms. Specifically, the atomic proportion of the element M in constituent elements in the metal oxide used as the oxide **530a** is preferably greater than the atomic proportion of the element M in constituent elements in the metal oxide used as the oxide **530b**. Moreover, the atomic ratio of the element M to In in the metal oxide used as the oxide **530a** is preferably greater than the atomic ratio of the element M to In in the metal oxide used as the oxide **530b**. Furthermore, the atomic ratio of In to the element M in the metal oxide used as the oxide **530b** is preferably greater than the atomic ratio of In to the element M in the metal oxide used as the oxide **530a**. A metal oxide that can be used for the oxide **530a** or the oxide **530b** can be used for the oxide **530c**.

The energy of the conduction band minimum of each of the oxide **530a** and the oxide **530c** is preferably higher than the energy of the conduction band minimum of the oxide **530b**. In other words, the electron affinity of each of the oxide **530a** and the oxide **530c** is preferably smaller than the electron affinity of the oxide **530b**.

Here, the energy level of the conduction band minimum gradually changes at junction portions of the oxide **530a**, the oxide **530b**, and the oxide **530c**. In other words, the energy level of the conduction band minimum at the junction portions of the oxide **530a**, the oxide **530b**, and the oxide **530c** continuously changes or is continuously connected. To obtain this, the density of defect states in a mixed layer formed at an interface between the oxide **530a** and the oxide **530b** and an interface between the oxide **530b** and the oxide **530c** is preferably made low.

Specifically, when the oxide **530a** and the oxide **530b** or the oxide **530b** and the oxide **530c** contain the same element (as a main component) in addition to oxygen, a mixed layer with a low density of defect states can be formed. For example, in the case where the oxide **530b** is an In—Ga—Zn oxide, an In—Ga—Zn oxide, a Ga—Zn oxide, gallium oxide, or the like is preferably used for the oxide **530a** and the oxide **530c**.

At this time, the oxide **530b** serves as a main carrier path. When the oxide **530a** and the oxide **530c** have the above structure, the density of defect states at the interface between the oxide **530a** and the oxide **530b** and the interface between the oxide **530b** and the oxide **530c** can be made low. Thus, the influence of interface scattering on carrier conduction is small, and the transistor **500** can have a high on-state current.

The conductor **542a** and the conductor **542b** which function as a source electrode and a drain electrode are provided over the oxide **530b**. For the conductor **542a** and conductor **542b**, it is preferable to use a metal element selected from aluminum, chromium, copper, silver, gold, platinum, tantalum, nickel, titanium, molybdenum, tungsten, hafnium, vanadium, niobium, manganese, magnesium, zirconium, beryllium, indium, ruthenium, iridium, strontium, and lanthanum; an alloy containing any of the above metal elements; an alloy containing a combination of the above metal

elements; or the like. For example, it is preferable to use tantalum nitride, titanium nitride, tungsten nitride, a nitride containing titanium and aluminum, a nitride containing tantalum and aluminum, ruthenium oxide, ruthenium nitride, an oxide containing strontium and ruthenium, an oxide containing lanthanum and nickel, or the like. Tantalum nitride, titanium nitride, a nitride containing titanium and aluminum, a nitride containing tantalum and aluminum, ruthenium oxide, ruthenium nitride, an oxide containing strontium and ruthenium, and an oxide containing lanthanum and nickel are preferable because they are oxidation-resistant conductive materials or materials that retain their conductivity even after absorbing oxygen.

As shown in FIG. 15(A), a region **543a** and a region **543b** are sometimes formed as a low-resistance region at and in the vicinity of the interface between the oxide **530** and the conductor **542a** (the conductor **542b**). In that case, the region **543a** functions as one of a source region and a drain region, and the region **543b** functions as the other of the source region and the drain region. The channel formation region is formed in a region between the region **543a** and the region **543b**.

When the conductor **542a** (the conductor **542b**) is provided in contact with the oxide **530**, the oxygen concentration in the region **543a** (the region **543b**) sometimes decreases. In addition, a metal compound layer that contains the metal contained in the conductor **542a** (the conductor **542b**) and the component of the oxide **530** is sometimes formed in the region **543a** (the region **543b**). In such a case, the carrier density of the region **543a** (the region **543b**) increases, and the region **543a** (the region **543b**) becomes a low-resistance region.

The insulator **544** is provided to cover the conductor **542a** and the conductor **542b** and inhibits oxidation of the conductor **542a** and the conductor **542b**. At this time, the insulator **544** may be provided to cover a side surface of the oxide **530** and to be in contact with the insulator **524**.

A metal oxide containing one or more kinds selected from hafnium, aluminum, gallium, yttrium, zirconium, tungsten, titanium, tantalum, nickel, germanium, magnesium, and the like can be used as the insulator **544**.

For the insulator **544**, it is particularly preferable to use an insulator containing an oxide of one or both of aluminum and hafnium, for example, aluminum oxide, hafnium oxide, or an oxide containing aluminum and hafnium (hafnium aluminate). In particular, hafnium aluminate has higher heat resistance than a hafnium oxide film. Therefore, hafnium aluminate is preferable because it is less likely to be crystallized by heat treatment in a later step. Note that the insulator **544** is not an essential component when the conductor **542a** and the conductor **542b** is an oxidation-resistant material or does not significantly lose its conductivity even after absorbing oxygen. Design is appropriately set in consideration of required transistor characteristics.

The insulator **550** functions as a gate insulating film. The insulator **550** is preferably positioned in contact with the inner side (the top surface and the side surface) of the oxide **530c**. Like the insulator **524** described above, the insulator **550** is preferably formed using an insulator that contains oxygen excessively and releases oxygen by heating.

Specifically, silicon oxide containing excess oxygen, silicon oxynitride, silicon nitride oxide, silicon nitride, silicon oxide to which fluorine is added, silicon oxide to which carbon is added, silicon oxide to which carbon and nitrogen are added, or porous silicon oxide can be used. In particular, silicon oxide and silicon oxynitride, which have thermal stability, are preferable.

When an insulator from which oxygen is released by heating is provided as the insulator **550** in contact with the top surface of the oxide **530c**, oxygen can be efficiently supplied from the insulator **550** to the channel formation region of the oxide **530b** through the oxide **530c**. Furthermore, as in the insulator **524**, the concentration of impurities such as water and hydrogen in the insulator **550** is preferably reduced. The thickness of the insulator **550** is preferably greater than or equal to 1 nm and less than or equal to 20 nm.

To efficiently supply excess oxygen in the insulator **550** to the oxide **530**, a metal oxide may be provided between the insulator **550** and the conductor **560**. The metal oxide preferably inhibits diffusion of oxygen from the insulator **550** to the conductor **560**. Providing the metal oxide that inhibits diffusion of oxygen inhibits diffusion of excess oxygen from the insulator **550** to the conductor **560**. That is, a reduction in the amount of excess oxygen supplied to the oxide **530** can be inhibited. Moreover, oxidization of the conductor **560** due to excess oxygen can be inhibited. For the metal oxide, a material that can be used for the insulator **544** is used.

Although the conductor **560** functioning as the first gate electrode has a two-layer structure in FIGS. **15(A)** and **15(B)**, a single-layer structure or a stacked-layer structure of three or more layers may be employed.

For the conductor **560a**, it is preferable to use a conductive material having a function of inhibiting diffusion of impurities such as a hydrogen atom, a hydrogen molecule, a water molecule, a nitrogen atom, a nitrogen molecule, a nitrogen oxide molecule ( $N_2O$ ,  $NO$ ,  $NO_2$ , and the like), and a copper atom. Alternatively, it is preferable to use a conductive material having a function of inhibiting diffusion of oxygen (e.g., at least one of an oxygen atom, an oxygen molecule, and the like). When the conductor **560a** has a function of inhibiting oxygen diffusion, it is possible to prevent a reduction in conductivity of the conductor **560b** due to oxidation caused by oxygen contained in the insulator **550**. As a conductive material having a function of inhibiting diffusion of oxygen, for example, tantalum, tantalum nitride, ruthenium, or ruthenium oxide is preferably used.

The conductor **560b** is preferably formed using a conductive material containing tungsten, copper, or aluminum as its main component. The conductor **560b** also functions as a wiring and thus is preferably formed using a conductor having high conductivity. The conductor **560b** may have a stacked-layer structure, for example, a stacked-layer structure of any of the above conductive materials and titanium or titanium nitride.

The insulator **580** is provided over the conductor **542a** and the conductor **542b** with the insulator **544** therebetween. The insulator **580** preferably includes an excess-oxygen region. For example, the insulator **580** preferably contains silicon oxide, silicon oxynitride, silicon nitride oxide, silicon nitride, silicon oxide to which fluorine is added, silicon oxide to which carbon is added, silicon oxide to which carbon and nitrogen are added, porous silicon oxide, a resin, or the like. In particular, silicon oxide and silicon oxynitride, which have thermal stability, are preferable. In particular, silicon oxide and porous silicon oxide, in which an excess-oxygen region can be easily formed in a later step, are preferable.

When the insulator **580** which contains an excess oxygen region and releases oxygen by heating is provided in contact with the oxide **530c**, oxygen in the insulator **580** can be efficiently supplied to the oxide **530a** and the oxide **530b**

through the oxide **530c**. Note that the concentration of impurities such as water and hydrogen in the insulator **580** is preferably lowered.

The opening of the insulator **580** is formed to overlap with a region between the conductor **542a** and the conductor **542b**. Accordingly, the conductor **560** is formed to be embedded in the opening of the insulator **580** and the region between the conductor **542a** and the conductor **542b**.

The gate length needs to be short for miniaturization of the semiconductor device, but it is necessary to prevent a reduction in conductivity of the conductor **560**. When the conductor **560** is made thick to achieve this, the conductor **560** might have a shape with a high aspect ratio. In this embodiment, the conductor **560** is provided to be embedded in the opening of the insulator **580**; hence, even when the conductor **560** has a shape with a high aspect ratio, the conductor **560** can be formed without collapsing during the process.

The insulator **574** is preferably provided in contact with the top surface of the insulator **580**, the top surface of the conductor **560**, and the top surface of the insulator **550**. When the insulator **574** is deposited by a sputtering method, excess-oxygen regions can be provided in the insulator **550** and the insulator **580**. Accordingly, oxygen can be supplied from the excess-oxygen regions to the oxide **530**.

For example, a metal oxide containing one or more kinds selected from hafnium, aluminum, gallium, yttrium, zirconium, tungsten, titanium, tantalum, nickel, germanium, magnesium, and the like can be used as the insulator **574**.

In particular, aluminum oxide has a high barrier property, and even a thin aluminum oxide film having a thickness of greater than or equal to 0.5 nm and less than or equal to 3.0 nm can inhibit diffusion of hydrogen and nitrogen. Accordingly, aluminum oxide deposited by a sputtering method serves as an oxygen supply source and can also have a function of a barrier film against impurities such as hydrogen.

An insulator **581** functioning as an interlayer film is preferably provided over the insulator **574**. As in the insulator **524** or the like, the concentration of impurities such as water and hydrogen in the insulator **581** is preferably lowered.

A conductor **540a** and a conductor **540b** are positioned in openings formed in the insulator **581**, the insulator **574**, the insulator **580**, and the insulator **544**. The conductor **540a** and the conductor **540b** are provided to face each other with the conductor **560** therebetween. The structures of the conductor **540a** and the conductor **540b** are similar to a structure of a conductor **546** and a conductor **548** that is described later.

An insulator **582** is provided over the insulator **581**. A substance having a barrier property against oxygen or hydrogen is preferably used for the insulator **582**. Therefore, a material similar to that for the insulator **514** can be used for the insulator **582**. For the insulator **582**, a metal oxide such as aluminum oxide, hafnium oxide, or tantalum oxide is preferably used, for example.

In particular, aluminum oxide has an excellent blocking effect that prevents the passage of both oxygen and impurities such as hydrogen and moisture which are factors of a change in electrical characteristics of the transistor. Accordingly, aluminum oxide can prevent the entry of impurities such as hydrogen and moisture into the transistor **500** in the fabrication process and after the fabrication of the transistor. In addition, release of oxygen from the oxide included in the transistor **500** can be inhibited. Therefore, aluminum oxide is suitably used for a protective film of the transistor **500**.

An insulator **586** is provided over the insulator **582**. For the insulator **586**, a material similar to that for the insulator **320** can be used. When a material with a relatively low dielectric constant is used for the insulators, the parasitic capacitance between wirings can be reduced. For example, a silicon oxide film, a silicon oxynitride film, or the like can be used for the insulator **586**.

The conductor **546**, the conductor **548**, and the like are embedded in the insulator **520**, the insulator **522**, the insulator **524**, the insulator **544**, the insulator **580**, the insulator **574**, the insulator **581**, the insulator **582**, and the insulator **586**.

The conductor **546** and the conductor **548** have functions of plugs or wirings that are connected to the capacitor **600**, the transistor **500**, or the transistor **300**. The conductor **546** and the conductor **548** can be provided using materials similar to those for the conductor **328** and the conductor **330**.

In addition, the capacitor **600** is provided above the transistor **500**. The capacitor **600** includes a conductor **610**, a conductor **620**, and an insulator **630**.

A conductor **612** may be provided over the conductor **546** and the conductor **548**. The conductor **612** has a function of a plug or a wiring that is connected to the transistor **500**. The conductor **610** has a function of an electrode of the capacitor **600**. The conductor **612** and the conductor **610** can be formed at the same time.

As the conductor **612** and the conductor **610**, a metal film containing an element selected from molybdenum, titanium, tantalum, tungsten, aluminum, copper, chromium, neodymium, and scandium; a metal nitride film containing any of the above elements as its component (a tantalum nitride film, a titanium nitride film, a molybdenum nitride film, or a tungsten nitride film); or the like can be used. Alternatively, it is possible to use a conductive material such as indium tin oxide, indium oxide containing tungsten oxide, indium zinc oxide containing tungsten oxide, indium oxide containing titanium oxide, indium tin oxide containing titanium oxide, indium zinc oxide, or indium tin oxide to which silicon oxide is added.

Although the conductor **612** and the conductor **610** each of which has a single-layer structure are shown in FIG. **14**, the structure is not limited thereto; a stacked-layer structure of two or more layers may be employed. For example, between a conductor having a barrier property and a conductor having high conductivity, a conductor which is highly adhesive to the conductor having a barrier property and the conductor having high conductivity may be formed.

The conductor **620** is provided to overlap with the conductor **610** with the insulator **630** therebetween. Note that a conductive material such as a metal material, an alloy material, or a metal oxide material can be used for the conductor **620**. It is preferable to use a high-melting-point material that has both heat resistance and conductivity, such as tungsten or molybdenum, and it is particularly preferable to use tungsten. In the case where the conductor **620** is formed concurrently with another component such as a conductor, Cu (copper), Al (aluminum), or the like, which is a low-resistance metal material, can be used.

An insulator **650** is provided over the conductor **620** and the insulator **630**. The insulator **650** can be provided using a material similar to that for the insulator **320**. The insulator **650** may function as a planarization film that covers an uneven shape thereunder.

With the use of this structure, a change in electrical characteristics can be inhibited and reliability can be improved in a semiconductor device using a transistor including an oxide semiconductor. Alternatively, a semicon-

ductor device using a transistor including an oxide semiconductor can be miniaturized or highly integrated.

<Transistor Structure Examples>

Note that the structure of the transistor **500** in the semiconductor device described in this embodiment is not limited to the above. Examples of structures that can be used for the transistor **500** is described below. Note that transistors described below are variation examples of the above transistor; therefore, differences from the above transistor are mainly described below and the description of portions identical to the above is sometimes omitted.

<Transistor Structure Example 1>

A structure example of the transistor **500A** is described with reference to FIGS. **16(A)**, **16(B)**, and **16(C)**. FIG. **16(A)** is a top view of the transistor **500A**. FIG. **16(B)** is a cross-sectional view of a portion indicated by a dashed-dotted line **L1-L2** in FIG. **16(A)**. FIG. **16(C)** is a cross-sectional view of a portion indicated by a dashed-dotted line **W1-W2** in FIG. **16(A)**. For clarity of the drawing, some components are not shown in the top view of FIG. **16(A)**.

FIGS. **16(A)**, **16(B)**, and **16(C)** show the transistor **500A** and an insulator **511**, the insulator **512**, the insulator **514**, the insulator **516**, the insulator **580**, the insulator **574**, and the insulator **581** that function as interlayer films. FIGS. **16(A)**, **16(B)**, and **16(C)** show the conductor **540a**, the conductor **540b**, and a conductor **505** that are electrically connected to the transistor **500A**. In particular, the conductor **540a** and the conductor **540b** function as contact plugs, and the conductor **505** functions as a wiring.

The transistor **500A** includes the conductor **560** (the conductor **560a** and the conductor **560b**) functioning as a first gate electrode; a conductor **503** (a conductor **503a** and a conductor **503b**) functioning as a second gate electrode; the insulator **550** functioning as a first gate insulating film; an insulator **520**, the insulator **522**, and the insulator **524** that function as a second gate insulating film; the oxide **530** (the oxide **530a**, the oxide **530b**, and the oxide **530c**) including a region where a channel is formed; the conductor **542a** functioning as one of a source and a drain; the conductor **542b** functioning as the other of the source and the drain; and the insulator **544**.

In the transistor **500A** shown in FIGS. **16(A)**, **16(B)**, and **16(C)**, the oxide **530c**, the insulator **550**, and the conductor **560** are positioned in an opening provided in the insulator **580** with the insulator **544** positioned therebetween. Moreover, the oxide **530c**, the insulator **550**, and the conductor **560** are positioned between the conductor **542a** and the conductor **542b**.

The insulator **511** and the insulator **512** function as interlayer films.

As the interlayer film, a single layer or stacked layers of an insulator such as silicon oxide, silicon oxynitride, silicon nitride oxide, aluminum oxide, hafnium oxide, tantalum oxide, zirconium oxide, lead zirconate titanate (PZT), strontium titanate (SrTiO<sub>3</sub>), or (Ba,Sr)TiO<sub>3</sub> (BST) can be used. Alternatively, aluminum oxide, bismuth oxide, germanium oxide, niobium oxide, silicon oxide, titanium oxide, tungsten oxide, yttrium oxide, or zirconium oxide may be added to these insulators, for example. Alternatively, these insulators may be subjected to nitriding treatment. Silicon oxide, silicon oxynitride, or silicon nitride may be stacked over the insulator.

For example, the insulator **511** preferably functions as a barrier film that inhibits entry of impurities such as water or hydrogen into the transistor **500A** from the substrate side. Accordingly, for the insulator **511**, it is preferable to use an insulating material that has a function of inhibiting diffusion

of impurities such as a hydrogen atom, a hydrogen molecule, a water molecule, and a copper atom (through which the above impurities are less likely to pass). Alternatively, it is preferable to use an insulating material that has a function of inhibiting diffusion of oxygen (e.g., at least one of oxygen atoms, oxygen molecules, and the like) (through which the above oxygen is less likely to pass). Moreover, aluminum oxide or silicon nitride, for example, may be used for the insulator **511**. This structure can inhibit diffusion of impurities such as hydrogen and water to the transistor **500A** side from the substrate side of the insulator **511**.

For example, the dielectric constant of the insulator **512** is preferably lower than that of the insulator **511**. When a material with a low dielectric constant is used for an interlayer film, parasitic capacitance generated between wirings can be reduced.

The conductor **505** is formed to be embedded in the insulator **512**. Here, the level of the top surface of the conductor **505** and the level of the top surface of the insulator **512** can be substantially the same. Note that although the conductor **505** with a single layer structure is shown, the present invention is not limited thereto. For example, the conductor **505** may have a multilayer structure of two or more layers. Note that for the conductor **505**, a conductive material that has high conductivity and contains tungsten, copper, or aluminum as its main component is preferably used.

In the transistor **500A**, the conductor **560** sometimes functions as a first gate (also referred to as a top gate) electrode. The conductor **503** sometimes functions as a second gate (also referred to as a bottom gate) electrode. In that case, the threshold voltage of the transistor **500A** can be controlled by changing a potential applied to the conductor **503** independently of a potential applied to the conductor **560**. In particular, the threshold voltage of the transistor **500A** can be higher than 0 V and the off-state current can be reduced by applying a negative potential to the conductor **503**. Thus, a drain current at the time when a potential applied to the conductor **560** is 0 V can be lower in the case where a negative potential is applied to the conductor **503** than in the case where a negative potential is not applied to the conductor **503**.

For example, when the conductor **503** and the conductor **560** overlap with each other, in the case where a potential is applied to the conductor **560** and the conductor **503**, an electric field generated from the conductor **560** and an electric field generated from the conductor **503** are connected and can cover a channel formation region formed in the oxide **530**.

That is, the channel formation region can be electrically surrounded by the electric field of the conductor **560** having a function of the first gate electrode and the electric field of the conductor **503** having a function of the second gate electrode. In this specification, a transistor structure in which a channel formation region is electrically surrounded by electric fields of a first gate electrode and a second gate electrode is referred to as a surrounded channel (S-channel) structure.

Like the insulator **511** or the insulator **512**, the insulator **514** and the insulator **516** function as interlayer films. For example, the insulator **514** preferably functions as a barrier film that inhibits entry of impurities such as water or hydrogen into the transistor **500A** from the substrate side. This structure can inhibit diffusion of impurities such as hydrogen and water to the transistor **500A** side from the substrate side of the insulator **514**. Moreover, for example, the insulator **516** preferably has a lower dielectric constant

than the insulator **514**. When a material with a low dielectric constant is used for an interlayer film, parasitic capacitance generated between wirings can be reduced.

In the conductor **503** functioning as the second gate, the conductor **503a** is formed in contact with an inner wall of an opening in the insulator **514** and the insulator **516**, and the conductor **503b** is formed further inside. Here, the top surfaces of the conductor **503a** and the conductor **503b** and the top surface of the insulator **516** can be substantially level with each other. Although the transistor **500A** having a structure in which the conductor **503a** and the conductor **503b** are stacked is shown, the present invention is not limited thereto. For example, the conductor **503** may have a single-layer structure or a stacked-layer structure of three or more layers.

Here, for the conductor **503a**, a conductive material that has a function of inhibiting diffusion of impurities such as a hydrogen atom, a hydrogen molecule, a water molecule, and a copper atom (through which the above impurities are less likely to pass) is preferably used. Alternatively, it is preferable to use a conductive material that has a function of inhibiting diffusion of oxygen (e.g., at least one of oxygen atoms, oxygen molecules, and the like) (the above oxygen is less likely to pass). Note that in this specification, a function of inhibiting diffusion of impurities or oxygen means a function of inhibiting diffusion of any one or all of the above impurities and oxygen.

For example, when the conductor **503a** has a function of inhibiting diffusion of oxygen, a reduction in conductivity of the conductor **503b** due to oxidation can be inhibited.

In the case where the conductor **503** doubles as a wiring, the conductor **503b** is preferably formed using a conductive material that has high conductivity and contains tungsten, copper, or aluminum as its main component. In that case, the conductor **505** is not necessarily provided. Note that the conductor **503b** is shown as a single layer but may have a stacked-layer structure, for example, a stack of any of the above conductive materials and titanium or titanium nitride.

The insulator **522** having a function of the second gate insulating film preferably has a barrier property. The insulator **522** having a barrier property functions as a layer that inhibits entry of impurities such as hydrogen into the transistor **500A** from the surroundings of the transistor **500A**.

Note that the second gate insulating film is shown to have a three-layer stacked structure in FIGS. **16(B)** and **16(C)**, but may have a single-layer structure or a stacked-layer structure of two layers or four or more layers. In that case, without limitation to a stacked-layer structure formed of the same material, a stacked-layer structure formed of different materials may be employed.

The oxide **530** including a region functioning as the channel formation region includes the oxide **530a**, the oxide **530b** over the oxide **530a**, and the oxide **530c** over the oxide **530b**. Including the oxide **530a** under the oxide **530b** makes it possible to inhibit diffusion of impurities into the oxide **530b** from the components formed below the oxide **530a**. Moreover, including the oxide **530c** over the oxide **530b** makes it possible to inhibit diffusion of impurities into the oxide **530b** from the components formed above the oxide **530c**. As the oxide **530**, the above-described oxide semiconductor, which is one kind of metal oxide, can be used.

Note that the oxide **530c** is preferably provided in the opening in the insulator **580** with the insulator **544** positioned therebetween. When the insulator **544** has a barrier property, diffusion of impurities from the insulator **580** into the oxide **530** can be inhibited.

The conductor **542a** functioning as one of the source electrode and the drain electrode and the conductor **542b** functioning as the other of the source electrode and the drain electrode can be formed using a metal such as aluminum, titanium, chromium, nickel, copper, yttrium, zirconium, molybdenum, silver, or tantalum, or an alloy containing any of the metals as its main component. In particular, a metal nitride film of tantalum nitride or the like is preferable because it has a barrier property against hydrogen or oxygen and high oxidation resistance.

Although a single-layer structure is shown in FIG. 16(B), a stacked-layer structure of two or more layers may be employed. For example, it is preferable to stack a tantalum nitride film and a tungsten film. Alternatively, a titanium film and an aluminum film may be stacked. Further alternatively, a two-layer structure where an aluminum film is stacked over a tungsten film, a two-layer structure where a copper film is stacked over a copper-magnesium-aluminum alloy film, a two-layer structure where a copper film is stacked over a titanium film, or a two-layer structure where a copper film is stacked over a tungsten film may be employed.

A three-layer structure consisting of a titanium film or a titanium nitride film, an aluminum film or a copper film stacked over the titanium film or the titanium nitride film, and a titanium film or a titanium nitride film formed thereover; a three-layer structure consisting of a molybdenum film or a molybdenum nitride film, an aluminum film or a copper film stacked over the molybdenum film or the molybdenum nitride film, and a molybdenum film or a molybdenum nitride film formed thereover; or the like may be employed. Note that a transparent conductive material containing indium oxide, tin oxide, or zinc oxide may be used.

In addition, a barrier layer may be provided over the conductor **542a** and the conductor **542b**. The barrier layer is preferably formed using a material having a barrier property against oxygen or hydrogen. This structure can inhibit oxidation of the conductor **542a** and the conductor **542b** at the time of deposition of the insulator **544**.

A metal oxide can be used for the barrier layer, for example. In particular, an insulating film of aluminum oxide, hafnium oxide, gallium oxide, or the like, which has a barrier property against oxygen and hydrogen, is preferably used. Alternatively, silicon nitride formed by a CVD method may be used.

When the above barrier layer is included, the range of choices for the materials of the conductor **542a** and the conductor **542b** can be expanded. For example, a material having a low oxidation resistance and high conductivity, such as tungsten or aluminum, can be used for the conductor **542a** and the conductor **542b**. Moreover, for example, a conductor that can be easily deposited or processed can be used.

The insulator **550** functions as a first gate insulating film. The insulator **550** is preferably provided in the opening in the insulator **580** with the oxide **530c** and the insulator **544** positioned therebetween.

With miniaturization and high integration of transistors, a problem such as leakage current may arise because of a thinner gate insulating film. In that case, the insulator **550** may have a stacked-layer structure like the second gate insulating film. When the insulating film functioning as the gate insulator has a stacked-layer structure of a high-k material and a thermally stable material, a gate potential during operation of the transistor can be reduced while the

physical thickness is maintained. Furthermore, the stacked-layer structure can be thermally stable and have a high dielectric constant.

The conductor **560** functioning as a first gate electrode includes the conductor **560a** and the conductor **560b** over the conductor **560a**. Like the conductor **503a**, the conductor **560a** is preferably formed using a conductive material having a function of inhibiting diffusion of impurities such as a hydrogen atom, a hydrogen molecule, a water molecule, and a copper atom. Alternatively, it is preferable to use a conductive material having a function of inhibiting diffusion of oxygen (e.g., at least one of an oxygen atom, an oxygen molecule, and the like).

When the conductor **560a** has a function of inhibiting oxygen diffusion, the range of choices for the material of the conductor **560b** can be expanded. That is, the conductor **560a** inhibits oxidation of the conductor **560b**, thereby preventing the decrease in conductivity.

As a conductive material having a function of inhibiting diffusion of oxygen, for example, tantalum, tantalum nitride, ruthenium, or ruthenium oxide is preferably used. For the conductor **560a**, the oxide semiconductor that can be used as the oxide **530** can be used. In that case, when the conductor **560b** is deposited by a sputtering method, the conductor **560a** can have a reduced electric resistance to be a conductor. This can be referred to as an OC (Oxide Conductor) electrode.

The conductor **560b** is preferably formed using a conductive material containing tungsten, copper, or aluminum as its main component. The conductor **560** functions as a wiring and thus is preferably formed using a conductor having high conductivity. The conductor **560b** may have a stacked-layer structure, for example, a stack of any of the above conductive materials and titanium or titanium nitride.

The insulator **544** is positioned between the insulator **580** and the transistor **500A**. For the insulator **544**, an insulating material having a function of inhibiting diffusion of oxygen and impurities such as water or hydrogen is preferably used. For example, aluminum oxide or hafnium oxide is preferably used. Alternatively, for example, a metal oxide such as magnesium oxide, gallium oxide, germanium oxide, yttrium oxide, zirconium oxide, lanthanum oxide, neodymium oxide, or tantalum oxide; silicon nitride oxide; or silicon nitride can be used.

The insulator **544** can inhibit diffusion of impurities such as water and hydrogen contained in the insulator **580** into the oxide **530b** through the oxide **530c** and the insulator **550**. Furthermore, oxidation of the conductor **560** due to excess oxygen contained in the insulator **580** can be inhibited.

The insulator **580**, the insulator **574**, and the insulator **581** function as interlayer films.

Like the insulator **514**, the insulator **574** preferably functions as a barrier insulating film that inhibits entry of impurities such as water or hydrogen into the transistor **500A** from the outside.

Like the insulator **516**, the insulator **580** and the insulator **581** preferably have a lower dielectric constant than the insulator **574**. When a material with a low dielectric constant is used for an interlayer film, parasitic capacitance generated between wirings can be reduced.

The transistor **500A** may be electrically connected to another component through a plug or a wiring such as the conductor **540a** and the conductor **540b** embedded in the insulator **580**, the insulator **574**, and the insulator **581**.

As a material of the conductor **540a** and the conductor **540b**, a single layer or a stacked layer of a conductive material such as a metal material, an alloy material, a metal

nitride material, or a metal oxide material can be used as in the conductor **503**. For example, it is preferable to use a high-melting-point material that has both heat resistance and conductivity, such as tungsten or molybdenum. Alternatively, it is preferable to form the plugs and wirings with a low-resistance conductive material such as aluminum or copper. The use of a low-resistance conductive material can reduce wiring resistance.

For example, the conductor **540a** and the conductor **540b** employ a stacked-layer structure of tantalum nitride or the like, which is a conductor having a barrier property against hydrogen and oxygen, and tungsten, which has high conductivity, whereby the diffusion of impurities from the outside can be inhibited while the conductivity of a wiring is kept.

With the above structure, a semiconductor device including a transistor that contains an oxide semiconductor and has a high on-state current can be provided. Alternatively, a semiconductor device including a transistor that contains an oxide semiconductor and has a low off-state current can be provided. Alternatively, a semiconductor device that has small variations in electrical characteristics, stable electrical characteristics, and high reliability can be provided.

<Transistor Structure Example 2>

A structure example of a transistor **500B** is described with reference to FIGS. **17(A)**, **17(B)**, and **17(C)**. FIG. **17(A)** is a top view of the transistor **500B**. FIG. **17(B)** is a cross-sectional view of a portion indicated by a dashed-dotted line **L1-L2** in FIG. **17(A)**. FIG. **17(C)** is a cross-sectional view of a portion indicated by a dashed-dotted line **W1-W2** in FIG. **17(A)**. Note that for clarification of the drawing, some components are not shown in the top view of FIG. **17(A)**.

The transistor **500B** is a variation example of the transistor **500A**. Therefore, differences from the transistor **500A** are mainly described to avoid repeated description.

The transistor **500B** includes a region where the conductor **542a** (the conductor **542b**), the oxide **530c**, the insulator **550**, and the conductor **560** overlap with each other. With this structure, a transistor having a high on-state current can be provided. Moreover, a transistor having high controllability can be provided.

The conductor **560** functioning as a first gate electrode includes the conductor **560a** and the conductor **560b** over the conductor **560a**. Like the conductor **503a**, the conductor **560a** is preferably formed using a conductive material having a function of inhibiting diffusion of impurities such as a hydrogen atom, a hydrogen molecule, a water molecule, and a copper atom. Alternatively, it is preferable to use a conductive material having a function of inhibiting diffusion of oxygen (e.g., at least one of an oxygen atom, an oxygen molecule, and the like).

When the conductor **560a** has a function of inhibiting oxygen diffusion, the range of choices for the material of the conductor **560b** can be expanded. That is, the conductor **560a** inhibits oxidation of the conductor **560b**, thereby preventing the decrease in conductivity.

The insulator **544** is preferably provided to cover a top surface and a side surface of the conductor **560**, a side surface of the insulator **550**, and a side surface of the oxide **530c**. For the insulator **544**, an insulating material having a function of inhibiting diffusion of oxygen and impurities such as water and hydrogen is preferably used. For example, aluminum oxide or hafnium oxide is preferably used. Alternatively, for example, a metal oxide such as magnesium oxide, gallium oxide, germanium oxide, yttrium oxide,

zirconium oxide, lanthanum oxide, neodymium oxide, or tantalum oxide; silicon nitride oxide; or silicon nitride can be used.

The insulator **544** can inhibit oxidation of the conductor **560**. Moreover, the insulator **544** can inhibit diffusion of impurities such as water and hydrogen contained in the insulator **580** into the transistor **500B**.

A contact plug of the transistor **500B** has a structure different from that of the contact plug of the transistor **500A**. In the transistor **500B**, an insulator **576a** (an insulator **576b**) having a barrier property is provided between the insulator **580** and the conductor **546a** (the conductor **546b**) serving as a contact plug. Providing the insulator **576a** (the insulator **576b**) can prevent oxygen in the insulator **580** from reacting with the conductor **546** and oxidizing the conductor **546**.

Furthermore, by providing the insulator **576a** (the insulator **576b**) having a barrier property, the range of choices for the materials of the conductor used for the plug or the wiring can be expanded. The use of a metal material having an oxygen absorbing property and high conductivity for the conductor **546a** (the conductor **546b**), for example, can provide a semiconductor device with low power consumption. Specifically, a material having low oxidation resistance and high conductivity, such as tungsten or aluminum, can be used.

Moreover, for example, a conductor that can be easily deposited or processed can be used.

<Transistor Structure Example 3>

A structure example of a transistor **500C** is described with reference to FIGS. **18(A)**, **18(B)**, and **18(C)**. FIG. **18(A)** is a top view of the transistor **500C**. FIG. **18(B)** is a cross-sectional view of a portion indicated by a dashed-dotted line **L1-L2** in FIG. **18(A)**. FIG. **18(C)** is a cross-sectional view of a portion indicated by a dashed-dotted line **W1-W2** in FIG. **18(A)**. Note that for simplification of the drawing, some components are not shown in the top view in FIG. **18(A)**.

The transistor **500C** is a variation example of the transistor **500A**. Therefore, differences from the transistor **500A** is mainly described to avoid repeated description.

In the transistor **500C** shown in FIGS. **18(A)**, **18(B)**, and **18(C)**, a conductor **547a** is positioned between the conductor **542a** and the oxide **530b** and a conductor **547b** is positioned between the conductor **542b** and the oxide **530b**. Here, the conductor **542a** (the conductor **542b**) has a region that extends beyond the top surface and a side surface on the conductor **560** side of the conductor **547a** (the conductor **547b**) and is in contact with a top surface of the oxide **530b**. For the conductor **547a** and the conductor **547b**, a conductor that can be used for the conductor **542a** and the conductor **542b** is used. Furthermore, the conductor **547a** and the conductor **547b** are preferably thicker than at least the conductor **542a** and the conductor **542b**.

In the transistor **500C** shown in FIGS. **18(A)**, **18(B)**, and **18(C)**, because of the above structure, the conductor **542a** and the conductor **542b** can be closer to the conductor **560** than in the transistor **500A**. Alternatively, the conductor **560** and an end portion of the conductor **542a** and an end portion of the conductor **542b** can overlap with each other. Accordingly, the effective channel length of the transistor **500C** can be shortened, and the on-state current and the frequency characteristics can be improved.

The conductor **547a** (the conductor **547b**) is preferably provided to be overlapped with the conductor **542a** (the conductor **542b**). With such a structure, the conductor **547a** (the conductor **547b**) can function as a stopper to prevent

over-etching of the oxide **530b** in etching for forming the opening in which the conductor **540a** (the conductor **540b**) is to be embedded.

The transistor **500C** shown in FIGS. **18(A)**, **18(B)**, and **18(C)** may have a structure in which an insulator **545** is positioned on and in contact with the insulator **544**. The insulator **544** preferably functions as a barrier insulating film that inhibits entry of impurities such as water and hydrogen and excess oxygen into the transistor **500C** from the insulator **580** side. For the insulator **545**, an insulator that can be used for the insulator **544** can be used. In addition, the insulator **544** may be formed using a nitride insulator such as aluminum nitride, aluminum titanium nitride, titanium nitride, silicon nitride, or silicon nitride oxide, for example.

The transistor **500C** in FIGS. **18(A)**, **18(B)**, and **18(C)** differs from the transistor **500A** shown in FIGS. **16(A)**, **16(B)**, and **16(C)**, and may have the conductor **503** with a single-layer structure. In this case, an insulating film to be the insulator **516** is formed over the patterned conductor **503**, and an upper portion of the insulating film is removed by a CMP method or the like until a top surface of the conductor **503** is exposed. Preferably, the planarity of the top surface of the conductor **503** is made favorable. For example, the average surface roughness (Ra) of the top surface of the conductor **503** is less than or equal to 1 nm, preferably less than or equal to 0.5 nm, further preferably less than or equal to 0.3 nm. This allows the improvement in planarity of an insulating layer to be formed over the conductor **503** and the increase in crystallinity of the oxide **530b** and the oxide **530c**.

<Transistor Structure Example 4>

A structure example of a transistor **500D** is described with reference to FIGS. **19(A)**, **19(B)**, and **19(C)**. FIG. **19(A)** is a top view of the transistor **500D**. FIG. **19(B)** is a cross-sectional view of a portion indicated by a dashed-dotted line L1-L2 in FIG. **19(A)**. FIG. **19(C)** is a cross-sectional view of a portion indicated by a dashed-dotted line W1-W2 in FIG. **19(A)**. For clarity of the drawing, some components are not shown in the top view of FIG. **19(A)**.

The transistor **500D** has a structure different from those of the transistor **500A**, the transistor **500B**, and the transistor **500C**. Therefore, to avoid repetition of the description, duplicate contents with the transistor **500A**, the transistor **500B**, and the transistor **500C** are mainly omitted and different points are mainly described.

Like the transistor **500C** shown in FIGS. **18(A)**, **18(B)**, and **18(C)**, the transistor **500D** shown in FIGS. **19(A)** to **19(C)** is not provided with the conductor **505** and makes the conductor **503** serve as both a second gate and a wiring. Furthermore, the insulator **550** is provided over the oxide **530c** and a metal oxide **552** is provided over the insulator **550**. The transistor **500D** further includes the conductor **560** over the metal oxide **552** and an insulator **570** over the conductor **560**. Moreover, the transistor **500D** includes an insulator **571** over the insulator **570**.

Thus, the metal oxide **552** preferably has a function of inhibiting diffusion of oxygen. When the metal oxide **552** that inhibits oxygen diffusion is provided between the insulator **550** and the conductor **560**, diffusion of oxygen into the conductor **560** is inhibited. That is, a reduction in the amount of oxygen supplied to the oxide **530** can be inhibited. Moreover, oxidization of the conductor **560** due to oxygen can be suppressed.

Note that the metal oxide **552** may function as part of the first gate. For the metal oxide **552**, the oxide semiconductor that can be used as the oxide **530** can be used, for example. In this case, when the conductor **560** is deposited by a

sputtering method, the metal oxide **552** can have a reduced electric resistance to be a conductive layer. This can be referred to as an OC (Oxide Conductor) electrode.

Note that the metal oxide **552** has a function of part of the gate insulating film in some cases. Thus, when silicon oxide, silicon oxynitride, or the like is used for the insulator **550**, a metal oxide that is a high-k material with a high dielectric constant is preferably used for the metal oxide **552**. Such a stacked-layer structure can be thermally stable and can have a high dielectric constant. Thus, a gate potential that is applied during operation of the transistor can be reduced while the physical thickness is maintained. In addition, the equivalent oxide thickness (EOT) of an insulating layer functioning as the gate insulating film can be reduced.

Although the metal oxide **552** in the transistor **500D** is shown as a single layer, the metal oxide **552** may have a stacked-layer structure of two or more layers. For example, a metal oxide functioning as part of a gate electrode and a metal oxide functioning as part of a gate insulating film may be stacked.

With the metal oxide **552** functioning as a gate electrode, the on-state current of the transistor **500D** can be increased without a reduction in the influence of the electric field from the conductor **560**. With the metal oxide **552** functioning as the gate insulating film, the distance between the conductor **560** and the oxide **530** is kept by the physical thicknesses of the insulator **550** and the metal oxide **552**, so that leakage current between the conductor **560** and the oxide **530** can be reduced. Thus, with the stacked-layer structure of the insulator **550** and the metal oxide **552**, the physical distance between the conductor **560** and the oxide **530** and the intensity of electric field applied from the conductor **560** to the oxide **530** can be easily adjusted as appropriate.

Specifically, the oxide semiconductor that can be used for the oxide **530** can also be used for the metal oxide **552** when the resistance thereof is reduced. Alternatively, a metal oxide containing one kind or two or more kinds selected from hafnium, aluminum, gallium, yttrium, zirconium, tungsten, titanium, tantalum, nickel, germanium, magnesium, and the like can be used.

It is particularly preferable to use an insulating layer containing an oxide of one or both of aluminum and hafnium, for example, aluminum oxide, hafnium oxide, or an oxide containing aluminum and hafnium (hafnium aluminate). In particular, hafnium aluminate has higher heat resistance than a hafnium oxide film. Therefore, hafnium aluminate is preferable because it is less likely to be crystallized by heat treatment in a later step. Note that the metal oxide **552** is not an essential structure. Design is appropriately set in consideration of required transistor characteristics.

For the insulator **570**, an insulating material having a function of inhibiting the passage of oxygen and impurities such as water and hydrogen is preferably used. For example, aluminum oxide or hafnium oxide is preferably used. Thus, oxidization of the conductor **560** due to oxygen from above the insulator **570** can be inhibited. Moreover, entry of impurities such as water or hydrogen from above the insulator **570** into the oxide **530** through the conductor **560** and the insulator **550** can be inhibited.

The insulator **571** functions as a hard mask. By providing the insulator **571**, the conductor **560** can be processed to have a side surface that is substantially vertical; specifically, an angle formed by the side surface of the conductor **560** and a surface of the substrate can be greater than or equal to 75° and less than or equal to 100°, preferably greater than or equal to 80° and less than or equal to 95°.



An insulating material having a function of inhibiting passage of oxygen and impurities such as water and hydrogen may be used for the insulator **571** so that the insulator **571** also functions as a barrier layer. In that case, the insulator **570** does not have to be provided.

Parts of the insulator **570**, the conductor **560**, the metal oxide **552**, the insulator **550**, and the oxide **530c** are selectively removed using the insulator **571** as a hard mask, whereby their side surfaces can be substantially aligned with each other and a surface of the oxide **530b** can be partly exposed.

In the transistor **500D**, part of the exposed surface of the oxide **530b** includes a region **531a** and a region **531b**. One of the region **531a** and the region **531b** functions as a source region, and the other functions as a drain region.

The region **531a** and the region **531b** can be formed by, for example, introducing an impurity element such as phosphorus or boron to the exposed surface of the oxide **530b** by an ion implantation method, an ion doping method, a plasma immersion ion implantation method, plasma treatment, or the like. In this embodiment and the like, an "impurity element" refers to an element other than main constituent elements.

The region **531a** and the region **531b** can also be formed in the following manner: a metal film is deposited after part of the surface of the oxide **530b** is exposed and then the element in the metal film is diffused into the oxide **530b** by heat treatment.

The regions of the oxide **530b** into which the impurity element is introduced have decreased electric resistivity. Accordingly, the region **531a** and the region **531b** are each referred to as an impurity region or a low-resistance region in some cases.

The region **531a** and the region **531b** can be formed in a self-aligned manner by using the insulator **571** and/or the conductor **560** as a mask. Accordingly, the conductor **560** does not overlap with the region **531a** and/or the region **531b**, so that the parasitic capacitance can be reduced. Furthermore, an offset region is not formed between the channel formation region and the source or drain region (the region **531a** or the region **531b**). The formation of the region **531a** and the region **531b** in a self-aligned manner achieves an increase in the on-state current, a reduction in the threshold voltage, and an improvement in the operation frequency, for example.

In order to further reduce the off-state current, the offset region may be provided between the channel formation region and the source or drain region. The offset region is a region where the electrical resistivity is high and a region where the above-described addition of the impurity element is not performed. The offset region can be formed by the above-described addition of the impurity element after the formation of an insulator **575**. In this case, the insulator **575** serves as a mask like the insulator **571** or the like. Thus, the impurity element is not added to a region of the oxide **530b** overlapped by the insulator **575**, so that the electrical resistivity of the region can be kept high.

The transistor **500D** includes the insulator **575** on the side surfaces of the insulator **570**, the conductor **560**, the metal oxide **552**, the insulator **550**, and the oxide **530c**. The insulator **575** is preferably an insulator having a low dielectric constant. For example, silicon oxide, silicon oxynitride, silicon nitride oxide, silicon nitride, silicon oxide to which fluorine is added, silicon oxide to which carbon is added, silicon oxide to which carbon and nitrogen are added, porous silicon oxide, a resin, or the like is preferably used. In particular, silicon oxide, silicon oxynitride, silicon nitride

oxide, or porous silicon oxide is preferably used for the insulator **575**, in which case an excess-oxygen region can be easily formed in the insulator **575** in a later step. Silicon oxide and silicon oxynitride are preferable because of their thermal stability. The insulator **575** preferably has a function of diffusing oxygen.

The transistor **500D** also includes the insulator **544** over the insulator **575** and the oxide **530**. The insulator **544** is preferably deposited by a sputtering method. When a sputtering method is used, an insulator containing few impurities such as water or hydrogen can be deposited. For example, aluminum oxide is preferably used for the insulator **544**.

Note that an oxide film formed by a sputtering method may extract hydrogen from the structure body over which the oxide film is deposited. Thus, the hydrogen concentration in the oxide **530** and the insulator **575** can be reduced when the insulator **544** absorbs hydrogen and water from the oxide **530** and the insulator **575**.

<Transistor Structure Example 5>

A structure example of a transistor **500E** is described with reference to FIG. **20(A)** to FIG. **20(C)**. FIG. **20(A)** is a top view of the transistor **500E**. FIG. **20(B)** is a cross-sectional view of a portion indicated by a dashed-dotted line L1-L2 in FIG. **20(A)**. FIG. **20(C)** is a cross-sectional view of a portion indicated by a dashed-dotted line W1-W2 in FIG. **20(A)**. For clarity of the drawing, some components are not shown in the top view of FIG. **20(A)**.

The transistor **500E** has a structure different from those of the transistor **500A**, the transistor **500B**, the transistor **500C**, and the transistor **500D**. Therefore, to avoid repetition of the description, overlapping contents with the transistor **500A**, the transistor **500B**, the transistor **500C**, and the transistor **500D** are omitted and different points are mainly described.

In FIGS. **20(A)**, **20(B)**, and **20(C)**, the conductor **542a** and the conductor **542b** are not provided, and part of the exposed surface of the oxide **530b** includes the region **531a** and the region **531b**. One of the region **531a** and the region **531b** functions as a source region, and the other functions as a drain region. Moreover, an insulator **573** is included between the oxide **530b** and the insulator **544**.

The region **531a** and the region **531b** shown in FIG. **20(B)** are regions where an element described below is added to the oxide **530b**. The region **531a** and the region **531b** can be formed with the use of a dummy gate, for example.

Specifically, a dummy gate is provided over the oxide **530b**, and the element that reduces the resistance of part of the oxide **530b** is added using the dummy gate as a mask. That is, the element is added to regions of the oxide **530a** and the oxide **530b** that are not overlapped by the dummy gate, whereby the region **531a** and the region **531b** are formed. For the addition of the element, an ion implantation method by which an ionized source gas is subjected to mass separation and then added, an ion doping method by which an ionized source gas is added without mass separation, a plasma immersion ion implantation method, or the like can be used.

Typical examples of the element that reduces the resistance of part of the oxide **530b** are boron and phosphorus. Hydrogen, carbon, nitrogen, fluorine, sulfur, chlorine, titanium, a rare gas element, or the like can also be used. Typical examples of the rare gas include helium, neon, argon, krypton, and xenon. The concentration of the element is measured by secondary ion mass spectrometry (SIMS) or the like.

In particular, boron and phosphorus can be added by an apparatus in the manufacturing line for a Si transistor containing amorphous silicon, low-temperature polysilicon,

or the like in its semiconductor layer; thus, the resistance of part of the oxide **530b** can be reduced by using the apparatus in the manufacturing line. That is, part of the manufacturing line for a Si transistor can be used in the process of manufacturing the transistor **500E**.

Next, an insulating film to be the insulator **573** and an insulating film to be the insulator **544** may be formed over the oxide **530b** and the dummy gate. Stacking the insulating film to be the insulator **573** and the insulating film to be the insulator **544** can provide a region where the region **531a** or the region **531b**, the oxide **530c**, and the insulator **550** overlap with each other.

Specifically, after an insulating film to be the insulator **580** is provided over the insulating film to be the insulator **544**, the insulating film to be the insulator **580** is subjected to CMP (Chemical Mechanical Polishing) treatment, whereby part of the insulating film to be the insulator **580** is removed and the dummy gate is exposed. Then, when the dummy gate is removed, part of the insulator **573** in contact with the dummy gate is preferably also removed. Thus, the insulator **544** and the insulator **573** are exposed at a side surface of an opening provided in the insulator **580**, and the region **531a** and the region **531b** provided in the oxide **530b** are partly exposed at the bottom surface of the opening. Next, an oxide film to be the oxide **530c**, an insulating film to be the insulator **550**, and a conductive film to be the conductor **560** are deposited sequentially in the opening, and then, the oxide film to be the oxide **530c**, the insulating film to be the insulator **550**, and the conductive film to be the conductor **560** are partly removed by CMP treatment or the like until the insulator **580** is exposed; thus, the transistor shown in FIGS. **20(A)**, **20(B)**, and **20(C)** can be formed.

Note that the insulator **573** and the insulator **544** are not essential components. Design is appropriately set in consideration of required transistor characteristics.

Since the transistor shown in FIGS. **20(A)**, **20(B)**, and **20(C)** is not provided with the conductor **542a** and the conductor **542b**, cost for manufacturing the transistor can be reduced.

<Transistor Structure Example 6>

Although FIGS. **15(A)** and **15(B)** show a structure example in which the conductor **560** that functions as a gate is formed in an opening of the insulator **580**, a structure in which the insulator is provided above the conductor can be employed, for example. FIGS. **21(A)** and **21(B)** and FIGS. **22(A)** and **22(B)** show a structure example of such a transistor.

FIG. **21(A)** is a top view of a transistor and FIG. **21(B)** is a perspective view of the transistor. FIG. **22(A)** is a cross-sectional view taken along L1-L2 in FIG. **21(A)**, and FIG. **22(B)** is a cross-sectional view taken along W1-W2 in FIG. **21(A)**.

The transistor shown in FIGS. **21(A)** and **21(B)** and FIGS. **22(A)** and **22(B)** includes a conductor BGE having a function of a back gate, an insulator BGI having a function of a gate insulating film, an oxide semiconductor S, an insulator FGI having a function of a gate insulating film, a conductor FGE having a function of a front gate, and a conductor WE having a function of a wiring. A conductor PE has a function of a plug for connecting the conductor WE to the oxide S, the conductor BGE, or the conductor FGE. Note that an example in which the oxide semiconductor S includes three layers of oxides S1, S2, and S3 is shown here.

Note that this embodiment can be combined with other embodiments in this specification as appropriate.

#### Embodiment 4

In this embodiment, the compositions of a CAC-OS (Cloud-Aligned Composite Oxide Semiconductor) and a

CAAC-OS (c-axis-Aligned Crystalline Oxide Semiconductor) which are metal oxides that can be used in the OS transistor described in the above embodiment is described. Note that in the specification and the like, the CAC refers to an example of a function or a material composition, and the CAAC refers to an example of a crystal structure.

<Composition of Metal Oxide>

A CAC-OS or a CAC-metal oxide has a conducting function in part of the material and has an insulating function in another part of the material; as a whole, the CAC-OS or the CAC-metal oxide has a function of a semiconductor. In the case where the CAC-OS or the CAC-metal oxide is used in an active layer of a transistor, the conducting function is a function of allowing electrons (or holes) serving as carriers to flow, and the insulating function is a function of not allowing electrons serving as carriers to flow. By the complementary action of the conducting function and the insulating function, a switching function (On/Off function) can be given to the CAC-OS or the CAC-metal oxide. In the CAC-OS or the CAC-metal oxide, separation of the functions can maximize each function.

Furthermore, the CAC-OS or the CAC-metal oxide includes conductive regions and insulating regions. The conductive regions have the above-described conducting function, and the insulating regions have the above-described insulating function. Furthermore, in some cases, the conductive regions and the insulating regions in the material are separated at the nanoparticle level. Furthermore, in some cases, the conductive regions and the insulating regions are unevenly distributed in the material. Furthermore, the conductive regions are observed to be coupled in a cloud-like manner with their boundaries blurred, in some cases.

Furthermore, in the CAC-OS or the CAC-metal oxide, the conductive regions and the insulating regions each have a size greater than or equal to 0.5 nm and less than or equal to 10 nm, preferably greater than or equal to 0.5 nm and less than or equal to 3 nm, and are dispersed in the material, in some cases.

Furthermore, the CAC-OS or the CAC-metal oxide includes components having different bandgaps. For example, the CAC-OS or the CAC-metal oxide includes a component having a wide gap due to the insulating region and a component having a narrow gap due to the conductive region. In the case of the structure, when carriers flow, carriers mainly flow in the component having a narrow gap. Furthermore, the component having a narrow gap complements the component having a wide gap, and carriers also flow in the component having a wide gap in conjunction with the component having a narrow gap. Therefore, in the case where the above-described CAC-OS or the CAC-metal oxide is used in a channel region of a transistor, high current drive capability in the on state of the transistor, that is, a high on-state current and high field-effect mobility, can be obtained.

In other words, the CAC-OS or the CAC-metal oxide can also be referred to as a matrix composite or a metal matrix composite.

<Structure of Metal Oxide>

Oxide semiconductors are classified into a single-crystal oxide semiconductor and a non-single-crystal oxide semiconductor. Examples of a non-single crystal oxide semiconductor include a CAAC-OS (c-axis aligned crystalline oxide semiconductor), a polycrystalline oxide semiconductor, an nc-OS (nanocrystalline oxide semiconductor), an amorphous-like oxide semiconductor (a-like OS), and an amorphous oxide semiconductor.

The CAAC-OS has c-axis alignment, a plurality of nanocrystals are connected in the a-b plane direction, and its crystal structure has a distortion. Note that the distortion refers to a portion where the direction of a lattice arrangement changes between a region with a regular lattice arrangement and another region with a regular lattice arrangement in a region where the plurality of nanocrystals are connected.

The nanocrystal is basically a hexagon but is not always a regular hexagon and is a non-regular hexagon in some cases. Furthermore, a pentagonal or heptagonal lattice arrangement, for example, is included in the distortion in some cases. Note that a clear crystal grain boundary (also referred to as grain boundary) cannot be observed even in the vicinity of distortion in the CAAC-OS. That is, formation of a crystal grain boundary is inhibited by the distortion of lattice arrangement. This is probably because the CAAC-OS can tolerate distortion owing to the low density of oxygen atom arrangement in the a-b plane direction, a change in interatomic bond distance by replacement of a metal element, and the like.

Furthermore, the CAAC-OS tends to have a layered crystal structure (also referred to as a layered structure) in which a layer containing indium and oxygen (hereinafter, In layer) and a layer containing the element M, zinc, and oxygen (hereinafter, (M,Zn) layer) are stacked. Note that indium and the element M can be replaced with each other, and when the element M in the (M,Zn) layer is replaced with indium, the layer can also be referred to as an (In,M,Zn) layer. Furthermore, when indium in the In layer is replaced with the element M, the layer can be referred to as an (In,M) layer.

The CAAC-OS is an oxide semiconductor with high crystallinity. Meanwhile, in the CAAC-OS, it can be said that a reduction in electron mobility due to the crystal grain boundary is less likely to occur because a clear crystal grain boundary cannot be observed. Furthermore, the mixing of impurities, formation of defects, or the like might decrease the crystallinity of the oxide semiconductor; thus, it can also be said that the CAAC-OS is an oxide semiconductor having small amounts of impurities and defects (oxygen vacancies or the like). Thus, an oxide semiconductor including a CAAC-OS is physically stable. Therefore, the oxide semiconductor including a CAAC-OS is resistant to heat and has high reliability. In addition, the CAAC-OS is stable with respect to high temperature in the manufacturing process (what is called thermal budget). Accordingly, the use of the CAAC-OS for the OS transistor can extend a degree of freedom of the manufacturing process.

In the nc-OS, a microscopic region (for example, a region with a size greater than or equal to 1 nm and less than or equal to 10 nm, in particular, a region with a size greater than or equal to 1 nm and less than or equal to 3 nm) has a periodic atomic arrangement. Furthermore, there is no regularity of crystal orientation between different nanocrystals in the nc-OS. Thus, the orientation in the whole film is not observed. Accordingly, the nc-OS cannot be distinguished from an a-like OS or an amorphous oxide semiconductor depending on the analysis method.

The a-like OS is an oxide semiconductor that has a structure between those of the nc-OS and the amorphous oxide semiconductor. The a-like OS includes a void or a low-density region. That is, the a-like OS has low crystallinity as compared with the nc-OS and the CAAC-OS.

An oxide semiconductor has various structures with different properties. Two or more of the amorphous oxide semiconductor, the polycrystalline oxide semiconductor, the

a-like OS, the nc-OS, and the CAAC-OS may be included in an oxide semiconductor of one embodiment of the present invention.

<Transistor Including Oxide Semiconductor>

Next, the case where the above oxide semiconductor is used for a transistor is described.

Note that when the above oxide semiconductor is used for a transistor, a transistor with high field-effect mobility can be achieved. In addition, a transistor having high reliability can be achieved.

An oxide semiconductor with a low carrier concentration is preferably used for a transistor. In the case where the carrier concentration of an oxide semiconductor film is lowered, the impurity concentration in the oxide semiconductor film is lowered to decrease the density of defect states. In this specification and the like, a state with a low impurity concentration and a low density of defect states is referred to as a highly purified intrinsic or substantially highly purified intrinsic state. For example, the carrier density of the oxide semiconductor is set lower than  $8 \times 10^{11} / \text{cm}^{-3}$ , preferably lower than  $1 \times 10^{11} / \text{cm}^{-3}$ , further preferably lower than  $1 \times 10^{10} / \text{cm}^{-3}$ , and greater than or equal to  $1 \times 10^9 / \text{cm}^{-3}$ .

In addition, a highly purified intrinsic or substantially highly purified intrinsic oxide semiconductor film has a low density of defect states and thus has a low density of trap states in some cases.

Furthermore, electric charge trapped by the trap states in the oxide semiconductor takes a long time to disappear and might behave like fixed electric charge. Thus, a transistor whose channel formation region is formed in an oxide semiconductor with a high density of trap states has unstable electrical characteristics in some cases.

Thus, in order to stabilize the electrical characteristics of the transistor, reducing the impurity concentration in the oxide semiconductor is effective. Furthermore, in order to reduce the impurity concentration in the oxide semiconductor, it is preferable that the impurity concentration in an adjacent film be also reduced. Examples of impurities include hydrogen, nitrogen, an alkali metal, an alkaline earth metal, iron, nickel, and silicon.

<Impurity>

Here, the influence of each impurity in the oxide semiconductor is described.

When silicon or carbon, which is one of Group 14 elements, is contained in the oxide semiconductor, defect states are formed in the oxide semiconductor. Thus, the concentration of silicon or carbon in the oxide semiconductor and the concentration of silicon or carbon in the vicinity of an interface with the oxide semiconductor (the concentration obtained by secondary ion mass spectrometry (SIMS)) are each set lower than or equal to  $2 \times 10^{18}$  atoms/ $\text{cm}^3$ , preferably lower than or equal to  $2 \times 10^{17}$  atoms/ $\text{cm}^3$ .

Furthermore, when the oxide semiconductor contains an alkali metal or an alkaline earth metal, defect states are formed and carriers are generated in some cases. Thus, a transistor using an oxide semiconductor that contains an alkali metal or an alkaline earth metal is likely to have normally-on characteristics. Accordingly, it is preferable to reduce the concentration of an alkali metal or an alkaline earth metal in the oxide semiconductor. Specifically, the concentration of an alkali metal or an alkaline earth metal in the oxide semiconductor that is obtained by SIMS is set lower than or equal to  $1 \times 10^{18}$  atoms/ $\text{cm}^3$ , preferably lower than or equal to  $2 \times 10^{16}$  atoms/ $\text{cm}^3$ .

Furthermore, when the oxide semiconductor contains nitrogen, the oxide semiconductor easily becomes n-type by

generation of electrons serving as carriers and an increase in carrier concentration. As a result, a transistor using an oxide semiconductor containing nitrogen as a semiconductor is likely to have normally-on characteristics. Hence, nitrogen in the oxide semiconductor is preferably reduced as much as possible; the nitrogen concentration in the oxide semiconductor that is obtained by SIMS is set, for example, lower than  $5 \times 10^{19}$  atoms/cm<sup>3</sup>, preferably lower than or equal to  $5 \times 10^{18}$  atoms/cm<sup>3</sup>, further preferably lower than or equal to  $1 \times 10^{18}$  atoms/cm<sup>3</sup>, still further preferably lower than or equal to  $5 \times 10^{17}$  atoms/cm<sup>3</sup>.

In addition, hydrogen contained in the oxide semiconductor reacts with oxygen bonded to a metal atom to be water, and thus forms an oxygen vacancy in some cases. Entry of hydrogen into the oxygen vacancy generates an electron serving as a carrier in some cases. Furthermore, bonding of part of hydrogen to oxygen bonded to a metal atom causes generation of an electron serving as a carrier in some cases. Thus, a transistor using an oxide semiconductor containing hydrogen is likely to have normally-on characteristics. Accordingly, hydrogen in the oxide semiconductor is preferably reduced as much as possible. Specifically, the hydrogen concentration in the oxide semiconductor that is obtained by SIMS is set lower than  $1 \times 10^{20}$  atoms/cm<sup>3</sup>, preferably lower than  $1 \times 10^{19}$  atoms/cm<sup>3</sup>, further preferably lower than  $5 \times 10^{18}$  atoms/cm<sup>3</sup>, still further preferably lower than  $1 \times 10^{18}$  atoms/cm<sup>3</sup>.

When an oxide semiconductor with sufficiently reduced impurities is used for the channel formation region of the transistor, stable electrical characteristics can be given.

Note that this embodiment can be combined with other embodiments in this specification as appropriate.

#### Embodiment 5

In this embodiment, examples of products in which the semiconductor device or the electronic component described in the above embodiments is used for electronic devices are described.

##### <Laptop Personal Computer>

The semiconductor device or the electronic component of one embodiment of the present invention can be used for a display provided in an information terminal device. FIG. 23(A) is a laptop personal computer, which is an information terminal device, and includes a housing 5401, a display portion 5402, a keyboard 5403, a pointing device 5404, and the like.

##### <Smartwatch>

The semiconductor device or the electronic component of one embodiment of the present invention can be used for a wearable terminal. FIG. 23(B) is a smartwatch, which is a wearable terminal, and includes a housing 5901, a display portion 5902, an operation button 5903, an operator 5904, a band 5905, and the like. In addition, a display device with a function of a position input device may be used for the display portion 5902. In addition, the function of the position input device can be added by provision of a touch panel in a display device. Alternatively, the function of the position input device can be added by provision of a photoelectric conversion element called a photosensor in a pixel portion of a display device. In addition, as the operation buttons 5903, any of a power switch for activating the smartwatch, a button for operating an application of the smartwatch, a volume control button, a switch for turning on or off the display portion 5902, and the like can be provided. In addition, although the number of the operation buttons 5903 is two in the smartwatch shown in FIG. 23(B), the number

of the operational buttons of the smartwatch is not limited thereto. In addition, the operator 5904 functions as a crown used for setting the time on the smartwatch. In addition, the operator 5904 may be used as an input interface for operating an application of the smartwatch as well as the crown for time adjustment. Note that although the smartwatch shown in FIG. 23(B) has a structure with the operator 5904, without being limited thereto, a structure without the operator 5904 may be used.

##### <Video Camera>

The semiconductor device or the electronic component of one embodiment of the present invention can be used for a video camera. The video camera in FIG. 23(C) includes a first housing 5801, a second housing 5802, a display portion 5803, operation keys 5804, a lens 5805, a joint portion 5806, and the like. The operation keys 5804 and the lens 5805 are provided in the first housing 5801, and the display portion 5803 is provided in the second housing 5802. Furthermore, the first housing 5801 and the second housing 5802 are connected to each other with the joint portion 5806, and the angle between the first housing 5801 and the second housing 5802 can be changed with the joint portion 5806. A structure in which images on the display portion 5803 are changed in accordance with the angle at the joint portion 5806 between the first housing 5801 and the second housing 5802 may be employed.

##### <Mobile Phone>

The semiconductor device or the electronic component of one embodiment of the present invention can be used for a mobile phone. FIG. 23(D) is a mobile phone having a function of an information terminal, which includes a housing 5501, a display portion 5502, a microphone 5503, a speaker 5504, and an operation button 5505. A display device with a function of a position input device may be used for the display portion 5502. In addition, the function of the position input device can be added by provision of a touch panel in a display device. Alternatively, the function of the position input device can be added by provision of a photoelectric conversion element called a photosensor in a pixel portion of a display device. As the operation buttons 5505, any of a power switch for activating the mobile phone, a button for operating an application of the mobile phone, a volume control button, a switch for turning on or off the display portion 5502, and the like can be provided.

Although the mobile phone in FIG. 23(D) includes two operation buttons 5505, the number of the operation buttons included in the mobile phone is not limited thereto. Although not shown, the mobile phone shown in FIG. 23(D) may include a light-emitting device for use as a flash light or a lighting device.

##### <Stationary Gaming Machine>

The semiconductor device of one embodiment of the present invention can be applied to a stationary gaming machine, which is an example of a gaming machine. FIG. 23(E) shows a gaming console 7520 and a controller 7522 as a gaming machine. The controller 7522 can be connected to the gaming console 7520 with or without a wire. Although not shown in FIG. 23(E), the controller 7522 can include a display portion that displays a game image, and an input interface besides a button, such as a touch panel, a stick, a rotating knob, and a sliding knob, for example. The shape of the controller 7522 is not limited to that in FIG. 23(E) and may be changed variously in accordance with the genres of games. For example, for a shooting game such as an FPS (First Person Shooter) game, a gun-shaped controller having a trigger button can be used. As another example, for a music game or the like, a controller having a shape of a musical

instrument, an audio equipment, or the like can be used. Furthermore, the stationary gaming machine may include a camera, a depth sensor, a microphone, and the like so that the game player can play a game using a gesture and/or a voice instead of a controller.

<Portable Gaming Machine>

The semiconductor device of one embodiment of the present invention can be applied to a portable gaming machine, which is an example of a gaming machine. The portable gaming machine shown in FIG. 23(F) includes a housing 5201, a display portion 5202, a button 5203, and the like. Note that the portable gaming machine shown in FIG. 23(F) is an example, and the arrangement, shape, and number of the display portions, buttons, and the like of the portable gaming machine to which one embodiment of the present invention is applied are not limited to those in the structure shown in FIG. 23(F). The shape of the housing of the portable gaming machine is not limited to that in the structure shown in FIG. 23(F).

Although the above shows a stationary gaming machine, a portable gaming machine, and the like as examples of gaming machines, the semiconductor device of one embodiment of the present invention can be applied to arcade gaming machines and the like besides the above described ones.

<Television Device>

The semiconductor device or the electronic component of one embodiment of the present invention can be provided in a television device. A television device shown in FIG. 23(G) includes a housing 9000, a display portion 9001, a speaker 9003, an operation key 9005 (including a power switch or an operation switch), a connection terminal 9006, and the like. The television device can include the display portion 9001 having a large screen size of, for example, 50 inches or more, or 100 inches or more.

<Vehicle>

The semiconductor device or the electronic component of one embodiment of the present invention can be used around a driver's seat in a car, which is a vehicle.

FIG. 23(H) is a figure that shows a windshield and its vicinity inside an automobile, for example. FIG. 23(H) shows a display panel 5701, a display panel 5702, and a display panel 5703 that are attached to a dashboard and a display panel 5704 that is attached to a pillar.

The display panel 5701 to the display panel 5703 can display a variety of information such as navigation information, a speedometer, a tachometer, a mileage, a fuel meter, a gearshift state, and air-conditioner settings. The content, layout, or the like of the display on the display panels can be changed as appropriate to suit the user's preference, so that the design can be improved. The display panel 5701 to the display panel 5703 can also be used as lighting devices.

The display panel 5704 can compensate for the view obstructed by the pillar (blind areas) by showing an image taken by an imaging unit provided for the car body. That is, showing an image taken by an imaging unit provided on the outside of the car body leads to elimination of blind areas and enhancement of safety. In addition, showing an image for compensating for the area which a driver cannot see makes it possible for the driver to confirm safety more easily and comfortably. The display panel 5704 can also be used as a lighting device.

<Electronic Device for Electronic Advertisement>

The semiconductor device or the display device of one embodiment of the present invention can be used for a display used for an electronic advertisement. FIG. 24(A)

shows an example of digital signage that can be attached to a wall. FIG. 24(A) shows how a digital signage 6200 is attached to a wall 6201.

<Foldable Tablet Information Terminal>

The semiconductor device or the display device of one embodiment of the present invention can be used for a tablet information terminal. FIG. 24(B) shows a tablet information terminal with a structure that can be folded. The information terminal in FIG. 24(B) includes a housing 5321a, a housing 5321b, a display portion 5322, and an operation button 5323. In particular, the display portion 5322 includes a flexible base, and the base enables a structure that can be folded.

The housing 5321a and the housing 5321b are connected to each other with a hinge portion 5321c that allows a bi-fold. In addition, the display portion 5322 is provided to the housing 5321a, the housing 5321b, and the hinge portion 5321c.

Although not shown, the electronic devices shown in FIGS. 23(A) to 23(C) and 23(E), and FIGS. 24(A) and 24(B) can each have a structure that includes a microphone and a speaker. With this structure, the above electronic devices can have an audio input function, for example.

In addition, although not shown, each of the electronic devices shown in FIGS. 23(A), 23(B), and 23(D), and FIGS. 24(A), and 24(B) may have a structure that includes a camera.

In addition, the electronic devices illustrated in FIGS. 23(A) to 23(G) and FIGS. 24(A) and 24(B) may have, although not shown, a structure provided with a sensor (a sensor having a function of measuring force, displacement, position, speed, acceleration, angular velocity, rotational frequency, distance, light, liquid, magnetism, temperature, a chemical substance, sound, time, hardness, electric field, current, voltage, electric power, radiation, flow rate, humidity, gradient, oscillation, a smell, or infrared rays) in the housing. In particular, by providing a detection device including a sensor for detecting tilt, such as a gyroscope sensor or an acceleration sensor, for the mobile phone shown in FIG. 23(D), the direction of the mobile phone (which direction the mobile phone faces in, with respect to the vertical direction) is determined, so that display on the display portion 5502 can be automatically changed in accordance with the direction of the mobile phone.

In addition, although not illustrated, the electronic devices illustrated in FIGS. 23(A) to 23(G) and FIGS. 24(A) and 24(B) may have a structure that includes a device for obtaining biological information such as fingerprints, veins, iris, or voice prints. Employing this structure can achieve an electronic device having a biometric identification function.

Furthermore, as a display portion of the electronic devices shown in FIGS. 23(A) to 23(G) and FIG. 24(A), a flexible base may be used. Specifically, the display portion may have a structure in which a transistor, a capacitor, a display element, and the like are provided over a flexible base. With such a structure, in addition to the electronic device having the housing with a flat surface as shown in FIGS. 23(A) to 23(G) and FIG. 24(A), an electronic device having a housing with a curved surface like the dashboard and the pillar shown in FIG. 23(H) can be enabled.

As a flexible base that can be used for the display portions in FIGS. 23(A) to 23(G) and FIGS. 24(A) and 24(B), any of the following materials that transmit visible light can be used: a poly(ethylene terephthalate) resin (PET), a poly(ethylene naphthalate) resin (PEN), a poly(ether sulfone) resin (PES), a polyacrylonitrile resin, an acrylic resin, a polyimide resin, a poly(methyl methacrylate) resin, a polycarbonate resin, a polyamide resin, a polycycloolefin resin,

## 55

a polystyrene resin, a poly(amide imide) resin, a polypropylene resin, a polyester resin, a poly(vinyl halide) resin, an aramid resin, an epoxy resin, and the like. Alternatively, a mixture or a stack including any of these materials may be used.

Note that this embodiment can be combined with other embodiments in this specification as appropriate.

## REFERENCE NUMERALS

M1: transistor, M2: transistor, M3: transistor, CA: capacitor, CB: capacitor, CF: capacitor, BIL: wiring, RBL: wiring, WBL: wiring, WOL: wiring, SL: wiring, CAL: wiring, BGL: wiring, BGL1: wiring, BGL2: wiring, BGI: insulator, FGI: insulator, BGE: conductor, FGE: conductor, PE: conductor, WE: conductor, 11: semiconductor device, 20: control circuit, 21: control unit, 22[1]: voltage generation circuit, 22[P]: voltage generation circuit, 22[p1]: voltage generation circuit, 22[p2]: voltage generation circuit, 22[p3]: voltage generation circuit, 23A: circuit, 23B: circuit, 23IN: internal circuit, 25: temperature sensing circuit, 25a: temperature sensor, 25b: analog-to-digital converter circuit, 25c: voltage control circuit, 30: memory unit, 40: memory cell array, 50: peripheral circuit, 51: word line driver circuit, 52: bit line driver circuit, 52a: column decoder, 52b: pre-charge circuit, 52c: sense amplifier, 52d: write circuit, 53: row decoder, 54: output circuit, 56: control logic circuit, 110: first memory region, 120: second memory region, 121: cache, 122: cache, 123: cache, 130: third memory region, 140: fourth memory region, 200: memory device, 210: memory circuit, 220: memory circuit, 220a: memory circuit, 220b: memory circuit, 221: memory cell, 230: memory circuit, 230a: memory circuit, 230b: memory circuit, 231: memory cell, 232: memory cell, 240: memory circuit, 300: transistor, 311: substrate, 313: semiconductor region, 314a: low-resistance region, 314b: low-resistance region, 315: insulator, 316: conductor, 320: insulator, 322: insulator, 324: insulator, 326: insulator, 328: conductor, 330: conductor, 350: insulator, 352: insulator, 354: insulator, 356: conductor, 360: insulator, 362: insulator, 364: insulator, 366: conductor, 370: insulator, 372: insulator, 374: insulator, 376: conductor, 380: insulator, 382: insulator, 384: insulator, 386: conductor, 500: transistor, 500A: transistor, 500B: transistor, 500C: transistor, 500D: transistor, 500E: transistor, 503: conductor, 503a: conductor, 503b: conductor, 505: conductor, 510: insulator, 511: insulator, 512: insulator, 514: insulator, 516: insulator, 518: conductor, 520: insulator, 522: insulator, 524: insulator, 530: oxide, 530a: oxide, 530b: oxide, 530c: oxide, 531a: region, 531b: region, 540a: conductor, 540b: conductor, 542a: conductor, 542b: conductor, 543a: region, 543b: region, 544: insulator, 545: insulator, 546: conductor, 546a: conductor, 546b: conductor, 547a: conductor, 547b: conductor, 548: conductor, 550: insulator, 552: metal oxide, 560: conductor, 560a: conductor, 560b: conductor, 570: insulator, 571: insulator, 573: insulator, 574: insulator, 575: insulator, 576a: insulator, 576b: insulator, 580: insulator, 581: insulator, 582: insulator, 586: insulator, 600: capacitor, 610: conductor, 612: conductor, 620: conductor, 630: insulator, 650: insulator, 5201: housing, 5202: display portion, 5203: button, 5321a: housing, 5321b: housing, 5321c: hinge portion, 5322: display portion, 5323: operation button, 5401: housing, 5402: display portion, 5403: keyboard, 5404: pointing device, 5501: housing, 5502: display portion, 5503: microphone, 5504: speaker, 5505: operation button, 5701: display panel, 5702: display panel, 5703: display panel, 5704: display panel, 5801: first housing, 5802: second housing,

## 56

5803: display portion, 5804: operation key, 5805: lens, 5806: joint portion, 5901: housing, 5902: display portion, 5903: operation button, 5904: operator, 5905: band, 6200: digital signage, 6201: wall, 7520: gaming machine, 7522: controller, 9000: housing, 9001: display portion, 9003: speaker, 9005: operation key, 9006: connection terminal

The invention claimed is:

1. A semiconductor device comprising:

a memory device and a control circuit,

wherein the memory device comprises a first memory circuit configured to be operated in a first memory level and a second memory circuit configured to be operated in a second memory level,

wherein the first memory level is a level with a higher access speed than the second memory level,

wherein the first memory circuit comprises a first transistor and the second memory circuit comprises a second transistor,

wherein each of the first transistor and the second transistor comprises an oxide semiconductor layer, a first gate and a second gate overlapped with the first gate, and

wherein the control circuit is configured to input a voltage to the second gate of the first transistor so that the first memory circuit is changed from the first memory level to the second memory level, and to input a voltage to the second gate of the second transistor so that the second memory circuit is changed from the second memory level to the first memory level.

2. The semiconductor device according to claim 1,

wherein the control circuit comprises a temperature sensing circuit, and

wherein the temperature sensing circuit is configured to output a correction voltage depending on a temperature around the memory device.

3. A semiconductor device comprising:

a memory device and a control circuit,

wherein the memory device comprises a first memory circuit configured to be operated in a first memory level and a second memory circuit configured to be operated in a second memory level,

wherein the first memory level is a level with a higher access speed than the second memory level,

wherein the first memory circuit comprises a first transistor and the second memory circuit comprises a second transistor,

wherein each of the first transistor and the second transistor comprises an oxide semiconductor layer, a first gate and a second gate overlapped with the first gate,

wherein the control circuit is configured to input a voltage to the second gate of the first transistor so that the first memory circuit is changed from the first memory level to the second memory level, and to input a voltage to the second gate of the second transistor so that the second memory circuit is changed from the second memory level to the first memory level, and

wherein the first memory circuit overlaps the second memory circuit.

4. The semiconductor device according to claim 3,

wherein the control circuit comprises a temperature sensing circuit, and

wherein the temperature sensing circuit is configured to output a correction voltage depending on a temperature around the memory device.