

US012126339B2

(12) **United States Patent**
Manipatruni et al.

(10) **Patent No.:** **US 12,126,339 B2**
(45) **Date of Patent:** ***Oct. 22, 2024**

(54) **APPARATUS WITH SELECTABLE
MAJORITY GATE AND COMBINATIONAL
LOGIC GATE OUTPUTS**

(71) Applicant: **Kepler Computing Inc.**, San Francisco,
CA (US)

(72) Inventors: **Sasikanth Manipatruni**, Portland, OR
(US); **Rafael Rios**, Austin, TX (US);
Ikenna Odinaka, Durham, NC (US);
Robert Menezes, Portland, OR (US);
Rajeev Kumar Dokania, Beaverton,
OR (US); **Ramamoorthy Ramesh**,
Moraga, CA (US); **Amrita Mathuriya**,
Portland, OR (US)

(73) Assignee: **Kepler Computing Inc.**, San Francisco,
CA (US)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 0 days.

This patent is subject to a terminal dis-
claimer.

(21) Appl. No.: **18/056,243**

(22) Filed: **Nov. 16, 2022**

(65) **Prior Publication Data**

US 2023/0094542 A1 Mar. 30, 2023

Related U.S. Application Data

(63) Continuation of application No. 17/808,289, filed on
Jun. 22, 2022, now abandoned, which is a
(Continued)

(51) **Int. Cl.**
G11C 11/18 (2006.01)
H03K 19/00 (2006.01)
(Continued)

(52) **U.S. Cl.**
CPC **H03K 19/23** (2013.01); **H03K 19/0008**
(2013.01); **H03K 19/21** (2013.01)

(58) **Field of Classification Search**
CPC H03K 19/23; H03K 19/20; H03K
19/018521; H03K 19/0948; H03K
19/215;

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,260,863 A 7/1966 Burns et al.
3,487,316 A 12/1969 Winder
(Continued)

FOREIGN PATENT DOCUMENTS

JP 2000156472 A 6/2000
KR 20160089141 A 7/2016
WO 2019005175 A1 1/2019

OTHER PUBLICATIONS

“Kepler Logic”, Named for Amalie Emmy Noether @ https://en.wikipedia.org/wiki/Emmy_Noether. Downloaded from Internet on
Jan. 10, 2020.

(Continued)


Primary Examiner — Kurtis R Bahr

(74) *Attorney, Agent, or Firm* — MUGHAL GAUDRY &
FRANKLIN PC

(57) **ABSTRACT**

A new class of logic gates are presented that use non-linear
polar material. The logic gates include multi-input majority
gates and threshold gates. Input signals in the form of
analog, digital, or combination of them are driven to first
terminals of non-ferroelectric capacitors. The second termi-
nals of the non-ferroelectric capacitors are coupled to form
a majority node. Majority function of the input signals
occurs on this node. The majority node is then coupled to a
first terminal of a capacitor comprising non-linear polar

(Continued)



material. The second terminal of the capacitor provides the output of the logic gate, which can be driven by any suitable logic gate such as a buffer, inverter, NAND gate, NOR gate, etc. Any suitable logic or analog circuit can drive the output and inputs of the majority logic gate. As such, the majority gate of various embodiments can be combined with existing transistor technologies.

18 Claims, 21 Drawing Sheets

Related U.S. Application Data

continuation of application No. 17/129,849, filed on Dec. 21, 2020, now Pat. No. 11,374,574, which is a continuation-in-part of application No. 16/729,275, filed on Dec. 27, 2019, now Pat. No. 11,018,672.

- (51) **Int. Cl.**
H03K 19/21 (2006.01)
H03K 19/23 (2006.01)
- (58) **Field of Classification Search**
 CPC H03K 19/17744; H03K 19/1954; H03K 19/195; H03K 19/164; H03K 19/1733; H03K 19/01; H03K 19/17764; H03K 19/17768; H03K 5/1252; H01L 28/55
 See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

3,524,977	A	8/1970	Wang
4,598,382	A	7/1986	Sato
4,761,760	A	8/1988	Tomoji
5,381,352	A	1/1995	Shou et al.
5,570,039	A	10/1996	Oswald et al.
5,818,380	A	10/1998	Ito et al.
5,835,045	A	11/1998	Ogawa et al.
5,926,057	A	7/1999	Ogawa et al.
5,978,827	A	11/1999	Ichikawa
6,043,675	A	3/2000	Miyamoto
6,140,839	A	10/2000	Kaviani et al.
6,198,652	B1	3/2001	Kawakubo et al.
6,208,282	B1	3/2001	Miyamoto
6,407,442	B2 *	6/2002	Inoue H01L 27/1211 257/349
6,505,226	B1	1/2003	Ahn
7,212,448	B1 *	5/2007	Trimberger H03K 19/17764 365/230.09
7,837,110	B1	11/2010	Hess et al.
7,897,454	B2	3/2011	Wang et al.
8,247,855	B2	8/2012	Summerfelt
8,571,159	B1 *	10/2013	Soh H03L 7/0814 341/122
9,276,040	B1	3/2016	Marshall et al.
9,324,405	B2	4/2016	Evans, Jr. et al.
9,697,882	B1	7/2017	Evans, Jr. et al.
9,858,979	B1	1/2018	Derner et al.
9,912,323	B1	3/2018	Ardalan
9,973,329	B2	5/2018	Hood et al.
10,164,618	B1 *	12/2018	Shi G11C 13/0061
10,217,522	B2	2/2019	Wang et al.
10,622,050	B2	4/2020	El-Mansouri et al.
10,679,782	B2	6/2020	Manipatruni et al.
10,944,404	B1	3/2021	Manipatruni et al.
11,165,430	B1	11/2021	Manipatruni et al.
11,283,453	B2	3/2022	Manipatruni et al.
2001/0052619	A1	12/2001	Inoue et al.
2002/0185690	A1	12/2002	Ueda et al.
2004/0183508	A1	9/2004	Toyoda et al.
2006/0195503	A1	8/2006	Swami et al.

2015/0269478	A1	9/2015	Datta et al.
2015/0337983	A1	11/2015	Dolenti et al.
2017/0243917	A1	8/2017	Manipatruni et al.
2017/0337983	A1	11/2017	Wang et al.
2018/0076815	A1	3/2018	Vigeant et al.
2018/0240583	A1	8/2018	Manipatruni et al.
2019/0074295	A1	3/2019	Schröder
2019/0318775	A1	10/2019	Rakshit et al.
2019/0348098	A1	11/2019	El-Mansouri et al.
2020/0091407	A1	3/2020	Liu et al.
2020/0091414	A1 *	3/2020	Liu G11C 11/1675
2020/0099379	A1	3/2020	Sharma et al.
2020/0210233	A1	7/2020	Chen et al.
2020/0258894	A1	8/2020	Lilak et al.
2021/0226636	A1	7/2021	Manipatruni et al.
2022/0200600	A1	6/2022	Manipatruni et al.
2022/0271756	A1	8/2022	Fan et al.

OTHER PUBLICATIONS

Fichtner, S. et al., "AlScN: A III-V semiconductor based ferroelectric", Journal of Applied Physics 125, 114103 (2019); <https://doi.org/10.1063/1.5084945>, 2019, 28 pages.

Final Office Action notified Apr. 4, 2022 for U.S. Appl. No. 17/129,849.

Final Office Action notified Dec. 15, 2021 for U.S. Appl. No. 17/129,824.

Final Office Action notified Jul. 6, 2020 for U.S. Appl. No. 16/729,269.

Final Office Action notified Nov. 24, 2020 for U.S. Appl. No. 16/797,299.

Final Office Action notified Nov. 26, 2021 for U.S. Appl. No. 17/129,800.

Final Office Action notified Nov. 27, 2020 for U.S. Appl. No. 16/729,275.

First Office Action & Search Report notified Jun. 25, 2021 for Taiwan Patent Application No. 109146064.

First Office Action notified Jul. 7, 2021 for Taiwan Patent Application No. 109146061.

International Preliminary Report on Patentability notified Jul. 7, 2022 for PCT Patent Application No. PCT/US2020/066961.

International Preliminary Report on Patentability notified Jul. 7, 2022 for PCT Patent Application No. PCT/US2020/066963.

International Search Report & Written Opinion notified Apr. 15, 2021 for U.S. Patent Application No. PCT/US2020/066961.

International Search Report & Written Opinion notified Apr. 22, 2021 for PCT Patent Application No. PCT/US2020/066963.

Muller, J. et al., "Ferroelectric Hafnium Oxide Based Materials and Devices: Assessment of Current Status and Future Prospects", ECS Journal of Solid State Science and Technology, 4 (5) N30-N35 (215). 6 pages.

Muroga, S., Threshold Logic and Its Applications, Wiley-Interscience, a Division of John Wiley & Sons, Inc. New York, 1971. 8 page excerpt.

Non-Final Office Action notified Apr. 22, 2020 for U.S. Appl. No. 16/729,275.

Non-Final Office Action notified Aug. 7, 2020 for U.S. Appl. No. 16/729,275.

Non-Final Office Action notified Aug. 11, 2020 for U.S. Appl. No. 16/796,824.

Non-Final Office Action notified Aug. 13, 2020 for U.S. Appl. No. 16/797,299.

Non-Final Office Action notified Feb. 22, 2022 for U.S. Appl. No. 17/129,849.

Non-Final Office Action notified Mar. 27, 2020 for U.S. Appl. No. 16/729,269.

Non-Final Office Action notified Nov. 3, 2021 for U.S. Appl. No. 17/129,800.

Non-Final Office Action notified Nov. 24, 2020 for U.S. Appl. No. 16/796,824.

Non-Final Office Action notified Sep. 9, 2022 for U.S. Appl. No. 17/317,482.

Non-Final Office Action notified Sep. 16, 2021 for U.S. Appl. No. 17/129,824.

(56)

References Cited

OTHER PUBLICATIONS

Notice of Allowance notified Apr. 14, 2022 for U.S. Appl. No. 17/129,849.
Notice of Allowance notified Dec. 3, 2021 for U.S. Appl. No. 17/129,830.
Notice of Allowance notified Dec. 21, 2021 for U.S. Appl. No. 17/129,800.
Notice of Allowance notified Feb. 3, 2021 for U.S. Appl. No. 16/729,275.
Notice of Allowance notified Feb. 5, 2020 for U.S. Appl. No. 16/796,824.
Notice of Allowance notified Jan. 29, 2020 for U.S. Appl. No. 16/797,299.
Notice of Allowance notified Jul. 15, 2022 for U.S. Appl. No. 17/183,181.
Notice of Allowance notified Mar. 2, 2022 for U.S. Appl. No. 17/129,821.
Notice of Allowance notified Nov. 3, 2020 for U.S. Appl. No. 16/797,296.
Notice of Allowance notified Oct. 1, 2021 for Taiwan Patent Application No. 109146061.
Notice of Allowance notified Oct. 28, 2021 for Taiwan Patent Application No. 109146064.
Notice of Allowance notified Sep. 21, 2020 for U.S. Appl. No. 16/729,269.
Notice of Allowance notified Sep. 23, 2022 for U.S. Appl. No. 17/317,482.
Notice of Allowance notified Sep. 29, 2021 for TW Patent Application No. 109146061.
Subbarao, E., "Ferroelectric and antiferroelectric materials", Department of Metallurgical Engineering, Indian Institute of Technology, Kanpur, IN. First published Mar. 15, 2011. *Ferroelectrics*, 5:1, 267-280.
Advisory Action notified Nov. 15, 2023 for U.S. Appl. No. 17/467,061.
Final Office Action notified Sep. 7, 2023 for U.S. Appl. No. 17/467,061.

Hou et al., "Ultrahigh Energy Density in SrTiO₃ Film Capacitors," *ACS Appl. Mater. Interfaces* 2017, 9, 24, 20484-20490 Publication Date: May 30, 2017, <https://doi.org/10.1021/acsami.7b02225>, (7 pages).

Navi et al., "Two novel ultra-high speed carbon nanotube Full-Adder cells," *IEICE Electronics Express*, vol. 6, No. 19, 1395-1401, doi :10.1587/elex.6.1395. Publication date Oct. 10, 2009, (7 pages).

Non-Final Office Action notified Apr. 17, 2023 for U.S. Appl. No. 17/467,061.

Non-Final Office Action notified Dec. 27, 2022 for U.S. Appl. No. 17/654,055.

Non-Final Office Action notified Jan. 12, 2024 for U.S. Appl. No. 17/467,061.

Non-Final Office Action notified Jun. 15, 2023 for U.S. Appl. No. 17/503,124.

Notice of Allowance notified Aug. 9, 2023 for U.S. Appl. No. 17/503,124.

Notice of Allowance notified Mar. 31, 2023 for U.S. Appl. No. 17/654,055.

Maleknejad et al., "New CNTFET-Based Arithmetic Cells with Weighted Inputs for High Performance Energy Efficient Applications," *IEICE Trans. Electron.*, vol. E96-C, No. 7, Jul. 2013. pp. 1019-1027 (11 pages).

Non-Final Office Action notified Aug. 15, 2024 for U.S. Appl. No. 17/467,103.

Non-Final Office Action notified Aug. 15, 2024 for U.S. Appl. No. 17/467,115.

Notice of Allowance notified Feb. 23, 2024 for U.S. Appl. No. 18/320,163.

Notice of Allowance notified Jun. 5, 2024 for U.S. Appl. No. 17/467,061.

Notice of Allowance notified May 3, 2024 for U.S. Appl. No. 18/320,163.

Weber et al., "On the Application of the Neuron MOS Transistor Principle for Modern VLSI Design," *IEEE Transactions on Electron Devices*, vol. 43, No. 10, Oct. 1996, pp. 1700-1708 (9 pages).

* cited by examiner




Fig. 1A

120

Q-V relationship for ferroelectric capacitor




Fig. 1B

130




Fig. 1C




Fig. 2A




Fig. 2B

300




Fig. 3A




Fig. 3B




Fig. 3C




Fig. 3D




Fig. 3E





Fig. 4A







Fig. 4C






Fig. 5A




Fig. 5B





Fig. 5C






Fig. 6A




Fig. 6B




Fig. 7

1

APPARATUS WITH SELECTABLE MAJORITY GATE AND COMBINATIONAL LOGIC GATE OUTPUTS

CLAIM FOR PRIORITY

This application is a Continuation of, and claims the benefit of priority to, U.S. patent application Ser. No. 17/808,289, filed Jun. 22, 2022, which is a Continuation of, and claims the benefit of priority to, U.S. patent application Ser. No. 17/129,849, filed Dec. 21, 2020, and now issued as U.S. Pat. No. 11,374,574, on Jun. 28, 2022, which is a Continuation-In-Part (CIP) of, and claims the benefit of priority to, U.S. Patent Application No. 16,729,275, filed Dec. 27, 2019, and now issued as U.S. Pat. No. 11,018,672, on May 25, 2021, and which are incorporated by reference in its entirety.

BACKGROUND

Typical logic gates such as AND gate, OR gate, or a logic gate that receives three or more inputs may consist of nine more transistors per logic gate and many interconnects to connect the various transistors. As the number of transistors increases, power consumption also increases. As devices are pushing down the power envelope to save battery power, existing circuit architecture for multi-input logic gates present challenges to the goal of lower power consumption.

The background description provided here is for the purpose of generally presenting the context of the disclosure. Unless otherwise indicated here, the material described in this section is not prior art to the claims in this application and are not admitted to be prior art by inclusion in this section.

BRIEF DESCRIPTION OF THE DRAWINGS

The embodiments of the disclosure will be understood more fully from the detailed description given below and from the accompanying drawings of various embodiments of the disclosure, which, however, should not be taken to limit the disclosure to the specific embodiments, but are for explanation and understanding only.

FIG. 1A illustrates a logic gate with a 3-input majority gate, in accordance with some embodiments.

FIG. 1B illustrates a plot showing characteristics of a ferroelectric capacitor.

FIG. 1C illustrates plot showing the output of a 3-input majority gate, in accordance with some embodiments.

FIG. 2A illustrates a logic gate with a 3-input threshold gate which can operate as a AND or OR gate, in accordance with some embodiments.

FIG. 2B illustrates a logic gate with a 5-input majority gate which can operate as a AND or OR gate with majority function, in accordance with some embodiments.

FIG. 3A illustrate waveforms showing operation of 3-input majority gate of FIG. 1B.

FIGS. 3B-E illustrate waveforms showing operation of 5-input threshold gate with different V_{bias} values, respectively, in accordance with some embodiments.

FIG. 4A illustrates combinational logic including the logic gate of FIG. 1B with a 3D (three-dimensional) view of a 3-input majority gate that couples to an inverter or buffer, in accordance with some embodiments.

FIG. 4B illustrates combinational logic including the logic gate of FIG. 1B with a 3D view of two 3-input majority

2

gates that couple to an input of a 2-input NAND gate, in accordance with some embodiments.

FIG. 4C illustrates combinational logic including the logic gate of FIG. 1B with a 3D view of two 3-input majority gates that couple to an input of a 2-input NOR gate, in accordance with some embodiments.

FIG. 4D illustrates combinational logic including the logic gate of FIG. 1B with a 3D view of multiple 3-input majority gates and regular logic gates that couple to inputs of a multi-input multiplexer, in accordance with some embodiments.

FIG. 5A illustrates combinational logic including the logic gate of FIG. 2A with a 3D view of the 3-input threshold gate that couples to an inverter or buffer, in accordance with some embodiments.

FIG. 5B illustrates combinational logic including the logic gate of FIG. 2A with a 3D view of two 3-input threshold gates that couple to an input of a 2-input NAND gate, in accordance with some embodiments.

FIG. 5C illustrates combinational logic including the logic gate of FIG. 2A with a 3D view of two 3-input threshold gates that couple to an input of a 2-input NOR gate, in accordance with some embodiments.

FIG. 5D illustrates combinational logic including the logic gate of FIG. 2A with a 3D view of multiple 3-input threshold gates and regular logic gates that couple to inputs of a multi-input multiplexer, in accordance with some embodiments.

FIG. 6A illustrates top down layout and corresponding cross-section of a 3-input majority gate, respectively, in accordance with some embodiments.

FIG. 6B illustrates top down layout and corresponding cross-section of a 3-input threshold gate, respectively, in accordance with some embodiments.

FIG. 7 illustrates a system-on-chip (SOC) that uses the low voltage logic gates, in accordance with some embodiments.

DETAILED DESCRIPTION

Some embodiments describe a new class of logic gates that use non-linear polar material. The logic gates include multi-input majority gates and threshold gates. Input signals in the form of analog, digital, or combination of them are driven to first terminals of non-ferroelectric capacitors. The second terminals of the non-ferroelectric capacitors are coupled to form a majority node. Majority function of the input signals occurs on this node. The majority node is then coupled to a first terminal of a capacitor comprising non-linear polar material. The second terminal of the capacitor provides the output of the logic gate, which can be driven by any suitable logic gate such as a buffer, inverter, NAND gate, NOR gate, etc. Any suitable logic or analog circuit can drive the output and inputs of the majority logic gate. As such, the majority gate of various embodiments can be combined with existing transistor technologies such as complementary metal oxide semiconductor (CMOS), tunneling field effect transistor (TFET), GaAs based transistors, bipolar junction transistors (BJTs), Bi-CMOS transistors, etc.

In some embodiments, an additional fixed or programmable input is coupled to the majority node via another capacitor. This additional fixed or programmable input can be a positive or negative bias. The bias behaves as a threshold or offset added or subtracted to or from the voltage (or current) on the majority node and determines the final logic value of the logic gate. Depending on the polarity of

the bias, AND gate or OR logic gate function are realized, in accordance with various embodiments.

There are many technical effects of the various embodiments. For example, extremely compact basic logic gates are formed using the non-ferroelectric capacitors and a capacitor with non-linear polar material. The non-linear polar material can be ferroelectric material, para-electric material, or non-linear dielectric. The logic gates become the basis of adders, multipliers, sequential circuits, and other complex circuits etc. The majority gate and threshold gate of various embodiments lowers the power consumption because they do not use switching transistors and the interconnect routings are much fewer than the interconnect routings used in transitional CMOS logic gates. For example, 10× fewer interconnect length is used by the majority gate and threshold gate of various embodiments. The capacitor with non-linear polar material provides non-volatility that allows for intermittent operation and zero power drain when not in use.

For example, a processor having such logic gates can enter and exit various types of low power states without having to worry about losing data. Since the capacitor with non-linear polar material can store charge from low energy devices, the entire processor can operate at much lower voltage level from the power supply, which reduces overall power of the processor. Further, very low voltage switching (e.g., 100 mV) of the non-linear polar material state allows for low swing signal switching, which in turn results in low power.

The capacitor with non-linear polar material can be used with any type of transistor. For example, the capacitor with non-linear polar material of various embodiments can be used with planar or non-planar transistors. The transistors can be formed in the frontend or backend of a die. The capacitors with non-linear polar material can be formed in the frontend or backend of the die. As such, the logic gates can be packed with high density compared to traditional logic gates. Other technical effects will be evident from the various embodiments and figures.

In the following description, numerous details are discussed to provide a more thorough explanation of embodiments of the present disclosure. It will be apparent, however, to one skilled in the art, that embodiments of the present disclosure may be practiced without these specific details. In other instances, well-known structures and devices are shown in block diagram form, rather than in detail, in order to avoid obscuring embodiments of the present disclosure.

Note that in the corresponding drawings of the embodiments, signals are represented with lines. Some lines may be thicker, to indicate more constituent signal paths, and/or have arrows at one or more ends, to indicate primary information flow direction. Such indications are not intended to be limiting. Rather, the lines are used in connection with one or more exemplary embodiments to facilitate easier understanding of a circuit or a logical unit. Any represented signal, as dictated by design needs or preferences, may actually comprise one or more signals that may travel in either direction and may be implemented with any suitable type of signal scheme.

The term “device” may generally refer to an apparatus according to the context of the usage of that term. For example, a device may refer to a stack of layers or structures, a single structure or layer, a connection of various structures having active and/or passive elements, etc. Generally, a device is a three-dimensional structure with a plane along the x-y direction and a height along the z direction of an

x-y-z Cartesian coordinate system. The plane of the device may also be the plane of an apparatus, which comprises the device.

Throughout the specification, and in the claims, the term “connected” means a direct connection, such as electrical, mechanical, or magnetic connection between the things that are connected, without any intermediary devices.

The term “coupled” means a direct or indirect connection, such as a direct electrical, mechanical, or magnetic connection between the things that are connected or an indirect connection, through one or more passive or active intermediary devices.

The term “adjacent” here generally refers to a position of a thing being next to (e.g., immediately next to or close to with one or more things between them) or adjoining another thing (e.g., abutting it).

The term “circuit” or “module” may refer to one or more passive and/or active components that are arranged to cooperate with one another to provide a desired function.

The term “signal” may refer to at least one current signal, voltage signal, magnetic signal, or data/clock signal. The meaning of “a,” “an,” and “the” include plural references. The meaning of “in” includes “in” and “on.”

Here, the term “analog signal” generally refers to any continuous signal for which the time varying feature (variable) of the signal is a representation of some other time varying quantity, i.e., analogous to another time varying signal.

Here, the term “digital signal” generally refers to a physical signal that is a representation of a sequence of discrete values (a quantified discrete-time signal), for example of an arbitrary bit stream, or of a digitized (sampled and analog-to-digital converted) analog signal.

The term “scaling” generally refers to converting a design (schematic and layout) from one process technology to another process technology and subsequently being reduced in layout area. The term “scaling” generally also refers to downsizing layout and devices within the same technology node. The term “scaling” may also refer to adjusting (e.g., slowing down or speeding up—i.e. scaling down, or scaling up respectively) of a signal frequency relative to another parameter, for example, power supply level.

The terms “substantially,” “close,” “approximately,” “near,” and “about,” generally refer to being within $\pm 10\%$ of a target value. For example, unless otherwise specified in the explicit context of their use, the terms “substantially equal,” “about equal” and “approximately equal” mean that there is no more than incidental variation between among things so described. In the art, such variation is typically no more than $\pm 10\%$ of a predetermined target value.

Unless otherwise specified the use of the ordinal adjectives “first,” “second,” and “third,” etc., to describe a common object, merely indicate that different instances of like objects are being referred to, and are not intended to imply that the objects so described must be in a given sequence, either temporally, spatially, in ranking or in any other manner.

For the purposes of the present disclosure, phrases “A and/or B” and “A or B” mean (A), (B), or (A and B). For the purposes of the present disclosure, the phrase “A, B, and/or C” means (A), (B), (C), (A and B), (A and C), (B and C), or (A, B and C).

The terms “left,” “right,” “front,” “back,” “top,” “bottom,” “over,” “under,” and the like in the description and in the claims, if any, are used for descriptive purposes and not necessarily for describing permanent relative positions. For example, the terms “over,” “under,” “front side,” “back

5

side,” “top,” “bottom,” “over,” “under,” and “on” as used herein refer to a relative position of one component, structure, or material with respect to other referenced components, structures or materials within a device, where such physical relationships are noteworthy. These terms are employed herein for descriptive purposes only and predominantly within the context of a device z-axis and therefore may be relative to an orientation of a device. Hence, a first material “over” a second material in the context of a figure provided herein may also be “under” the second material if the device is oriented upside-down relative to the context of the figure provided. In the context of materials, one material disposed over or under another may be directly in contact or may have one or more intervening materials. Moreover, one material disposed between two materials may be directly in contact with the two layers or may have one or more intervening layers. In contrast, a first material “on” a second material is in direct contact with that second material. Similar distinctions are to be made in the context of component assemblies.

The term “between” may be employed in the context of the z-axis, x-axis or y-axis of a device. A material that is between two other materials may be in contact with one or both of those materials, or it may be separated from both of the other two materials by one or more intervening materials. A material “between” two other materials may therefore be in contact with either of the other two materials, or it may be coupled to the other two materials through an intervening material. A device that is between two other devices may be directly connected to one or both of those devices, or it may be separated from both of the other two devices by one or more intervening devices.

Here, multiple non-silicon semiconductor material layers may be stacked within a single fin structure. The multiple non-silicon semiconductor material layers may include one or more “P-type” layers that are suitable (e.g., offer higher hole mobility than silicon) for P-type transistors. The multiple non-silicon semiconductor material layers may further include one or more “N-type” layers that are suitable (e.g., offer higher electron mobility than silicon) for N-type transistors. The multiple non-silicon semiconductor material layers may further include one or more intervening layers separating the N-type from the P-type layers. The intervening layers may be at least partially sacrificial, for example to allow one or more of a gate, source, or drain to wrap completely around a channel region of one or more of the N-type and P-type transistors. The multiple non-silicon semiconductor material layers may be fabricated, at least in part, with self-aligned techniques such that a stacked CMOS device may include both a high-mobility N-type and P-type transistor with a footprint of a single FET (field effect transistor).

Here, the term “backend” generally refers to a section of a die which is opposite of a “frontend” and where an IC (integrated circuit) package couples to IC die bumps. For example, high-level metal layers (e.g., metal layer 6 and above in a ten-metal stack die) and corresponding vias that are closer to a die package are considered part of the backend of the die. Conversely, the term “frontend” generally refers to a section of the die that includes the active region (e.g., where transistors are fabricated) and low-level metal layers and corresponding vias that are closer to the active region (e.g., metal layer 5 and below in the ten-metal stack die example).

It is pointed out that those elements of the figures having the same reference numbers (or names) as the elements of

6

any other figure can operate or function in any manner similar to that described, but are not limited to such.

FIG. 1A illustrates logic gate **100** with a 3-input majority gate, in accordance with some embodiments. Logic Gate **100** comprises first, second, and third drivers **101**, **102**, and **103**, respectively. These drivers can be analog drivers generating analog signals or digital drivers generating signals that toggle between ground and the power supply rail, or a combination of analog or digital drivers. For example, driver **101** is a CMOS driver such as a buffer, inverter, a NAND gate, NOR gate, etc., while driver **102** is an amplifier generating a bias signal. The drivers provide input signals Vin1 (and current I_1), Vin2 (and current I_2), and Vin3 (and current I_3) to the three inputs of 3-input majority gate **104**.

In various embodiments, 3-input majority gate **104** comprises three input nodes Vin1, Vin2, and Vin3. Here, signal names and node names are interchangeably used. For example, Vin1 refers to node Vin1 or signal Vin1 depending on the context of the sentence. 3-input majority gate **104** further comprises capacitors C1, C2, and C3. Here, resistors R1, R2, and R3 are interconnect parasitic resistances coupled to capacitors C1, C2, and C3 respectively. In various embodiments, capacitors C1, C2, and C3 are non-ferroelectric capacitors. In some embodiments, the non-ferroelectric capacitor includes one of: dielectric capacitor, para-electric capacitor, or non-linear dielectric capacitor.

A dielectric capacitor comprises first and second metal plates with a dielectric between them. Examples of such dielectrics are: HfO, ABO₃ perovskites, nitrides, oxy-fluorides, oxides, etc.

A para-electric capacitor comprises first and second metal plates with a para-electric material between them. In some embodiments, f-orbital materials (e.g., lanthanides) are doped to the ferroelectric material to make paraelectric material. Examples of room temperature paraelectric materials include: bSrTiO₃, Ba(x)Sr(y)TiO₃ (where x is -0.05, and y is 0.95), HfZrO₂, Hf—Si—O, La-substituted PbTiO₃, PMN-PT based relaxor ferroelectrics.

A dielectric capacitor comprises first and second metal plates with non-linear dielectric capacitor between them. The range for dielectric constant is 1.2 to 10000. The capacitors C1, C2, and C3 can be implemented as MIM (metal-insulator-metal) capacitor technology, transistor gate capacitor, hybrid of metal capacitors or transistor capacitor.

One terminal of the capacitors C1, C2, and C3 is coupled to a common node cn. This common node is coupled to node n1, which is coupled to a first terminal of a non-linear polar capacitor **105**. The majority function is performed at the common node cn, and the resulting voltage is projected on to capacitor **105**. For example, the majority function of the currents (I_1 , I_2 , and I_3) on node cn results in a resultant current that charges capacitor **105**. Table 1 illustrates the majority function f(Majority Vin1, Vin2, Vin3).

TABLE 1

Vin1	Vin2	Vin3	cn (f(Majority Vin1, Vin2, Vin3))
0	0	0	0
0	0	1	0
0	1	0	0
0	1	1	1
1	0	0	0
1	0	1	1

TABLE 1-continued

Vin1	Vin2	Vin3	cn (f(Majority Vin1, Vin2, Vin3))
1	1	0	1
1	1	1	1

A capacitor with FE material (also referred to as a FEC) is a non-linear capacitor with its potential $V_F(Q_F)$ as a cubic function of its charge. FIG. 1B illustrates plot 120 showing characteristics of a FEC. Plot 120 is a charge-voltage (Q-V) plot for a block of $\text{Pb}(\text{Zr}_{0.5}\text{Ti}_{0.5})\text{O}_3$ of area $(100 \text{ nm})^2$ and thickness 20 nm (nanometer). Plot shows local extrema at $\pm V_o$ indicated by the dashed lines. Here, the term V_c is the coercive voltage. In applying a potential V across the FEC, its charge can be unambiguously determined only for $|V| > V_o$. Otherwise, the charge of the FEC is subject to hysteresis effects.

Referring back to FIG. 1A, in some embodiments, N odd number of capacitors are coupled to a single FEC to form a majority gate. In this case, $N=3$. The measured charge on the FEC (Q_F) is the output of the majority gate. Solving for a steady-state solution, the parasitic resistors are ignored and the input potentials V_i (or V_{in}) are assumed to be constant. In this case, the charge across each linear capacitor (C_1, C_2, C_3) is:

$$Q_i = C_i(V_i - V_F) \quad (1)$$

The charge summed at node Cn and across FEC 105 is expressed as:

$$Q_F = \sum_i Q_i \quad (2)$$

$$Q_F = \sum_i C_i V_i - \sum_i C_i V_F \quad (3)$$

$$Q_F = \sum_i C_i V_i - C V_F(Q_F) \quad (4)$$

$$V_F(Q_F) = \sum_i \frac{C_i}{C} V_i - \frac{Q_F}{C} \quad (5)$$

Here, $C = \sum_i C_i$ is the sum of the capacitances. In the limit, $C \rightarrow \infty$, the following is achieved:

$$V_F(Q_F) = \sum_i \frac{C_i}{C} V_i = \bar{V} \quad (6)$$

The potential across FEC 105 is the average of all the input potentials weighted by the capacitances (e.g., C_1, C_2 , and C_3).

When $C_i = C/N$ are all equal, V_F is just a simple mean. To ensure that

$$Q_F = V_F^{-1}(\bar{V}) \quad (7)$$

is well defined, all possible values of \bar{V} have magnitudes greater than V_c , the coercive potential. Assuming binary input of $\pm V_s$, the potential with the smallest magnitude is:

$$\bar{V} = V_s/N \quad (8)$$

This occurs when $(N+1)/2$ of the inputs are $+V_s$ and $(N-1)/2$ are $-V_s$. Then,

$$V_s > N V_c \quad (9)$$

The output of the majority gate at node n1 is expressed by FIG. 1C. FIG. 1C illustrates plot 130 showing the output of a 3-input majority gate, in accordance with some embodiments.

As an example, for $N=3$, the possible inputs are:

$$\bar{V} \in \left\{ -\frac{3}{3} V_s, -\frac{1}{3} V_s, +\frac{1}{3} V_s, +\frac{3}{3} V_s \right\} \quad (10)$$

Referring back to FIG. 1A, since capacitor 105 is a non-linear polar capacitor, both of its terminals of the capacitor are pre-discharged to ground or to a known predetermined voltage via transistors MN1 and MN2. The predetermined voltage can be programmable. The pre-determined voltage can be positive or negative. In some embodiments, p-type transistors are provided to pre-charge both terminals of capacitor 105 to a supply voltage or another predetermined voltage. The predetermined voltage can be programmable. The pre-determined voltage can be positive or negative. In some embodiments, the pre-charge or pre-discharge of the terminals of capacitor 105 (or nodes cn and n1) is done periodically by a clock signal Clk. The control can be a non-clock signal that is generated by a control logic (not shown). For example, the control can be issued every predetermined or programmable time. In some embodiments, both transistors MN1 and MN2 receive the same clock signal (e.g., Clk1). In some embodiments, transistors MN1 receives Clk1 and MN2 received Clk2, where Clk2 is different from Clk1. For example, Clk2 is phase shifted relative to Clk1. In some embodiments, one transistor is used to pre-charge or pre-discharge both terminals of capacitor 105. For example, drain terminal of transistor MN1 is coupled to both terminals of capacitor 105, and transistor MN2 is not used (and removed).

In some embodiments, the non-linear polar material of capacitor 105 includes one of: ferroelectric (FE) material, para-electric material, or non-linear dielectric. In various embodiments, para-electric material is the same as FE material but with chemical doping of the active ferroelectric ion by an ion with no polar distortion. In some cases, the non-polar ions are non-s orbital ions formed with p, d, f external orbitals. In some embodiments, non-linear dielectric are the same as para-electric materials, relaxors, and dipolar glasses.

In some embodiments, f-orbital materials (e.g., lanthanides) are doped to the ferroelectric material to make paraelectric material. Examples of room temperature paraelectric material include: BaTiO_3 , $\text{Ba}(x)\text{Sr}(y)\text{TiO}_3$ (where x is -0.5 , and y is 0.95).

In various embodiments, the FE material can be any suitable low voltage FE material that allows the FE material to switch its state by a low voltage (e.g., 100 mV). In some embodiments, the FE material comprises a perovskite of the type ABO_3 , where 'A' and 'B' are two cations of different sizes, and 'O' is oxygen which is an anion that bonds to both the cations. Generally, the size of atoms of A is larger than the size of B atoms. In some embodiments, the perovskite can be doped (e.g., by La or Lanthanides). Perovskites can be suitably doped to achieve a spontaneous distortion in a range of 0.3 to 2%. For example, for chemically substituted lead titanate such as Zr in Ti site; La, Nb in Ti site, the concentration of these substitutes is such that it achieves the spontaneous distortion in the range of 0.3 to 2%. For chemically substituted BiFeO_3 , BiCrO_3 , BiCoO_3 class of materials, La or rare earth substitution into the Bi site can

tune the spontaneous distortion. In some embodiments, the F materials include: SrTiO_3 , $\text{Ba}(x)\text{Sr}(y)\text{TiO}_3$ (where x is -0.05 , and y is 0.95), HfZrO_2 , Hf—Si—O , La-substituted PbTiO_3 , PMN-PT based relaxor ferroelectrics.

In some embodiments, the FE material comprises a stack of layers including low voltage FE material between (or sandwiched between) conductive oxides. In various embodiments, when FE material is a perovskite, the conductive oxides are of the type $\text{AA}'\text{BB}'\text{O}_3$. A' is a dopant for atomic site A, it can be an element from the Lanthanides series. B' is a dopant for atomic site B, it can be an element from the transition metal elements especially Sc, Ti, V, Cr, Mn, Fe, Co, Ni, Cu, Zn. A' may have the same valency of site A, with a different ferroelectric polarizability.

In some embodiments, the FE material comprises hexagonal ferroelectrics of the type h-RMnO_3 , where R is a rare earth element viz. cerium (Ce), dysprosium (Dy), erbium (Er), europium (Eu), gadolinium (Gd), holmium (Ho), lanthanum (La), lutetium (Lu), neodymium (Nd), praseodymium (Pr), promethium (Pm), samarium (Sm), scandium (Sc), terbium (Tb), thulium (Tm), ytterbium (Yb), and yttrium (Y). The ferroelectric phase is characterized by a buckling of the layered MnO_5 polyhedra, accompanied by displacements of the Y ions, which lead to a net electric polarization. In some embodiments, hexagonal FE includes one of: YMnO_3 or LuFeO_3 . In various embodiments, when the FE material comprises hexagonal ferroelectrics, the conductive oxides adjacent to the FE material are of A_2O_3 (e.g., In_2O_3 , Fe_2O_3) and ABO_3 type, where 'A' is a rare earth element and B is Mn.

In some embodiments, the FE material comprises improper FE material. An improper ferroelectric is a ferroelectric where the primary order parameter is an order mechanism such as strain or buckling of the atomic order. Examples of improper FE material are LuFeO_3 class of materials or super lattice of ferroelectric and paraelectric materials PbTiO_3 (PTO) and SnTiO_3 (STO), respectively, and LaAlO_3 (LAO) and STO, respectively. For example, a super lattice of $[\text{PTO}/\text{STO}]_n$ or $[\text{LAO}/\text{STO}]_n$, where 'n' is between 1 to 100. While various embodiments here are described with reference to ferroelectric material for storing the charge state, the embodiments are also applicable for paraelectric material. For example, the capacitor of various embodiments can be formed using paraelectric material instead of ferroelectric material.

In some embodiments, the FE material includes one of: Hafnium (Hf), Zirconium (Zr), Aluminum (Al), Silicon (Si), their oxides or their alloyed oxides. In some embodiments, FE material includes one of: $\text{Al}(1-x)\text{Sc}(x)\text{N}$, $\text{Ga}(1-x)\text{Sc}(x)\text{N}$, $\text{Al}(1-x)\text{Y}(x)\text{N}$ or $\text{Al}(1-x-y)\text{Mg}(x)\text{Nb}(y)\text{N}$, y doped HfO_2 , where x includes one of: Al, Ca, Ce, Dy, Er, Gd, Ge, La, Sc, Si, Sr, Sn, or Y, wherein 'x' is a fraction. In some embodiments, FE material includes Bismuth ferrite (BFO), lead zirconate titanate (PZT), BFO with doping material, or PZT with doping material, wherein the doping material is one of Nb or La; and relaxor FE such as PMN-PT.

In some embodiments, the FE material includes Bismuth ferrite (BFO), BFO with a doping material where in the doping material is one of Lanthanum, or any element from the lanthanide series of the periodic table. In some embodiments, the FE material includes lead zirconium titanate (PZT), or PZT with a doping material, wherein the doping material is one of La, Nb. In some embodiments, the FE material includes a relaxor ferro-electric includes one of lead magnesium niobate (PMN), lead magnesium niobate-lead titanate (PMN-PT), lead lanthanum zirconate titanate (PLZT), lead scandium niobate (PSN), Barium Titanium-

Bismuth Zinc Niobium Tantalum (BT-BZNT), Barium Titanium-Barium Strontium Titanium (BT-BST).

In some embodiments, the FE material includes Hafnium oxides of the form, $\text{Hf}_{1-x}\text{E}_x\text{O}_y$ where E can be Al, Ca, Ce, Dy, Er, Gd, Ge, La, Sc, Si, Sr, Sn, or Y. In some embodiments, the FE material includes Niobate type compounds LiNbO_3 , LiTaO_3 , Lithium iron Tantalum Oxy Fluoride, Barium Strontium Niobate, Sodium Barium Niobate, or Potassium strontium niobate.

Threshold in the FE material has a highly non-linear transfer function in the polarization vs. voltage response. The threshold is related to a) non-linearity of switching transfer function, and b) the squareness of the FE switching. The non-linearity of switching transfer function is the width of the derivative of the polarization vs. voltage plot. The squareness is defined by the ratio of the remnant polarization to the saturation polarization; perfect squareness will show a value of 1.

The squareness of the FE switching can be suitably manipulated with chemical substitution. For example, in PbTiO_3 a P-E (polarization-electric field) square loop can be modified by La or Nb substitution to create a S-shaped loop. The shape can be systematically tuned to ultimately yield a non-linear dielectric. The squareness of the FE switching can also be changed by the granularity of the FE layer. A perfectly epitaxial, single crystalline FE layer will show higher squareness (e.g., ratio is closer to 1) compared to a poly crystalline FE. This perfectly epitaxial can be accomplished by the use of lattice matched bottom and top electrodes. In one example, BiFeO_3 (BFO) can be epitaxially synthesized using a lattice matched SrRuO_3 bottom electrode yielding P-E loops that are square. Progressive doping with La will reduce the squareness.

In some embodiments, the FE material comprises multiple layers. For example, alternating layers of $[\text{Bi}_2\text{O}_2]^{2+}$, and pseudo-perovskite blocks ($\text{Bi}_4\text{Ti}_3\text{O}_{12}$ and related Aurivillius phases), with perovskite layers that are n octahedral layers in thickness can be used.

In some embodiments, the FE material comprises organic material. For example, Polyvinylidene fluoride or polyvinylidene difluoride (PVDF).

The FE material is between two electrodes. These electrodes are conducting electrodes. In some embodiments, the electrodes are perovskite templated conductors. In such a templated structure, a thin layer (e.g., approximately 10 nm) of a perovskite conductor (such as SrRuO_3) is coated on top of IrO_2 , RuO_2 , PdO_2 , or PtO_2 (which have a non-perovskite structure but higher conductivity) to provide a seed or template for the growth of pure perovskite ferroelectric at low temperatures. In some embodiments, when the ferroelectric comprises hexagonal ferroelectric material, the electrodes can have hexagonal metals, spinels, or cubic metals. Examples of hexagonal metals include: PtCoO_2 , PdCoO_2 , and other delafossite structured hexagonal metallic oxides such as Al-doped ZnO. Examples of spinels include Fe_3O_4 and LiV_2O_4 . Examples of cubic metals include Indium Tin Oxide (ITO) such as Sn-doped In_2O_3 .

The charge developed on node n1 produces a voltage and current that is the output of the majority gate 104. Any suitable driver 106 can drive this output. For example, a non-FE logic, FE logic, CMOS logic, BJT logic, etc. can be used to drive the output to a downstream logic. Examples of the drivers include inverters, buffers, NAND gates, NOR gates, XOR gates, amplifiers, comparators, digital-to-analog converters, analog-to-digital converters, etc. In various

11

embodiments, majority gate **104** coupled to inverter **106** forms a minority gate (majority-invert), resulting in a universal logic gate.

While FIG. **1B** illustrates a 3-input majority gate, the same concept can be extended to more than three inputs to make an N-input majority gate, where N is greater than two.

FIG. **2A** illustrates logic gate **200** with a 3-input threshold gate **204** which can operate as an AND or OR gate, in accordance with some embodiments. Logic gate is similar to logic gate **100** but for removing the third input Vin and adding an input Vbias. This additional input bias makes the logic gate a threshold gate **204**. Threshold gate **204** is referred to as a 3-input threshold gate because of the three inputs Vin1, Vin2, and Vbias. It can also be referred to as 2-input threshold gate if the Vbias input is not counted as a separate input. In various embodiments, threshold gate **204** comprises an additional capacitor Cbias that has one terminal coupled to node cn and another terminal coupled to Vbias. The material for capacitor Cbias can be the same as the material for capacitors C1, C2, and C3. For example, capacitor Cbias comprises non-ferroelectric material.

Vbias can be positive or negative voltage depending on the desired logic function of threshold gate **204**. Any suitable source can generate Vbias. For example, a bandgap reference generator, a voltage divider such as a resistor divider, a digital to analog converter (DAC), etc. can generate Vbias. Vbias can be fixed or programmable (or adjustable). For example, Vbias can be adjusted by hardware (e.g., fuses, register), or software (e.g., operating system). In some embodiments, when Vbias is positive, the majority function on node cn is an OR function. For example, the function at node cn is OR(Vin1, Vin2, 0). In some embodiments, when Vbias is negative, the majority function on node cn is an AND function. For example, the function at node cn is AND(Vin1, Vin2, 1). Table 2 and Table 3 summarizes the function of threshold gate **204**.

TABLE 2

Vin1	Vin2	Vbias	cn OR(Vin1, Vin2, Vbias)
0	0	positive	0
0	1	positive	1
1	0	positive	1
1	1	positive	1

TABLE 3

Vin1	Vin2	Vbias	cn AND(Vin1, Vin2, Vbias)
0	0	negative	0
0	1	negative	0
1	0	negative	0
1	1	negative	1

Compared to transitional CMOS AND logic gate and OR logic gate, here the AND function and OR function are performed by a network of capacitors. The output of the majority or threshold function on node cn is then stored in the non-linear polar capacitor **105**. This capacitor provides the final state of the logic in a non-volatile form. As such, the logic gate of various embodiments describes a non-volatile multi-input AND or OR gate with one or two transistors for pre-discharging or pre-charging nodes cn and n1. The silicon area of the AND or OR gates of various embodiments is orders of magnitude smaller than traditional AND or OR

12

gates. While FIG. **2A** illustrates a 3-input threshold gate, the same concept can be extended to more than 3 inputs to make an N-input threshold gate, where N is greater than 2 and an odd number.

FIG. **2B** illustrates logic gate **220** with a 5-input AND/OR majority gate **222** which can operate as a AND or OR gate with majority function, in accordance with some embodiments. For purposes of explaining the 5-input AND/OR majority gate **222**, consider the capacitances to be Cbias=C3=C4=C/2, C1=C, and C2=C with corresponding input potentials: Vbias=V_B, Vin3=V_A, Vin4=V_B, Vin1=V_C, and Vin2=V_s, where V_B=-V_o is a constant bias voltage and the rest are binary input voltages of +/-V_o for some yet to be determined V_o. Gate **222** has a function of (A AND B, C, S). Here, the AND gate function is absorbed into the majority gate at the cost of a bias voltage.

If both V_s=V_C=+V_o, then regardless of V_A, V_B, it is desired that the output is greater than V_c in magnitude, the coercive voltage. For V_A=V_B=-V_o, the average potential is expressed as:

$$V_F = \frac{C \cdot 2V_o - C/2 \cdot 2V_o - V_o \cdot C/2}{3.5C} \quad (11)$$

$$V_F = \frac{1}{7} V_o > V_c \cdot 4 \quad (12)$$

If V_A=V_B=+V_o and V_C=V_d=-V_o, the following is achieved:

$$V_F = \frac{-C \cdot 2V_o + C/2 \cdot 2V_o - V_o \cdot C/2}{3.5C} \quad (13)$$

$$V_F = -\frac{1}{7} V_o < -V_c \cdot 4 \quad (14)$$

To check the equivalence to an AND operation, consider V_A=-V_B=V_o, then

$$V_F = \frac{V_A + V_B - V_o}{3.5C} \quad (15)$$

$$V_F \in \left\{ -\frac{3}{7} V_o, -\frac{1}{7} V_o, \frac{1}{7} V_o \right\} \quad (16)$$

As designed, merely when V_A=V_B=+V_o, gate **222** produces a positive output. It is further observed that all outputs are greater than V_c by setting V_o>7V_c, in accordance with some embodiments.

Here, AND function is performed between Vin3 and Vin4, and the resulting output is used to perform majority function with Vin1 and Vin2, which is described as: Majority (Vin3 AND Vin4, Vin1, Vin2). Table 4 illustrates the truth table of AND majority gate **222**.

TABLE 4

Vin1	Vin2	Vin3	Vin4 AND Function	Vbias	cn AND(Vin1, Vin2, Vin3, Vin4, Vbias)
0	0	0	0	negative	0
0	0	0	1	negative	0
0	0	1	0	negative	0
0	0	1	1	negative	0
0	1	0	0	negative	0

TABLE 4-continued

Vin1	Vin2	Vin3	Vin4 AND Function	Vbias	cn AND(Vin1, Vin2, Vin3, Vin4, Vbias)
0	1	0	1	negative	0
0	1	1	0	negative	0
0	1	1	1	negative	1
1	0	0	0	negative	0
1	0	0	1	negative	0
1	0	1	0	negative	0
1	0	1	1	negative	1
1	1	0	0	negative	1
1	1	0	1	negative	1
1	1	1	0	negative	1
1	1	1	1	negative	1

In the OR majority function case, OR function is performed between Vin3 and Vin4, and the resulting output is used to perform majority function with Vin1 and Vin2, which is describe as: Majority (Vin3 OR Vin4, Vin1, Vin2). Table 5 illustrates the truth table of OR majority gate **222**.

TABLE 5

Vin1	Vin2	Vin3	Vin4 OR Function	Vbias	cn OR(Vin1, Vin2, Vin3, Vin4, Vbias)
0	0	0	0	positive	0
0	0	0	1	positive	0
0	0	1	0	positive	0
0	0	1	1	positive	0
0	1	0	0	positive	0
0	1	0	1	positive	1
0	1	1	0	positive	1
0	1	1	1	positive	1
1	0	0	0	positive	0
1	0	0	1	positive	1
1	0	1	0	positive	1
1	0	1	1	positive	1
1	1	0	0	positive	1
1	1	0	1	positive	1
1	1	1	0	positive	1
1	1	1	1	positive	1

Logic gate **222** can perform AND majority and OR majority functions depending on the bias value for Vbias. Here, merely two transistors (MN1 and MN2) that can be condensed to a single transistor for pre-charging or pre-discharging nodes cn and n1, are used while a complex function of AND majority and OR majority are realized.

In various embodiments, majority gate **222** coupled to inverter **106** forms a minority threshold gate (majority-invert threshold), resulting in a universal logic gate.

FIG. 3A illustrates waveforms **300** showing operation of 3-input majority gate of FIG. 1B, respectively, in accordance with some embodiments. FIG. 3A illustrates a majority function of inputs Vin1, Vin2, and Vin3.

FIGS. 3B-E illustrate waveforms **320**, **330**, **340**, and **350** showing operation of 5-input threshold gate with different Vbias values, respectively, in accordance with some embodiments.

FIG. 4A illustrates combination logic **400** which includes logic gate of FIG. 1B with a 3D (three-dimensional) view of the 3-input majority gate that couples to an inverter or buffer, in accordance with some embodiments. In this example, capacitors C1 (**401**), C2 (**402**), and C3 (**403**) are MIM capacitors that receive inputs Vin1, Vin2, and Vin3, respectively, on their first terminals from buffers or drivers **101**, **102**, and **103**, respectively. However, other types of capacitors can be used. For example, hybrid of metal and transistor

can be used to implement the capacitor. The second terminals of capacitors C1 (**401**), C2 (**402**), and C3 (**403**) are coupled to common node interconnect **404**. The output of drivers **101**, **102**, and **103** are Vin1d, Vin2d, and Vin3d, respectively. Interconnect **404** can be on any suitable metal layer. In some embodiments, interconnect **404** comprises a material which includes one or more of: Cu, Al, Ag, Au, Co, or W. In some embodiments, capacitors C1 (**401**), C2 (**402**), and C3 (**403**) are formed in the backend of the die. In some embodiments, capacitors C1 (**401**), C2 (**402**), and C3 (**403**) are formed in the frontend of the die. Interconnect **404** is coupled to a first terminal of non-linear polar capacitor **105**. In this example, capacitor **105** comprises ferroelectric material and hence labeled as C_{FE} . However, other non-linear polar material described herein can be used to fabricate capacitor **105**. The second terminal of capacitor **105** is coupled to node n1.

In some embodiments, capacitor **105** is a pillar capacitor. A pillar capacitor is taller than its width and allows for compact layout in the z-direction. In one embodiment, capacitors C1 (**401**), C2 (**402**), and C3 (**403**) are fabricated below or under pillar capacitor forming a vertical majority gate **104**.

FIG. 4B illustrates combinational logic **420** having logic gate of FIG. 1B with a 3D view of two 3-input majority gates that couple to an input of a 2-input NAND gate, in accordance with some embodiments. In this example, two majority gates provide inputs to NAND gate **425**. The first majority gate comprises capacitors C1a (**401a**), C2a (**402a**), and C3a (**403a**) coupled to node **401a**, and capacitor **105a** coupled to node **404a** and node n1a. Node n1a is coupled to the first input of NAND gate **425**. Inputs to capacitors C1a (**401a**), C2a (**402a**), and C3a (**403a**) may come from same drivers or different drivers. Input to drivers **101a**, **102a**, and **103a** are Vin1, Vin2, and Vin3, respectively. The output of drivers **101a**, **102a**, and **103a** are Vin1d, Vin2d, and Vin3d, respectively. Transistors MN1a and MN2a pre-discharge nodes **404a** and n1a. As described herein, one transistor can be used to pre-discharge nodes **401a** and n1a instead of two transistors. In some embodiments, transistors MN1a and MN1a are controlled by Clk1a and Clk2a, respectively. Here, Clk2a can be same as Clk1a or different. For example, Clk2a is phase shifted relative to Clk1a. Capacitor **105a** is a non-linear polar capacitor, which may comprises one of: ferroelectric material, para-electric material, and non-linear dielectric.

The second majority gate comprises capacitors C1b (**401b**), C2b (**402b**), and C3b (**403b**) coupled to node **401b**, and capacitor **105b** coupled to node **404b** and node n1b. Node n1b is coupled to the second input of NAND gate **425**. Inputs to capacitors C1b (**401b**), C2a (**402b**), and C3a (**403b**) may come from same drivers or different drivers. Input to drivers **101b**, **102b**, and **103b** are Vin4, Vin5, and Vin6, respectively. The output of drivers **101b**, **102b**, and **103b** are Vin4d, Vin5d, and Vin6d, respectively. Transistors MN1b and MN2b pre-discharge nodes **404b** and n1b. As described herein, one transistor can be used to pre-discharge nodes **401b** and n1b instead of two transistors. In some embodiments, the transistors MN1b and MN1b are controlled by Clk1b and Clk2b, respectively. Here, Clk2b can be same as Clk1b or different. For example, Clk2b is phase shifted relative to Clk1b. Capacitor **105b** is a non-linear polar capacitor, which may comprises one of: ferroelectric material, para-electric material, and non-linear dielectric.

In some embodiments, transistors for pre-charging or discharging nodes **404a**, **404b**, n1a, and n1b are shared between the majority gates. In some embodiments, one

15

transistor pre-charging or discharging nodes **404a**, **404b**, **n1a**, and **n1b** are shared between the majority gates. As such, further layout and power reduction is achieved. While each capacitor is shown associated with an independent driver, one driver can drive multiple capacitors of the same or different majority gates.

FIG. **4C** illustrates combinational logic **430** having logic gate of FIG. **1B** with a 3D view of two 3-input majority gates that couple to an input of a 2-input NOR gate, in accordance with some embodiments. Logic gate **430** is similar to logic gate **420** but for replacing the NAND gate **425** with NOR gate **435**. Other logic gates instead of NOR gate **435** can be used. For example, XOR gate, XNOR gate, or any other suitable gate can be used for driving the outputs **n1a** and **n1b**.

FIG. **4D** illustrates combinational logic **440** having logic gate of FIG. **1B** with a 3D view of multiple 3-input majority gates and regular logic gates that couple to inputs of a multi-input multiplexer, in accordance with some embodiments. Compared to FIG. **4A**, here the output driver is a n:1 multiplexer **445**. The inputs of multiplexer **445** are coupled to majority gates described with reference to FIGS. **4A-B**, other majority gates (MG) **446**, threshold gates, traditional combinational logic (CL) **447**. As such, an architecture that mixes different logic technologies can be used together and selectable using the select signal.

FIG. **5A** illustrates combinational logic **500** having a simplified version of the logic gate of FIG. **2A** with a 3D view of the 3-input threshold gate that couples to an inverter or buffer, in accordance with some embodiments. Here, 3-input threshold gate **204** is similar to majority gate of FIG. **4A** but for removing capacitor **C3** and its associated input and adding an extra capacitor **501** Cbias which is biased by Vbias. Vbias can be positive or negative. The various embodiments described with reference to FIG. **2** and FIG. **4A** are applicable here.

FIG. **5B** illustrates combinational logic **520** having a simplified version of the logic gate of FIG. **2A** with a 3D view of two 3-input threshold gates that couple to an input of a 2-input NAND gate, in accordance with some embodiments. Here, the two 3-input threshold gates of FIG. **4B** are replaced with two 3-input threshold gates. Each threshold gate has its associated capacitor **501**. For example, the first threshold gate has capacitor **501a** coupled to Vbias1, while the second threshold gate has capacitor **501b** coupled to Vbias2. Vbias1 and Vbias2 can be the same or different values depending on the desired logic. The various embodiments described with reference to FIG. **2A** and FIG. **4B** are applicable here.

FIG. **5C** illustrates combinational logic **530** having a simplified version of the logic gate of FIG. **2A** with a 3D view of two 3-input threshold gates that couple to an input of a 2-input NOR gate, in accordance with some embodiments. Here, the two 3-input threshold gates of FIG. **4B** are replaced with two 3-input threshold gates. Each threshold gate has its associated capacitor **501**. For example, the first threshold gate has capacitor **501a** coupled to Vbias1, while the second threshold gate has capacitor **501b** coupled to Vbias2. Vbias1 and Vbias2 can be the same or different values depending on the desired logic. The various embodiments described with reference to FIG. **2A** and FIG. **4C** are applicable here.

FIG. **5D** illustrates combinational logic **540** having a simplified version of the logic gate of FIG. **2B** with a 3D view of multiple 3-input threshold gates and regular logic gates that couple to inputs of a multi-input multiplexer, in accordance with some embodiments. Compared to FIG. **5A**, here the output driver is a n:1 multiplexer **445**. The inputs of

16

multiplexer **445** are coupled to threshold gates described with reference to FIGS. **5A-B**, other majority gates (MG) **446**, threshold gates, traditional combinational logic (CL) **447**. As such, an architecture that mixes different logic technologies can be used together and selectable using the select signal.

FIG. **6A** illustrates top-down layout **600** and corresponding cross-section **610** of a 3-input majority gate, respectively, in accordance with some embodiments. Layout **600** illustrates a compact layout of 3-input majority gate with a pitch of two minimum sized transistors MN1 and MN2. In some embodiments, Non-ferroelectric capacitors **C1**, **C2**, and **C3**, and non-linear polar capacitor (FE cap) are positioned in the same set of layers. For example, non-ferroelectric capacitors **C1**, **C2**, and **C3**, and non-linear polar capacitor (FE cap) are positioned in the place of via for metal layer 1 (M1) to metal layer 2 (M2).

In some embodiments, Non-ferroelectric capacitors **C1**, **C2**, and **C3**, and non-linear polar capacitor (FE cap) are positioned in different set of layers. For example, FE cap is formed above or below capacitors **C1**, **C2**, and **C3**.

Transistors M1 and M2 are in the frontend of the die. Inputs Vin1, Vin2, and Vin3 are on M2. Common node cn (also referred to as charge integration layer or node) is on M1 while node n1 is on M2. The charge node cn can be shared by linear capacitors (**C1**, **C2**, **C3**) and/or non-linear polar capacitor **104**. The charge node cn has one or more transistor coupled to ground or another predetermined voltage node. While non-ferroelectric capacitors **C1**, **C2**, and **C3**, and non-linear polar capacitor (FE cap) are positioned in location of M1-via-M2, then can be further located in the backend of the die. For example, non-ferroelectric capacitors **C1**, **C2**, and **C3**, and non-linear polar capacitor (FE cap) can be positioned in M4-via-M5 or higher. As such, lower metal layers are freed up for routing of other signals.

Transistors MN1 and/or MN2 can be a planar or non-planar transistors. In some embodiments, transistors MN1 and/or MN2 can be formed in the frontend or backend. In some embodiments, MN1 and/or MN2 are stacked transistors. In some embodiments, one or more of non-ferroelectric capacitors **C1**, **C2**, and **C3**, and non-linear polar capacitor (FE cap) are formed in the frontend or backend. While transistors MN1 and MN2 are illustrated as n-type transistors, they can be replaced with p-type transistors. In that case, nodes cn and n1 are pre-charged to a predetermined or programmable voltage. The transistors here can be Square Wire, Rectangular Ribbon Transistors, Gate All Around Cylindrical Transistors, Tunneling FETs (TFET), ferroelectric FETs (FeFETs), bi-polar transistors (BJT), BiCMOS, or other devices implementing transistors functionality, for instance, carbon nanotubes or spintronic devices. In some embodiments, the transistors are typical metal oxide semiconductor (MOS) transistors or their derivative including Tri-Gate and FinFET transistors. While MOSFET have symmetrical source and drain terminals, TFET device has asymmetric source and drain terminals.

Transistors MN1 and MN2 are formed in/on substrate **601**, and comprises respective source **602**, drain **603**, channel region **604**, source contact **608a**, drain contact **608b**, and gate comprising gate dielectric **605**, gate liners **606a** and **606b**; gate metal **607**.

Substrate **601** includes a suitable semiconductor material such as: single crystal silicon, polycrystalline silicon and silicon on insulator (SOI). In one embodiment, substrate **101** includes other semiconductor materials such as: Si, Ge, SiGe, or a suitable group III-V or group III-N compound.

The substrate **101** may also include semiconductor materials, metals, dopants, and other materials commonly found in semiconductor substrates.

In some embodiments, source region **602** and drain region **603** for each transistor are formed within substrate **601** adjacent to the gate stack of the transistor. The source region **602** and drain region **603** are generally formed using either an etching/deposition process or an implantation/diffusion process.

In the etching/deposition process, substrate **601** may first be etched to form recesses at the locations of the source **602** and drain **603** regions. An epitaxial deposition process may then be carried out to fill the recesses with material that is used to fabricate the source region **602** and drain region **603**. In the implantation/diffusion process, dopants such as boron, aluminum, antimony, phosphorous, or arsenic may be ion-implanted into the substrate to form the source region **602** and drain region **603**. An annealing process that activates the dopants and causes them to diffuse further into substrate **601** typically follows the ion-implantation process.

In some embodiments, one or more layers of metal and/or metal alloys are used to form the source region **602** and drain region **603**. In some embodiments, source region **602** and drain region **603** are formed using one or more alternate semiconductor materials such as germanium or a suitable group III-V compound. In some embodiments, source region **602** and drain region **603** are fabricated using a silicon alloy such as silicon germanium or silicon carbide. In some embodiments, the epitaxially deposited silicon alloy is doped in-situ with dopants such as boron, arsenic, or phosphorous.

The semiconductor material for channel region **604** may have the same material as substrate **601**, in accordance with some embodiments. In some embodiments, channel region **604** includes one of: Si, SiGe, Ge, and GaAs.

The gate dielectric layer **605** may include one layer or a stack of layers. The one or more layers may include high-k dielectric material, silicon oxide, and/or silicon dioxide (SiO₂). The high-k dielectric material may include elements such as: zinc, niobium, scandium, lanthanum, hafnium, silicon, strontium, oxygen, barium, titanium, zirconium, tantalum, aluminum, and lanthanum. Examples of high-k materials that may be used in the gate dielectric layer include: lead zinc niobate, hafnium oxide, lead scandium tantalum oxide, hafnium silicon oxide, yttrium oxide, aluminum oxide, lanthanum oxide, barium strontium titanium oxide, lanthanum aluminum oxide, titanium oxide, zirconium oxide, tantalum oxide, and zirconium silicon oxide. In some embodiments, when a high-k material is used, an annealing process is used on the gate dielectric layer **605** to improve its quality.

In some embodiments, a pair of liner layers (sidewall liners) **606a/b** are formed on opposing sides of the gate stack that bracket the gate stack. The pair of liner layers **606a/b** are formed from a material such as: silicon oxynitride, silicon nitride, silicon nitride doped with carbon, or silicon carbide. Processes for forming sidewall liners are well-known in the art and generally include deposition and etching process operations. In some embodiments, a plurality of liner pairs may be used. For example, two pairs, three pairs, or four pairs of sidewall liners may be formed on opposing sides of the gate stack.

Gate metal layer **607** may comprise at least one P-type work-function metal or N-type work-function metal, depending on whether the transistor is to be a p-type or an n-type transistor. Gate metal layer **607** may comprise a stack

of two or more metal layers, where one or more metal layers are work-function metal layers and at least one metal layer is a conductive fill layer.

For an n-type transistor, metals that may be used for the gate metal layer **607** include: aluminum carbide, tantalum carbide, zirconium carbide, and hafnium carbide. In some embodiments, metal for gate metal layer **607** for n-type transistor include: aluminum, hafnium, zirconium, titanium, tantalum, and their alloys. An n-type metal layer will enable the formation of an n-type gate metal layer **607** with a work function that is between about 3.9 eV and about 4.2 eV. In some embodiments, metal of layer **607** includes one of: TiN, TiSiN, TaN, Cu, Al, Au, W, TiSiN, or Co. In some embodiments, metal of layer **107** includes one or more of: Ti, N, Si, Ta, Cu, Al, Au, W, or Co.

For a p-type transistor, metals that are used for gate metal layer **607** include, but are not limited to, ruthenium, palladium, platinum, cobalt, nickel, and conductive metal oxides. An example of conductive oxide includes ruthenium oxide. A p-type metal layer will enable the formation of a p-type gate metal layer **607** with a work function that is between about 4.9 eV and about 5.2 eV.

Any suitable material can be used for drain and source contacts **608a/b** and via **609a/b**. For example, one or more of Ti, N, Si, Ta, Cu, Al, Au, W, or Co can be used for drain and source contacts **608a/b** and via **609a/b**. The gate electrodes **607** may be connected to Clk1 and CLk2 directly or through vias and metal layers **616** and **617**, respectively. Node n1 is connected to another logic. Drivers (not shown) drive signals on nodes Vin1, Vin, and Vin3.

FIG. 6B illustrate top-down layout **620** and corresponding cross-section **660** of a 3-input threshold gate, respectively, in accordance with some embodiments. FIG. 6B is similar to FIG. 6A but for replacing Vin3 with Vbias and replacing C3 with Cbias.

The cross-sections of FIGS. 6A-B, are fabricated using a sequenced semiconductor metal processing. This process comprises forming gated semiconductor devices for example, FinFET, nanowire FETs, TFETs, etc. The functional polar material (e.g., C1, C2, C3, FE Cap), linear dielectrics, non-linear dielectrics, FE, para-electrics, are inserted into one of via0, vial, via2, etc. In some embodiments, the functional polar material can be inserted into a layer reserved for a metal interconnect layer. Either plate of the functional polar material is connected to a known voltage node via a clocked or gated transistor. A charge integration node sharing one of the electrode of the capacitors or functional polar materials is formed in a interconnect layer. Vias for polar materials can be placed close to conductive vias in close proximity. This is unlike a traditional memory integration. The close integration of conductive vias with polar material via provides flexibility for logic and circuit design. The formation of the vias is accomplished with a self-aligned backend of line integration, which in some cases uses EUV (extreme ultra violet) lithography. In some embodiments, polar functional material (e.g., non-linear dielectrics, para-electrics, FE) are co-located in the same interconnect layer as the capacitors C1, C2, and C3. In some embodiments, polar functional material (e.g., non-linear dielectrics, para-electrics, FE) are not co-located in the same interconnect layer as the capacitors C1, C2, and C3. The polar material is contacted to the gates of a CMOS (or other technology) logic circuit **106** (e.g., NAND, NOR, buffer, inverter). The FE cap **105** further comprises a material stack with conductive inter-diffusion barrier, template

starter, a polar material, and other functional layers. The FE-Cap **105** may use a conductive pedestal and insulating protective sidewalls.

FIG. **7** illustrates system-on-chip (SOC) **700** that uses the low voltage logic gates, in accordance with some embodiments. SOC **700** comprises memory **701** having static random-access memory (SRAM) or FE based random access memory FE-RAM, or any other suitable memory. The memory can be non-volatile (NV) or volatile memory. Memory **701** may also comprise logic **703** to control memory **702**. For example, write and read drivers are part of logic **703**. These drivers and other logic are implemented using the majority or threshold gates of various embodiments. The logic can comprise majority or threshold gates and traditional logic (e.g., CMOS based NAND, NOR etc.).

SOC further comprises a memory I/O (input-output) interface **704**. The interface may be double-data rate (DDR) compliant interface or any other suitable interface to communicate with a processor. Processor **705** of SOC **700** can be a single core or multiple core processor. Processor **705** can be a general purpose processor (CPU), a digital signal processor (DSP), or an Application Specific Integrated Circuit (ASIC) processor. In some embodiments, processor **705** is an artificial intelligence (AI) processor (e.g., a dedicated AI processor, a graphics processor configured as an AI processor).

AI is a broad area of hardware and software computations where data is analyzed, classified, and then a decision is made regarding the data. For example, a model describing classification of data for a certain property or properties is trained over time with large amounts of data. The process of training a model requires large amounts of data and processing power to analyze the data. When a model is trained, weights or weight factors are modified based on outputs of the model. Once weights for a model are computed to a high confidence level (e.g., 95% or more) by repeatedly analyzing data and modifying weights to get the expected results, the model is deemed “trained.” This trained model with fixed weights is then used to make decisions about new data. Training a model and then applying the trained model for new data is hardware intensive activity. In some embodiments, AI processor **405** has reduced latency of computing the training model and using the training model, which reduces the power consumption of such AI processor systems.

Processor **705** may be coupled to a number of other chip-lets that can be on the same die as SOC **700** or on separate dies. These chip-lets include connectivity circuitry **706**, I/O controller **707**, power management **708**, and display system **709**, and peripheral connectivity **710**.

Connectivity **706** represents hardware devices and software components for communicating with other devices. Connectivity **706** may support various connectivity circuitries and standards. For example, connectivity **706** may support GSM (global system for mobile communications) or variations or derivatives, CDMA (code division multiple access) or variations or derivatives, TDM (time division multiplexing) or variations or derivatives, 3rd Generation Partnership Project (3GPP) Universal Mobile Telecommunications Systems (UMTS) system or variations or derivatives, 3GPP Long-Term Evolution (LTE) system or variations or derivatives, 3GPP LTE-Advanced (LTE-A) system or variations or derivatives, Fifth Generation (5G) wireless system or variations or derivatives, 5G mobile networks system or variations or derivatives, 5G New Radio (NR) system or variations or derivatives, or other cellular service

standards. In some embodiments, connectivity **706** may support non-cellular standards such as WiFi.

I/O controller **707** represents hardware devices and software components related to interaction with a user. I/O controller **707** is operable to manage hardware that is part of an audio subsystem and/or display subsystem. For example, input through a microphone or other audio device can provide input or commands for one or more applications or functions of SOC **700**. In some embodiments, I/O controller **707** illustrates a connection point for additional devices that connect to SOC **700** through which a user might interact with the system. For example, devices that can be attached to the SOC **700** might include microphone devices, speaker or stereo systems, video systems or other display devices, keyboard or keypad devices, or other I/O devices for use with specific applications such as card readers or other devices.

Power management **708** represents hardware or software that perform power management operations, e.g., based at least in part on receiving measurements from power measurement circuitries, temperature measurement circuitries, charge level of battery, and/or any other appropriate information that may be used for power management. By using majority and threshold gates of various embodiments, non-volatility is achieved at the output of these logic. Power management **708** may accordingly put such logic into low power state without the worry of losing data. Power management may select a power state according to Advanced Configuration and Power Interface (ACPI) specification for one or all components of SOC **700**.

Display system **709** represents hardware (e.g., display devices) and software (e.g., drivers) components that provide a visual and/or tactile display for a user to interact with the processor **705**. In some embodiments, display system **709** includes a touch screen (or touch pad) device that provides both output and input to a user. Display system **709** may include a display interface, which includes the particular screen or hardware device used to provide a display to a user. In some embodiments, the display interface includes logic separate from processor **705** to perform at least some processing related to the display.

Peripheral connectivity **710** may represent hardware devices and/or software devices for connecting to peripheral devices such as printers, chargers, cameras, etc. Peripheral connectivity **710** may support communication protocols, e.g., PCIe (Peripheral Component Interconnect Express), USB (Universal Serial Bus), Thunderbolt, High Definition Multimedia Interface (HDMI), Firewire, etc.

Reference in the specification to “an embodiment,” “one embodiment,” “some embodiments,” or “other embodiments” means that a particular feature, structure, or characteristic described in connection with the embodiments is included in at least some embodiments, but not necessarily all embodiments. The various appearances of “an embodiment,” “one embodiment,” or “some embodiments” are not necessarily all referring to the same embodiments. If the specification states a component, feature, structure, or characteristic “may,” “might,” or “could” be included, that particular component, feature, structure, or characteristic is not required to be included. If the specification or claim refers to “a” or “an” element, that does not mean there is only one of the elements. If the specification or claims refer to “an additional” element, that does not preclude there being more than one of the additional elements.

Furthermore, the particular features, structures, functions, or characteristics may be combined in any suitable manner in one or more embodiments. For example, a first embodi-

ment may be combined with a second embodiment anywhere the particular features, structures, functions, or characteristics associated with the two embodiments are not mutually exclusive.

While the disclosure has been described in conjunction with specific embodiments thereof, many alternatives, modifications and variations of such embodiments will be apparent to those of ordinary skill in the art in light of the foregoing description. The embodiments of the disclosure are intended to embrace all such alternatives, modifications, and variations as to fall within the broad scope of the appended claims.

In addition, well-known power/ground connections to integrated circuit (IC) chips and other components may or may not be shown within the presented figures, for simplicity of illustration and discussion, and so as not to obscure the disclosure. Further, arrangements may be shown in block diagram form in order to avoid obscuring the disclosure, and also in view of the fact that specifics with respect to implementation of such block diagram arrangements are highly dependent upon the platform within which the present disclosure is to be implemented (i.e., such specifics should be well within purview of one skilled in the art). Where specific details (e.g., circuits) are set forth in order to describe example embodiments of the disclosure, it should be apparent to one skilled in the art that the disclosure can be practiced without, or with variation of, these specific details. The description is thus to be regarded as illustrative instead of limiting.

Following examples are provided that illustrate the various embodiments. The examples can be combined with other examples. As such, various embodiments can be combined with other embodiments without changing the scope of the invention.

Example 1: An apparatus comprising: a node; a first capacitor having a first terminal to receive a first input, and a second terminal coupled to the node; a second capacitor having a first terminal to receive a second input, and a second terminal coupled to the node; a third capacitor having a first terminal to receive a third input, and a second terminal coupled to the node; a logic having an input and an output; and a capacitor comprising non-linear polar material, wherein the capacitor includes a first terminal coupled to the node and a second terminal coupled to the input of the logic.

Example 2: The apparatus of example 1, wherein the first, second, and third capacitors are non-ferroelectric capacitors.

Example 3: The apparatus of example 2, wherein the non-ferroelectric capacitors includes one of: a dielectric capacitor, para-electric capacitor, or non-linear dielectric capacitor.

Example 4: The apparatus of example 1 comprises: a first transistor coupled to the node, wherein first transistor is controllable by a first clock; and a second transistor coupled to the input of the logic, wherein the second transistor is controllable by a second clock.

Example 5: The apparatus of example 4, wherein the second clock is different from the first clock.

Example 6: The apparatus of example 4, wherein the second clock is the same as the first clock.

Example 7: The apparatus of example 4, wherein the second clock is an inverse of the first clock.

Example 8: The apparatus of example 1 comprises: a first driver to generate the first input; a second driver to generate the second input; and a third driver to generate the third input.

Example 9: The apparatus of example 5, wherein the first, second, and third drivers comprise CMOS transistors.

Example 10: The apparatus of example 1, wherein the logic comprise one or more of: a buffer, a CMOS inverter, a NAND gate, a NOR gate, a multiplexer.

Example 11: The apparatus of claim 1, wherein the first, second, and third capacitors comprises one of: metal-insulator-metal (MIM) capacitor, transistor gate capacitor, hybrid of metal and transistor capacitor; capacitor comprising para-electric material; non-linear dielectric capacitor, or linear dielectric capacitor.

Example 12: The apparatus of example 1, wherein the non-linear polar material includes one of: ferroelectric material, para-electric material, or non-linear dielectric.

Example 13: The apparatus of example 12, wherein the ferroelectric material includes one of: Bismuth ferrite (BFO), BFO with a doping material where in the doping material is one of Lanthanum, or elements from lanthanide series of periodic table; Lead zirconium titanate (PZT), or PZT with a doping material, wherein the doping material is one of La, Nb; a relaxor ferroelectric includes one of lead magnesium niobate (PMN), lead magnesium niobate-lead titanate (PMN-PT), lead lanthanum zirconate titanate (PLZT), lead scandium niobate (PSN), Barium Titanium-Bismuth Zinc Niobium Tantalum (BT-BZNT), Barium Titanium-Barium Strontium Titanium (BT-BST); perovskite includes one of: BaTiO_3 , PbTiO_3 , KNbO_3 , or NaTaO_3 ; hexagonal ferroelectric includes one of: YMnO_3 , or LuFeO_3 ; hexagonal ferroelectrics of a type h-RMnO_3 , where R is a rare earth element viz. cerium (Ce), dysprosium (Dy), erbium (Er), europium (Eu), gadolinium (Gd), holmium (Ho), lanthanum (La), lutetium (Lu), neodymium (Nd), praseodymium (Pr), promethium (Pm), samarium (Sm), scandium (Sc), terbium (Tb), thulium (Tm), ytterbium (Yb), or yttrium (Y); Hafnium (Hf), Zirconium (Zr), Aluminum (Al), Silicon (Si), their oxides or their alloyed oxides; Hafnium oxides of the form, $\text{Hf}_{1-x}\text{O}_y$ where E can be Al, Ca, Ce, Dy, Er, Gd, Ge, La, Sc, Si, Sr, Sn, Y; $\text{Al}_{1-x}\text{Sc}_x\text{N}$, $\text{Ga}_{1-x}\text{Sc}_x\text{N}$, $\text{Al}_{1-x}\text{Y}_x\text{N}$ or $\text{Al}_{1-x-y}\text{Mg}_x\text{Nb}_y\text{N}$, y doped HfO_2 , where x includes one of: Al, Ca, Ce, Dy, Er, Gd, Ge, La, Sc, Si, Sr, Sn, or Y, wherein 'x' is a fraction; Niobate type compounds LiNbO_3 , LiTaO_3 , Lithium iron Tantalum Oxy Fluoride, Barium Strontium Niobate, Sodium Barium Niobate, Potassium strontium niobate; or improper ferroelectric includes one of: $[\text{PTO}/\text{STO}]_n$ or $[\text{LAO}/\text{STO}]_n$, where 'n' is between 1 to 100.

Example 14: The apparatus of example 1, wherein the capacitor comprising non-linear polar material is positioned in a backend of a die, and wherein the logic is positioned in a frontend of the die.

Example 15: The apparatus of example 1, wherein the first, second, and third inputs are digital inputs, analog inputs, or a combination of them.

Example 16: An apparatus comprising: first, second, and third drivers to generate first, second, and third digital signals, respectively; first, second, and third non-ferroelectric capacitors to receive the first, second, and third digital signals, respectively; a node to sum charges of the first, second, and third non-ferroelectric capacitors; a ferroelectric capacitor to store the summed charge; and a CMOS logic to drive a voltage of the ferroelectric capacitor.

Example 17: The apparatus of example 16 comprising: a first pull-down device to discharge the node; and a second pull-down device to discharge an input of the CMOS logic.

Example 18: An apparatus comprising: a first circuitry to receive at least three digital signals and apply linear summation to the at least three digital signals, and generate a summed output; and a device to receive the summed output and apply non-linear function via a non-linear polar mate-

23

rial, wherein the device to generate a non-linear output compared to the summed output; and a third circuitry to convert the non-linear output to a digital output.

Example 19: The apparatus of example 18, wherein the first circuitry comprises first, second, and third non-ferroelectric capacitors to receive the at least three digital signals, respectively.

Example 20: The apparatus of example 18, wherein non-linear polar material stores the summed output, wherein the non-linear polar material includes one of: ferroelectric material, para-electric material, or non-linear dielectric.

Example 21: The apparatus of example 18, wherein the third circuitry comprises one of: a buffer, an inverter, a NAND gate, or NOR gate, or a multiplexer.

Example 22: A system comprising: a processor; a communication interface communicatively coupled to the processor; and a memory coupled to the processor, wherein the processor comprises a majority gate logic which includes: a node; a first capacitor having a first terminal to receive a first digital input, and a second terminal coupled to the node; a second capacitor having a first terminal to receive a second digital input, and a second terminal coupled to the node; a third capacitor having a first terminal to receive a third digital input, and a second terminal coupled to the node; and a capacitor comprising ferroelectric material, wherein the capacitor includes a first terminal coupled to the node; wherein the processor includes: a logic having an input and an output, wherein the capacitor includes a second terminal coupled to the input of the logic.

Example 23: The system of example 22, wherein the processor is one of an accelerator or an artificial intelligence (AI) processor.

Example 24: The system of example 22 comprising a first Boolean driver to generate the first digital input; a second Boolean driver to generate the second digital input; and a third Boolean driver to generate the third digital input.

An abstract is provided that will allow the reader to ascertain the nature and gist of the technical disclosure. The abstract is submitted with the understanding that it will not be used to limit the scope or meaning of the claims. The following claims are hereby incorporated into the detailed description, with each claim standing on its own as a separate embodiment.

We claim:

1. An apparatus comprising:

a first majority gate having a first set of inputs and a first output;

a reset mechanism coupled to the first majority gate;

a second majority gate having a second set of inputs and a second output; and

a selection circuitry to receive the first output and the second output, wherein the selection circuitry is to generate an output based, at least in part, on a control, and wherein the control is to cause the selection circuitry to select one of the first output or the second output as the output.

2. The apparatus of claim 1, wherein the first majority gate includes ferroelectric material which is doped with Mn.

3. The apparatus of claim 1, wherein the second majority gate includes ferroelectric material which is doped with Mn.

4. The apparatus of claim 1, comprises a combinational logic having a third set of inputs and a third output, wherein the third output is received by the selection circuitry.

5. The apparatus of claim 1, wherein the reset mechanism is a first reset mechanism, and wherein the apparatus comprises a second reset mechanism coupled to the second majority gate.

24

6. The apparatus of claim 1, wherein the first majority gate includes non-linear polar material.

7. The apparatus of claim 6, wherein the non-linear polar material includes one of a ferroelectric material, a paraelectric material, or a non-linear dielectric.

8. The apparatus of claim 1, wherein the first majority gate includes:

a node to generate a majority function of the first set of inputs; and

a capacitor having a first terminal and a second terminal, wherein the first terminal is connected to the node, wherein the second terminal is connected to the first output, and wherein the capacitor includes non-linear polar material.

9. The apparatus of claim 8, wherein the capacitor is a first capacitor, and wherein the apparatus comprises:

a second capacitor having a first terminal to receive a first input, and a second terminal coupled to the node;

a third capacitor having a first terminal to receive a second input, and a second terminal coupled to the node; and

a fourth capacitor having a first terminal to receive a third input, and a second terminal coupled to the node, wherein the first set of inputs includes the first input, the second input, and the third input.

10. The apparatus of claim 9, wherein the second capacitor, the third capacitor, and the fourth capacitor comprise a ferroelectric material which is doped.

11. An apparatus comprising:

a majority gate having a first set of inputs and a first output, wherein the first output is operable to be reset, and wherein the majority gate includes a non-linear polar material;

a combinational logic gate having a second set of inputs and a second output; and

a selection circuitry to receive the first output and the second output, wherein the selection circuitry is to generate an output based, at least in part, on a control, and wherein the control is to cause the selection circuitry to select one of the first output or the second output as the output.

12. The apparatus of claim 11, wherein the majority gate includes:

a node to generate a majority function of the first set of inputs; and

a capacitor having a first terminal and a second terminal, wherein the first terminal is connected to the node, and wherein the second terminal is connected to the first output, wherein the capacitor includes the non-linear polar material.

13. The apparatus of claim 12, wherein the capacitor is a first capacitor, and wherein the apparatus comprises:

a second capacitor having a first terminal to receive a first input, and a second terminal coupled to the node;

a third capacitor having a first terminal to receive a second input, and a second terminal coupled to the node; and

a fourth capacitor having a first terminal to receive a third input, and a second terminal coupled to the node, wherein the first set of inputs includes the first input, the second input, and the third input.

14. The apparatus of claim 11, wherein the majority gate includes ferroelectric material which is doped with Mn.

15. A system comprising:

a processor circuitry to execute one or more instructions;

a memory to store the one or more instructions; and

a communication interface coupled to the processor circuitry and the memory, wherein the processor circuitry includes:

a majority gate having a first set of inputs and a first output;
 a combinational gate having a second set of inputs and a second output; and
 a selection circuitry to receive the first output and the second output, wherein the selection circuitry is to generate an output based, at least in part, on a control, and wherein the control is to cause the selection circuitry to select one of the first output or the second output as the output.

16. The system of claim **15**, wherein the majority gate includes ferroelectric material which is doped with Mn.

17. The system of claim **15**, wherein the majority gate includes:

a node to generate a majority function of the first set of inputs; and

a capacitor having a first terminal and a second terminal, wherein the first terminal is connected to the node, and wherein the second terminal is connected to the first output, wherein the capacitor includes a non-linear polar material.

18. The system of claim **17**, wherein the capacitor is a first capacitor, and wherein the processor circuitry comprises:

a second capacitor having a first terminal to receive a first input, and a second terminal coupled to the node;

a third capacitor having a first terminal to receive a second input, and a second terminal coupled to the node; and

a fourth capacitor having a first terminal to receive a third input, and a second terminal coupled to the node, wherein the first set of inputs includes the first input, the second input, and the third input.

* * * * *