



US005858580A

United States Patent [19]
Wang et al.

[11] **Patent Number:** **5,858,580**
[45] **Date of Patent:** **Jan. 12, 1999**

[54] **PHASE SHIFTING CIRCUIT
MANUFACTURE METHOD AND
APPARATUS**

[75] Inventors: **Yao-Ting Wang**, Sunnyvale; **Yagyensh
C. Pati**, Redwood City, both of Calif.

[73] Assignee: **Numerical Technologies, Inc.**,
Sunnyvale, Calif.

[21] Appl. No.: **931,921**

[22] Filed: **Sep. 17, 1997**

5,620,816 4/1997 Dao 430/5
5,663,017 9/1997 Schinella et al. 430/5

OTHER PUBLICATIONS

Lin, B.J., "Phase-Shifting Masks Gain an Edge", IEEE
Circuits and Devices, New York, Mar. 1993, pp. 28-35.
Levenson, M. et al., "Improving Resolution in Photolithog-
raphy with a Phase-Shifting Mask", IEEE Transactions on
Electron Devices, vol. ED-29, No. 12, Dec. 1982, pp.
1828-1836.

Primary Examiner—S. Rosasco
Attorney, Agent, or Firm—Wilson Sonsini Goodrich &
Rosati

Related U.S. Application Data

[60] Provisional application No. 60/025,972, Sep. 18, 1996.

[51] **Int. Cl.** ⁶ **G03F 9/00**

[52] **U.S. Cl.** **430/5**

[58] **Field of Search** 430/5, 322, 394,
430/311

References Cited


U.S. PATENT DOCUMENTS

5,302,477 4/1994 Dao et al. 430/5
5,308,741 5/1994 Kemp 430/312
5,328,807 7/1994 Tanaka et al. 430/311
5,352,550 10/1994 Okamoto 430/5
5,364,716 11/1994 Nakagawa et al. 430/5
5,573,890 11/1996 Spence 430/311

[57] **ABSTRACT**

A method and apparatus for creating a phase shifting mask
and a structure mask for shrinking integrated circuit designs.
One embodiment of the invention includes using a two mask
process. The first mask is a phase shift mask and the second
mask is a single phase structure mask. The phase shift mask
primarily defines regions requiring phase shifting. The
single phase structure mask primarily defines regions not
requiring phase shifting. The single phase structure mask
also prevents the erasure of the phase shifting regions and
prevents the creation of undesirable artifact regions that
would otherwise be created by the phase shift mask. Both
masks are derived from a set of masks used in a larger
minimum dimension process technology.

12 Claims, 5 Drawing Sheets






Figure 1 (Prior Art)




Figure 2




Figure 3




Figure 4




Figure 5

PHASE SHIFTING CIRCUIT MANUFACTURE METHOD AND APPARATUS

1. RELATED APPLICATIONS

This application relates to, claims benefit of the filing date of, and incorporates by reference, the United States provisional patent application entitled, "Transistor Manufacturing Using Phase Shifting," having Ser. No. 60/025,972, and filed Sep. 18, 1996, and which is assigned to the assignee of the present invention.

2. THE BACKGROUND OF THE INVENTION

a. The Field of the Invention

This invention relates to the field of integrated circuit manufacturing. In particular, the invention relates to phase shifting techniques in the optical lithography patterning process.

b. Background Information

Lithography processing is a required and essential technology when manufacturing conventional integrated circuits. Many lithography techniques exist, and all lithography techniques are used for the purpose of defining geometries, features, lines, or shapes onto an integrated circuit die or wafer. In general, a radiation sensitive material, such as photoresist, is coated over a top surface of a die or wafer to selectively allow for the formation of the desired geometries, features, lines, or shapes.

One known method of lithography is optical lithography. The optical lithography process generally begins with the formation of a photoresist layer on the top surface of a semiconductor wafer. A mask having fully light non-transmissive opaque regions, which are usually formed of chrome, and fully light transmissive clear regions, which are usually formed of quartz, is then positioned over the aforementioned photoresist coated wafer. Light is then shone on the mask via a visible light source or an ultra-violet light source. In almost all cases, the light is reduced and focused via an optical lens system which contains one or several lenses, filters, and or mirrors. This light passes through the clear regions of the mask and exposes the underlying photoresist layer, and is blocked by the opaque regions of the mask, leaving that underlying portion of the photoresist layer unexposed. The exposed photoresist layer is then developed, typically through chemical removal of the exposed/non-exposed regions of the photoresist layer. The end result is a semiconductor wafer coated with a photoresist layer exhibiting a desired pattern. This pattern can then be used for etching underlying regions of the wafer.

In recent years, there has been great demand to increase the number of transistors on a given size wafer. Meeting this demand has meant that integrated circuit designers have had to design circuits with smaller minimum dimensions. However, prior to the work of Levenson, et. al., as reported in "Improving Resolution in Photolithography with a Phase Shifting Mask," IEEE Transactions on Electron Devices, VOL., ED-29, November 12, December 1982, pp. 1828-1836, it was found that the traditional optical lithography process placed real limits on the minimum realizable dimension due to diffraction effects. For, at integrated circuit design feature sizes of 0.5 microns or less, the best resolution has demanded a maximum obtainable numerical aperture (NA) of the lens systems. However, as the depth of field of the lens system is inversely proportional to the NA, and since the surface of the integrated circuit could not be

optically flat, good focus could not be obtained when good resolution was obtained and vice versa. Thus, as the minimum realizable dimension is reduced in manufacturing processes for semiconductors, the limits of optical lithography technology are being reached. In particular, as the minimum dimension approaches 0.1 microns, traditional optical lithography techniques will not work effectively.

One technique, described by Levenson, et. al., to realize smaller minimum device dimensions, is called phase shifting. In phase shifting, the destructive interference caused by two adjacent clear areas in an optical lithography mask is used to create an unexposed area on the photoresist layer. This is accomplished by making use of the fact that light passing through a mask's clear regions exhibits a wave characteristic such that the phase of the amplitude of the light exiting from the mask material is a function of the distance the light travels in the mask material. This distance is equal to the thickness of the mask material. By placing two clear areas adjacent to each other on a mask, one of thickness t_1 and the other of thickness t_2 , one can obtain a desired unexposed area on the photoresist layer through interference. For, by making the thickness t_2 such that $(n-1)(t_2)$ is exactly equal to $\frac{1}{2}\lambda$, where λ is the wavelength of the light shone through the mask material, and n is the refractive index of the material of thickness t_1 , the amplitude of the light exiting the material of thickness t_2 will be 180 degrees out of phase with the light exiting the material of thickness t_1 . Since the photoresist material is responsive to the intensity of the light, and the opposite phases of light cancel where they overlap, a dark unexposed area will be formed on the photoresist layer at the point where the two clear regions of differing thicknesses are adjacent. Phase shifting masks are well known and have been employed in various configurations as set out by B. J. Lin in the article, "Phase-Shifting Masks Gain an Edge," Circuits and Devices, March 1993, pp. 28-35. The configuration described above has been called alternating phase shift masking (APSM). In comparing the various phase shifting configurations, researchers have shown that the APSM method can achieve dimension resolution of 0.25 microns and below.

One problem with the APSM method is that dark lines on the photoresist layer are created at all areas corresponding to 0 degree to 180 degree transitions in the mask. These dark lines, unless part of the desired end structure, should be erased at some point in the processing of the wafer.

Another problem is that the APSM method does not lend itself well to process technology shrinking. Traditionally, designers design an integrated circuit for a predetermined minimum realizable dimension. However, because process technologies can require a considerable amount of time to fine tune, the integrated circuit is first manufactured using a process technology that does not support the designed for speed and has a larger minimum dimension. Often, a first set of masks are created to manufacture the integrated circuits at the larger dimension. As the process technology improves, the minimum realizable dimension decreases. Additional mask sets are created for each new minimum dimension process. These masks are generally created using software driven machines to automatically manufacture the masks given the design features needed. However, due to the complexity of the masks needed to erase the aforementioned unwanted dark lines created when the APSM method is used, these masks have not generally been able to be designed automatically by mask creation programs. This has required mask designers to expend large amounts of time and money manually creating mask layouts when the APSM method is used.

Spence, U.S. Pat. No. 5,573,890, reveals one method to overcome these problems. Spence discloses a system in which phase shifting is used to shrink integrated circuit design, specifically to shrink transistor gate lengths, where the masks used are computer designed. The computer designs a mask or masks which achieve(s) the required minimum dimension and which provide for the removal of the unwanted dark lines created by the APSM method. In a disclosed single mask method, Spence uses transition regions to compensate for the unwanted dark lines that would have been produced where there were 0 degree to 180 degree transitions in the mask. The problem with this single mask method is that the single mask that results is complicated and difficult to manufacture. Further, the mask that is produced is very unlike the design of the circuit from a visual standpoint, thus making it difficult for designers to visually double check their work.

Spence also discloses a two mask method which is illustrated in FIG. 1. Old mask **100** represents a typical mask that would be used to produce a structure having a transistor of old gate length **109**, which is wide enough to be achieved using traditional optical lithography techniques with no phase shifting. New gate length **159** is the desired transistor gate length that is smaller than the smallest dimension realizable through the process of traditional optical lithography. Spence uses a phase shift and structure mask **110** and a trim mask **120** in order to achieve the new gate length **159** and to remove the unwanted dark lines created by the phase shift method, respectively. The phase shift and structure mask **110** is designed such that it contains both a structure chrome area **113**, which is the same shape as the desired polysilicon structure of the circuit, and a phase shifter consisting of a 180 degree phase clear area **112** adjacent to a 0 degree phase clear area **111**. When light is shined on the phase shift and structure mask **110**, the phase shift and structure image **130** is created on the underlying photoresist layer. The phase shift and structure image **130** contains the desired final structure dark area **133** and the desired dark area **132**, but also includes unwanted artifacts **135** created by interference at the transitions between the 180 degree phase clear area **112** and the 0 degree phase clear area **111**.

Thus, in order to remove these unwanted artifacts **135** and achieve the desired result image **150**, Spence discloses using the trim mask **120** solely to perform this function. The trim mask **120** consists of a chrome area **123** and an erasure light area **122**. When light is shown on the trim mask **120**, the trim image **140** is created on the photoresist layer. This trim image **140** contains an erasure light area **142** which serves to erase the unwanted artifacts **135**. The result image **150** represents the final image created on the photoresist layer as a result of the two mask method disclosed by Spence.

Spence's two mask method has several problems. By combining the production of the final structure and the phase shifting onto a single mask, this method introduces a large number of possible conflicts in the design rules of the circuit as a whole. This increase in conflicts makes it much more difficult for the computer to determine a solution to the shrinking of the circuit design that is within the design rules parameters. In addition, this increase in conflicts may in some instances produce a situation where no shrunk design is possible. Furthermore, combining the structure and phase shifting on one of the two masks increases the overall complexity of this mask thus making it more difficult to manufacture and inspect. Finally, combining structure and phase shifting on a single mask results in the design of a mask that does not look like the structure masks used for the earlier larger versions of the designed circuit. As a result, it

is more difficult for the designers of the integrated circuit to visually check their work. Therefore, what is desired is an improved method of using phase shifting to achieve smaller minimum realizable dimensions.

3. A SUMMARY OF THE INVENTION

A method and apparatus for creating a phase shifting mask and a structure mask for shrinking integrated circuit designs is described.

One embodiment of the invention includes using a two mask process. The first mask is a phase shift mask and the second mask is a single phase structure mask. The phase shift mask primarily defines regions requiring phase shifting. The single phase structure mask primarily defines regions not requiring phase shifting. The single phase structure mask also prevents the erasure of the phase shifting regions and prevents the creation of undesirable artifact regions that would otherwise be created by the phase shift mask. Both masks are derived from a set of masks used in a larger minimum dimension process technology.

Although many details have been included in the description and the figures, the invention is defined by the scope of the claims. Only limitations found in those claims apply to the invention.

4. A BRIEF DESCRIPTION OF THE DRAWINGS

The figures illustrate the invention by way of example, and not limitation. Like references indicate similar elements.

FIG. 1 illustrates a prior art dual mask phase shifting process.

FIG. 2 illustrates one embodiment of a dual mask phase shifting process for shrinking transistor gates in an integrated circuit.

FIG. 3 illustrates one embodiment of a dual mask phase shifting process for shrinking an integrated circuit design.

FIG. 4 illustrates one embodiment of a method of creating the masks found in FIGS. 2 and 3.

FIG. 5 illustrates one embodiment of a desired integrated circuit structure and effective design rules.

Although many details have been included in the description and the figures, the invention is defined by the scope of the claims. Only limitations found in those claims apply to the invention.

5. THE DESCRIPTION

a. An Overview of an Embodiment of the Invention

A method and apparatus for creating a phase shift mask and a structure mask for shrinking integrated circuit designs is described. One embodiment of the invention includes using a two mask process. The first mask is a phase shift mask and the second mask is a single phase structure mask. The phase shift mask primarily defines regions requiring phase shifting. The single phase structure mask primarily defines regions not requiring phase shifting. The single phase structure mask also prevents the erasure of the phase shift regions and prevents the creation of undesirable artifact regions that would otherwise be created by the phase shift mask. Both masks are derived from a set of masks used in a larger minimum dimension process technology.

The following describes the use of a technique, in one embodiment of the invention, to shrink a design of a polysilicon layer for use in a transistor. The design is shrunk from a first process technology that does not use phase

shifting to a second process technology that does use phase shifting. A phase shift mask, for the polysilicon layer, is created solely to make the gate of the transistor; the width of the gate is the minimum distance for the second process technology. This phase shift mask does not contain any of the structural elements of the remainder of the circuit. The semiconductor substrate is exposed using the first mask. A structure mask is created to make the remainder of the layer of the integrated circuit and to protect the desired phase shift regions. The semiconductor substrate is also exposed using this second mask. The first mask and the second mask are generated directly from the information used to generate the mask set for the first process technology.

In one embodiment, the second mask is exactly the same mask as was used in the first process technology. In another embodiment, the second mask has the same pattern used for the first process technology except that the dimensions used have been shrunk. In another embodiment, the second mask used has a similar pattern to the mask used for the first process technology except that a few modifications to the pattern have been made.

b. Gate Width Shrinking

FIG. 2 illustrates one embodiment of a dual mask phase shifting process for shrinking transistor gates in an integrated circuit. The following paragraphs first describe the elements in FIG. 2, then the relationships between those elements, and then the functions of the various elements of the system. FIG. 2 includes the following elements: An old mask **100**, a phase shift mask **210**, a structure mask **220**, a phase shift mask image **230**, a structure mask image **240**, and a result image **250**. The old mask **100** includes a clear area **101**, a gate chrome area **102**, a structure chrome area **103**, and an old gate length **109**. The phase shift mask **210** includes a 180 phase clear area **213**, a 0 phase clear area **215**, phase shift mask chrome **216**, and control chrome **217**. The structure mask **220** includes variable gate protect chrome **222**, a clear area **224**, and structure chrome **226**. The phase shift mask image **230** includes a gate dark area **232**, a phase shift mask light area **233**, and an other dark area **236**. The structure mask image **240** includes a gate protect dark area **242**, a structure light area **244**, and a structure dark area **246**. The result image **250** includes a light area **251**, a gate dark area **232**, a structure dark area **246**, and a new gate length **259**.

The following paragraphs describe the general relationships between the elements and the main elements of FIG. 2. Old mask **100** is the same as in FIG. 1.

Phase shift mask **210** represents a top view of a mask used solely to produce a desired circuit dimension that requires the use of interference, such as a shrunk transistor gate length. The 180 degree phase clear area **213** is situated adjacent to the 0 degree phase clear area **215**, and each of these clear areas is designed to allow for the full transmission of light through it. The 180 degree phase clear area **213** is of a thickness such that it will create destructive interference at its boundary with the 0 degree phase clear area **215**. The control chrome **217** is opaque and does not allow for the transmission of light through it. The control chrome **217** is placed over the center of the boundary between the 180 degree phase clear area **213** and the 0 degree phase clear area **215**. The width of this control chrome **217** is variable and can be completely excluded. The width of the control chrome **217** is used to control the shrunk gate length. The phase shift mask chrome **216** covers the remainder of the mask and is also opaque. The sole purpose of the phase shift

mask chrome **216** is to ensure the remainder of the photoresist layer is left unexposed such that a structure may later be imprinted on the photoresist layer by the structure mask **220**.

Structure mask **220** represents a top view of a mask used to imprint the desired polysilicon structure on the photoresist layer. The structure mask **220** also protects the transistor gate formed by the phase shift mask **210**, and erases any unwanted artifacts created by the phase shift mask **210**. The clear area **224** is designed to allow the full transmission of light through it, and is designed to cover any areas where unwanted artifacts may have been formed by the phase shift mask **210**. The structure chrome **226** is opaque and is shaped and sized to define the desired polysilicon circuit structure. The variable gate protect chrome **222** is of a variable width designed to cover the entire area that the desired gate might occupy in order to protect the gate from inadvertent exposure.

Phase shift mask image **230** represents a top view of a photoresist coated silicon wafer after the wafer has had light shined on it while phase shift mask **210** was directly over the wafer. The light areas depict regions where the photoresist layer was exposed to the light. Structure mask image **240** represents a top view of a photoresist coated silicon wafer after the wafer has had light shined on it while structure mask **220** was directly over the wafer. The light areas depict regions where the photoresist layer was exposed to the light.

Result image **250** represents the top view of a photoresist coated silicon wafer that has had light shined on it on two separate occasions. Once with phase shift mask **210** directly over the wafer, and once with structure mask **220** directly over the wafer. For the purposes of this invention, it does not matter what sequence is used. Either mask can be used first with no effect on the result image **250**.

The following paragraphs describe the function of the elements of FIG. 2. When old mask **100** is placed over a photoresist coated silicon wafer and light is shined onto the mask, the light is transmitted through the clear area **101**, and the photoresist material underlying the clear area **101** is exposed. Similarly, the light shined onto the mask is not transmitted through the opaque gate chrome area **102**, or the opaque structure chrome area **103**, and the photoresist material underlying these areas is thus not exposed. The exposed photoresist layer is now ready for development, typically by chemically removing the exposed regions of the photoresist layer. The end result would be a large dimension semiconductor wafer coated with a photoresist layer exhibiting the desired pattern of transistor gate width and polysilicon structure.

When phase shift mask **210** is placed over a photoresist coated silicon wafer and light is shined onto the mask, the light is transmitted through the 0 degree phase clear area **215** and the 180 degree phase clear area **213**. This results in the underlying photoresist material being exposed and creating the phase shift mask light area **233** displayed as part of phase shift mask image **230**. The light does not transmit through the phase shift mask chrome **216** and thus the underlying photoresist is not exposed resulting in the other dark area **236** of the phase shift mask image **230**. At the boundary between the 180 degree phase clear area **213** and the 0 degree phase clear area **215**, destructive interference occurs and the photoresist underlying this boundary is not exposed resulting in the production of the gate dark area **232**. The light does not transmit through the control chrome **217** and thus the underlying photoresist is not exposed. The width of the control chrome **217** is variable and can be varied to

change the length of the gate dark area **232**. This feature allows for greater control over the width of the gate dark area **232** produced when the design does not require the maximum gate shrinking possible via phase shifting.

When structure mask **220** is placed over a photoresist coated silicon wafer and light is shined onto the mask, the light is transmitted through the clear area **224**, and the photoresist material underlying the clear area **224** is exposed. This exposure will erase any unwanted artifacts created by the phase shift mask **210**, and produces the structure light area **244** of structure mask image **240**. The light does not transmit through the variable gate protect chrome **222** resulting in the gate protect dark area **242**. The variable gate protect chrome **222** is sized such that its width is greater than the desired transistor gate length. This ensures that the gate dark area **232** produced by phase shifting will not be destroyed by inadvertent exposure. The light does not transmit through the structure chrome **226** resulting in the production of the structure dark area **246** which correlates to the shape and size of the desired polysilicon structure.

The advantages of this dual mask phase shifting process are significant, and overcome the problems associated with the process disclosed by Spence. These advantages stem from the fact that, the phase shift mask **210** is used solely to produce a desired circuit dimension that requires the use of interference such as a shrunk transistor gate length, while a second separate structure mask **220** is used to produce the remaining polysilicon structure and erase any unwanted artifacts. First, manufacturing of the masks is greatly simplified in that there is no combination of features on one mask to be concerned with. Similarly, since the only critical performance feature of the phase shift mask **210** is the placement of the 180 degree phase clear areas **213**, it is much easier to inspect the masks after they have been manufactured.

The decreased complexity of the phase shift mask when compared to the combined mask disclosed in Spence also reduces the problem of design rule conflicts. As stated earlier, the combining of phase shift and structure elements on a single mask greatly increases the possible number of design rule conflicts that have to be sorted by the computer to come up with a mask design that will implement the desired shrunk circuit. This results in a much more complicated and time consuming process for the computer, and situations where a solution might not exist. The current invention overcomes these problems by separating the elements onto separate masks which greatly reduces the number of possible design conflicts on a single mask.

Lastly, the masks disclosed in Spence differ substantially from the old mask **100**. This is a direct result of combining the phase shift and structure functions on one mask. One embodiment of the invention uses a structure mask **220** that appears very similar to the old mask **100**. This is an advantage for integrated circuit designers in that they can visually do a double check of the mask design by comparing the structure mask **220** directly to the old mask **100**.

In another embodiment of the invention a portion of the polysilicon circuit structure is included on the phase shift mask. Although less desirable than placing all of the structure on the structure mask, this would add flexibility to the process of mask design. For, in a situation where design rules prevent the design of a structure mask which includes all of the structure, it may be possible to include some of the needed structure on the phase shift mask.

c. Design Shrinking

FIG. **3** illustrates one embodiment of a dual mask phase shifting process for shrinking an integrated circuit design.

The concepts applicable to FIG. **2** apply here as well, and as such the following discussion will focus on the differences between FIGS. **2** and **3**.

FIG. **2** illustrated an embodiment solely for the shrinking of a circuit dimension that required interference, in the specific case, the gate length of all transistors in a circuit. FIG. **3** on the other hand is an embodiment of a process to shrink an entire integrated circuit design structure including the transistor gate lengths. For purposes of illustration of this embodiment, it is assumed that the chosen shrink factor for the circuit decreased only the transistor gate length to a dimension that required phase shifting. The remainder of the circuit is shrunk using conventional optical lithography methods to implement the design shrink. In another embodiment, the dual mask phase shifting may be used to shrink any area requiring interference.

d. Example Flowchart

FIG. **4** illustrates one embodiment of a method of creating the mask found in FIGS. **2** and **3**.

This embodiment of the method envisions that each block will be performed by a computer. However, this is not required, and the invention is not limited to a method in which each block is performed by a computer. For instance, a human could perform each of the design steps manually.

At block **410**, a computer reads in data including old mask layout data that is supplied either manually or by reading files (e.g. a GDS-II file) preexisting in the computer. In one embodiment, this data will include a previous large dimension integrated circuit design, a new gate length dimension to be applied to all transistors in the integrated circuit design, and various other design rules needed for the design of the masks. In another embodiment, this data will include a previous large dimension integrated circuit design, a shrink factor dimension to be applied to the entire integrated circuit, and various other design rules needed for the design of the masks. In another embodiment, this data will include a previous large dimension integrated circuit design, a new gate length dimension to be applied to all transistors in the integrated circuit design, a shrink factor dimension to be applied to the remainder of the integrated circuit, and various other design factors needed for the design of the masks. In still another embodiment, this data will include a previous integrated circuit design with shrunk transistor gate lengths, a shrink factor to be applied to the remainder of the integrated circuit, and various other design factors needed for the design of the masks.

At block **420**, the computer identifies areas on the new circuit design that have dimensions that are too small to be achieved by traditional optical lithography and that can be achieved through the use of destructive interference. As the limits for optical lithography may vary depending upon the application and the physical limits of the particular equipment, the exact quantity of this interference dimension is variable and may be supplied by the user at block **410** in addition to the other manufacturing process data.

At block **430**, the computer creates a phase shift mask design by locating a phase shift area in each place in the circuit where the computer has previously identified there to be a need for an interference dimension. Each phase shift area includes adjacent clear areas that transmit light 180 degrees out of phase with each other, with the boundary between the areas falling where the interference dimension needs to be. This computer produced design data can then be input into a mask manufacturing device that will convert the design data into a physical mask.

At block **440**, the computer creates a structure mask design. The computer analyzes the required circuit structure and designs the mask such that opaque areas appear everywhere that a polysilicon structure so requires. The computer will also design the structure mask such that opaque areas appear over each area that was previously determined to require a phase shift area. The width of this gate protect area is variable and sensitive to user input. The computer will also analyze the design to ensure that clear areas appear wherever needed to erase unwanted phase shift artifacts. This computer produced design data can then be input into a mask manufacturing device that will convert the design data into a physical mask. In one embodiment, the computer generates GDS-II data describing the phase shifting mask and the structure mask.

e. Design Rules

FIG. **5** illustrates one embodiment of a desired integrated circuit structure and effective design rules. FIG. **5** includes the following elements: a desired structure **500**, a phase shift mask **210**, and a structure mask **220**. The desired structure **500** includes a gate area **510**, a diffusion area **520**, a polysilicon area **530**, a poly protect dimension **540**, and an extension dimension **550**. The phase shift mask **210** includes a 180 degree phase clear area **213**, a 0 degree phase clear area **215**, and a phase shift mask overlap area **217**. The structure mask **220** includes variable gate protect chrome **222**, a clear area **224**, structure chrome **226**, desired gate length **259**, and a gate protect dimension **525**.

The actual phase shift mask design must take into account possible imperfections in the mask manufacturing process. These imperfections include mask misalignment and double exposure. Desired structure **500** represents the image of a design structure that takes into account the various dimensions that are required to be defined in order to avoid any problems that may be caused by these potential manufacturing imperfections.

One embodiment of the invention is designed to shrink transistor gate length. Thus, the mask must be designed such that the gate area **510** of the transistor is shrunk even if the masks are misaligned. To accomplish this, the phase shift areas on the phase shift mask are designed to be of a width that is equal to the width of the diffusion area **520** plus the two extension dimensions **550** shown in FIG. **5**. The extension dimensions are a function of the maximum possible alignment error involved in the physical mask manufacturing process.

It is also required that the polysilicon area **530** be protected from any inadvertent exposure during the process. This is accomplished by providing the poly protect dimension **540** which is a function of the maximum possible alignment error. Thus in the actual mask design, no phase shift mask phase shift area will be of a width that is within the poly protect dimension **540** of any structure on the structure mask.

Phase shift mask **210** is the same as in FIG. **2** except that it shows phase shift mask overlap area **217**. Here it is shown that the actual 180 degree phase clear area **213** is larger than the adjacent 0 degree phase clear area **215**. This extra material is overlapped by the chrome of the mask, and thus the phase shift mask overlap area **217** does not allow light to transmit through. The size of the phase shift mask overlap area **217** is a function of physical manufacturing needs in putting the mask together.

Lastly, structure mask **220** is the same as in FIG. **2** except that it shows gate protect dimension **525** and desired gate

length **259**. The variable gate protect chrome **222** is designed to be of a width equal to the desired gate length **259** plus two times the gate protect dimension **525**. The gate protect dimension is a function of possible mask misalignment. This dimension serves to ensure that the shrunken gate length produced by the phase shift mask is protected from subsequent inadvertent exposure.

f. Conclusion

What has been described is a method and apparatus for creating a phase shift mask and a structure mask for shrinking integrated circuit designs. In one embodiment, the phase shift mask is designed to create dark areas on a photoresist coated silicon wafer which correspond to a particular dimension requiring interference, specifically a shrunk transistor gate length. In another embodiment, the phase shift mask is designed to create dark areas on a photoresist coated silicon wafer which correspond to any desired dimension requiring interference. In each of these embodiments, the structure mask is designed to erase unwanted artifacts created by the phase shift mask, and to produce the remainder of the original polysilicon structure. In another embodiment, the phase shift mask is designed to create dark areas on a photoresist coated silicon wafer which correspond to any desired dimension requiring interference, while the structure mask is designed to erase unwanted artifacts, and to produce the remainder of the polysilicon structure in a shrunken form. In another embodiment, the structure mask is modified to compensate for additional design rules of the target technology. For example, allocations for mask misalignments may require that the second mask be modified slightly.

What is claimed is:

1. A method of generating a set of mask definitions corresponding to a set of masks for fabricating at least a layer of material of a circuit using a first manufacturing process having a first minimum realizable dimension, said method comprising:

accessing a first data set defining at least a portion of a layout of said circuit corresponding to said layer, said layout being for a second manufacturing process having a second minimum realizable dimension, said second minimum realizable dimension being greater than said first minimum realizable dimension;

identifying a first set of areas in said layout, destructive light interference being used to realize a dimension of a first set of structures in said layer corresponding to areas in the first set of areas;

creating a first mask definition defining a set of phase shifting areas for realizing said first set of structures; and,

creating a second mask definition defining a second set of areas in said layout, said second set of areas including at least some areas in said layout defining a second set of structures in said layer and not using destructive light interference to be realized, wherein said first mask definition and said second mask definition are included in said set of mask definitions.

2. The method of claim 1 wherein said first mask definition defines a plurality of opaque areas, a plurality of zero degree phase shift clear areas, and a plurality of 180 degree phase shift clear areas, said plurality of zero degree phase shift clear areas being located near said plurality of 180 degree phase shift clear areas to cause destructive light interference to create said first set of structures.

3. The method of claim 1 wherein said first mask definition defines only the set of phase shifting areas.

11

4. The method of claim 1 wherein said second mask definition defines said second set of areas as being opaque.

5. The method of claim 4 wherein said second mask definition defines a third set of areas, said third set of areas corresponding to a set of clear areas in a mask and wherein said clear areas prevent the creation of undesirable artifact structures that would otherwise be created by the set of phase shifting areas.

6. The method of claim 1 wherein said first mask definition defines a third set of areas, said third set of areas including at least some areas in said layout defining a third set of structures in said layer, said third set of structures not using destructive light interference to be realized.

7. The method of claim 1 wherein the second mask definition has a substantially similar layout as the portion of layout of said circuit corresponding to said layer.

8. A set of masks for use in an integrated circuit manufacturing process, said set of masks comprising:

a first mask having primarily phase shifting areas and first opaque areas; and,

a second mask having second opaque areas and clear areas, said second opaque areas for defining a set of

12

structures not requiring phase shifting for realization and for preventing erasure of structures created by the first mask, and said clear areas for further defining said set of structures and for preventing the creation of artifact structures that would otherwise be created by the first mask.

9. The set of masks of claim 8 wherein the first mask and the second mask are for defining structures in a single layer of the integrated circuit manufacturing process.

10. The set of masks of claim 9 wherein the single layer includes polysilicon.

11. The set of masks of claim 8 wherein the phase shifting areas include a set of zero degree phase shift areas and 180 degree phase shift areas, each phase shifting area corresponding to at least one zero degree phase shift area and one 180 degree phase shift area.

12. The set of masks of claim 8 wherein the phase shifting areas also include chrome areas positioned between adjacent zero degree phase shift areas and 180 degree phase shift areas.

* * * * *