



US006738546B2

(12) **United States Patent**  
**Deliwala**

(10) **Patent No.:** **US 6,738,546 B2**  
(45) **Date of Patent:** **May 18, 2004**

(54) **OPTICAL WAVEGUIDE CIRCUIT INCLUDING MULTIPLE PASSIVE OPTICAL WAVEGUIDE DEVICES, AND METHOD OF MAKING SAME**

(75) Inventor: **Shrenik Deliwala**, Orefield, PA (US)

(73) Assignee: **SiOptical, Inc.**, Allentown, PA (US)

(\* ) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 113 days.

(21) Appl. No.: **10/146,350**

(22) Filed: **May 15, 2002**

(65) **Prior Publication Data**

US 2003/0003735 A1 Jan. 2, 2003

**Related U.S. Application Data**

(63) Continuation-in-part of application No. 09/991,542, filed on Nov. 10, 2001, which is a continuation-in-part of application No. 09/859,693, filed on May 17, 2001.

(51) **Int. Cl.**<sup>7</sup> ..... **G02B 6/10; G02B 6/26**

(52) **U.S. Cl.** ..... **385/50; 385/129**

(58) **Field of Search** ..... **385/8, 10, 14, 385/16, 24, 50, 129, 147**

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- 5,127,081 A \* 6/1992 Koren et al. .... 385/130
- 5,459,799 A 10/1995 Weber
- 5,514,885 A 5/1996 Myrick
- 5,805,755 A \* 9/1998 Amersfoort et al. .... 385/131

- 5,878,175 A 3/1999 Sonoda et al.
- 6,016,374 A 1/2000 Adams et al.
- 6,208,773 B1 3/2001 Wickham et al.
- 6,221,565 B1 4/2001 Jain et al.
- 6,229,947 B1 \* 5/2001 Vawter et al. .... 385/132
- 6,242,324 B1 6/2001 Kub et al.
- 6,268,953 B1 7/2001 Maloney
- 6,316,281 B1 11/2001 Lee et al.
- 6,611,636 B2 \* 8/2003 Deliwala ..... 385/14

\* cited by examiner

*Primary Examiner*—Akm Enayet Ullah

(57) **ABSTRACT**

An optical waveguide device includes a first passive optical waveguide device and a second passive optical waveguide device. The first passive optical waveguide device is etched, at least in part, in a semiconductor layer of a wafer. The value and position of an effective mode index within the first passive optical waveguide device remains substantially unchanged over time. The second passive optical waveguide device is formed at least in part from a polysilicon layer deposited above an unetched portion of the semiconductor layer. The effective mode index of a region of static effective mode index within the optical waveguide is created by the polysilicon layer of the second passive optical waveguide device. The value and position of the effective mode index within the region of static effective mode index remains substantially unchanged over time. The optical waveguide forms at least a part of both the first passive optical waveguide device and the second passive optical waveguide device. The optical waveguide couples the first passive optical waveguide device and the second passive optical waveguide device, and the optical waveguide is formed at least in part using the semiconductor layer.

**21 Claims, 40 Drawing Sheets**




FIG. 1





FIG. 2

PRIOR ART






FIG. 3

FIG. 4







FIG. 5







FIG. 7C





FIG. 8









FIG. 9










FIG. 13




FIG. 14













FIG. 15








FIG. 20




FIG. 21




FIG. 22




FIG. 23






FIG. 24A




FIG. 24B




FIG. 25A





FIG. 25B








FIG. 27




FIG. 28




FIG. 29



FIG. 30




FIG. 31




FIG. 32




FIG. 33




FIG. 34





FIG. 35






FIG. 37




FIG. 36




FIG. 38










FIG. 41 A




FIG. 41 B




FIG. 42 A









FIG. 42 B













FIG. 49




FIG. 50





FIG. 51








FIG. 53






FIG. 54




FIG. 55A




FIG. 55B




FIG. 55C




FIG. 55D





FIG. 55E









FIG. 56A




FIG. 56B





FIG. 56C










FIG. 56G




FIG. 56H





FIG. 56i








FIG. 57

**OPTICAL WAVEGUIDE CIRCUIT  
INCLUDING MULTIPLE PASSIVE OPTICAL  
WAVEGUIDE DEVICES, AND METHOD OF  
MAKING SAME**

**CROSS REFERENCE TO RELATED  
APPLICATIONS**

This application is a continuation in part to U.S. patent application Ser. No. 09/991,542, filed Nov. 10, 2001 (incorporated herein by reference), which is a continuation in part to U.S. patent application Ser. No. 09/859,693, filed May 17, 2001 (incorporated herein by reference).

**FIELD OF THE INVENTION**

This invention relates to optical waveguide devices, and more particularly to passive optical waveguide devices, as well as integrated optical circuits including passive optical waveguide devices.

**BACKGROUND OF THE INVENTION**

In the integrated circuit industry, there is a continuing effort to increase device speed and increase device densities. Optical systems and technologies promise to deliver increasing speed and circuit packing density in the future. Optical waveguides typically include optical waveguide devices to provide optical functionality. Such optical waveguide devices can perform a variety of optical functions in integrated optical waveguide circuits such as optical signal transmission and attenuation.

In one aspect, optical waveguide devices include a variety of passive optical waveguide devices and/or a plurality of active optical waveguide devices. For example, certain gratings, lenses, filters, photonic crystals, and the like can be fabricated as passive optical waveguide devices. Similarly, active optical waveguide devices may function as filters, gratings, lenses, deflectors, switches, transmitters, receivers, and the like. Availability of a variety of passive and active optical waveguide devices and/or electronic devices provides a desired range of functionality. The availability of these devices is useful in making optical waveguide circuits simpler to design and fabricate.

A passive optical device does not change its function over a period of time excluding device degradations. A large variety of passive optical devices that include, e.g., optical fibers, slab optical waveguides, or thin film optical waveguides, may provide many optical functions. As such, the output or optical functionality of passive optical waveguide devices cannot be tuned or controlled. Additionally, passive active devices cannot be actuated (i.e., or turned on and off) depending on the present use of a region of an optical waveguide.

Many active optical waveguide devices such as modulators, filters, certain lenses, and certain gratings are precisely tunable. Tunability of certain active optical waveguide devices is important in making them more functional and competitive with present electronic circuits and devices.

Silicon-on-Insulator (SOI) and CMOS represent two technologies that have undergone a considerable amount of research and development relating to electronic devices and circuits. SOI technology can also integrate optical devices and circuits. It would be desirable to provide active optical waveguide device functionality and/or passive optical waveguide device functionality based largely on the CMOS devices and technology as well as manufacturing methods

that allow for simultaneous fabrication of optically active and passive waveguide elements.

One embodiment of prior-art optical waveguide device is an arrayed waveguide grating (AWG) as shown in FIG. 2. The AWG 400 includes an input coupler 402, a plurality of arrayed waveguides 404, and an output coupler 406. The AWG 400 can be configured as a wavelength-division demultiplexer (if light signals travel from the left to the right in FIG. 2) or a wavelength-division multiplexer (if light signals travel from the right to the left in FIG. 2). In the AWG 400, each arrayed waveguide 404 has a different length between the input coupler 402 and the output coupler 406. The difference in length between each one of the different arrayed waveguides 404 corresponds to an optical phase shift of  $m2\pi$ , where  $m$  is an integer for the central design wavelength of the light that is applied to the AWG 400. Since each arrayed waveguide 404 has a different length, the light passing through the longer arrayed waveguides arrives at the output coupler 406 later than the light passing through the shorter arrayed waveguides.

AWGs 400, however, are difficult and expensive to produce. Each arrayed waveguide 404 is measured and formed separately. The operation of the AWG 400 requires that the different arrayed waveguides 404 differ in length by a distance equal to an  $m2\pi$  optical phase shift for the central design wavelength that the AWG is designed to multiplex/demultiplex. The cross-sectional area and the material of each arrayed waveguide 404 of the AWG 400 is constant to maintain the effective mode index (or the propagation constant  $\beta$ ) of the different arrayed waveguides 404, and therefore provide a uniform velocity of light traveling through the different arrayed waveguides. As such, in present designs, each arrayed waveguide 404 of the AWG 400: a) has precisely calculated and measured lengths; b) has the same precisely produced and measured cross-sectional areas; c) has different lengths, such that the difference between the successive lengths,  $\Delta l$  is such that  $\beta \Delta l = m2\pi$ ; and d) is smoothly-curved through a gradual radius of curvature to reduce bending losses of light flowing through the arrayed waveguide 404. Due to these requirements, the AWG 400 is challenging to design and fabricate since it is difficult to ensure the precise relative lengths of each one of the arrayed waveguides 404. Both the precision requirements and fabrication tolerances place extreme requirements on the manufacturing process. These waveguides traditionally use different indices of glass to make the core and the cladding. Silicon is used in the fabrication process but does not participate in the optical function. A 6" Si wafer may be able to accommodate 5-50 AWGs 400 depending on the design requirements and the available index contrast between the core and the cladding, which is generally of the order of a few percent. The waveguides in AWGs are designed to be polarization independent so that both the polarizations of the input light are more or less treated equally. Considerable time and human effort is therefore necessary to produce precise AWGs 400.

It would therefore be desirable to fabricate passive optical waveguide devices (such as AWGs) using standard CMOS fabrication techniques which, when combined with active optical functions such as a modulator on the same substrate, could form the basis of a WDM system on a chip. It would also be desirable to fabricate such passive optical waveguide devices as AWGs and interferometers in a manner that the lengths and shapes of the arrayed waveguides are simple to accurately calculate, measure, and produce. Furthermore, it would be desired to apply active optical waveguide devices as tuning devices associated with optical circuits including



passive optical waveguide devices, wherein much of the fabrication errors inherent in passive optical waveguide devices or device degradation over time can be dynamically tuned out by tuning the associated active optical waveguide devices.

#### SUMMARY OF THE INVENTION

One aspect of the invention relates to a passive optical waveguide device deposited on a wafer. The wafer includes an insulator layer and an upper semiconductor layer formed at least in part from silicon. The upper silicon layer forms at least part of an optical waveguide, such as a slab waveguide. The passive optical waveguide device includes an optical waveguide, a gate oxide, and a polysilicon layer (i.e., a layer formed at least in part from polysilicon) In some embodiments, the optical waveguide is formed within the upper semiconductor layer, a gate oxide layer that is deposited above the upper semiconductor layer, and a polysilicon layer that is deposited above the gate oxide layer. The polysilicon layer projects a region of static effective mode index within the optical waveguide. The region of static effective mode index has a different effective mode index than the optical waveguide outside of the region of static effective mode index. The region of static effective mode index has a depth extending within the optical waveguide. A value and a position of the effective mode index within the region of static effective mode index remains substantially unchanged over time. The region of static effective mode index applies a substantially unchanging optical function to light travelling through the region of static effective mode index over the lifetime of the passive optical waveguide device.

As explained below, the terms “gate oxide” or “gate oxide layer” as used herein refer to the type of oxides (or other electrically insulating materials including glass) that are typically used to form a gate regardless of whether the material is used functionally to form all or part of a gate. Each region of static/altered effective mode index described herein is due to the presence of polysilicon deposited on the “gate oxide” layer, and controlled (at least in part) by controlling the shape or dimensions of the polysilicon. The polysilicon acts to guide light through one or more layers of a wafer (similar to a rib waveguide) and, depending on the width and height of the polysilicon, acts to create a region with a different effective mode index or having a different propagation constant, as compared to remaining regions on the wafer. Various “photonic guides” may be created simply by the presence of polysilicon deposited on the gate oxide. Optionally, a layer below the gate oxide layer (e.g., an upper silicon layer of an SOI substrate) may also be etched to create total reflection boundaries that also serve to define the “photonic guide.” By positioning different “photonic guides” (or polysilicon portions) in appropriate geometric relationships on a substrate as described herein, many useful passive and/or active optical devices may be fabricated using well understood manufacturing steps of electronic device manufacturing. Different portions of the “photonic guides” may be made active by construction of appropriate electrodes for diode or transistor action and local, variable effective mode index created, as described below. Exemplary passive complex functions formed using the “photonic guides” described herein include AWG’s for separation and combining of different colors of light in the waveguide, interferometers, lenses, and gratings.

One aspect of the invention relates to an integrated optical circuit comprising an optical waveguide and an evanescent coupler. The optical waveguide is located on a wafer. The

optical waveguide is formed from an upper semiconductor layer of the wafer, a gate oxide layer deposited on the upper semiconductor layer, and a polysilicon layer deposited on the gate oxide layer. The evanescent coupling region is formed at least in part from a gap portion that optically couples light to the upper semiconductor layer of the optical waveguide using the evanescent coupling region. Light can be coupled from outside of the passive optical waveguide device via the evanescent coupling region into the optical waveguide. Alternatively, light can be coupled from the optical waveguide through the evanescent coupling region out of the passive optical waveguide device. The polysilicon layer projects a region of static effective mode index within the optical waveguide, wherein the region of static effective mode index has a different effective mode index than the optical waveguide outside of the region of static effective mode index. A value and a position of the effective mode index within the region of static effective mode index remains substantially unchanged over time and applies a substantially unchanging optical function to light travelling through the region of static effective mode index within the optical waveguide over the lifetime of the passive optical waveguide device.

One aspect of the invention relates to an optical waveguide device that controls the transmission of light through an optical waveguide. The optical waveguide device comprises an active optical waveguide device and a passive optical waveguide device. The active optical waveguide device is formed at least in part on a semiconductor layer and includes an electrode portion. A region of altered effective mode index is created by the active optical waveguide device. An effective mode index of the region of altered effective mode index within the optical waveguide is controlled by application of an electric voltage to the electrode portion in a manner that alters a free carrier density of the region of altered effective mode index. Changing the electric voltage to the electrode portion changes the effective mode index in the region of altered effective mode index. The passive optical waveguide device is formed at least in part from a polysilicon layer deposited on the semiconductor layer. An effective mode index of a region of static effective mode index within the optical waveguide is created by the polysilicon layer of the passive optical waveguide device. The polysilicon layer has a shape and a height. The effective mode index of the region of static effective mode index is related to the shape of the polysilicon layer and the height of the polysilicon layer. A value and a position of the effective mode index within the region of static effective mode index remains substantially unchanged over time and applies a substantially unchanging optical function to light travelling through the region of static effective mode index over the lifetime of the passive optical waveguide device. The optical waveguide forms at least a part of both the active optical waveguide device and the passive optical waveguide device. The optical waveguide couples the active optical waveguide device and the passive optical waveguide device, and the optical waveguide is formed at least in part using the semiconductor layer. In one aspect, the active optical waveguide device can be configured to provide electronic transistor action.

One aspect of the present invention relates to an interferometer comprising at least one optical waveguide, a first passive optical waveguide segment, and a second passive optical waveguide segment. The at least one optical waveguide includes at least one gate oxide layer deposited on a semiconductor layer of a wafer and a polysilicon layer deposited on the at least one gate oxide layer. The first



passive optical waveguide segment includes a first portion of the polysilicon layer. The first portion projects a first region of static effective mode index within the at least one optical waveguide. The first region of static effective mode index has a different effective mode index than the at least one optical waveguide outside of the first region of static effective mode index. A value and a position of the effective mode index within the first region of static effective mode index of the first passive optical waveguide segment remains substantially unchanged over time. The first region of static effective mode index therefore applies a substantially unchanging optical function to light travelling through the first region of static effective mode index within the at least one optical waveguide over the lifetime of the first passive optical waveguide segment. The second passive optical waveguide segment includes a second portion of the polysilicon layer. The second portion projects a second region of static effective mode index within the at least one optical waveguide. The second region of static effective mode index has a different effective mode index than the at least one optical waveguide outside of the second region of static effective mode index. A value and a position of the effective mode index within the second region of static effective mode index of the second passive optical waveguide segment remains substantially unchanged over time and applies a substantially unchanging optical function to light travelling through the second region of static effective mode index within the at least one optical waveguide over the lifetime of the second passive optical waveguide segment. A length of the first passive optical waveguide segment equals a length of the second passive optical waveguide segment. The first and second passive optical waveguide segments are coupled to each other and together form at least in part the optical waveguide. The first and second passive optical waveguide segments and the optical waveguide are each formed at least in part from the semiconductor layer. The first region of static effective mode index has a different effective mode index than the second region of static effective mode index. In one embodiment, the difference in effective mode index between the first and the second region of static effective mode index is at least partially provided by a difference in cross-sectional areas respectively between the first portion of the polysilicon layer and the second portion of the polysilicon layer. In another embodiment, the difference in effective mode index between the first and the second region of static effective mode index is at least partially provided by a difference in axial lengths respectively between the first portion of the polysilicon layer and the second portion of the polysilicon layer.

One aspect of the present invention relates to an arrayed waveguide grating (AWG) deposited on a wafer that includes an upper semiconductor layer comprising a first port, a plurality of second ports, a gate oxide layer, a polysilicon layer, and a plurality of arrayed waveguides. The gate oxide layer is deposited above the upper semiconductor layer. The polysilicon layer is deposited above the gate oxide layer. The plurality of arrayed waveguides extend between the first port and each one of the plurality of second ports. Each one of the plurality of arrayed waveguides are at least partially formed by the upper semiconductor layer, the polysilicon layer, and the gate oxide layer. Each one of the arrayed waveguides is associated with a portion of the polysilicon layer. Each portion of the polysilicon layer has a different cross-sectional area, wherein each of the arrayed waveguides has a different effective mode index. A value and a position of the effective mode index associated with each of the respective arrayed waveguides remains substan-

tially unchanged over time and applies a substantially unchanging optical function to light travelling through the respective arrayed waveguide over the lifetime of the respective arrayed waveguide. In one embodiment, the different effective mode indexes in each of the respective arrayed waveguides is provided by a difference in cross sectional area of the polysilicon layer associated with each one of the plurality of arrayed waveguides. In another embodiment, the different effective mode indexes in each of the respective arrayed waveguides is provided by a difference in axial length of the polysilicon layer associated with each one of the plurality of arrayed waveguides.

One embodiment of the present invention relates to an optical waveguide device that controls the transmission of light through an optical waveguide. The optical waveguide device includes a first passive optical waveguide device and a second passive optical waveguide device. The first passive optical waveguide device is etched, at least in part, in a semiconductor layer of a wafer. A value and a position of an effective mode index within the first passive optical waveguide device remains substantially unchanged over time and applies a substantially unchanging optical function to light travelling through the first passive optical waveguide device over the lifetime of the first passive optical waveguide device. The second passive optical waveguide device is formed at least in part from a polysilicon layer deposited above an unetched portion of the semiconductor layer. The effective mode index of a region of static effective mode index within the optical waveguide is created by the polysilicon layer of the second passive optical waveguide device. The effective mode index of the region of static effective mode index is related to a shape of the polysilicon layer and a height of the polysilicon layer. A value and a position of the effective mode index within the region of static effective mode index remains substantially unchanged over time, and applies a substantially unchanging optical function to light travelling through the region of static effective mode index over the lifetime of the second passive optical waveguide device. The optical waveguide forms at least a part of both the first passive optical waveguide device and the second passive optical waveguide device. The optical waveguide couples the first passive optical waveguide device and the second passive optical waveguide device, and the optical waveguide is formed at least in part using the semiconductor layer.

One aspect of the present invention relates to a device that provides for the transmission of light through a first optical waveguide and a second optical waveguide. The device includes a semiconductor layer and a polysilicon coupler. The semiconductor layer includes at least one etched portion between first and second unetched portions. The first optical waveguide includes the first unetched portion and a first total internal reflection (TIR) boundary between the first unetched portion and the at least one etched portion. The second optical waveguide includes the second unetched portion and a second TIR boundary between the at least one unetched portion and the second etched portion. The polysilicon coupler at least partially overlaps the etched portion of the semiconductor layer. The polysilicon coupler optically couples the first optical waveguide and the second optical waveguide, wherein light can flow from the first optical waveguide via the polysilicon coupler portion to the second optical waveguide.

One aspect of the present invention relates to a passive optical waveguide device, comprising a silicon layer of a Silicon-on-Insulator (SOI) wafer, a gate oxide layer that is often fabricated on glass, and the polysilicon layer. The gate



oxide layer is commonly used during the fabrication of electronic transistors. The polysilicon layer is often used during the fabrication of electronic transistors. The polysilicon layer is often used to form a portion of a gate electrode used in Field Effect Transistors (FET). The glass layer is deposited on the silicon layer, and the polysilicon layer is deposited on the glass layer. By controlling the width and the height of the polysilicon layer the effective mode index or the propagation constant  $\beta$  is controlled to provide a rib or ridge optical waveguide. Many structures that perform a variety of optical functions can be constructed by adjusting the polysilicon parameters (e.g., shape, dimension, height, etc.). Furthermore, optical waveguide devices such as AWGs, can be constructed in an existing CMOS fab, using cost effective techniques and processes. Certain passive optical waveguide devices that can be constructed using the techniques described herein include, e.g.,: rectangular AWGs, lenses and lens arrays, adiabatic tapers, and Bragg structures. Many embodiments of passive optical waveguide devices can be constructed in thin SOI by etching the silicon layer. Examples of passive optical waveguide devices that are formed by etching the silicon layer in thin SOI include mirrors, mirror arrays, Echelle gratings, MMI, adiabatic tapers, coupled waveguides, and focusing Echelle devices

#### BRIEF DESCRIPTION OF THE DRAWINGS

The accompanying drawings, which are incorporated herein and constitute part of this specification, illustrate the presently preferred embodiment of the invention, and, together with the general description given above and the detailed description given below, serve to explain features of the invention.

FIG. 1 shows a logical diagram of an integrated optical/electronic circuit;

FIG. 2 shows an top view of one prior art embodiment of arrayed waveguide grating;

FIG. 3 shows an end cross-sectional view of one embodiment of passive optical waveguide device;

FIG. 4 shows an end cross-sectional view of one embodiment of either an active optical waveguide device or an electronic device;

FIG. 5 shows a top view of an integrated optical device that includes a passive optical waveguide device and an active optical waveguide device or an electronic device;

FIG. 6A shows an expanded view of a portion of the integrated optical device shown in FIG. 5;

FIG. 6B shows a sectional view taken through sectional lines 6B—6B of FIG. 6A, illustrating a cross-sectional view of one embodiment of active optical waveguide device;

FIG. 6C shows a sectional view taken through sectional lines 6C—6C of FIG. 6A illustrating a cross sectional view of one embodiment of passive optical waveguide device;

FIG. 6D shows a sectional view taken through sectional lines 6D—6D of FIG. 6A illustrating a cross sectional view of another embodiment of passive optical waveguide device;

FIG. 7A shows a side cross-sectional view of one embodiment of an active optical waveguide device including a field effect transistor (FET);

FIG. 7B shows a top view of the active optical waveguide device of FIG. 7A;

FIG. 7C shows a front cross-sectional view of the active optical waveguide device of FIG. 7A;

FIG. 8 shows a front view of another embodiment of an active optical waveguide device including a high electron mobility transistor (HEMT);

FIG. 9 is a top view of one embodiment of active optical waveguide devices formed on the FET as illustrated in FIGS. 7A to 7C;

FIG. 10 is a top view of another embodiment of active optical waveguide devices formed on the FET as illustrated in FIGS. 7A to 7C;

FIG. 11 is a top view of yet another embodiment of active optical waveguide devices formed on the FET as illustrated in FIGS. 7A to 7C;

FIGS. 12A to 12E illustrate the electron density progression of one embodiment of active optical waveguide device as the gate voltage varies;

FIG. 13 shows another embodiment of active optical waveguide device;

FIG. 14 shows yet another embodiment of active optical waveguide device;

FIG. 15 shows still another embodiment of active optical waveguide device;

FIG. 16 shows a top view of one generalized embodiment of a passive optical waveguide device;

FIG. 17 shows a cross-sectional view through sectional lines 17—17 of the passive optical waveguide device of FIG. 16;

FIG. 18 shows a perspective view of one embodiment of the passive optical waveguide device that is a polyloaded waveguide;

FIGS. 19A, 19B, 19C, and 19D show respective end views simulating light travelling within multiple optical waveguides, in which the width of the optical waveguide is varied for each optical simulation;

FIG. 20 shows a top view of a passive optical waveguide device that is configured as an interferometer;

FIG. 21 shows a cross-sectional view taken through section lines 21—21 of FIG. 20;

FIG. 22 shows a top view of a passive optical waveguide device that is configured as another embodiment of interferometer;

FIG. 23 shows a cross-sectional view taken through section lines 23—23 of FIG. 22;

FIGS. 24A and 24B respectively show top and cross-sectional views of a passive optical waveguide device that is configured as an arrayed waveguide grating (AWG);

FIGS. 25A and 25B respectively show top and cross-sectional views of a passive optical waveguide device that is configured as another embodiment of AWG;

FIG. 26 shows a top view of a passive optical waveguide device that is configured as another embodiment of AWG;

FIG. 27 shows a top view of a plurality of the passive optical waveguide devices that are configured as a beam-splitter;

FIG. 28 shows a top view of another passive optical waveguide device that is configured as one embodiment of optical lens;

FIG. 29 shows a top view of yet another passive optical waveguide device that is configured as another embodiment of the optical lens;

FIG. 30 shows a top view of another embodiment of the passive optical waveguide device, a portion of which is shown expanded in FIG. 31, the passive optical waveguide device is configured as an Echelle grating;

FIG. 32 shows a further top view of the passive optical waveguide device of FIG. 30 illustrating the diffraction of optical paths as light passes through the Echelle diffraction



grating shown, wherein a region of static effective mode index that is projected from the Echelle diffraction grating is shown;

FIG. 33 shows a passive optical waveguide device configured to operate as an Echelle diffraction grating;

FIG. 34 shows a top view of a passive optical waveguide device illustrating the focusing of multiple optical paths as light passes through the Echelle lens grating similar to as shown in FIG. 30;

FIG. 35 shows a device view of the passive optical waveguide device that is configured as the Echelle lens grating as shown in FIG. 34 that acts to focus light;

FIG. 36 shows a perspective view of another embodiment of passive optical waveguide device that is formed by etching the silicon layer, that is configured as an optical waveguide;

FIG. 37 shows a top view of another embodiment of passive optical waveguide device that is formed by etching the silicon layer, that is configured as a mirror;

FIG. 38 shows a top view of yet another embodiment of passive optical waveguide device that is formed by etching the silicon layer, that is configured as a multiple mirror device;

FIGS. 39A and 39B show respective top and cross-sectional views of yet another embodiment of passive optical waveguide device that is formed by etching the silicon layer, that is configured as a reflectory Echelle diffraction grating;

FIG. 40 shows an expanded view of a portion of the passive optical waveguide device shown in FIG. 39;

FIGS. 41A and 41B show respective top and cross-sectional views of yet another embodiment of passive optical waveguide device that is formed by etching the silicon layer, that is configured as a refractory Echelle lens grating;

FIG. 42A shows a top view of one embodiment of passive optical waveguide device that is configured as an inter-optical waveguide coupler;

FIG. 42B shows a cross sectional view of the inter-optical waveguide coupler as taken along sectional lines 42—42 of FIG. 42A;

FIG. 43 shows a cross-sectional view of one embodiment of an integrated optical/electronic circuit;

FIG. 44 shows a top view of the embodiment of the integrated optical/electronic circuit shown in FIG. 43;

FIG. 45 shows a cross-sectional view of one embodiment of the integrated optical/electronic circuit;

FIG. 46 shows a cross-sectional view of another embodiment of the integrated optical/electronic circuit;

FIG. 47 shows yet another cross-sectional view of an alternate embodiment of the integrated optical/electronic circuit;

FIG. 48 shows a cross-sectional view of yet another alternate embodiment of the integrated optical/electronic circuit;

FIG. 49 shows a cross-sectional view of another alternate embodiment of the integrated optical/electronic circuit;

FIG. 50 shows a cross-sectional view of yet another alternate embodiment of the integrated optical/electronic circuit;

FIG. 51 shows a partially exploded perspective view of an embodiment of the integrated optical/electronic circuit using flip chips;

FIG. 52 shows a partially exploded perspective view of an alternate embodiment of the integrated optical/electronic circuit using flip chips;

FIG. 53 shows a partially exploded perspective view of one embodiment of an integrated optical circuit using flip chips;

FIG. 54 shows a partially exploded perspective view of an alternate embodiment of the integrated optical circuit using flip chips.

FIGS. 55A to 55G show a method of fabricating a layer on the partially completed integrated optical/electronic circuit, similar to as shown in FIG. 43;

FIGS. 56A to 56I show a method of fabricating a layer on the partially completed passive optical waveguide device in combination with a light coupler; and

FIG. 57 shows one embodiment of a tuning method in which an active optical waveguide device tunes light output from a passive optical waveguide device.

Throughout the figures, unless otherwise stated, the same reference numerals and characters denote like features, elements, components, or portions of the illustrated embodiments.

## DETAILED DESCRIPTION OF THE EMBODIMENT

### I. Optical Waveguide Device Introduction

The present disclosure provides multiple embodiments of optical waveguide devices **100** in which light travels within an optical waveguide **160** on a single wafer **152**. FIG. 1 illustrates a logical diagram of one embodiment of integrated optical/electronic circuit **103**. The integrated optical/electronic circuit **103** may provide pure optical functions **10**, pure electronic functions **12**, and opto-electronic functions **14** on the single wafer **152**. Each type of optical function is preferably performed by a different type of device configured for that particular function. For example, passive optical waveguide devices **800**, described herein, can perform the pure optical functions **10**. Electronic devices **5101**, described herein, can perform the pure electronics functions **12**. Active optical waveguide devices **150**, described herein, can perform the opto-electronics functions **14**. While the pure optical functions **10**, the pure electronic functions **12**, and the opto-electronic functions **14** are illustrated at distinct locations on the wafer **152**, in actuality the devices that perform these functions are each typically physically interspersed across the wafer **152**. For example, one passive optical waveguide device **800** may be adjacent, and operationally associated with, one active optical waveguide device **150** or one electronic device **5101**. One active optical waveguide device **150** may be used, for example, to tune out optical operational irregularities present in the passive optical waveguide device **800**. The passive optical waveguide devices can be closely combined with active optical waveguide devices. For example, a silicon passive optical waveguide (which is a passive optical waveguide device) constructed using standard CMOS processes can be combined with active electronics devices **5101** (such as diodes or transistors) to form the integral part of an optical modulator as one embodiment of integrated optical/electronic circuit **103**.

The same CMOS-based manufacturing process, described herein, can be used to fabricate the active optical waveguide devices **150**, the electronic devices **5101**, and the passive optical waveguide devices **800** within the integrated optical/electronic circuit **103** often using the same processing steps as described herein. As such, the devices that can perform the pure optical functions **10**, the pure electronic functions **12**, and the opto-electronics functions **14** can be produced concurrently, on the same wafer **152**, and using the same manufacturing process.



The passive optical waveguide devices **800**, the electronic devices **5101**, and the active optical waveguide devices **150** can each be fabricated using standard CMOS processing techniques and technology. In one embodiment, the passive optical waveguide devices **800**, the electronic devices **5101**, and the active optical waveguide devices **150** are described as being fabricated on a single Silicon-on-Insulator (SOI) wafer **152**. For example, pure electronic devices such as field effect transistors (FETs) can be deposited and/or etched on the SOI wafer **152**. The passive optical waveguide devices **800** and the active optical waveguide devices **150** can be simultaneously deposited and/or etched on the SOI wafer **152**. The masks, and the positioning equipment, that are used for etching active optical waveguide devices **5101** can also be used to etch the passive optical waveguide devices **800** and the active optical waveguide devices **150** as described herein.

Semiconductors such as silicon, gate oxides (such as glass), polysilicon, and metal form the basic building materials from which electronic devices **5101** are fabricated using CMOS technology. Passive optical waveguide devices **800** and active optical waveguide devices **150** can be fabricated using the same building materials. Similar doping techniques can be applied, where appropriate, for polysilicon that is used in electronic devices **5101**, active optical waveguide devices **150**, and passive optical waveguide devices **800**.

Certain embodiments of passive optical waveguide devices **800** are structurally very similar to certain embodiments of active optical waveguide devices **150**. For example, one embodiment of passive optical waveguide device **800** that is integrated on the SOI wafer **152** is illustrated in FIG. 3. One embodiment of active optical waveguide device **150** that is integrated on the SOI wafer **152** is illustrated in FIG. 4. In FIGS. 3 and 4, the SOI wafer **152** includes a substrate **102**, an optical insulator **104**, and the silicon layer **160**. The substrate **102** includes, for example, silicon, gallium arsenide (GaAs), indium phosphide (InP), glass, sapphire, or diamond. The optical insulator **104** includes, e.g., glass, silicon dioxide, or other optically insulating materials. Cladding layers, used with certain slab optical waveguides **160** and optical fibers, are one embodiment of optical insulators **104** and gate oxide layers **110**.

Any description of a specific semiconductor in this disclosure is exemplary, and not limiting in scope, since a very large number of materials may be used. Other materials can be used in the silicon layer **160**. Examples of such materials generally include semiconductor materials. The term "semiconductor" used through this disclosure relates particularly to the silicon layer **160** of the optical waveguide devices **100**. The silicon layer **160** (often configured as an optical waveguide) is formed at least in part from silicon and may also include GaAs, InP, SiGe, or other materials which in combination with silicon transmit light. At room temperature, silicon and germanium are single element semiconductors. GaAs and InP are examples of binary compound semiconductors. There are semiconductors made from three element semiconductors such as AlGaAs. The salient feature of all semiconductors is the existence of a band-gap between the valence and the conduction band. During the fabrication of the optical waveguide device **100**, multiple semiconductor layers may be deposited and/or etched.

The embodiment of passive optical waveguide **800** shown in FIG. 3 includes (in addition to the components of the SOI wafer **152**) a polysilicon layer **191** and a gate oxide layer

**110**. The gate oxide layer **110** in CMOS processing often includes glass, such as silicon dioxide. In this disclosure, the term "gate oxide" refers to the type of oxide (or glass) that is typically used to form a gate, but in the present disclosure the gate oxide does not necessarily have to form a gate. For example, the gate oxide layer is applied to polysilicon layers in certain embodiments of passive optical waveguide devices as described herein. Polysilicon, such as used in the polysilicon layer **191**, corresponds to a layer formed at least in part from polysilicon and would include, for example, a pure polysilicon layer or a polySi layer doped with materials such as Ge or C. Polysilicon is often used in gate electrodes for field effect transistors (FETs), using CMOS processing. FETs represent one embodiment of electronic device **5101**. However, with FETs, the polysilicon of the gate electrodes are doped. The polysilicon used in the polysilicon layer **191** is preferably not doped. Undoped polysilicon layers are desired to limit the light absorption of doped polysilicon. An optical waveguide **161** is formed within the silicon layer **160**, the gate oxide layer **110**, and/or the polysilicon layer **191**. Light travelling within the passive optical waveguide device **800** flows within the optical waveguide **161**. The width  $w$  and the height  $h$  of the polysilicon layer **191** largely determine the cross-sectional configuration, and therefore the optical characteristics, of the optical waveguide **161**. In passive optical waveguide devices, the optical waveguide, that defines where light flows, is formed in the silicon layer **160**, the gate oxide **110**, and the polysilicon layer **191**.

The embodiment of active optical waveguide device **150** shown in FIG. 4 also includes (in addition to the components of the SOI wafer **152** and the passive optical waveguide device **800** shown in FIG. 3) a gate electrode **120**, a first body contact well **107**, and a second body contact well **109**. The first body contact well **107** and the second body contact well **109** are also known in FET terminology (either respectively or inversely) as a source and a drain. In the active optical waveguide device **150**, the optical waveguide **161** is formed within the silicon layer **160**, the polysilicon layer **191**, the gate oxide **110**, and/or the gate electrode **120**. The width  $w$  and the height  $h$  of the gate electrode **120** largely determine the cross-sectional configuration of the optical waveguide **161**.

Physically, the active optical waveguide device **150** includes similar materials to FETs. The polysilicon in the gate electrode **120** is doped in a similar manner to the polysilicon in the gate electrode of a FET. Many embodiments of active optical waveguide devices **150** could also function as an electronic device **5101** (such as the FET). The dimensions of active optical waveguide devices **150** may differ from the dimensions of FETs, due to their relative functions. As such, virtually identical CMOS deposition and etching techniques and are used to fabricate the active optical waveguide device as electronic devices such as FETs. The dimensions and configurations of the active optical waveguide devices **150** and the electronic devices **5101** may differ, however, since they respectively control the flow of light and electricity. The silicon layer **160**, that is configured to act as a portion of an optical waveguide **161**, is also capable of acting as a channel in a FET. As such, the active optical waveguide device **150** shown in FIG. 5 can, indeed, provide electronic transistor action based on suitable electric biasing of the gate electrode **120**, the first body contact well **107**, and the second body contact well **109**.

SOI (such as in SOI wafers **152**) is a commonly used, heavily researched, and highly accepted technology for electronics using semiconductors. Modifying the already-accepted SOI platform for electronic circuits to allow for the



concurrent fabrication and use of passive optical waveguide circuits **800** and active optical waveguide circuits **150** avoids the necessity of developing an entirely new technology for mass-fabrication of optical waveguide circuits.

In fully operational optical waveguide circuits, located on a single wafer **152**, one or more active optical waveguide devices **150** may interface with one or more passive optical waveguide devices **800**. Similarly, multiple active optical waveguide devices **150** maybe optically coupled to permit light transfer therebetween. Moreover, multiple passive optical waveguide devices **800** may be optically coupled to permit light transfer therebetween. Active optical waveguide devices **150**, passive optical waveguide devices **800**, and electronic devices **5101** may be fabricated simultaneously on a single SOI wafer **152** as explained below. SOI technology is therefore highly applicable to integrated optical/electronic circuits.

FIG. **5** show a top view of a broken-away portion of an exemplary optical circuit **63** including a plurality of passive optical waveguide devices **800** and a plurality of active optical waveguide devices **150**. A plurality of passive optical waveguide devices, illustrated as **800**, transfer light to and receive light from active optical waveguide devices **150**. The passive optical waveguide devices **800** illustrated in FIG. **6A** include a light coupler **5110**, a mirror **65**, a pair of multiple mode interference (MMI) devices **67** that (from left to right) are configured to act respectively as a light splitter and a light combiner.

FIG. **6A** shows an expanded portion of the integrated optical/circuit **103** shown in FIG. **5**, that includes both passive optical waveguide devices **800** and active optical waveguide devices **150**. For example, FIG. **6B**, which illustrates a portion of the polyloaded optical waveguide shown in FIG. **6A** above, includes the silicon layer **160**. The polyloaded optical waveguide shown in FIG. **6B** is a passive optical waveguide device. FIG. **6C**, by comparison, illustrates a portion of one of the modulators **68** shown in FIG. **6A** including the silicon layer **160**. The optical modulator **68** shown in FIG. **6C** is an active optical waveguide devices **150**, as illustrated in FIG. **4**. Each modulator **68** extends between a pair of the optical waveguides **161**. These modulators **68**, that are arranged in parallel, act as an interferometer. FIG. **6D** illustrates a cross sectional view of a portion of the MMI device **67** illustrated in FIG. **6A** that is also a passive optical waveguide device **800**, and includes only the silicon layer **160** that is configured to control the travel of light therein. By comparison, the silicon layer **160**, the gate oxide layer **110**, and the polysilicon layer **191** each can support at least a portion of the flow of light within the passive optical waveguide device **800**.

The passive optical waveguide devices **800** described herein are formed by a progression of depositing, patterning (with a mask), and etching the silicon layer **160**, the gate oxide layer **110**, or the polysilicon layer **191**. The different embodiments of passive optical waveguide devices **800** illustrated in FIG. **5** may further be sub-divided according to how they are fabricated. Certain passive optical waveguide devices **800** are fabricated by etching a portion of the silicon making up the silicon layer **160** in the SOI wafer **152**. The etched regions of the silicon layer **160** is filled with air, glass (silicon dioxide), or another silicon layer optical insulator **73**. The junction between silicon and the silicon layer optical insulator **73** creates a total internal reflectance (TIR) boundary **195**, as described below, that acts to maintain light flowing within the silicon that remains in the silicon layer **160** following etching. This etching away portions of the silicon layer **160** is common in CMOS processing. For

example, the silicon in FETs, and other active electronic devices, is often formed by etching away sacrificial material within the silicon layer **160** that falls outside the boundaries of the FETs. In those embodiments of passive optical waveguide devices that include only the silicon layer **160** such as illustrated in FIG. **6D** (and devices **65** and **67** in FIG. **5**), the silicon layer is etched in a manner that the etched surface provides the total internal reflection (TIR) boundary **195** to the light travelling within the optical waveguide **161** that contacts the etched surface.

Another embodiment of passive optical waveguide devices **800** is illustrated in FIGS. **3**, **5**, **6A**, and **6B**. In this embodiment of passive optical waveguide **800**, the polysilicon layer **191** is deposited on the gate oxide **110** after the gate oxide has been deposited on the silicon layer **160**. The deposited polysilicon layer **191** creates a region of altered effective mode index **190**, as shown in FIG. **6B**, that helps to define the optical waveguide **161**. The optical waveguide **161**, that defines where light flows, exists within the silicon layer **160**, the gate oxide **110**, and/or the polysilicon layer **191**. In those embodiments of passive optical waveguide devices that include the polysilicon layer **191**, the silicon layer **161**, and the gate oxide layer **110**, the silicon layer **160** may, or may not be, etched to still constrain the light to travel within the optical waveguide using the TIR boundary **195**. In these embodiments of passive optical waveguide devices, the polysilicon layer **191** and the gate oxide layer **110** are configured to provide a modified, but static (unchanging with time) effective mode index.

It will be understood by those skilled in the art that the passive optical waveguide devices described below as having polysilicon layer **191**, an etched silicon layer **161**, and the gate oxide layer **110**, could alternatively be formed without etching the silicon layer **161**. Similarly, it will be understood by those skilled in the art that the passive optical waveguide devices described below as having polysilicon layer **191**, an unetched silicon layer **161**, and the gate oxide layer **110**, could alternatively be formed with an etched silicon layer **161**. The photonic guide function as at least partially provided by the region of static effective mode index in the passive optical waveguide device **800** (or the region of altered effective mode index in an active optical waveguide device **150**) may be determined from the cross-section of the polysilicon layer **191** as well as the upper semiconductor layer (such as the Si layer on an SOI substrate.)

Another embodiment of passive optical waveguide devices **800**, shown in FIG. **5**, includes the light couplers **5110**. Light couplers **5110** are used to couple light into, or couple light out of, the silicon layer **160**. The light couplers **5110** can be either etched in the silicon layer **160** of the SOI wafer **152**, or alternatively affixed as a separate object to the silicon layer. Techniques to fabricate, and techniques to use the light couplers **5110** as they relate to passive optical waveguide devices are described herein.

Active optical waveguide devices **150**, such as illustrated in FIGS. **4**, **5**, and **6C**, include a region where the effective mode is varied during operation of the device by, e.g., applying a voltage to an electrode portion such as the gate electrode **120** or otherwise altering an external parameter during operation of the device. Passive optical waveguide devices **800** (such as those shown in FIGS. **3**, **6B**, and **6D**) include a region where the effective mode index remains constant, or static, over the life of the device. That is, passive optical waveguide devices **800** do not include regions where the effective mode index is varied during operation through alteration of a control voltage or other external parameter. As



illustrated in FIG. 6B, adiabatic tapers 75 are located at both of the ends of each polysilicon layer 191. The adiabatic tapers 75 act to converge light travelling toward the passive optical waveguide device (in this instance, the optical waveguides 161).

FIG. 6E illustrates the structural similarity between the modulators 68, which are active optical waveguide devices, and optical waveguides, that are passive optical waveguide devices 800. The only structural difference is that the active optical waveguide device 150 includes the body contact wells 107, 109. The addition of these body contact wells 107, 109, that permit operation as gate electrodes and source electrodes, act to alter the effective mode index within the modulator 68. By comparison, the optical waveguides 161 (which are passive optical waveguide devices), lack the body contact wells 107, 109 and the associated electrodes. Therefore, the effective mode index remains static or substantially unchanged over time in passive optical waveguide devices, except for variations due to degradation of the device over time.

Thin optical waveguides are associated with silicon layers 160 having a thickness of less than or equal to  $10\ \mu$ . Using silicon layers 160 with a thickness less than  $10\ \mu$  (such as thin SOI waveguides) has many benefits. Thin SOI silicon layers 160 limit the vertical regions in which light can diffract, and localize the light to a relatively narrow optical space. Optical waveguides 161 including such thin silicon layers 160 are relatively easy to precisely fabricate. Planar lithography techniques (such as used in deposition and etching processes) can be used to fabricate thin SOI devices.

Any optical waveguide 161 supports the transmission of light for one or more modes (light wavelengths at which the optical waveguide transmit light). The concepts described herein relative to the optical waveguide devices 100 apply equally well to any mode of light within the optical waveguide 161. Therefore, a multi-mode optical waveguide 161 can model a single optical device having multiple light modes. The physical phenomena described for the single mode of single mode waveguides 161 pertains to each mode in multi-mode optical waveguides 161.

The following sections relate to the various types of optical waveguide devices that can be used to provide optical and electronic/optical functionality, and to indicate the close functional and structural relationship of certain embodiments of the passive optical waveguide devices 800, active optical waveguide devices 150, and electronic devices 5101. The "Active Optical Waveguide Device" portion of this disclosure describes different embodiments of the active optical waveguide devices 150. The "Passive Optical Waveguide Device" portion of this disclosure describes different embodiments of passive optical waveguide devices 800. The structure and operation of many embodiments of passive optical waveguide devices are then described. The techniques of manufacture of many embodiments of active optical waveguide devices 150 and passive optical waveguide devices 800 are described. The passive optical waveguide devices 800 can be operationally associated (and fabricated simultaneously) with the active optical waveguide devices 150. The optical waveguide circuits 100 can be fabricated using standard (CMOS) fabrication techniques.

## II. Active Optical Waveguide Devices

This section describes the structure and operation of active optical waveguide devices 150 as illustrated generally in FIG. 4 and 6C. The active optical waveguide devices 150 can be fabricated using CMOS fabrication techniques. Multiple ones of the active optical waveguide devices 150 and

passive optical waveguide circuits 800 can be integrated into a single integrated optical waveguide circuit. Examples of these integrated optical waveguide circuits include an arrayed waveguide grating (AWG), a dynamic gain equalizer, and a large variety of integrated optical waveguide circuits. Such optical waveguide devices 100 (both active and passive) and integrated optical waveguide circuits can be made using existing CMOS and other semiconductor fabrication technologies.

Different embodiments of active optical waveguide devices 150 may be located in: a) a Field Effect Transistor (FET) structure as shown in FIGS. 7A to 7C; b) a High Electron Mobility Transistor (HEMT) 500 as shown in FIG. 8; or c) other similar active optical waveguide devices 150 in which an electric current can be applied adjacent to the silicon layer 160 to alter the free carrier concentration in a portion of the silicon layer 160.

In the embodiment of FETs applied to FIGS. 7A to 7C, a substantially constant electrical potential conductor 204 as shown in FIG. 7B extends between the source body contact electrode 118 and the drain body contact electrode 122 to maintain the two electrodes 118, 122 at a common voltage. Holding the source electrode 118 of a FET at the same potential as the drain electrode 122 causes the FET to functionally operate as a MOSCAP. The term "body contact electrode" describes either the common potential source electrode and drain electrode in the FET.

The application of the voltage to between the gate electrode 120 and the body contact electrodes 118, 122 predominantly changes the distribution of free-carriers (either electrons or holes) near the boundary between the silicon layer 160 and the gate oxide layer 110 (which is an optical and electrical insulator). As sufficient voltage is applied between the gate electrode 120 and the body contact electrode(s) 118, 122 causes the transistor action in field effect transistors, and also actuates an optical action in the active optical waveguide devices 150 as described herein. Passive optical waveguide devices 800, as described below, do not include operational gate electrodes 120 or the body contact electrodes 118, 122, and as such do not rely on a change in free carrier concentration to effect operation. Two-dimensional electron gas or 2DEG included in MOSCAPs represent essentially surface localized changes in the free carrier distributions. In a FET structure, for example, an increase in the application of the bias leads consecutively to accumulation of charges of the same polarity as the semiconductor silicon layer 160, i.e. holes in a p-type and electrons in n-type, depletion, and finally inversion. In 2DEGs 108, the polarity of the semiconductor is opposite the type of the predominant free carriers, (i.e. electrons in p-type or holes in n-type). In a High Electron Mobility Transistor (HEMT) 500 (shown in FIG. 6), the electron (hole) distribution formed just below the surface of the optical (and electric) insulator 104 is referred to as 2DEG 108 because of particularly low scattering rates of charge carriers. For the purposes of clarity, all of the above shall be referred to as 2DEG signifying a surface localized charge density change due to application of an external bias.

The silicon layer 160 provides the ability to change the density of the 2DEG 108 by varying the voltage applied between the gate electrode 120 and the body contact electrodes 118, 122. The 2DEG 108 is proximate the light travel path, near the boundary between the silicon layer 160 and the gate oxide layer 110. This change in free-carrier distribution results from application of the potential between the insulated gate electrode 120 and one or a plurality of body contact electrodes 118, 122 connected to the body of the



semiconductor. The propagation constant within the optical waveguide **161**, and the optical properties, (e.g., phase or amplitude) of light guided through the optical waveguide **161**, vary as the density of the free carriers changes. Field-effect transistor action (i.e., rapid change in 2DEG as a function of voltage of the gate electrode **120**) controls the properties of light travel in the optical waveguide **161** and integrates electronic and optical functions on one substrate **102**. Therefore, traditional FET electronic concepts can provide active optical functionality in the optical waveguide device **100**. The FET portion **116** is physically located above, and affixed to, the silicon layer **160** using such semiconductor manufacturing techniques as epitaxial growth, chemical vapor deposition, physical vapor deposition, etc.

The field effect transistor (FET) portion **116** shown in FIGS. 7A to 7C operationally includes a portion of the optical waveguide **161**. One embodiment of the silicon layer **160** is proximate to, and underneath, the gate electrode **120** of the FET portion **116**. The FET portion **116** includes a first body contact electrode **118** (e.g. source), the gate electrode **120**, and a second body contact electrode **122** (e.g. drain). A voltage can be applied by e.g., a voltage source **202** between pairs of the electrodes **118**, **120**, and **122**. To control the active optical waveguide device **150**, the voltage level of the gate electrode **120** is varied. The 2DEG **108** is formed at the junction between the silicon layer **160** and the gate oxide layer **110**. In some embodiments, the gate electrode **120** is biased relative to the combined first and second body contact electrodes **118**, **122**.

The variation in voltage level changes the propagation constant of at least a portion of the optical waveguide **161**. The changes in the index profile of the optical waveguide **161** are effected by the location and shapes of all the electrodes **118**, **120**, **122**. The density of the 2DEG generally follows the contour (shape) of the gate electrode **120**. The shape of the gate electrode **120** is “projected” as a region of altered effective mode index **190** into the silicon layer **160**. The value of the propagation constant may vary at different locations within the optical waveguide **161**. In this disclosure, the region of altered effective mode index **190** is considered that region of the optical waveguide **161** where the value of the effective mode index is changed by application of voltage to the gate electrode **120**. The term “region of altered effective mode index” is applied to active optical waveguide devices **150** because the value of the effective mode index can be altered by varying the electric signals applied to the different electrodes **118**, **120**, **122**. The region of altered effective mode index **190** typically extends through the vertical height of the optical waveguide **161**. Changing the effective mode index in the region of altered effective mode index usually results in a change in the propagation constant in the region of altered effective mode index. Such changing of the propagation constant results in phase modulation of the light passing through that device. In FIGS. 7A to 7C and **8**, phase modulation occurs in the region of altered effective mode index **190**, indicated in cross-hatching. Different embodiments of gate electrodes **120** can have rectangular or non-rectangular shapes in a horizontal plane. The different embodiments of the active optical waveguide device **150** perform such differing optical functions as optical phase/amplitude modulation, optical filtering, optical deflection, optical dispersion, etc.

FIGS. 7A to 7C respectively show a side cross-sectional, top, and front cross-sectional view of one embodiment of an optical waveguide device **100**. FIG. 7A shows prism couplers **112**, **114** coupled to the planar silicon layer **160**; the

silicon layer **160** being bounded by low-index insulating materials. Other well-known types of couplings such as gratings, tapers, and butt couplings may be coupled to either end of the silicon layer **160**. Light passing from the input prism coupler **112** (or other input port) to the output prism coupler **114** (or other output port) follows optical path **101** as shown in FIG. 7A.

The gate electrode **120** is directly above the light path in the silicon layer **160**. The low-index dielectric of the gate oxide layer **110** acts as an electrical insulator and an optical insulator that separates the gate electrode **120** from the silicon layer **160**. This embodiment of active optical waveguide device **150** is a FET structure with the body contact electrodes **118**, **122** forming a symmetric structure typically respectively referred to as “source” and “drain” in FET terminology. A substantially constant potential conductor **204** equalizes the voltage level between the first body contact electrode **118** and the second body contact electrode **122**.

In many embodiments, the channel normally associated with electronic functions of the FET is considered, and acts as, the optical waveguide **161**. Examples of electronic-type FETs that can be used in their modified form as FET portions **116** in optical waveguide devices **100** include a metal-oxide-semiconductor FET (MOSFET), a metal-electrical insulator-semiconductor FET (MISFET), a metal semiconductor FET (MESFET), a modulation doped FET (MODFET), a high electron mobility transistor (HEMT), and other similar transistors. The term “body contact electrodes” alternatively describes the substantially common potential source body contact electrode **118** and drain body contact electrode **122** in the FET-like structure **116** (FIG. 7C).

The silicon layer **160** (which may be doped) has a thickness  $h$ , and is sandwiched between the optical insulator layer **104** and the gate oxide layer **110**. The first optical insulator layer **104** is typically formed from silicon dioxide (glass) or any other optical and electrical insulator commonly used in semiconductors (for example SiN). The optical insulator layer **104** and the gate oxide layer **110**, where located, also acts to reflect and confine the light using total internal reflection of the light traversing the optical waveguide **161**.

FIG. 7B shows one embodiment of a voltage source configuration that biases the voltage of the optical waveguide device **100** by using a voltage source **202** and the substantially constant electrical potential conductor **204**. The substantially constant potential conductor **204** acts to tie the voltage level of the first body contact electrode **118** to the voltage level of the second body contact electrode **122**. The voltage source **202** biases the voltage level of the gate electrode **120** relative to the combined voltage level of the first body contact electrode **118** and the second body contact electrode **122**.

To apply a voltage to the gate electrode **120**, a voltage source **202** applies an AC voltage  $v_g$  between the gate electrode **120** and the combined first body contact electrode **118** and second body contact electrode **122**. The AC voltage  $v_g$  may be either a substantially regular (e.g. sinusoidal) signal or an irregular signal. An example of an irregular AC voltage  $v_g$  is a digital data transmission signal. In one embodiment, the AC voltage  $v_g$  is the information-carrying portion of the signal. The voltage source **202** can also apply a DC bias  $V_g$  to the gate electrode **120** relative to the combined first body contact electrode **118** and second body contact electrode **122**. Depending on the instantaneous value of the  $V_g$ , the concentration of the 2DEG will accumulate, deplete, or invert as shown by the HEMT **500** shown in FIG.



8. In one embodiment, the DC bias  $V_g$  is the signal that compensates for changes in device parameters. A combined DC bias  $V_g$  and AC voltage  $v_g$  equals the total voltage  $V_G$  applied to the gate electrode **120** by the voltage source **202**. It will be understood from the description above that modulation of the AC voltage  $v_g$  can thus be used to effect, for example, a corresponding modulation of light passing through the optical waveguide **161**.

The voltage potential of the first body contact electrode **118** is tied to the voltage potential of the second body contact electrode **122** by the substantially constant potential conductor **204** as shown in the embodiments of active optical waveguide device **150** in FIGS. **7B** and **8**. Certain embodiments of the substantially constant potential conductor **204** as shown in FIG. **8** include a meter **205** (e.g. a micrometer) to measure the electrical resistance of the gate electrode **120** from the first body contact electrode **118** to the second body contact electrode **122**. The constant potential conductor uses the term “substantially” because the meter **205** may generate some relatively minor current levels in comparison to the operating voltage and current levels applied to the optical waveguide device **100**. In one embodiment, minor current levels measure the resistance of the gate electrode **120**. The current level produced by the meter **205** is relatively small since the voltage (typically in the microvolt range) of the meter is small, and the electrical resistance of the silicon layer **160** is considerable (typically in the tens of ohms).

One embodiment of the optical waveguide devices **100** can be constructed on so-called silicon on insulator (SOI) technology that is used in the semiconductor electronics field. In SOI electronic devices, the vast majority of electronic transistor action in SOI transistors occurs on the top few microns of the silicon. Therefore optically, the material below the top few microns of the silicon layer **160** does not have to transmit light. While still following basic SOI rules, the silicon layer below the top few microns could be formed instead from the optical insulator **104** such as a glass (e.g., silicon dioxide). The SOI technology is based on providing a perfect silicon wafer formed on the gate oxide layer **110** which is an optical (and electrical) insulator such as glass (silicon dioxide), that often starts two to five microns below the upper surface of the silicon. The gate oxide layer **110** electrically isolates the upper two to five microns of silicon from the rest of the silicon.

The inclusion of the optical (electrical) insulator **104** in thin SOI electronic devices **5101** limits the large number of electric paths that can be created through a thicker silicon layer **160**. Therefore, forming optical waveguide devices **160** on thin SOI wafers makes SOI transistors and active optical waveguide devices **150** operate faster and consume less power.

The electrical resistance of the gate electrode **120** is a function of such parameters as voltage of the gate electrode, temperature, pressure, device age, and device characteristics. The voltage (e.g. the AC voltage or the DC voltage) applied to the gate electrode **120** can be varied to adjust the electrical resistance of the gate electrode **120**. Such variations in the electrical resistance of the gate electrode can compensate for temperature, pressure, device age, and/or other operating parameters of the optical waveguide device **100**.

As the temperature of the optical waveguide device **100** varies, the DC bias  $V_g$  applied to the gate electrode **120** of the optical waveguide device **100** is adjusted to compensate for the changed temperature. Other parameters (pressure, device age, device characteristics, etc.) can be compensated for in a similar manner as described for temperature (e.g. using a pressure sensor to sense variations in pressure).

FIGS. **9**, **10**, and **11** illustrate three embodiments of the active optical waveguide device **150** that include the FET shown in FIGS. **7A**, **7B**, and **7C**, whose optical function differs from each other. The different optical function of the active optical waveguide devices **150** shown in FIGS. **7B**, **8**, **9**, **10**, and **11** differ from each other based on the shape of the gate electrode **120**. The embodiment of active optical waveguide device **150** shown in FIGS. **7A** to **7C**, for example, functions as a modulator since the gate electrode **120** is rectangular. The rectangular gate electrode **120** extends across the width of the silicon layer **160**, and has a substantially equal axial length, as taken in a direction parallel to the optical waveguide **161** across the entire silicon layer. The shape of the gate electrode **120** projects the 2DEG region within the silicon layer **160**. Since the gate electrode **120** has a substantially rectangular configuration, the gate electrode **120** alters the propagation constant or the effective mode index within the silicon layer **160** to be substantially uniform across the width of the silicon layer **160**. In this configuration, the active optical waveguide device acts as a modulator since the propagation constant of light travelling in the optical waveguide **161** is substantially uniform. Varying the electric voltage level applied to the gate electrode **120** alters the effective mode index of the 2DEG region, and alters the propagation constant of that portion of the silicon layer **160** corresponding to the 2DEG region.

Changing the shape of the gate electrode **120** alters the shape of the 2DEG region **108** projected within the silicon layer **160**. For example, FIG. **9** illustrates the active optical waveguide device **150** having a plurality of gate electrodes **4102a**, **4102b**, and **4102c**. The grate-like configuration of the gate electrodes **4102a**, **4102b**, and **4102c** differs from the substantially rectangular gate electrode **120** shown in FIG. **7B**. The grating-shaped gate electrodes **4102a**, **b**, **c** therefore project grating-shaped 2DEG regions **108** into the silicon layer **160**. The grating-shaped 2DEG regions **108** within the silicon layer **160** have a different effective mode index (and different propagation constant) than the portions of the silicon layer **160** that are located outside of the 2DEG region. The projection of such grating-shaped regions of altered propagation constant within the optical waveguide **161** causes the embodiment of active optical waveguide device **150** as shown in FIG. **9** to function to deflect various wavelengths of light in a similar manner to known optical gratings, depending on the voltage applied to electrodes **120**. Only some percentage of light having wavelengths that corresponds to the spacing between the grating-shaped regions of altered propagation constant within the optical waveguide **161** will constructively interfere to produce the deflected beam. Light having wavelengths that corresponds to the spacing between the grating-shaped regions of altered propagation constant will destructively interfere, and will not factor in the deflected beam.

FIG. **10** illustrates one embodiment of the active optical waveguide device **150** having a gate electrode **120** shaped as a pair of optical prisms **720**. U.S. patent application Ser. No. 09/859,239 (incorporated by reference below) shows one embodiment of active optical waveguide device having the gate electrode shaped as a pair of optical prisms. Each optical prism-shaped gate electrode **720** in FIG. **7B**, therefore, when actuated projects an optical prism-shaped 2DEG region **108** into the silicon layer **160**. The optical prism-shaped 2DEG region **108** within the silicon layer **160** has a different effective mode index (and different propagation constant) than the portions of the silicon layer **160** that are located outside of the 2DEG region. The projection of



such an optical prism-shaped region of altered effective mode index within the silicon layer **160** causes the embodiment of active optical waveguide device **150** as shown in FIG. 7B to function to divert light through a prescribed angle. Active optical waveguide devices **150** including the gate electrode **120** shaped as an optical prism **720** may act as an optical switch.

FIG. 11 illustrates the active optical waveguide device **150** having the gate electrode **120** shaped as an optical lens **730**. U.S. patent application Ser. No. 09/859,647 (incorporated by reference below) shows one embodiment of active optical waveguide device having the gate electrode shaped as a lens. The optical lens-shaped gate electrode **120** therefore projects an optical lens-shaped 2DEG region **108** into the silicon layer **160**. The optical lens-shaped 2DEG region **108** within the silicon layer **160** has a different effective mode index (and different propagation constant) than the portions of the silicon layer **160** that are located outside of the 2DEG region. The active optical waveguide device **150** as shown in FIG. 7C projects the optical lens-shaped region of altered effective mode index within the silicon layer **160** to focus light to a prescribed focal point **3016**.

FIGS. 12A to 12E illustrate how effective mode index in active optical waveguide devices vary as different charges are applied to the body contact electrodes **107**, **109** as well as the gate electrodes. FIG. 12E illustrates a progression of different voltages that are applied between the gate electrode **120** and the body contact electrode(s). The locations that each ones of FIGS. 12A to 12D are located across the voltage plot of FIG. 12E are illustrated by the arrows. FIGS. 12A to 12D illustrate that as different voltages are applied between the gate electrode **120** and the body contact electrode(s), a different electronic profile (indicated by the contours in each figure) is established across the optical waveguide **161**. As such, the active optical waveguide device **150** responds to electronic input in a manner that alters the effective mode index within the region of altered effective mode index of the optical waveguide, and therefore can alter how light flows through the optical waveguide.

FIG. 13 shows another embodiment of hybrid active electronic and optical circuit **6502** that is configured either as a diode or as a field effect transistor. The field effect transistor **8101** is configured with the source contact **8102**, a drain contact **8104**, and a gate contact **8106**. Underneath the source contact **8102**, there is a P<sup>+</sup> region **8108** that is biased by electric voltage being applied to the source **8102**. Underneath the drain **8104**, there is a N<sup>+</sup> region **8110** that is biased by a voltage applied to the drain **8104**. Underneath the gate **8106**, there is a loaded optical structure **8112**, and below the loaded optical structure **8112** there is a P region **8114**. Light beams are modulated by passing current via the source **8102** and the drain **8104** through a p-n junction established in the diode. Thus, free carriers from the injected current are used to change the effective mode index in the loaded optical structure **8112** and the P region **8114**, that together act as a waveguide. The phase and/or amplitude of light in the waveguide can thus be varied based on the applied voltage. An electrical conductor **8120** is electrically coupled to source **8102**. An electrical conductor **8122** is electrically coupled to drain **8104**. The use of a specific doping is illustrative, but not limiting in scope. For example, an inversely doped device will operate similarly provided that the polarities are reversed, as such, the simple diode **6502** would operate similarly if the region **8108** was doped N<sup>+</sup>, the region **8114** was doped N, the region **8110** was doped P<sup>+</sup> while the polarity of electrical conductors **8120**

and **8122** were reversed from their present state. If the source **8112** and the drain **8104** are electrically connected together, then the hybrid active electronic and optical circuit device **6502** acts a diode instead of a field effect transistor.

FIG. 14 shows one embodiment of field-plated diode **9002** that differs from the embodiment of diode shown in FIG. 13 primarily by the addition of an additional electrical conductor **8124** that is electrically connected to the gate **8106**. The field-plated diode **9002** free carrier characteristics can be altered by applying a potential to the gate **8106** via the electrical conductor. Light can therefore be modulated. The gate **8106** can be configured as viewed from above in a similar manner as the embodiments of active optical waveguide devices shown in FIGS. 7A to 7C and **8** by appropriately shaping the gate electrode. A large variety of transistor/diode devices can therefore be utilized as the active electronic portion of one embodiment of the hybrid active electronic and optical circuit by similarly slight modifications. For example, FIG. 15 shows one embodiment of a MOSFET **9101** (and if the source and drain are electrically connected, a MOSCAP). Note that the doping of region **8110** is the only structural difference between FIGS. 14 and 15. Such devices are within the intended scope of the present invention.

Optically, light is guided perpendicular to the plane of the paper in FIG. 13, in a loaded optical structure **8112**. The structure of glass and polysilicon shown is an example in which the hybrid active electronic and optical circuit **6502** creates a higher mode index in the center of the loaded optical structure **8112**, in order to ease lateral confinement of the light flowing within the waveguide defined by the loaded optical structure **8112**. This represents one embodiment of a lower waveguide.

Considerable variations in proportions may be applied to light traveling in active optical waveguide devices **150** within the optical waveguide **161** as illustrated in FIGS. 7A, 7B, 7C, **8**, **9**, **10**, and **11**. Much of the variation in the functionality relates to altering the effective mode index and propagation index within the region of altered effective mode index **190** within the optical waveguide **161**. Patent applications owned by the assigned of the present invention and that describe these and other active optical waveguide devices **150** or active optical waveguide circuits include: a) U.S. patent application Ser. No. 09/859,693, filed May 17, 2001, entitled "Electronic Semiconductor Control of Light in Optical Waveguide", to Shrenik Deliwala (incorporated herein by reference in its entirety); b) U.S. patent application Ser. No. 09/859,297, filed May 17, 2001, entitled "Optical Modulator Apparatus and Associated Method", to Shrenik Deliwala (incorporated herein by reference in its entirety); c) U.S. patent application Ser. No. 09/859,647, filed May 17, 2001, entitled "Optical Lens Apparatus and Associated Method", to Shrenik Deliwala (incorporated herein by reference in its entirety); d) U.S. patent application Ser. No. 09/859,239, filed May 17, 2001, entitled "Optical Deflector Apparatus and Associated Method", to Shrenik Deliwala (incorporated herein by reference in its entirety); e) U.S. patent application Ser. No. 09/859,338, filed May 17, 2001, entitled "Optical Filter Apparatus and Associated Method", to Shrenik Deliwala (incorporated herein by reference in its entirety); f) U.S. patent application Ser. No. 09/859,279, filed May 17, 2001, entitled "Dynamic Gain Equalizer Method and Associated Apparatus", to Shrenik Deliwala (incorporated herein by reference in its entirety); g) U.S. patent application Ser. No. 09/859,769, filed May 17, 2001, entitled "Self-Aligning Modulator Method and Associated Apparatus", to Shrenik Deliwala (incorporated herein by



reference in its entirety); h) U.S. patent application Ser. No. 09/859,321, filed May 17, 2001, entitled "Programmable Delay Generator Apparatus and Associated Method", to Shrenik Deliwala (incorporated herein by reference in its entirety); i) U.S. patent application Ser. No. 09/859,663, filed May 17, 2001, entitled "Polarization Control Apparatus and Associated Method", to Shrenik Deliwala (incorporated herein by reference in its entirety); j) U.S. patent application Ser. No. 09/859,786, filed May 17, 2001, entitled "Interferometer Apparatus and Associated Method", to Shrenik Deliwala (incorporated herein by reference in its entirety); k) U.S. patent application Ser. No. 09/991,542, filed Nov. 10, 2001, entitled "Integrated Optical/Electronic Circuits and Associated Methods of Simultaneous Generation Thereof", to Shrenik Deliwala (incorporated herein by reference in its entirety); and l) U.S. patent application Ser. No. 09/991,371, filed Nov. 10, 2001, entitled "Anisotropic Etching of Optical Components", to Shrenik Deliwala et al. (incorporated herein by reference in its entirety).

### III. Passive Optical Waveguide Devices

This section describes the structure and operation of passive optical waveguide devices **800**. As previously mentioned relative to FIGS. **3**, **5**, **6A**, **6B**, and **6D**, there are a variety of passive optical waveguide devices **800**. Certain embodiments of passive optical waveguide devices **800**, such as illustrated in FIG. **6D**, are fabricated by etching the silicon from certain regions of the silicon layer **160** in the SOI wafer **152**, to form lateral etched surfaces that provide the total internal reflectance (TIR) boundary **195** that maintain the light along a desired path, or within a desired region, within the silicon layer **160**. The etched (TIR) boundary **195** can be etched in different configurations to provide different optical functions. Other embodiments of the passive optical waveguide devices **800** are fabricated by etching a polysilicon layer **191** (see FIGS. **3** and **6B**) that has been deposited on a gate oxide layer **110**. The gate oxide layer **110** has previously been deposited on the silicon layer **160** of the SOI wafer **152**. These two embodiments are described in detail in the next two sections of this disclosure.

In certain embodiments of passive optical waveguide devices that are fabricated by etching the polysilicon layer **191**, certain portions of the silicon layer **161** (generally below the etched portion of the polysilicon layer **191**) may additionally be etched to provide the TIR boundary **195** that limits the overall transmission of light in certain directions. Certain embodiments of passive optical waveguide devices that include a deposited and etched polysilicon layer **191** are described in the first portion of this section. Certain embodiments of passive optical waveguide devices that include an etched silicon layer **160** are described in the latter portion of this section. As will become evident, a specific passive optical waveguide devices can interface with another optical waveguide device (either passive or active) to provide a unitary optical waveguide device. For example, one passive optical waveguide device may create the TIR boundary **195**, formed as an optical waveguide or mirror, that constrains light flowing within an unetched portion of the silicon layer to remain within the unetched portion of the silicon layer; a second passive optical waveguide device may then create a desired effective mode index in a region of static effective mode index within the path or region through which the path of light is travelling.

#### IIIA. Polysilicon Layer Based Passive Optical Waveguide Devices

The embodiments of passive optical waveguide devices **800** shown in FIGS. **16** to **18** are formed by depositing and etching polysilicon on the silicon layer **160** (with a gate

oxide formed there between) to form the polysilicon layer **191**. The silicon layer may, or might not be bounded laterally by the silicon layer optical insulator **73** which maintains light traveling within an unetched portion of the silicon layer by the TIR boundary **195** as described herein. (As such, the dimensions of the optical insulator **73** shown may be reduced, or the optical insulator **73** and/or the etched region in the silicon layer occupied by the optical insulator **73**, may be eliminated altogether in certain embodiments depending on the characteristics of the polysilicon layer.) The polysilicon layer is shaped in a desired horizontal and vertical configuration. The configuration is characterized by a width  $w$ , a height  $h$ , and a length  $L$  as shown in FIG. **18**. The polysilicon layer creates a region of static effective mode index within the silicon layer **160**. The effective mode index in the region of static effective mode index in the passive optical waveguide devices does not change over time after the device fabricated, excepting for device degradation and aging. The effective mode index within the region of increased effective mode index **183** is a function of the width  $w$ , the length  $L$ , and the height  $h$  of the polysilicon layer **191**. In some optical circuits, one or more passive optical waveguide devices **800** may transmit light directly to (or from) one or more other passive optical waveguide devices or active optical waveguide devices **150**. As such, many passive optical waveguide devices **800** are often optically interconnected to active optical waveguide devices **150** to form optical waveguide circuits. A large variety of optical waveguide circuits can therefore be produced by combining one or more active optical waveguide devices **150** with one or more passive optical waveguide devices **800**.

FIGS. **16** and **17** show respectively a top and an end cross-sectional view of one generalized embodiment of passive optical waveguide device **800** that is formed on the SOI wafer **152**. The passive optical waveguide device **800** includes the substrate **102**, the optical insulator **104**, the silicon layer **160**, the gate oxide layer **110**, and the polysilicon layer **191** as shown in FIGS. **17** and **18**. In the SOI wafers **152**, the structure that normally operates as a "channel" in electronic devices **5101** operates instead as the optical waveguide **161** in many embodiments of active and passive optical waveguide devices.

Depositing, etching, masking, and doping polysilicon is known in CMOS and SOI technology as applied to electronic devices. The polysilicon layer **191** can be precisely etched to a specific height dimension  $h$  (e.g., 0.5 microns, 0.1 micron, etc.) using CMOS techniques. During CMOS fabrication, the height  $h$ , width  $w$ , and length  $L$  of the gate electrodes **120** and the polysilicon layer **191** can be deposited/etched to sub-micron accuracy relying largely on computer-controlled deposition, masking, and etching tools. The computer design and fabrication tools work most efficiently when the deposited polysilicon layer **191** of the passive optical waveguide device **800** (and the gate electrode **120** of either the active optical waveguide devices **150** or the electronic device **5101**) are straight, have few changes in cross-sectional width and cross-sectional height, and have few or no curves since the associated computers go through the simplest computations. CMOS and Very-Large Scale Integration (VLSI) techniques applied to electronic devices **5101**, passive optical waveguide devices **800**, and active optical waveguide devices **150** are generally most effective if the device design includes relatively simple polysilicon, silicon, and metal patterns, and identical electronic devices **5101** are repeated a considerable number of times on a single substrate **102**.

The shape and height of the different embodiments of the polysilicon layer **191** largely determine the optical function



of the different embodiments of the passive optical waveguide device **800**. The polysilicon layer **191** is thus precisely deposited and etched to provide the desired optical function. A single layer of polysilicon forming either the polysilicon layer **191** extending across the passive optical waveguide devices **800**, and/or the gate electrode **120** extending across the electronic devices **5101** or active optical waveguide devices **150**, can be selectively deposited, masked, etched, and/or doped at different regions using CMOS processes in order to simultaneously fabricate multiple optical and/or electronic waveguide devices on the substrate **152**.

In passive optical waveguide devices **800**, the polysilicon in the polysilicon layer **191** does not have to be doped. This lack of doping to the polysilicon layer **191** is possible since the polysilicon layer **191** (in passive optical waveguide devices **800**) does not have to change the free-carrier concentration within the silicon layer **160**. In actuality, the doping of the polysilicon layer in passive optical waveguide devices **800** may hinder the operation of the passive optical waveguide device since the doping may enhance absorption of light by the polysilicon layer **191**. The polysilicon used for gate electrodes **120** in electronic devices **5101** and active optical waveguide devices **150**, however, is typically doped to allow for some desired change in free carrier density within the silicon layer **160**. As such, the masks that apply doping to gate electrodes **120** for both active optical waveguide devices **150** and electronic devices **5101** do not simultaneously apply doping to the polysilicon in the polysilicon layer **191** used to form the passive optical waveguide devices **800**. The shapes and positions of openings in the masks dictate the location where a dopant is applied.

The effective mode index of the silicon layer **160** is altered in certain embodiments of passive optical waveguide devices **800** by the presence of the polysilicon layer **191** adjacent the silicon layer **160**. As such, the shape of the polysilicon layer **191** can be considered as projecting the region of static effective mode index **183** down to the silicon layer **160**. The region of static effective mode index **183** in the optical waveguide **161** has a different propagation constant compared to other portions of the optical waveguide **161** (similar to the region of altered effective mode index **190** described relative to the active optical waveguide devices **150** shown in FIGS. **7A**, **7C**, and **8**).

The amount that the propagation constant and the effective mode index differs in the region of static effective mode index **183** (compared to portions of the other optical waveguide **161**) depends partially on the height  $h$  and width  $w$  of the polysilicon layer **191** as shown in FIG. **18**. Therefore, in one embodiment of passive optical waveguide device **800**, the value of the effective mode index within the region of static effective mode index **183** is altered based on the height **180** of the polysilicon layer **191**. If it is desired to have the region of static effective mode index **183** with a different effective mode index value, then the height  $h$  of the polysilicon layer **191** can be selected accordingly. In FIG. **16**, the primary polysilicon layer **191** has a height **180**, while a secondary polysilicon layer **162** has a height **182**. Multiple regions of altered effective mode index can thus project within a single silicon layer **160**.

Many embodiments of the passive optical waveguide device **800** are relatively simple to fabricate and use, and comply with such CMOS and VLSI techniques and rules as are well known in semiconductor processing. There is no necessity to provide electrical connections to the passive optical waveguide devices **800**. Additionally, passive optical waveguide devices **800** do not need controllers **201**, as

shown in FIG. **7B**, or the associated controller programming. The programming of the controllers **201** can be limited to the active optical waveguide devices **150** and the electronic devices **5101** within the optical waveguide circuit **1140**. It is envisioned that certain embodiments of passive optical waveguide devices **800** may be optically associated with certain embodiments of active optical waveguide devices **150**. For example, as illustrated in FIG. **6A**, polyloaded optical waveguides **161**, which are passive optical waveguide devices, may be susceptible to slight optical operational irregularities during fabrication. To compensate for these optical operational irregularities, the active optical waveguide device **150** can be integrated to slightly tune the operation of the passive optical waveguide device **800**. In FIG. **6A**, for example, the active optical waveguide device **150** (that includes the electrodes **107**, **109**, **120**) which is configured as an optical modulator, can be electrically tuned as indicated above to compensate for these optical operational irregularities in the associated passive optical waveguide device(s).

The optical function of the passive optical waveguide device **800** shown in FIG. **16**, as determined by the configuration of the region of static effective mode index **183**, is a function of the shape, width, length, and height of the polysilicon layer **191**. The embodiments of passive optical waveguide devices **800** described in this disclosure perform a variety of optical functions as now described.

#### 1. Polyloaded Waveguide

The embodiment of polyloaded waveguide shown in FIG. **18** represents one embodiment of passive optical waveguide device that is at least partially fabricated by depositing and/or etching the polysilicon layer. The term "polyloaded" in this disclosure relates to the application of the polysilicon layer **191** as shown in FIG. **17**, above the silicon layer **160** of the particular passive optical waveguide device **800** (and in the embodiment shown above the gate oxide layer **110** that is deposited between the polysilicon layer and the silicon layer).

In the polyloaded waveguide **1020**, the gate oxide layer **110**, is deposited on the silicon layer **160**. A rectangular (within the horizontal plane) polysilicon layer **191** is then deposited on the gate oxide layer. The gate oxide layer **110** provides electrical and optical insulation between the polysilicon layer **191** and the silicon layer **160**. The silicon layer **160**, the gate oxide layer **110**, the substrate **102**, the optical insulator **104**, and the polysilicon layer **191** may each be fabricated using known CMOS and VLSI techniques in a similar manner to electronic devices such as FETs. The embodiment of passive optical waveguide device **800** shown in FIG. **18** is a so-called ridge optical waveguide in which the polysilicon layer has exposed lateral sides. Multiple polyloaded waveguides **1020** can be fabricated on a single substrate **102**.

The region of static effective mode index **183** is maintained within the optical waveguide **161** of polyloaded waveguides **1020** at a prescribed effective mode index. Light travelling within the optical waveguide **161** is constrained on both lateral sides of the optical waveguide **161** by the TIR boundary **195**. The TIR boundary **195** is created by etching, within the silicon layer **160**, a region in which the silicon layer optical insulator **73** is deposited as shown in FIGS. **18** and **5**. In certain embodiments, no silicon layer optical insulator **73** is deposited since air forms a natural TIR boundary with the silicon layer.

The width of the polyloaded waveguide **1020** is a factor in determining the effective mode index of the region of static effective mode index **183** within the optical waveguide



161. Therefore, selecting a different width of the polysilicon layer 191 in the polyloaded waveguide 1020 affects the propagation rate of light traveling through the region of static effective mode index 183 in the optical waveguide 161.

The width  $w$  of the polysilicon layer 191 in passive optical waveguide devices 800 (as well as the gate electrode 120 in active optical waveguide devices 150 and electronic devices) can be easily modified by selecting a different opening width in a polysilicon mask layout. FIGS. 19A to 19D illustrate a progression of simulated propagation constant measurements as the width of polysilicon layer 191 increases. In each simulation shown in FIGS. 19A to 19D, the simulated wavelength of the light travelling within the optical waveguide is maintained at 1.55 microns, and the height of the polysilicon layer 191 is maintained at 0.21  $\mu$ . The width of the polysilicon layer 191 in the passive optical waveguide device 800 progressively increases from FIGS. 19A to 19D, as measured in microns. The phase ( $\phi$ ) is related to the propagation constant ( $\beta$ ) according to equation 1:

$$\beta * L = \phi \quad (\text{equation 1})$$

which can be shown to equal

$$[(2\pi/\lambda)n_{eff}] * L = \phi \quad (\text{equation 1})$$

where  $L$  is the length of the polysilicon layer 191. In active electronic devices 5101 and active optical waveguide devices 150,  $\beta$  is a function of the free carrier density in addition to the width  $w$  and height  $h$  of the polysilicon gate electrode 120, and  $n_{eff}$  is the effective mode index.

The cross-sectional area of the polysilicon layer 191 (as determined by the height  $h$  and the width  $w$ ) also effects the effective mode index and the propagation rate of light within the region of static effective mode index 183 in the optical waveguide 161. For a given width, the greater the height  $h$  of the polysilicon layer 191, the greater the change in the effective mode index within the region of altered effective mode index 190 in the optical waveguide 161. Any modification in the effective mode index within the region of static effective mode index 183 (resulting from depositing the polysilicon layer) also produces a corresponding change in the propagation constant.

During normal CMOS processing, it may be desirable to maintain the height  $h$  of the polysilicon for the polysilicon layer 191 in all passive optical waveguide devices 800 throughout a given wafer (and the height of the polysilicon forming the gate electrodes 120 in all active optical waveguide devices 150 and all electronic devices 5101 throughout a given wafer, see FIG. 5) equal. The width  $w$  or length  $L$  of the polysilicon layer are the most likely device parameters to be altered to provide a passive optical waveguide device (or different devices of the same wafer 152) since applying different depths (to different portions of the same layer on the wafer 152) requires additional photolithographic masks. Providing the polysilicon layer 191 or gate electrode 120 in each one of the active optical waveguide devices, passive optical waveguide devices, and electronic devices with a common height thus simplifies CMOS processing, and mask design.

The height (vertical) of the polysilicon layer 191 compared to the vertical height of the silicon layer 160 largely determines where the optical waveguide 161, in thin SOI wafers 152, is located (i.e., where the light travels within the silicon layer 160 compared to the polysilicon layer 191). For example, simulations indicate that if the silicon layer is

maintained at 0.2 microns, and the gate oxide layer 110 is maintained at 80 Angstroms, and the height of the polysilicon layer 191 is changed, then the region that the light travels within the polysilicon layer 191 and/or the silicon layer 160 also changes. When the polysilicon layer 191 is relatively thin (e.g., 0.1 micron thick), the optical waveguide 161 is located almost entirely within the silicon layer 160, and the light travels substantially within the silicon layer. By comparison, when the polysilicon layer 191 is relatively thick (e.g., 0.6 micron thick), almost the entire optical waveguide 161 is within the polysilicon layer 191, and almost all of the light travels within the polysilicon layer. Between these values graduating percentages of light travel in the polysilicon layer 191 and the silicon layer 160 (as well as the gate oxide layer 110). As such, the depth of the polysilicon layer can be selected to control the range (in the vertical direction) that most of the light travels within the silicon layer 160, the gate oxide layer 110, and the polysilicon layer 191. The particular shapes and angles of the upper surface, the bottom surface, and the exposed lateral sides of the polyloaded waveguides 1020 can be modified to provide desired light characteristics in the optical waveguide.

## 2. Interferometer

The embodiments of interferometer shown in FIGS. 20 to 23 represent multiple embodiments of the passive optical waveguide device that are at least partially fabricated by depositing and/or etching a polysilicon layer 191a, b, c, and/or d. The interferometer may be configured as a Michaelson interferometer, a Mach-Zehnder interferometer, or another type of interferometer.

In these embodiments of interferometers, at least one polysilicon layer 191a, b, c, and/or d is configured to provide a desired region of static effective mode index in one passive optical waveguide segment. FIG. 20 shows a top view, and FIG. 21 shows a cross-sectional view, of one embodiment of an interferometer 1400. FIG. 22 shows a top view, and FIG. 23 shows a cross-sectional view, of another embodiment of the interferometer 1400. The different embodiments of the interferometers 1400 shown in FIGS. 20, 21, 22, and 23 are passive optical waveguide devices 800, and include an input coupler 1410, two passive polyloaded waveguide segments (1020a and 1020b in FIGS. 20 and 21; 1020c and 1020d in FIGS. 22 and 23), and an output coupler 1420. The input coupler 1410 splits light into two light signals that follow each of the two passive polyloaded waveguide segments 1020a and 1020b. The output coupler 1420 acts as a light combiner. Each one of the passive polyloaded waveguide segments 1020a, 1020b, 1020c, and 1020d are configured and fabricated in a similar manner as the polyloaded waveguides 1020 described relative to FIGS. 16 to 18.

The interferometer described in U.S. patent application Ser. No. 09/859,786, to Shrenik Deliwala (the '786 patent application, incorporated by reference above) relates to an active optical waveguide device 150. As such, the wavelength of the light that the interferometer of the '786 patent application is associated with can be altered to a controllable effective mode index by adjusting the voltage between the gate electrode 120 and the body contact electrodes 118, 122 as shown in FIG. 7B. By comparison, the embodiments of the interferometer 1400 shown in FIGS. 20 to 23 include a plurality of passive polyloaded waveguide segments, each passive polyloaded waveguide segment is configured with a region of static effective mode index.

The embodiment of interferometer 1400 as shown in FIG. 20 and 21 includes polysilicon layers 191a and 191b (associated with respective passive polyloaded waveguide segments 1020a, 1020b), that have the same cross-sectional



areas (e.g., both heights  $h$  and both widths  $w$  of the polysilicon layers **191a** and **191b** are identical, where FIG. 18 shows  $h$  and  $w$ ), but extend for different respective axial lengths  $L_a$  and  $L_b$  along the respective passive polyloaded waveguide segments **1020a** and **1020b**. The projected lengths of the regions of static effective mode indexes **183** thus vary between the passive polyloaded waveguide segment **1020a** and the passive polyloaded waveguide segment **1020b** (since the outline of the polysilicon layers **191a** and **191b**, that each have different lengths, project to the regions of static effective mode indexes **183** nearly exactly). Since the length of the region of the static effective mode index **183** (not shown) within the passive polyloaded waveguide segment **1020a** is considerably longer than the projected region of static effective mode index **183** (not shown) with the passive polyloaded waveguide segment **1020b**, the optical waveguide **161a** of the passive polyloaded waveguide segment **1020a** has a different propagation constant than the optical waveguide **161b** of the passive polyloaded waveguide segment **1020b**.

Due to the different propagation constants of optical waveguide **161a** relative to optical waveguide **161b**, light will pass through the different optical waveguides **161a**, **161b** at different overall velocities. The phase of light between the two polyloaded waveguides will therefore change. Light travelling through the optical waveguide **161a** (as shown in FIGS. 20 and 21) will exit the optical waveguide separated by an optical phase shift equal to  $\phi$ , for a central design wavelength of the passive optical waveguide device, compared to light traveling through the optical waveguide **161b**. The phase ( $\phi$ ) is related to the propagation constant ( $\beta$ ) as per equation 1 above. The light travelling through the optical waveguide **161a** will interfere at the output coupler **1420** with the light travelling through the optical waveguide **161b**. The amount of light exiting depends on the phase shift  $\phi$  and the amplitude of the light in the individual waveguide segments.

In one embodiment of interferometer **1400** (not shown), only one passive polyloaded waveguide segment **1020a** or **1020b** has a respective polysilicon layer **191a** or **191b**. As such, only one polysilicon layer **191a** or **191b** would project the region of static effective mode index **183** into the optical waveguide **161** associated with the passive polyloaded waveguide segment. The phase of light travelling through the polyloaded waveguide with the polysilicon layer would therefore shift from the light travelling through the polyloaded waveguide without the polysilicon layer by some phase  $\phi$ , for a central design wavelength of light of the passive optical waveguide device.

In another embodiment of interferometer **1400** shown in FIG. 22 and 23, the passive polyloaded waveguide segment **1020c** includes the polysilicon layer **191c**; and the passive polyloaded waveguide segment **1020d** includes the polysilicon layer **191d**. The general components of the embodiment of interferometer **1400** shown in FIGS. 22 and 23 may be similar to that shown in the embodiment of shown in FIGS. 20 and 21, except that the lengths of the polysilicon layers **191c** and **191d** are equal ( $L_a=L_b$ ), and the cross-sectional area of the polysilicon layer **191c** differs from the cross sectional area of the polysilicon layer **191d**. The difference in cross sectional areas between the polysilicon layer **191c** and the polysilicon layer **191d** results from: a) a difference in height  $h$  between the respective polysilicon layers **191c** and **191d** of the respective passive polyloaded waveguide segments **1020c** and **1020d** (see FIG. 18 for  $h$  and  $w$ ); b) a difference in width  $w$  between the polysilicon layers **191c** and **191d** of the respective passive polyloaded waveguide

segments **1020c** and **1020d**; or c) a combination of the above. As mentioned above, b) is the most likely in CMOS processing, since it is difficult to vary the height  $h$  between different polysilicon traces on the same polysilicon wafer.

In those embodiments where two polysilicon layers **191** are of different heights  $h$  (not shown) this difference in height may be accomplished by applying identical deposition and etching steps to both polysilicon layers **191c** and **191d**, and then applying additional deposition or etching steps to only one of the polysilicon layers **191c**, **191d**. Providing the two polyloaded waveguide segments **1020c** and **1020d**, with different cross-sectional areas causes the region of static effective mode index **183** in the optical waveguide **161c** to have a different effective mode index than the region of static effective mode index **183** in the optical waveguide **161d**. Due to the different effective mode index of the regions of static effective mode indexes **183** within the optical waveguides **161c** and **161d**, the optical waveguides **161c** and **161d** will have different propagation constants.

The respective cross sectional areas of the polysilicon layers **191c** and **191d**, as shown in FIGS. 22 and 23, are configured so light exiting the optical waveguides **161c** and **161d** will enter the output coupler **1420** separated by some optical phase shift  $\phi$ , for a central design wavelength of the passive optical waveguide device. Therefore, light exiting the optical waveguide **161c** that enters the output coupler **1420** is in phase with light exiting the optical waveguide **161d** that enters the output coupler **1420**. As such, the light travelling through the optical waveguide **161c** will interfere at the output coupler **1420** with the light travelling through the optical waveguide **161d** for the intended wavelength(s) of light for the interferometer **1400**. The amount of light exiting **1420** depends on the phase shift  $\phi$  and the amplitude of the light in the individual waveguide segments.

The different embodiments of interferometer **1400** described relative to FIGS. 20, 21, 22, and 23 include two passive polyloaded waveguide segments that are illustrated as being substantially straight. Making the passive polyloaded waveguide segments substantially straight provides for simple CMOS and VLSI layout design, particularly relating to the deposition of the silicon, polysilicon, and various oxides such as gate oxide. Similar concepts apply to the interferometer **1400** where each passive polyloaded waveguide segment **1020a** and **1020b** (or **1020c** and **1020d**) follows a curved, an arcuate, a combined curved and straight, or any other path (not shown), and such embodiments are intended to be within the scope of the present invention.

The embodiments of the interferometer **1400** shown in FIGS. 20, 21, 22, and 23 are representative of embodiments of the passive optical waveguide device **800** where the velocity of light traveling through one passive polyloaded waveguide segment **1020a** (or **1020c**) is adjusted relative to light travelling through another passive polyloaded waveguide segment **1020b** (or **1020d**). This adjustment of the velocity of light within different optical waveguides controls the relative phase of light exiting the passive polyloaded waveguide segment **1020a**, **1020b** (or **1020c**, **1020d**). There are a variety of other embodiments of passive optical waveguide devices **800** that operate by adjusting the phase of light travelling through a plurality of passive polyloaded waveguide segments (for example, the embodiments of the AWG **1600** as described herein).

While each passive polyloaded waveguide **1020** and each passive polyloaded waveguide segment **1020a**, **1020b**, **1020c**, and **1020d** shown in FIG. 18 to 23 has a substantially



constant cross sectional area (each polyloaded waveguide or polyloaded waveguide segment, has a constant width  $w$  and height  $h$  along the entire length of the passive polyloaded waveguide segment as shown in FIG. 18), it may be desired in certain embodiments to increase or decrease the cross sectional area along the length. For example, FIG. 6B shows a passive optical waveguide device 800 configured as a polyloaded waveguide having adiabatic tapers 75 formed at either end. The width dimension of the adiabatic tapers 75 gradually increase toward where the light is input compared to the remainder of the polysilicon layer (that has a constant width and thickness) to direct or funnel light into the polyloaded waveguide. As such, adiabatic tapes may be considered as one embodiment of polyloaded waveguide 1020.

### 3. Arrayed Waveguide Gratings

FIGS. 24A and 24B respectively show top and front cross-sectional views of one embodiment of an arrayed waveguide grating (AWG) 1600. These embodiments of AWG represent passive optical waveguide devices that are at least partially fabricated by depositing and/or etching the polysilicon layer 191. The AWG 1600 is configured either as a wavelength division multiplexer or a wavelength division demultiplexer, depending on the direction that the light signal propagates. The AWG 1600 includes an input coupler 1602, an output coupler 1604, an input signal port 1608, a plurality of output signal ports 1610 and a plurality of arrayed waveguides or waveguide arms 1020e to 1020k. In the wavelength division demultiplexer configuration, the input signal port 1608 applies input signals to the input coupler 1602 and a plurality of output signal ports 1610 receive a plurality of output signals from the output coupler 1604. The terms input coupler 1602, output coupler 1604, input signal port 1608, and output signal port 1610 are intended to be illustrative in nature and not limiting in scope. For example, when the AWG 1600 is acting as a wavelength division demultiplexer, a single optical signal (that is to be wavelength-demultiplexed) travels through the input signal port 1608, the input coupler 1602, the plurality of arrayed waveguide arms 1020e to 1020k, and the output coupler 1604, as a plurality of wavelength division demultiplexed signals are applied to the respective plurality of output signal ports 1610. When the AWG 1600 is acting as a wavelength division demultiplexer, the input coupler 1602 demultiplexes the single optical signal into the plurality of wavelength division demultiplexed signals.

When the AWG 1600 is acting as a wavelength division multiplexer, a plurality of wavelength division demultiplexed signals are input to the plurality of output signal ports 1610, and the wavelength division demultiplexed signals travel via the output coupler 1604, the plurality of arrayed waveguide arms 1020e to 1020k, and the input coupler 1602, to yield a single wavelength division multiplexed signal to the input signal port 1608. When the AWG 1600 is acting as a wavelength division multiplexer, the input coupler 1602 multiplexes the plurality of wavelength division demultiplexed signals into a single wavelength division multiplexed signal.

The plurality of arrayed waveguide arms 1020e to 1020k extend between the input coupler 1602 and the output coupler 1604. Glass or air optical insulator 73 (as described in FIG. 6A) is integrated within the silicon layer, between each pair of adjacent arrayed waveguide arms 1020e to 1020k (at the level of the silicon layer), and provides total internal reflection to light within the each arrayed waveguide arm. Each one of the arrayed polyloaded waveguide arms 1020e to 1020k is similar structurally and operationally to

the passive polyloaded waveguide segments 1020a to 1020d shown in the embodiments of interferometer 1400 described above relative to FIGS. 20 to 23. In different embodiments of AWGs, either the cross-sectional areas between the respective polysilicon layers 191e to 191k differ as illustrated in FIGS. 24A and 24B, or alternatively the lengths of each one of the polysilicon layers 191l to 191r vary as illustrated in FIGS. 25A and 25B. As a result of the difference of effective mode index within the polyloaded waveguide segments, the propagation constant of light differs through each one of the plurality of arrayed waveguide arms 1020e to 1020k (or 1020l to 1020r) of the AWG 1600 for the reasons described relative to each of the passive polyloaded waveguides 1020a, 1020b in the interferometer 1400. That is, a difference in cross-sectional areas and/or difference of lengths of the plurality of arrayed waveguide arms 1020e to 1020k (or 1020l to 1020r) result in a change in propagation constant.

In the embodiment of AWG 1600 shown in FIGS. 24A and 24B, the width  $w$  (indicated by the thickness of the line in FIG. 24A) of each one of the polyloaded waveguide arms 1020e to 1020k are different from each other. Each one of the plurality of waveguide arms 1020e to 1020k has an identical length  $L$  and height  $h$  (see FIG. 18). Each respective polysilicon layer 191e to 191k is deposited on a gate oxide layer (not shown) that in turn, has previously been deposited on the silicon layer 160. Each respective one of the plurality of waveguide arms 1020e to 1020k includes the silicon layer 160 that respectively has a uniform height and width. The variation in width  $w$  of the different polysilicon layers 191e to 191k results in a different effective mode index in each region of altered effective mode index within each optical waveguide 161 as shown in FIG. 24B. Therefore, the propagation constant in the region of static effective mode index 183 differs for each optical waveguide 161. Light therefore traverses the optical waveguides of each polyloaded waveguide arm 1020e to 1020k at a different velocity. AWGs 1600 of the type shown in FIGS. 24A and 24B are arranged so each pair of adjacent ones of the plurality of waveguide arms 1020e to 1020k (of equal arm lengths) satisfy equation 3:

$$(\beta_i - \beta_{i-1})L = m2\pi \quad (\text{equation 3})$$

where  $\beta_i$  represents the propagation constant of  $i^{\text{th}}$  arm,  $m$  is an integer and  $L$  is the length of arms, i.e., arms  $i$  and  $(i-1)$ . Where the length of the arms differ, equation 3 can be rewritten as equation 4:

$$\Delta(\beta L) = (\beta_i L_i - \beta_{i-1} L_{i-1}) = m2\pi \quad (\text{equation 4})$$

$$\phi_i + \Delta(\beta L) = m2\pi + \phi_1 \quad (\text{equation 5}).$$

In general, additional phase shift  $\phi_i$  may be added to make the output of arms 161e-j focus at the inputs of output waveguides 1610. In another embodiment of AWG 1600 (not shown), as shown in FIGS. 25A and 25B, the cross-sectional shape of the silicon layers 160 in each polyloaded waveguide arms 1020l to 1020r is substantially identical. Each one of the plurality of waveguide arms 1020l to 1020r has an identical length; however the length  $L$  of each polysilicon layer 191l to 191r differs. This variation in length of the respective polysilicon layers 191l to 191r relative to the respective waveguide arms 1020l to 1020r results in regions of static effective mode index 183 of different lengths being projected into each of the waveguide arms 1020l to 1020r, which in turn provide a varied propagation constant between the different ones of the waveguide



arms. This difference in propagation constant between adjacent ones of the waveguide arms **1020/** to **1020r** provides similar optical operation to the embodiment of AWG described above relative to FIGS. **24A** and **24B**.

FIG. **26** shows an AWG **2600** formed as a passive optical waveguide device **800** of the type that is formed within the silicon layer **160**, similar to as described relative FIG. **6A** and similar in shape to the embodiment of AWG shown in FIG. **2**. The AWG **2600** includes an input coupler **2602**, an output coupler **2604**, an input signal port **2608**, a plurality of output signal ports **2611**, and a plurality of polyloaded waveguide arms **2620a** to **2620e**. Each pair of adjacent ones of the plurality of waveguide arms **2620a** to **2620e** is separated by adjacent ones of the plurality of waveguide arms by a silicon layer optical insulator **73** such as air or glass, where the silicon layer optical insulator **73** may be formed by etching the silicon in the silicon layer **160**, and depositing the desired optical insulator to form the silicon layer optical insulator **73** at the desired locations. Each one of the plurality of waveguide arms **2620a** to **2620e** has the same configuration as the passive optical waveguide device **800** shown in FIG. **4**. Additionally, the polysilicon layer **191** defines a general curve of each of the plurality of waveguide arms **2620a** to **2620e**. Where each of the arms for the prior art embodiment of AWG shown in FIG. **2** includes entirely a glass (e.g., silicon dioxide) segment; each one of the plurality of waveguide arms **2620a** to **2620e** are formed by depositing the gate oxide layer **110**, and then the polysilicon layer **191**, in a desired configuration. It may be more desired to pattern polysilicon in the relatively complex configurations representing the plurality of waveguide arms than it is to pattern the silicon in the silicon layer, which in many thin SOI wafers **152** is very thin.

Another advantage of the "constant length AWG" is temperature stability. An ideal a-thermal AWG would have to maintain an  $m2\pi$  phase shift difference between arms over an operating temperature range. Since arm lengths are different in traditional AWG's, temperature changes the length of the long arms and hence deviation from the  $m2\pi$  condition occurs. By using constant length arms, this problem is no longer relevant. Only changes in the propagation constant  $\beta$  as a function of temperature are important and these effects are considerably smaller.

Although each of the AWG's illustrated above are shown as having straight passive waveguide arms, AWGs within the scope of the present invention could also be fabricated with straight active waveguide arms, i.e., straight waveguide arms wherein the phase of light in each arm is adjusted by controlling a gate voltage applied to an electrode associated with the waveguide arm.

#### 4. Polyloaded Echelle Grating

The embodiments of Echelle Grating described in U.S. patent application Ser. No. 09/859,239, entitled "Optical Deflector Apparatus and Associated Method", relate to active optical waveguide devices **150** as described by this disclosure. As such, the amount of deflection of light (or changing the focal length) in the Echelle grating of the '239 patent application can be adjusted by adjusting the voltage between a gate electrode and combined body contact electrodes. By comparison, each embodiment of a polyloaded Echelle grating **2500** shown in FIGS. **30** to **35** represents a different embodiment of the passive optical waveguide device **800**. The amount of deflection (or change in the focal length) of the light traversing the polyloaded Echelle grating **2500** remains substantially constant over the life of the passive optical waveguide device, and therefore cannot be altered within the region of static effective mode index of a

given passive optical waveguide device **800** by, for example, variation of a control voltage.

FIG. **30** shows one embodiment of the polyloaded Echelle grating **2500**. The Echelle grating represents one embodiment of passive optical waveguide device that is at least partially fabricated by depositing and/or etching the polysilicon layer. The polyloaded Echelle grating **2500** is fabricated as a passive optical waveguide device **800** as described relative to FIGS. **17** and **18**, and as such includes the layers of the wafer **152** (the substrate **102**, the optical insulator **104**, and the silicon layer **160**) in addition to the gate oxide layer **110** that is deposited on the silicon layer **160**, and the polysilicon layer **191** that is deposited on the gate oxide layer **110**. As described below relating to fabrication, the polysilicon eventually forming the polysilicon layer **191** is deposited as a plane on top of the planar oxide eventually forming the gate oxide layer **110**. The polysilicon layer **191** can then be etched from the polysilicon using planar lithography tools, and the gate oxide layer **110** forms a natural boundary to limit the further polysilicon etching into, or below, the gate oxide layer **110**. The gate oxide layer **110** can then optionally be etched using gate oxide planar lithography tools (at which point the silicon layer **160** forms a natural boundary to limit further gate oxide etching into, or below, the silicon layer depending on the selected etchant). The gate oxide can be selected to have a sufficient dimension as to not affect the projection of the region of static effective mode index **183** from the polysilicon layer **191** into the silicon layer **160**.

The polyloaded Echelle grating **2500** may be alternatively used as a diffraction grating or a lens grating depending on the relative configuration of the Echelle-shaped polysilicon layer **2502** and the silicon layer. In the embodiment of polyloaded Echelle grating **2500** shown in FIG. **30**, the polysilicon layer **191** is configured as a substantially triangular-shaped Echelle-shaped polysilicon layer **2502**. The Echelle-shaped polysilicon layer **2502** shape projects nearly identically in size and horizontal-shape to the region of static effective mode index **183** shown in FIGS. **32**, **34**, and **35**. The Echelle-shaped polysilicon layer **2502** includes a base side **2510**, a planar grooved surface **2512**, and two parallel sides **2504** and **2506**. The side **2506** appears as a point of the triangle, but is actually a length of material as shown in FIG. **22**.

The base side **2510** extends substantially perpendicular to the incident direction of travel of light (the direction of travel of the light is indicated by arrows **2606**, **2607**, and **2609** shown in FIG. **22**) entering the polyloaded Echelle grating **2500**. The planar grooved surface **2512** includes a series of individual grooves **2515** that extend parallel to the side surface **2504**, **2506**, and all of the grooves **2515** regularly continue from side **2504** to the other side **2506**. Each groove **2515** includes a width portion **2519** and a rise portion **2517**.

The rise portion **2517** defines the distance that each individual groove **2515** rises (parallel to the direction of propagation of light in the optical waveguide **161**) from its neighbor groove. The rise portion **2517** is equal for each individual groove **2515**, and the rise portion **2517** equals some integer multiple of the wavelength of the light that is to be acted upon by the polyloaded Echelle grating **2500**. Two exemplary adjacent grooves shown in FIG. **31** are **2515a** and **2515b**; the vertical distance between the grooves **2515a** and **2515b** is the rise portion **2517**. The width portion **2519** (taken in a direction perpendicular to the direction of propagation of light in the optical waveguide **161**) of the Echelle-shaped polysilicon layer **2502** is equal for all of the individual grooves **2515**. The distance of the width portion



2519 multiplied by the number of individual grooves 2515 equals the operational width of the entire Echelle-shaped polysilicon layer 2502.

The projected region of static effective mode index 183, shown in FIGS. 32, 34, and 35, can be viewed generally in cross-section as having the shape and dimensions of the Echelle-shaped polysilicon layer 2502 (including grooves 2515), and extending vertically through the entire thickness of the silicon layer 160. The numbers of individual grooves 2515 in the FIG. 30 embodiment of Echelle-shaped polysilicon layer 2502 may approach many thousand.

FIG. 32 shows the top cross sectional view of the region of static effective mode index 183 shaped as the polyloaded Echelle grating 2500. The optical waveguide 161 is envisioned to be a slab optical waveguide, and is configured to permit the angular diffraction of the beam of light emanating from the polyloaded Echelle grating 2500. Depending on the configuration of the FIGS. 30 and 31 embodiment of the Echelle-shaped polysilicon layer 2502, a projected region of static effective mode index 183 of the general shape shown in FIG. 32 is established within the optical waveguide 161. Depending upon the materials, doping, etc. of the Echelle-shaped polysilicon layer 2502 compared to the silicon layer 160 in FIG. 30, the propagation constant within the projected region of static effective mode index 183 can either exceed, or be less than, the propagation constant within the remaining part of the optical waveguide 161. The relative level of effective mode index (and therefore the level of propagation constant) within the projected region of static effective mode index 183 compared to outside of the projected region of static effective mode index 183 determines whether the optical waveguide 161 acts to diffract light or focus light. In this section, the Echelle-shaped polysilicon layer 2502 is configured to diffract light passing through the region of static effective mode index 183.

In FIG. 32, the three input light beams 2606, 2607, and 2609 extend into the optical waveguide 161. The input light beams 2606, 2607, and 2609 extend substantially parallel to each other, and substantially parallel to a side surface 2520 of the region of static effective mode index 183. The projected region of static effective mode index 183 precisely mirrors the shape and size of the FIGS. 30 and 31 embodiment of the Echelle-shaped polysilicon layer 2502. As such, the projected region of static effective mode index 183 extends vertically through the entire thickness of the silicon layer 160. The numbers of individual grooves 2515 in the FIGS. 30 and 31 embodiment of Echelle-shaped polysilicon layer 2502 may approach many thousand to provide effective diffraction, and therefore, individual groove dimensions are relatively small. It is therefore important that the projected region of static effective mode index 183 precisely maps from the Echelle-shaped polysilicon layer 2502 into the region of static effective mode index 183.

Three input light beams 2606, 2607, and 2609 are shown entering the projected region of static effective mode index 183; each light beam contains multiple wavelengths of light. The three input light beams 2606, 2607, and 2609 correspond respectively with, and produce, three sets of output light beams 2610a or 2610b; 2612a, 2612b or 2612c; and 2614a or 2614b as shown in FIG. 32. Each output light beam 2610, 2612, and 2614 is shown for a single wavelength of light. The output light beam represents the direction in which the light of one specific wavelength that emanates from adjacent grooves 2515 constructively interferes. In other directions, the light emanating from the adjacent grooves 2515 destructively interferes.

The lower input light beam 2606 travels for a very short distance d1 through the region of static effective mode index

183. Depending on whether the Echelle-shaped polysilicon layer 2502 exists, the lower input light beam 2606 exits as either output light beam 2610a or 2610b. Though the region of static effective mode index 183 has a different propagation constant than the rest of the optical waveguide 161, the amount that the output light beam 2610a or 2610b is diffracted is very small when compared to the amount of diffraction of the other output light beams 2612, 2614 that have traveled a greater distance through the projected region of static effective mode index 183.

The middle input light beam 2607 enters the projected region of static effective mode index 183 and travels through a considerable distance d2 before exiting from the polyloaded Echelle grating 2500. Depending on the height (not shown) of the FIG. 25 embodiment of the Echelle-shaped polysilicon layer 2502, the propagation constant in the optical waveguide 161 is set to a constant value within the region of static effective mode index 183. The propagation constant in the region of static effective mode index 183 will thereupon diffract light passing from the input light beam 2607 through an angle  $\theta_{d1}$  along path 2612b.

If the Echelle-shaped polysilicon layer 2502 has a prescribed height, the output light beam 2614b will diffract through an output angle  $\theta_{d2}$ . The output angle  $\theta_{d2}$  of output diffracted beam 2614b exceeds the output angle  $\theta_{d1}$  of output light beam 2612b. The output angle varies linearly from one side surface 2522 to the other side surface 2520, since the output angle is a function of the distance the light is travelling through the projected region of static effective mode index 183.

When the polyloaded Echelle grating 2500 diffracts a single wavelength of light through an angle in which the waves are in phase, the waves of that light constructively interfere and that wavelength of light will become visible at that location. Light of different wavelength will not constructively interfere at that same angle, but will constructively interfere at some other angle. Therefore, in spectrometers, for instance, the location that light appears is related to the specified output diffraction angles of the light, and the respective wavelength of the light within the light beam that entered the spectrometer.

FIG. 33 shows one embodiment of a reflection polyloaded Echelle grating 2700 that is configured to reflect different wavelengths of light (instead of diffracting light) through an output reflection angle. For instance, an input light beam 2702 of a prescribed wavelength, as it contacts a grating surface 2704 of the projected reflection polyloaded Echelle grating 2700, will reflect an output light beam 2708 through an angle from the input light beam 2702. The propagation constant of the region of static effective mode index 183 will generally have to be higher for the reflection polyloaded Echelle grating 2700 than that for the diffraction polyloaded Echelle grating 2500, as shown in FIG. 32. In addition, the angle at which the grating surface 2704 faces the oncoming input light beam 2702 would likely be reduced if the light refracts, not reflects.

#### 5. Polyloaded Optical Lens

The FIG. 30 embodiment of the polyloaded Echelle grating 2500 is configured to act as a lens to focus light as illustrated in FIGS. 34 and 35 (instead of a diffraction grating as described relative to FIG. 32). To act as a lens, the comparative effective mode indexes of the region of static effective mode index 183 and the remainder of the silicon layer 160 are such that incident light is either focused or defocused.

FIGS. 34 and 35 show three input light beams 2806, 2807, and 2809 that extend into the region of static effective mode



index **183** in the optical waveguide **161**. The input light beams **2806**, **2807**, and **2809** are shown as extending substantially parallel to each other, and also substantially parallel to the side surfaces **2520**, **2522** of the projected region of static effective mode index **183**. The projected region of static effective mode index **183** shown in FIGS. **34** and **35** generally mirrors vertically through the height of the silicon layer **160** the shape and size of the FIG. **30** embodiment of the Echelle-shaped polysilicon layer **2502**.

The light input from the input light beams **2806**, **2807**, and **2809** extend through the region of static effective mode index **183** to form, respectively, the three sets of output light beams shown in FIG. **28**: **2810a** and **2810b**; **2812a** and **2812b**; and **2814a** and **2814b**. Each focused output light beam **2810**, **2812**, and **2814** represents a single light wavelength; and the output light beam represents the direction of travel of a beam of light of the single wavelength where the beam of light constructively interferes. In other directions, the light of the specific wavelength destructively interferes.

The lower input light beam **2806** enters near the bottom of the region of static effective mode index **183**, and travels for a very short distance **d1** through the projected region of altered effective mode index **190**. The lower input light beam **2806** exits as output light beam **2810a** that is substantially undiffracted from output light beam **2810b**. As such, though the region of static effective mode index **183** has a different propagation constant than the remainder of the optical waveguide **161**, the amount that the output light beam **2810a** is focused is small compared with the amount of focusing on the other output light beams **2812**, **2814** that have traveled a greater distance through the region of static effective mode index **183**.

The middle input light beam **2807** enters the projected region of static effective mode index **183** and travels through a longer distance **d2** before exiting from the projected polyloaded Echelle grating **2500**. If the Echelle-shaped polysilicon layer **2502** has a medium depth (height), then the propagation constant within the region of static effective mode index **183** will not equal that within the surrounding optical waveguide **161**. The propagation constant in the region of static effective mode index **183** will deflect light beam **2807** through an angle  $\theta_{f1}$  along path **2812b**. If the depth (height) of the Echelle-shaped polysilicon layer **2502** is increased by, e.g., depositing the polysilicon in the polysilicon layer for a greater time, the amount of deflection for focusing similarly increases.

If the Echelle-shaped polysilicon layer **2502** has a prescribed depth (height), the output light beam travels through an output angle  $\theta_{f2}$  along output light beam **2814b**. The output angle  $\theta_{f2}$  of the output focused beam **2814b** exceeds the output angle  $\theta_{f1}$  of focused beam **2812b** if the Echelle-shaped polysilicon layer **2502** has the same depth (height). The output angle varies linearly from one side surface **2522** to the other side **2520**, since the output angle is a function of the distance the light is travelling through the projected region of static effective mode index **183**.

FIGS. **34** and **35** demonstrate that the Echelle-shaped polysilicon layer **2502** can be configured in a manner to cause the polyloaded Echelle grating **2500** to act as a focusing device. The depth (height) of the deposited and etched Echelle-shaped polysilicon layer **2502** therefore partially dictates the focal length. For example, assume that a given projected region of static effective mode index **183** results in the output focused beams **2810**, **2812**, and **2814** converging at focal point  $f_{p1}$  thereby, effectively determining the focal length of the lens. The FIGS. **34** and **35** embodiment of passive optical waveguide device **800** acts as an optical lens having a fixed focal length.

As indicated by the embodiments of passive optical waveguide devices **800** that include the polysilicon layer **191** configured as an Echelle grating, precise features such as gratings can be provided on the polysilicon layer **191**, and these fine features can be precisely projected within the region of static effective mode index **183** that has similarly fine gratings.

FIGS. **28** and **29** illustrate two additional embodiments of passive optical waveguide **800** that are configured as optical lenses **2240**, that can be compared to the embodiment of optical lens created by the polysilicon layer **2502** as shown in FIGS. **34** and **35**. In FIGS. **28** and **29**, the polysilicon layer **191** is deposited on the silicon layer **160** of the SOI wafer **152**. As mentioned previously, the gate oxide layer (not shown) is initially deposited on the silicon layer **160**, and the polysilicon (a portion of which will eventually make up the polysilicon lens **2242**) is deposited as a layer on the gate oxide layer **110**. The polysilicon is then etched to form a polysilicon lens **2242**, and the gate oxide layer **110** is etched following the etching of the polysilicon layer in a shape substantially similar to the polysilicon lens.

The lens **2240** may be configured in a variety of shapes as is evident from FIGS. **28** and **29**. For example, the lens **2240** in FIG. **28** is substantially circular. By comparison, the lens **2240** shown in FIG. **29** has a more traditional lens configuration. Any shape that is known to form discrete optical lenses may be patterned as the polysilicon lens **2242** while remaining within the scope of the present disclosure. A plurality of light beams **2244** are illustrated as following the silicon layer **160** partially forming the optical waveguide **161**. Those optical beams are modeled as travelling substantially parallel. Those optical beams that contact the region of static effective mode index (that corresponds to the shape of the polysilicon lens **2242** and is projected within the optical waveguide **161**) will be deflected by the region of static effective mode index toward the focal point **FP**. By comparison, those optical beams that do not contact the region of static effective mode index will continue substantially straight.

#### 6. Other Polyloaded Passive Optical Waveguide Devices

This section describes a variety of passive optical waveguide devices that can be fabricated using the deposited and/or etched polysilicon layers **191**. In these passive optical waveguide devices **800**, the region of static effective mode index substantially corresponds to the shape of the polysilicon layer **191** for the vertical height of the optical waveguide **161**. For example, a triangular polysilicon layer **191** projects a triangular region of static effective mode index that extends through substantially the entire vertical height of the optical waveguide **161** (including the polysilicon layer **191**, the gate oxide layer **110**, and the silicon layer **160**). By comparison, a circular polysilicon layer **191** projects a circular region of static effective mode index through, substantially the entire vertical height of the optical waveguide **161**.

FIG. **27** shows a top view of one embodiment of a beamsplitter **2200** that is fabricated on a thin Silicon-On-Insulator (SOI) wafer **152**. The beam splitter **2200** includes a beam splitter element **2202**, an input waveguide **2204**, and a plurality of output waveguides **2206**. Each of the beam splitter elements **2202**, input waveguide **2204** and output waveguides **2206** may be fabricated as part of a single polysilicon layer deposited above the silicon layer **160**. As described herein, a gate oxide is formed between the polysilicon of each of the beam splitter element **2202**, input waveguide **2204** and output waveguide **2206** and the silicon layer **160**. Light travelling with the optical waveguide **161** is



illustrated in dotted-lines. The input waveguide **2204** and each of the output waveguides **2206** is formed with the adiabatic taper **75** and a constant width waveguide portion **2210**. The adiabatic taper **75** takes light over a considerable area within the optical waveguide **161** and laterally merges with the light so that the light is coupled into the constant width waveguide **2210**. As such, the adiabatic taper **75** may be viewed as acting as a light combiner, or a funnel of light, to direct a relatively large beam of light into a smaller optical waveguide.

The beam splitter element **2202** has a triangular prismatic configuration with one its points **2212** directed to the input waveguide **2204**. Light following the input waveguide **2204** will be directed at either side of the point **2212** onto facets **2214a**, and **2214b**. That light that is directed from the input waveguide **2204** to be facet **2214a** will be reflected to the output waveguide **2206** on the upper portion of FIG. **27**. By comparison, that light that is directed from the input waveguide **2204** to the facet **2214b** will be reflected to the output waveguide **2206** along the lower portion of FIG. **27**. The beam splitter element **2202** can be positioned relative to the input waveguide **2204** so that approximately half the light traveling through the input waveguide **2204** is directed toward the upper output waveguide **2206** and the remainder of the light is directed to the lower output waveguide **2206**. By comparison, the position of the beam splitter element **2202** may be selected to provide a controllable distribution of light between the two output waveguides **2206**.

It is therefore evident that a large variety of passive optical waveguide devices **800** can be fabricated by initially layering a gate oxide on the silicon layer **161**, followed by the polysilicon layer **191** on the gate oxide layer **110**. The shape of the polysilicon layer **191** and subsequently the shape of the gate oxide, can thereupon be etched to form the desired pattern on the surface of the silicon layer **160** of the SOI wafer **152**. By selecting the desired shape of the patterning of the polysilicon layer **191**, the desired optical operation of the passive optical waveguide device **800** may be provided.

### IIIB. Patterned Silicon Based Passive Optical Waveguide Devices

The above section has described those embodiments of passive optical waveguide devices **800** that are configured by patterning (e.g., etching and/or depositing material) the polysilicon layer **191** that is deposited on the silicon layer **160** (with the gate oxide layer **110** formed therebetween) as shown in FIG. **18**. Further embodiments of passive optical waveguide devices **800** may be formed in the silicon layer by patterning the silicon layer optical insulator **73** in the silicon layer **160**, as shown in FIGS. **6A** and **6B**. Light that is following an unetched silicon portion of the silicon layer that contacts the TIR boundary **195** (created by a junction with the silicon layer optical insulator **73**) will be reflected back by the TIR boundary **195** and follow the unetched portion. These embodiments of passive optical waveguide devices may be: a) independent devices that are fabricated separately on a separate wafer **152** from, and operate independently from, certain ones of the passive optical waveguide devices that include polysilicon; b) devices that are fabricated on the same SOI wafer **152** as, but operate independently from, certain ones of the passive optical waveguide devices that include polysilicon; c) devices that are fabricated on the same SOI wafer **152** as, and whose optical operation is somehow related, to certain ones of the passive optical waveguide devices that include polysilicon; or d) devices that are fabricated as a portion of the same passive optical waveguide device that includes polysilicon.

As such, certain aspects of the fabrication and operation of certain embodiments of those passive optical waveguide devices **800** that are fabricated by etching and/or depositing the silicon layer optical insulator **73** within the silicon layer **160** are described in this section.

#### 1. Waveguide Devices

These embodiments of waveguide devices are created by forming TIR boundaries **195** at selected locations. Considering the embodiment of passive optical waveguide device **800** shown in FIG. **18** that is configured as a passive optical waveguide, if the polysilicon layer **191** (and optionally the gate oxide layer **110**) was removed, then the passive optical waveguide device would still function as an optical waveguide. The silicon layer optical insulator **73** maintains light that is travelling within the unetched portion of the silicon layer within the unetched portion using the TIR boundary **195**. This embodiment of passive optical waveguide device **800** is illustrated in FIG. **36**. Without the polysilicon layer **191** in the passive optical waveguide device **800**, there is no region of static effective mode index **183** being projected into the silicon layer **160** by the polysilicon layer in these embodiments of passive optical waveguide devices. The optical waveguide **161** is constrained to follow the silicon layer **160**. The characteristics of light following the optical waveguide device is determined based on the characteristics of the (unetched) silicon included in the silicon layer **160** as well as the TIR boundary **195**, in which light contacts the peripheral boundaries defined by the TIR boundary **195** of the optical waveguide **161** within the silicon layer **160**. The peripheral boundaries of the optical waveguide **161** include the silicon layer optical insulator **73** on either lateral side of the optical waveguide **161**, the optical insulator **104** underneath the silicon layer **160**, and the air (or the gate oxide, if one exists) on the upper surface of the silicon layer. In this disclosure, the silicon layer optical insulator **73** is also referred to as an “etched portion” of the silicon layer **160**, while the portion of the silicon that remains following etching the etched portion is referred to as an unetched portion **3690**. The unetched portion **3690** often corresponds to the portion of the optical waveguide **161** that is within the silicon layer **161**.

#### 2. Optical Mirrors

FIGS. **37** and **38** illustrate two embodiments of passive optical waveguide devices **800** that are configured as optical mirrors **4802**, and are fabricated by etching within the silicon layer **160** one or more etched portions and depositing silicon layer optical insulator **73** in the etched regions. The optical mirrors **4802** rely on the TIR boundary **195** created within the silicon layer at the junction between the silicon layer **160** and the etched portion or silicon layer optical insulator **73**. As a result of this TIR boundary **195**, the embodiments of passive optical waveguide devices as illustrated in FIGS. **37** and **38** function as optical mirrors **4802**. The use of TIR boundary **195** within the silicon layer **160** therefore can be used to provide optical waveguides having limited transmission losses (as illustrated in FIG. **36** as described above), as well as optical mirrors **4802** that have limited optical losses during reflection.

While the embodiment of optical mirror **4802** shown in FIG. **37** has a single curved mirror surface **4804**, the optical mirror **4802** shown in FIG. **38** has a plurality of mirrored surfaces **4806a**, **4806b**, . . . , **4806n**. It is preferred that the mirror surface **4804** shown in FIG. **37** is parabolic, wherein substantially parallel beams of light shall be directed to a coupling point **4808**, that is generally aligned with a light outlet port **4810**. As such, light that reflects off of the mirror surface **4804** is directed to the light outlet port **4810**. There



is only a single light outlet port **4810** in the embodiment of optical mirror **4802** shown in FIG. **37**. It is envisioned that the mirror surface **4804** is preferably parabolic, in such a manner that the light reflecting off of the mirror surface **4804** is most efficiently directed at the coupling point **4808**. While there is a considerable amount of surface etched from the silicon layer to create the etched portion or silicon layer optical insulator **73**, shown in FIG. **37**, the only critical portion that has to be etched to form the optical mirror **4802** is the mirror surface **4804** itself. For example, substantially parallel light generally following the input light beams **4812** will encounter the mirror surface **4804**, and be directed toward the coupling point **4808**, so long as the portion of the silicon layer optical insulator **73** that forms the mirror surface **4804** provides the TIR boundary **195** (regardless of the configuration of the remainder of the portions of the silicon layer optical insulator **73** shown in FIG. **37**). Substantially all wavelengths of optical light that reflect off of the mirror surface **4804** will be directed to the coupling point **4808**. As such, an optical mirror **4802** acts as a light combiner to combine light at the coupling point regardless of the wavelength of the light. Therefore, in the optical mirror **4802**, different wavelengths of light are not diffracted at different angles by the mirror surface.

FIG. **38** shows another embodiment of optical mirror **4802** that is more complex than the embodiment of optical mirror shown in FIG. **37**. In FIG. **38**, there are a plurality of mirror surfaces **4806a** to **4806n**. Input light **4812** is generally applied to the optical mirror **4802** in a manner that encounters one of the mirror surface **4806a** to **4806n**. Each mirror surface **4806a** to **4806n** is configured as a distinct mirror, and reflects the light that encounters that mirror, and directs all the light to a particular coupling point associated with that mirror surface **4806a** to **4806n** (not shown), that is within a respective light outlet port **4814a** to **4814n**. As such, substantially all the light that is directed at mirror surface **4806a** will be reflected out of light outlet port **4814a**; substantially all of the light that is directed at mirror surface **4806b** will be reflected and exit out the light outlet port **4814b**; etc. In one preferred embodiment, each mirror surface **4806a** to **4806n** is configured as a parabolic mirror.

### 3. Silicon Layer Echelle Gratings

FIGS. **39A**, **39B**, **40**, **41A** and **41B** show two embodiments of the silicon layer Echelle gratings **4002**. The silicon layer Echelle gratings **4002** are fabricated by etching and/or depositing the etched portion or silicon layer optical insulator **73**, which is shaped as an Echelle grating in the silicon layer **161** to create the TIR boundary **195** that is shaped as an Echelle grating. The silicon layer optical insulator **73** therefore provides the TIR boundary **195** to light that is travelling in the unetched portion of the silicon layer **161**, in a similar manner to as illustrated relative to FIG. **5**. The silicon layer Echelle grating **4002** includes a series of Echelle reflectors **4004**, connected by step connectors **4006**, which are illustrated in expanded view in FIG. **40**. Since the etched portion or silicon layer optical insulator **73** provides total internal reflection, the silicon layer Echelle grating **4002** acts as a reflectory Echelle grating instead of refractory Echelle grating, as illustrated in the embodiments in FIGS. **31**, **32**, **34**, and **35**. The Echelle reflectors **4004** follow nearly straight offset path **4008** that is offset from the non-offset path **4010**. If Echelle reflectors **4004** did not have the step connectors **4006** connecting them, then the Echelle reflectors **4004**, as illustrated in FIG. **40** would follow the non-offset path **4010**. The step connectors **4006** cause each Echelle reflector **4004** to be slightly more laterally offset from the non-offset path **4010** than the original Echelle reflector **4004** below it.

FIG. **40** illustrates how the slight offset provided to each adjacent pair of Echelle reflectors **4004a** and **4004b**, provides for the grating action by the silicon layer Echelle grating **4002**. Two substantially parallel input light beams **4012a** and **4012b** are applied to the silicon layer Echelle grating **4002** at the respective adjacent Echelle reflectors **4004a** and **4004b**, and respectively reflect off the Echelle reflectors **4004a** and **4004b** to follow respective output light beams **4014a** and **4014b**. If both Echelle reflectors **4014** were aligned with, or equidistant from, the non-offset path **4010**, then the distance that light would travel as the light reflects off of adjacent Echelle reflectors **4004a** and **4004b** would be equal. However, the Echelle reflector **4004b** is offset to be a greater distance from the non-offset path **4010** than the Echelle reflector **4004a**. As such, incident light **4012b** that reflects off of the Echelle reflector **4004b** travels an additional distance to, and from, the Echelle reflector **4004b** (illustrated respectively as **L1** and **L2**) than the input light beam **4012a** that reflect off of the Echelle reflector **4004a**. The total difference in distance of light traveling, and reflecting, off of Echelle reflectors **4004a** and **4004b** is therefore indicated as  $L=L1+L2$ . When  $L$  is an additional offset length that corresponds to an optical phase that equals  $m2\pi$  for the central design wavelength of the silicon layer Echelle grating **4002**, the light reflected off of the Echelle reflectors **4004a** and **4004b** will constructively interfere. The silicon layer Echelle grating **4004** can be designed so that the different wavelengths of light constructively interfere at different locations along a remote interference pattern location **4016**, illustrated as  $\lambda1$ ,  $\lambda2$ , and  $\lambdaN$  in FIG. **39A**. As such, light of wavelength  $\lambda1$  would constructively interfere, and produce an interference pattern, at the location indicated as  $\lambda1$ . Light having the wavelength  $\lambda2$  reflecting off of the silicon layer Echelle grating **4002** would constructively interfere, and produce an interference pattern, at the location indicated as  $\lambda2$ , etc.

FIGS. **41A** and **41B** illustrate another embodiment of silicon layer Echelle grating **4002**, that is etched in the etched portion or silicon layer optical insulator **73**, and configured as an optical lens. Light of a specific waveguide, as illustrated in FIG. **41A**, will reflect off of the offset path **4008** and be directed toward a focal point **FP**. Light having different wavelengths will be reflected to different focal points **FP** that are spaced, at different locations, relative to the optical lens. This embodiment of silicon layer Echelle grating **4002** is a refractory type Echelle grating. In considering the difference in distance that light that reflects off of each of the Echelle reflectors **4004** has to travel, in the FIG. **41** embodiment of silicon layer Echelle grating **4002**, the entire distance from the input light beams **4012**, reflecting off of the offset path **4008** that defines locations of the Echelle reflectors **4004**, and following the output light beams **4014** to the focal point **FP**, has to be considered. The structure and operation of the Echelle grating, either reflectory or refractory, and acting either as an optical diffractor or lens, is generally known when the Echelle grating is configured as a discrete device. As such, the description of the particular operation of Echelle gratings will not be provided in greater detail.

The above embodiments of passive optical waveguide devices that are etched and/or deposited to create an etched portion or silicon layer optical insulator **73** that causes light traveling with the remainder of the silicon layer to exhibit total internal reflection are described in this portion as being distinct from those embodiments of passive optical waveguide devices **800**, as described above, that are formed by depositing and/or etching polysilicon layers above the



upper surface of the silicon layer. It is envisioned, however, that many embodiments of passive optical waveguide devices may well be created by a combination of these two embodiments on a single wafer. One example where such devices may be combined on a single wafer is illustrated in FIGS. 6A to 6D. During fabrication of the optical waveguide 161 for such a combination of devices on a single wafer, the various silicon layer optical insulator 73, optical insulators 104, and gate oxide layers 110, can be fabricated at the desired locations to provide passive optical waveguide devices 800 that have quite similar effective mode indexes. Thereupon, the polysilicon layer can be deposited in a manner known to modify the effective mode index, in each region of static effective mode index, to a desired value.

#### 4. Inter-Optical Waveguide Coupler

FIGS. 42A and 42B respectively illustrate top and end views of one embodiment of an inter-optical waveguide coupler 4902. This embodiment of passive optical waveguide device 800 involves etching of both the silicon layer 160 (to provide the TIR boundary 195) and the deposited polysilicon layer 191 (to create the static region of altered effective mode index). There are two passive optical waveguides 161a and 161b, with each optical waveguide configured similarly to that shown in FIG. 36. The light couplers 112 and 114 described above describes coupling light into, or out of, one single optical waveguide 161. By comparison, the inter-optical waveguide coupler 4902 described relative to FIGS. 42A and 42B couple light from one optical waveguide 161a to another optical waveguide 161b. Each optical waveguide 161a and 161b is bounded by an etched portion or silicon layer optical insulator 73, that creates a TIR boundary 195, formed on each lateral side thereof to constrain light to follow the unetched portion 3690 of the silicon layer 160. As such, for those portions of the optical waveguides 161a and 161b that are remote from a polysilicon coupler portion 4904, light is constrained to follow the respective unetched portion 3690 of each optical waveguide 161a and 161b as delineated by the TIR boundaries 195.

The polysilicon coupler portion 4904 includes two overlying portions 4906 and 4908 that at least partially overlie, and are deposited on, the respective optical waveguides 161a and 161b. The polysilicon coupler portion 4904 also includes a bridging portion 4910 that optically bridges the overlying portions 4906 and 4908. The polysilicon coupler portion 4904 is deposited above the silicon layer 160 (there may not include a gate oxide layer 110 in this embodiment of passive optical waveguide device 800). Light following the optical waveguide 161a, as illustrated in FIG. 42A, that travels underneath the polysilicon portion 4904 can either continue to follow the optical waveguide 161a, as indicated by arrow 4922, or alternatively such light can travel via an evanescent coupling region 3692 of the optical waveguide 161a, through the polysilicon coupler portion 4904, and then via another evanescent coupling region 3692 to follow the optical waveguide 161b.

The configuration of the polysilicon coupler portion (e.g., the degree of overlap with the respective optical waveguides 161a and 161b, the dimensions of portion 4904, etc.) can be modified to dictate the percentage of light following the optical waveguide 161a (as indicated by the arrow 4920) that will continue to follow the optical waveguide 161a as indicated by arrow 4922, and what percentage will split off and travel via the polysilicon coupler portion 4904 to follow the alternate optical waveguide 161b as indicated by the arrow 4924. In a similar manner as illustrated in FIGS. 42A and 42B, one embodiment of the polysilicon coupler portion

4904 can be provided that couples light from virtually any active optical waveguide device or passive optical waveguide device, as described herein, to an alternate active or passive optical waveguide device.

#### IV. Light Coupling And Methods of Manufacture of Optical Waveguide Devices

Electronic devices 5101, active optical waveguide devices 150, and passive optical waveguide devices 800 can each be fabricated with FET, HEMT, and other known semiconductor optical waveguide devices 100 using CMOS, SOI, and VLSI technologies. VLSI and CMOS masks are used to simultaneously deposit and/or etch on a single SOI wafer 152 one or more passive optical waveguide devices 800, one or more active optical waveguide devices 150, and/or one or more electronic devices 5101.

This section describes a variety of embodiments of light couplers 112 that may be used to apply light into, or receive light from, the optical waveguide 161 included in an integrated optical/electronic circuit 103 as shown in FIGS. 43 to 54, and 55A to 55G. Coupling efficiency of the light couplers 112 is important to consider for passive optical waveguide devices 800 and active optical waveguide devices 150. Regardless of how effective the design of the various optical waveguide devices 100, each optical waveguide device 100 depends on coupling efficiency of light into, or out of, one or more optical waveguides 161 using the light couplers 112. The term "integrated optical circuit" as used in this disclosure (certain embodiments shown in FIGS. 43 and 44) is considered an "integrated optical/electronic circuit" 103 that lacks any active electronics components. In this disclosure, the term "integrated optical/electronic circuit" generically includes integrated optical circuits as well as integrated optical/electronic circuits.

There are a number of aspects described herein which are associated with the concept of combining electronic concepts and optical concepts into an integrated optical/electronic circuit 103, certain embodiments of which are shown in FIGS. 43 to 54, and 55A to 55G. The optical functions may incorporate "footprints" on the integrated optical/electronic circuit 103 for electronic functions that would otherwise represent wasted space on the SOI wafer 152. The integrated optical/electronic circuit 103 provides a common fabrication/manufacturing platform for passive optical waveguide devices 800, active optical waveguide devices 150, and electronic devices 5101. As such, the integrated optical/electronic circuit 103 permits common design techniques for building complex optical (and electronic) functions on a single chip.

FIG. 43 shows a side cross sectional view, and FIG. 44 shows a top view, of one embodiment of an integrated optical/electronic circuit 103 including a plurality of light couplers 112 and the on-chip electronic device 5101. The on-chip electronic device 5101 is formed on the silicon-on-insulator (SOI) wafer 152, as shown in FIGS. 43 to 54.

Each light coupler 112 includes an evanescent coupling region 5106 and a light coupling portion 5110. The evanescent coupling region 5106 is associated with the upper surface of the silicon layer 160 and the lower surface of the light coupling portion 5110. For example, the evanescent coupling region 5106 configured as a tapered gap portion as shown in FIGS. 47 and 49 is adjacent an angled lower surface of the light coupling portion 5110. A constant gap evanescent coupling region 5106 as shown in FIGS. 46 and 48 is adjacent a level lower surface of the light coupling portion 5110. Each light coupler 112 may at any point in time act as either an input coupler, an output coupler, or both an input and output coupler simultaneously. For those light



couplers **112** that are acting as an input coupler, the light passes through the light coupling portion **5110** to enter the silicon layer **160** through the evanescent coupling region **5106**. For those light couplers **112** that are acting as an output coupler, the light passes from the silicon layer **160** to the evanescent coupling region **5106**, and exits the light coupling portion **5110**.

FIG. **43** illustrates certain optical principles of concern to an integrated optical/electronic circuit **103** design. The silicon layer **160** has a refractive index of  $n_{s1}$  while the light coupling portion **5110** is formed from silica or silicon that has a refractive index of  $n_1$ . The angle at which light in the light coupling portion **5110** enters/exits the gap evanescent coupling region **5106** is  $\theta_1$ . By comparison, the angle at which the light enters/exits the silicon layer **160** is the mode angle,  $\theta_m$ . The mode angle  $\theta_m$  differs for each mode of light flowing within the silicon layer **160**. Therefore, if the optical waveguide **161** can support one or more waveguide modes, there will be a plurality of mode angles  $\theta_{m1}$ , to  $\theta_{mx}$  depending on the number of modes. For example, the silicon layer **160** may have a height of  $0.2 \mu$ . The silicon layer **160** is surrounded by the evanescent coupling region **5106** and the first optical insulator layer **104** (both of which are formed from glass). In one embodiment, the silicon layer **160** supports only a single TE mode angle  $\theta_m$  of approximately 56 degrees, and the incident light angle  $\theta_i$  satisfies equation 6:

$$n_1 \sin \theta_1 = n_{s1} \sin \theta_m \quad (\text{equation 6})$$

where  $\theta_m$  is the mode angle of any particular mode of light.

There are specific requirements for the refractive index of the evanescent coupling region **5106**, (also known as the gap region). The refractive index of the evanescent coupling region **5106** has to be very close to that of the silicon layer **160**. In general, the upper cladding of the silicon layer **160** will be one of the often-used materials such as glass, polyamide, gate oxides, or other insulators used in construction of electronic devices **5101** and active optical waveguide devices **150**. The evanescent coupling region **5106** may be made from the same material, air, or filled with a polymer-based adhesive that has a similar refractive index as the silicon layer **160**. It is desired that the silicon layer **160** have quite similar effective mode index in the regions adjacent to the evanescent coupling region **5106** as in regions remote from the evanescent coupling region **5106**.

The purpose of the on-chip electronic device **5101** is to supply electricity to any of the desired components adjacent to the optical waveguide **161** that require electricity, such as the active optical waveguide device **150**. The electronic device **5101** can also perform other electrical signal processing on or off the SOI wafer **152**. This on-chip electronic device **5101** uses CMOS fabrication techniques that provide, for example, for metal deposition, etching, metalization, masking, ion implantation, and application of photoresist. The electrical conductors of the on-chip electronic device **5101** form a complex multi-level array of generally horizontally extending metallic interconnects **5120** and generally vertically extending vias **5121** as shown in FIG. **43**. The vias **5121** extend between multiple metallic interconnect layers at different vertical levels. The metallic vias **5121** that extend to the lower surface of the on-chip electronic device **5101** typically contact a metallization portion (e.g., a contact for the gate electrode) on the upper surface of the silicon layer **160** to controllably apply electrical signals thereto. For instance, in the embodiment of active optical waveguide device **150** shown in FIG. **7B**, the voltage source **202** and the

substantially constant potential conductor **204** selectively applies the electricity via the electrical connections. A particular configuration of vertically extending metallic vias **5121** and horizontally extending metallic interconnect layers **5120** is located within the on-chip electronic device **5101** as shown in FIG. **43**. The electronic device **5101** may generate electronic signals to control the operation of the active optical waveguide devices **150**, as shown, e.g., in FIGS. **4**, **6C**, **7A**, **7B**, and **7C** etc. The electronic device **5101** may also apply electrical signals to other electronic devices. The electronic device **5101** is not associated with, and does not interface with, the passive optical waveguide device **800**.

Both optical and electronic functions can be provided by devices located within the integrated optical/electronic circuit **103** fabricated on a single chip, such as the SOI wafer **152**. As such, planar lithography and/or projection lithography techniques can fabricate optical components (e.g., passive optical waveguide devices **150**, active optical waveguide devices **800**, passive prisms, and lenses) on a single substrate **102** simultaneously with electronic devices **5101** (e.g., transistors, diodes, conductors, contacts, etc.). Such planar lithography and projection lithography uses deposition and etching of silicon, polysilicon, gate oxide, metal, and other known semiconductor processing materials. The electronic device **5101** can be used to control the function of the electrical devices, or the function of the active optical waveguide devices **150** that can transfer optical signals on or from the SOI wafer **152**.

Each silicon layer, polysilicon layer, metal layer, etc. of the on-chip electronic device **5101** can be formed simultaneously with the one or more layers of the evanescent coupling region (or the gap portion) **5106**, the passive optical waveguide device **800**, the active optical waveguide device **150**, and/or the light coupling portion **5110** of the light coupler **112**. Planar lithography or projection lithography techniques may be used to fabricate pairs of horizontally separated layers on the on-chip electronic device **5101** simultaneously with any portion of the optical elements **5106**, **5108**, **5110** at substantially the same vertical level. Therefore, two or more layers of the evanescent coupling region **5106** and/or the light coupling portion **5110** that are at generally the same vertical height as the layers on the electronic device **5101**, the active optical waveguide device **150**, and/or the passive optical waveguide device **800** can be fabricated simultaneously. Different portions will undergo different doping, masking, ion implantation, or other processes to provide the desired optical and/or electronic characteristics. As such, technology, know how, processing time, and equipment that has been developed relative to the fabrication of electronic devices **5101** can be used to construct passive optical waveguide devices **800** and active optical waveguide devices **150** simultaneously on the same substrate **102**.

Different embodiments-and configurations of the evanescent coupling region **5106** include a raised evanescent coupling region, a lowered evanescent coupling region, a lack of an evanescent coupling region, or an angled or tapered evanescent coupling region. In one embodiment the evanescent coupling region **5106** is formed with a tapered gap portion as shown in FIGS. **47** and **49**, and as such is provided the same reference number. Different embodiments of the evanescent coupling region **5106** include air, an optically clean polymer (that can be configured to act as an adhesive to secure the light coupler **112**), or glass. Certain embodiments of evanescent coupling region **5106** have a thickness in the order of  $0.1 \mu$  to  $0.5 \mu$ . The evanescent coupling region **5106** is deposited to its desired thickness



simultaneously to the electronic device **5101** fabricated on the SOI wafer **152**.

In one embodiment, the tapering of the evanescent coupling region **5106** is configured to support one edge of the light coupling portion **5110** at a height that is typically only a few microns above the other edge of the light coupling portion. Certain embodiments of the evanescent coupling region **5106** include an optically transparent material that can secure the light coupling portion **5110** to the silicon layer **160**. In certain embodiments of the evanescent coupling region **5106**, there is no actual gap portion. Certain embodiments of the evanescent coupling region **5106** act to support the light coupling portion **5110**. Other embodiments of the gap portion forming the evanescent coupling region **5106**, as shown in FIGS. **47** and **49**, have a distinct ledge **5502** formed during fabrication. The ledge **5502** supports the light coupling portion **5110** in a position to suitably direct the light beam at a desired mode angle to enter the silicon layer **160**. In certain embodiments, the height of one edge of the ledge **5502** above another edge is in the range of under fifty microns, and may actually be in the range of one or a couple of microns. In one embodiment, the evanescent coupling region **5106** has optically clear polymer or glass material to provide the desired optical characteristics to the light entering into, or exiting from, the silicon layer **160**. Different embodiments of the light coupling portion **5110** include a prism coupling as shown in FIGS. **45** and **46**, or a grating portion as shown in FIGS. **48** to **50**. Certain embodiments of the light coupling portion **5110** are formed either with silicon or polysilicon.

FIGS. **43** to **54** illustrate an exemplary variety of embodiments of the light coupler **112**. In the embodiments of light coupler **112** shown in FIGS. **43** to **54**, the light coupling portion **5110** is formed as a separate portion from the element that forms the gap portion or evanescent coupling region **5106**. Additional material may be built-up to allow for some or all of the built-up material to act as sacrificial material that may be partially removed to form, for example, portions of the light coupling portion **5110**. In a light coupler **112** embodiment as described relative to FIGS. **50**, **55C**, and **55D**, at least some of the components that form the light coupling portion **5110** are formed simultaneously with the elements that form the combined gap portion or evanescent coupling region **5106**.

In this disclosure, the term “sacrificial material” generally relates to material that is applied during the processing of the integrated optical/electronic circuit **103**, but is not intended to remain in the final integrated optical/electronic circuit **103**. The sacrificial material, and certain portions of the integrated optical/electronic circuit, can be formed from materials well known in the CMOS, VLSI, and SOI technologies using such materials as polysilicon, polyamide, metal, gate oxides, or glass. Certain portions of the integrated optical/electronic circuit may be planarized using such polishing and etching techniques as Chemical Mechanical Polishing (CMP). Doped polysilicon can form the gate electrode **120** in the embodiments of active optical waveguide devices **150** shown in FIGS. **4**, **6C**, **7A** to **7C**, and **8** to **15**. Additionally, doped, substantially undoped, or completely undoped polysilicon can form the polysilicon layer **191** in the embodiments of passive optical waveguide device **800** shown in FIGS. **16** to **29**. The term “substantially undoped” is inclusive of the term “completely undoped”. The term “completely undoped” refers to a doping level of zero percent. The term “substantially undoped” refers to any doping level that is insufficient when applied as a gate electrode **120** in an active optical waveguide device **150** as

shown in FIGS. **4**, **6C**, **7A** to **7C**, and **8** to **15** (or an active electronic device **5101**) to transition the active optical waveguide device **150** or the active electronic device **5101** between their respective functional states based on an application of an electric current to the gate electrode **120**. The term functional states refers, e.g., to providing or not providing normal transistor action for such active electronic devices **5101** as electronic transistors; or providing or not providing varied optical actions (phase modulation, diffraction, focusing, etc.) for active optical waveguide devices **800**.

In the embodiment of light couplers **112** shown in FIG. **43**, the gap portion formed in the evanescent coupling region **5106** has a substantially constant thickness. The light coupling portion **5110** mounts to the evanescent coupling region (or the gap portion) **5106**. The gap portion, also numbered **5106**, has a constant thickness, and a base that is substantially aligned with the silicon layer **160**. The thickness of the evanescent coupling region **5106** is selected to position the base of the light coupling portion **5110** relative to the on-chip electronic device **5101** such as, e.g., at the same level.

The light rays **5420** in each of the embodiments of light couplers **112** shown in FIGS. **43** to **54** follow considerably different paths through the different elements to or from the silicon layer **160**. The illustrated paths of the light rays **5420** in each of these embodiments of light coupler **112** are intended to be illustrative of possible light paths determined as described relative to the integrated optical/electronic circuit of FIG. **43**, and are not limiting in scope.

The embodiment of light coupler **112** shown in FIG. **46** is similar to the embodiment shown in FIG. **45**, except that the evanescent coupling region (gap portion) **5106** can be formed considerably thinner, etched away, or even entirely removed. In certain embodiments of light coupler **112**, the light coupler **112** mounts directly using an optically clear adhesive to the silicon layer **160**. Light passing through any embodiment of light coupler **112** shown in FIGS. **43** to **54** must satisfy the basic optical principles described relative to FIG. **43** (e.g., equation 6).

The embodiment of light coupler **112** shown in FIG. **49** includes a grating **5604** formed on an upper surface of the evanescent coupling region **5106** that may include a tapered or constant thickness gap portion provided by the evanescent coupling region **5106**. The grating **5604** may be, e.g., a surface grating formed using known etching techniques. The grating can be replaced in general by a diffraction optical element (DOE—not shown) changing both the direction and the spatial extent (e.g., for focusing) of the light. The DOE matches the expected spatial profile at the base of the light coupling region **5110**. The embodiment of light coupler **112** shown in FIG. **49** includes the ledge **5502** that forms a base for one edge of the light coupling portion **5110**. The light coupling portion **5110**, in this embodiment, includes a wafer **5702** having a grating **5604** formed on an upper surface of the wafer. The ledge **5502** is the desired thickness for providing the desired angle of the light coupling portion, such as in the range of under ten microns in certain embodiments.

The embodiment of integrated optical/electronic circuit **103** shown in FIG. **50** further includes a wafer **5820** layered above the electronic device **5101** and the evanescent coupling region **5106**. The wafer **5820** may be fabricated as a distinct component that is later combined with the portion of the integrated optical/electronic circuit **103** including the evanescent coupling region **5106** and the electronic device **5101**. Alternatively, the wafer **5820** is deposited as an



additional layer on top of the portion of the integrated optical/electronic circuit **103** including the evanescent coupling region **5106** and the electronic device **5101**. The wafer **5820** is formed with semiconductor materials such as silicon or silica.

The region of the wafer **5820** that is located physically adjacent and above the evanescent coupling region **5106** acts as the light coupler **112**. Light that is applied to the grating will be diffracted within the light coupling portion **5110** to the incidence angle since the grating **5604** is formed on the upper surface of the light coupling portion **5110**. The light beam then continues to the gap portion **5106**. Light applied to the grating **5604** is diffracted at a controllable angle so the coupling efficiency of the light input into the light coupler **112** is improved considerably. This improvement results from the configurations of the light coupling portion **5110**, the evanescent coupling region **5106**, and the silicon layer **160**.

The embodiments of light coupling portion **5110** of the light couplers **112** shown in FIGS. **43** to **54** may be applied as a distinct component positioned relative to the remainder of the integrated optical/electronic circuit **103**. Alignment is necessary between the light coupling portion **5110** relative to the remainder of the integrated optical/electronic circuit **103** where discrete light coupling portions **5110** are used, except in the most simple integrated optical/electronic circuits **103**. In some embodiments, the light coupling portion **5110** is fabricated simultaneously with the remainder of the integrated optical/electronic circuit **103** in which all of the materials forming the light coupler **112** are deposited using known processes as physical vapor deposition (PVD) or chemical vapor deposition (CVD). The different processes may deposit different layers of the integrated optical/electronic circuit. Processes such as CMP may be used to planarize the wafer **5820**. Various photoresists are used in combination with etchants to etch patterns.

The application of deposition and etching processes is well known to circuits such as SOI circuits including, e.g., the electronic device **5101** as shown in FIG. **43**. The deposition and layering of the material of the light coupler **112** may use similar techniques, in which the optical characteristics of the silicon layer **160** and the coupling region are fabricated simultaneously with their neighboring optoelectronic components. As a part of a sequence to build the optoelectronic circuit, the location of openings in masks used during photolithographic techniques define the location of the etching and deposition process.

Alignment of any light coupler **112** relative to the remainder of the integrated optical/electronic circuit **103** is important to achieve desired coupling efficiencies. A lateral displacement of the light coupler **112** relative to the remainder of the integrated optical/electronic circuit **103** by a distance as small as one micron may significantly reduce the percentage of light that can be coupled via the light coupler **112** to (or from) the optical waveguide **161**. Light beams applied to the light coupler **112** can be modeled as a Gaussian-intensity curve in cross section. For example, the center of the light beams have a stronger intensity than the periphery of the light beams, and this intensity variation across the width of the light beam approaches a Gaussian function.

The optical beam characteristics required for best coupling efficiency depend on the nature of the gap portion formed in the evanescent coupling region **5106**. Furthermore, the tolerance on the required beam position, beam diameter, and its intensity distribution also depend on the dimensions and material of the tapered (or non-tapered) gap or evanescent coupling region **5106**. Evanescent cou-

pling regions **5106** having tapered gaps generally have superior coupling efficiency and are more tolerant to variations in beam position, diameter, etc. when compared to those having constant gaps. Tapered gaps in evanescent coupling regions **5106** are also more suitable to Gaussian beams since the expected optimum beam profile for optimum efficiency is close to Gaussian.

As light follows the optical waveguide **161**, the optical waveguide is carrying substantially uniform intensity of light across the cross-sectional area of the optical waveguide **161**. Light exiting the silicon layer **160** via the evanescent coupling region **5106** having a uniform thickness gap is substantially uniform as the light exits the light coupler **112**. It is desired to convert the light beam exiting the output coupler into a substantially Gaussian intensity profile to more accurately model the light entering the light coupler **112** into the silicon layer **160**. Evanescent coupling regions **5106** configured as a tapered gap portion as illustrated particularly in FIGS. **47** and **49**, result in a closer fit to a Gaussian profile than evanescent coupling regions **5106** without the taper gap portion.

While it is easy enough to align one or a few light couplers **112** relative to their respective integrated optical/electronic circuit **103**, it is to be understood that in dealing with extremely large and complex optical and/or electronic circuits **103**, the alignment is a non-trivial task. Even if it takes a matter of a few seconds to align any given light coupler **112**, considering the large number of light couplers **112** on any given circuit, manually aligning accurately the needed number of light couplers to any one integrated optical/electronic circuit **103** may translate into many hours of work. As such, to practically align a large number of light couplers **112** relative to a relatively complex integrated optical/electronic circuit **103**, very large scale integrated circuits (VLSI) or ultra-large scale integrated circuits (ULSI), which are proven and efficient processing techniques in electronic chip circuit production, are preferred.

FIGS. **53** and **54** show expanded views of two embodiments of integrated optical/electronic circuits **103** that each include silicon insulator (SOI) flip chip portion **5904** and an optical/electronic I/O flip chip portion **5902**. The integrated optical/electronic circuit may include a plurality of active optical waveguide devices **150**, passive optical waveguide devices **800**, and electronic devices **5101**. The SOI flip chip portion **5904** is formed, preferably using flip chip technology, in which the silicon layer **160** is preferably thin (e.g., thin SOI). Any substrate **102**, using either SOI technology or traditional substrates, is within the scope of the present invention. Both of the embodiments of optical electronic I/O flip chip portions **5902** as shown in FIGS. **53** and **54** include the electronic device **5101**, as described relative to FIG. **43**. Additionally, each embodiment of optical/electronic I/O flip chip portions **5902** includes a light coupling portion **5110** and an evanescent coupling region **5106** that may be configured as a tapered gap portion or a constant thickness gap portion. In the embodiment of optical/electronic I/O flip chip portion **5902** shown in FIG. **53**, however, the light coupling portion **5110** is configured as a grating **5604**.

In the embodiment of optical/electronic I/O flip chip portion **5902** shown in FIG. **54**, the light coupling portion **5110** includes a prism. The gratings shown in the integrated optical/electronic circuit of FIG. **53** are formed using known etching techniques, in which gratings or DOE are formed by etching away thin strips of material. The prisms formed in the optical/electronic I/O flip chip portion **5902** in FIG. **54** may be formed using anisotropic etching. Anisotropic



etching is a known technology by which crystalline materials etch at different rate based on the crystalline orientation of the crystalline material. The alignment of the crystalline material determines the etch rate. For instance, in an anisotropic material, the silicon etches at a different rate along the 001 crystalline plane compared to the 010 atomic plane. Configurations such as V-groves and/or angled surfaces can be formed in different regions within the optical/electronic I/O flip chip portion **5902** using anisotropic etching.

Both the SOI flip chip portion **5904** and the optical/electronic I/O flip chip portion **5902** may be formed in either orientation shown in FIGS. **53** and **54**. Alternately, the optical/electronic I/O flip chip portion **5902** can have a different orientation such as inverted from that shown in FIGS. **53** and **54**. Regions within the embodiments of optical/electronic I/O flip chip portions can be etched away to form the respective etchings or prisms, may be controllably formed using masking technology. Mask openings dictate where photoresist is applied on the flip chip portion. Both the portions of the active optical waveguide device **150** and a portion of the passive optical waveguide device **800** that are formed on the SOI flip chip portion **5904** can be fabricated simultaneously using photolithographic techniques. More particularly, polysilicon forms the gate electrode **120** in the embodiments of active optical waveguide device **150** shown in FIGS. **4**, **6C**, **7A** to **7C**, and **8** to **15**. Additionally, polysilicon (e.g., undoped polysilicon) forms the polysilicon layer **191** in the embodiments of passive optical waveguide device **800** as shown in FIGS. **16** to **29**. Therefore, the substrate **102**, the optical insulator **104**, and the silicon layer **160** are fabricated using known VLSI and CMOS techniques. The gate oxide layer **110** (not shown in FIG. **53** or **54**) is deposited on an upper surface of the SOI flip chip portion **5904**. The configuration of the respective polysilicon layers **191** and the gate electrodes **120** provides the desired optical functionality. Simultaneous deposition of the polysilicon layer **191** and the gate electrode **120** results in one embodiment of integrated optical/electronic circuit **103**. Following the deposition, the integrated optical/electronic circuit **103** can be structurally similar to that shown in the FIG. **4** embodiment of active optical waveguide devices **150** and/or the FIG. **3** embodiment of passive optical waveguide devices **800**.

Proper spacing of the devices provides alignment of the various components of the integrated optical/electronic circuits **103**. To provide one embodiment of spacing, each one of the plurality of light coupling portions **5110** in the optical/electronic I/O flip chip portion **5902** is aligned with the evanescent coupling region **5106** in the SOI flip chip portion **5904**. Spacing of the devices, as provided by the coordinated lithography masking technique between the optical/electronic I/O flip chip portion **5902** and the SOI flip chip portion **5904**, is a significant advantage of integrated optical/electronic circuits **103**. There is no need to align discrete active optical waveguide devices **150** and passive optical waveguide devices **800** to both their associated electronic device **5101** and their portions in the integrated optical/electronic circuits **103**.

In the embodiments of integrated optical/electronic circuits **103** shown in FIGS. **53** and **54**, a plurality of light coupling portions **5110** are arranged in a pattern within the optical/electronic I/O flip chip portions **5902**. A vertical axis **5958** passes through each light coupling portion **5110**. The patterning of the light coupling portions **5110**, within the optical/electronic I/O flip chip portions **5902**, is partially defined by the horizontal distance (indicated by arrow **5960**)

between each pair of the plurality of vertical axes **5958** on the optical/electronic I/O flip chip portion **5902**. The pattern of the light coupling portions **5110** within the optical/electronic I/O flip chip portions **5902** is also partially defined by the angle  $\alpha_1$  between all of the arrows **5960** that extend from any given vertical axis **5958** and all other vertical axes **5958** located on the optical/electronic I/O flip chip portion **5902**.

The FIGS. **53** and **54** embodiments of integrated optical/electronic circuits **103** have a patterning of the evanescent coupling regions **5106** on the SOI flip chip portion **5904**. To achieve such patterning on the SOI flip chip portion **5904**, consider that a distinct vertical axis **5962** may be considered as passing through each one of the evanescent coupling regions **5106**. The patterning of the evanescent coupling regions **5106** within the SOI flip chip portion **5904** is partially defined by the horizontal distance (indicated by arrow **5964**) between each pair of the plurality of vertical axes **5962** in the SOI flip chip portion **5904**. The patterning of the evanescent coupling regions **5106** within the SOI flip chip portion **5904** is also partially defined by the angle  $\alpha_2$  between all of the arrows **5964** that extend from any given vertical axis **5962** and all other vertical axes **5962** located on the SOI flip chip portion **5904**.

The patterning (of light coupling portions **5110**) on the SOI flip chip portion **5904** matches the patterning (of evanescent coupling regions **5106**) on the optical/electronic I/O flip chip portions **5902**. This matching of patterning allows for alignment in the optical/electronic I/O flip chip portion **5902**. If the patterning of the I/O flip chip portion **5902** matches the patterning of the optical/electronic I/O flip chip portions **5902**, then alignment is achieved by aligning any two light coupling portions **5110** with any two respective evanescent coupling regions **5106**. Using this type of alignment provided by coordinated planar lithography, all light coupling portions **5110** on the SOI flip chip portion **5904** will be aligned with all evanescent coupling regions **5106** on the optical/electronic I/O flip chip portions **5902**.

The desired configuration and operation of the integrated optical/electronic circuit **103** depends partially on a variety of interconnects and vias patterned on, or through, the silicon layers of the electronic device **5101**. The uppermost layer of the electronic device **5101** is in electrical communication with solder balls **5930**. The solder balls **5930** are used, when inverted, to solder the integrated optical/electronic circuit **103** to, e.g., a motherboard or some other printed circuit board to which the integrated optical/electronic circuit **103** is being operationally secured. The solder balls **5930** also provide the electrical connection between the electrical circuits on the printed circuit board and the electrical circuits in the electronic device **5101** of the integrated optical/electronic circuit **103**.

Active optical waveguide devices **150** as described relative to FIGS. **4**, **6C**, **7A** to **7C**, and **8** to **15**; passive optical waveguide devices **800** such as shown in FIGS. **16** to **29**; and electronic devices **5101** may be combined as a hybrid active integrated optical/electronic circuit. In one embodiment, the etching and deposition processing described herein is simultaneously performed for the passive optical waveguide devices **800**, the active optical waveguide devices **150**, and the electronic devices **5101**. To provide a circuit layout for the integrated optical/electronic circuit **103**, a radius can initially be drawn around the active optical waveguide devices **150**, the passive optical waveguide devices **800**, and the light coupling portion **5110** to indicate where the electronic devices **5101** are not to be located. The electronic devices **5101** can be located everywhere else on the optical/



## 53

electronic flip chip portion **5902** that does not conflict with the light coupling portion **5110**.

FIGS. **53** and **54**, respectively, illustrate two embodiments of integrated optical circuit **103** using flip-chip technology that is similar to the embodiment of integrated optical/electronic circuit **103** illustrated respectively in FIGS. **51** and **52**, except that the electronic device **5101** is not included in the FIGS. **53** and **54** embodiments. In this disclosure, the terms “integrated optical/electronic device” and “integrated optical device” are each provided with the reference character **103** due to their similarities. The embodiments of integrated optical circuit **103** shown in FIGS. **53** and **54** include a similar silicon insulator (SOI) flip chip portion **5904** and an optical/electronic I/O flip chip portion **5902** as described herein relative to FIGS. **51** and **52**. The integrated optical circuit **103** shown in FIGS. **53** and **54** has no active optical waveguide devices or electronic devices inserted therein (while the active optical waveguide devices and electronic devices do exist in the embodiments of integrated optical circuit **103** shown in FIGS. **51** and **52**).

The lack of application, removal, or deactivation of the electronic device **5101** in the integrated optical circuit **103a** also limits the application of electric current to the active optical waveguide devices **150**. This lack of application of the electric current to the gate electrode **120** of the existing active optical waveguide devices **150** in FIGS. **51** and **52** may cause many embodiments of the active optical waveguide devices **150** to optically function as a passive optical waveguide device **800**, in which the effective mode index in the region of static effective mode index remains at a constant level over time. The polysilicon that forms the gate electrodes **120** in the active optical waveguide devices **150** shown in FIGS. **51** and **52** would instead form the polysilicon layer **191** of the passive optical waveguide devices **800** shown in FIGS. **53** and **54**. Although gate electrodes **120** in active optical waveguide devices **150** and electronic devices **5101** are typically doped, the polysilicon layer **191** in a passive optical waveguide device **800** is typically undoped to limit attractiveness to light, although many embodiments can also be doped with certain dopants and still perform the optical functionality as described herein.

In one embodiment, a unitary mask is used to define the polysilicon layer **191**, a unitary mask is used to define the gate oxide layer **110**, a unitary mask is used to define the doping, and a unitary mask is used to define the metalization cone mask for all of the active optical waveguide devices **150**, the passive optical waveguide devices **800**, and the electronic devices **5101**. Without close examination, it is not evident whether a feature in a mask provides an electronic function in an electronic device or an optical function in an active optical waveguide device within that integrated optical/electronic circuit. There may be no clear-cut delineation between a mask for forming the active optical waveguide devices **150**, the passive optical waveguide device **800**, and the electronic devices **5101** on the substrate **102**.

An electric supply portion **5107** is used to supply electrical currents and/or voltages to the gate electrodes **120** of the active optical waveguide devices **150** and electronic devices **5101**. The electric supply portion **5107** includes a plurality of interlayer dielectrics **5109** on which a series of metallic interconnects **510** are deposited, and through which a series of vias **5121** vertically extend. The interlayer dielectrics **5109** are typically formed from an oxide, such as silicon dioxide (glass), that provide for an electrical insulation between adjacent metallic interconnects **5120** and vias

## 54

**5121**. The electric supply portion has to be fabricated with the design of the passive optical waveguide devices **800**, the active electronic waveguide devices **150**, and the electronic devices **5101** in mind.

In planar lithography, to fabricate the desired ones of the electric supply portion **5107**, the passive optical waveguide device **800**, the active optical waveguide device **150**, the electronic device **5101**, and the other devices on the SOI wafer **152**, a lens projects the shape of a mask onto the photoresist to define the shapes formed on the substrate **102** during each processing step. The depth of focus (DOF) is an important consideration in projecting the features of the mask. All the features in a mask have to lie within the depth of focus of the lens used in the lithography process or they do not print well during the lithographic process since the feature will be out of focus. Chemical Mechanical Polishing (CMP) has become an important process in association with planar lithography because the topography of the upper surface of the substrate **102** has minute waves following etching or deposition of silicon. In depositing metallic interconnects **5120** on the electric supply portion **5107**, for example, a second level of metal (to define one of the metallic interconnects **5120** or the vias **5121**) cannot be imaged on such a wavy surface of the interlayer dielectrics **5109** (see FIG. **42**) and thus cannot be deposited. CMP can planarize the surface waves formed in polysilicon, silicon, other semiconductor materials, metals, and oxides. Since electronic-based microprocessors have six to seven layers of metal associated with an electric supply portion, the time necessary to process such a device is considerable.

One embodiment of the integrated optical/electronic circuit **103** on thin SOI uses planar lithography manufacturing techniques. The electronic devices **5101** are integrated in the optical waveguides **161** in the silicon level of the integrated optical/electronic circuit. The metallic interconnects **5120** are deposited in alternating layers with the interlayer dielectrics **5109** to form the electric supply portion **5107** (using such technologies as CVD, PVD, and electrochemical deposition) interspersed with material such as glass or polyamide to fill in the surface irregularities. The interspersed material forming the interlayer dielectric **5109** is leveled before depositing the next metal layer forming the metallic interconnects **5120**. This process is repeated for each layer. With planar lithography, each imaging photoresist exposure requires a very flat wafer consistent with minimum feature size and DOF requirements.

Projection lithography projects an image on photoresist that determines the pattern on a wafer such as a SOI wafer. In a typical lithography, the best results occur when the aspect ratio (horizontal to vertical feature dimensions) is close to 1 to 1. The uneven, etched portions of a layer is filled with glass/polyamide, then planarized before the next photoresist/exposure step. The wafer is absolutely plate-like with a very uniform layer of the photoresist which, when exposed to light, etches certain selective regions during planar lithography. The mask is used to develop a pattern on the wafer once a substantially uniform photoresist layer is deposited. The projection lithography process is repeated for multiple photolithography cycles to deposit and/or etch silicon, metalization, silicon, or polysilicon to form the desired electronic device **5101** and optical portion (including the active optical waveguide devices **150** and the passive optical waveguide devices **800**).

Equation 7 provides the general rule of the thumb that the minimum feature size (MFS) is:

$$MFS = (0.6 \times \lambda) / NA \quad (\text{equation 7})$$

The 0.6 constant generally replaces the semiconductor constant  $k_1$  that depends on the quality of the lens and other



such factors. The 0.6 constant is an approximation for a very strong lens, and is not exact. NA is the numerical aperture of the lens, which is a function of the speed of the lens. A popular wavelength for such a lens is 248 nm. The minimum feature size is the smallest size that traditional lithography can print. Once the minimum feature size for a given NA is determined, the depth of focus can be determined as  $DOF = \lambda / (NA)^2$ . The minimum feature size and the depth of focus are therefore fundamentally related.

Accepted curves indicate the relationship between the depth of focus and the minimum feature size. Optical scientists have attempted many techniques to overcome this relationship. As a result, when a chip is brought into focus for planar lithography, the entire image is in focus on the chip.

Building the integrated optical/electrical circuit **103** necessitates multiple steps of exposure on a photoresist layer **6304** (FIG. 55B) layered on the uppermost layer of the substrate **102**. To expose the photoresist layer **6304**, the photoresist initially is evenly applied. Spinning the whole wafer produces a substantially uniform depth of the photoresist layer using centrifugal force. If there are a variety of big structures on the silicon layer, each structure acts like a little dam that limit the radially outward flow of the photoresist. Even a rise in topography by 50 nm in the photoresist layer **6304** causes photoresist build-up problems in the lithography process.

FIGS. 55A to 55G show a process for simultaneously depositing a suitable silica, dielectric, silicon, polysilicon, metal, etc. on any one of the light coupling portion **5110**, the passive optical waveguide device **800**, the active optical waveguide device **150**, and the electronic device **5101**. This process of simultaneous deposition of polysilicon, silicon, silica, dielectric, etc. using planar lithography techniques follows a similar process of base material deposition, applying a photoresist on the deposited base material, hardening portions of the photoresist, and then etching the portions of the deposited base material that is under the non-hardened portion of the photoresist. Such planar lithography techniques follow the basic techniques of CMOS processing.

As shown in FIG. 55A, initially a deposited material **6302** (in this case, polysilicon to form the polysilicon layer **191**) is deposited somewhat uniformly across the entire SOI substrate **152**. Although not illustrated in FIG. 55A, if the deposited material **6302** being deposited is the polysilicon layer **191**, then the gate oxide layer is initially deposited on the silicon layer **160**, and then the polysilicon layer **191** is deposited as the deposited material **6302** on the gate oxide layer. As such, the term "deposited material" **6302** in the disclosure relates to a variety of materials such as silicon layers, polysilicon layers, silicon layers that include such additional chemicals as germanium (Ge), such as is used to form a semiconductor compound such as SiGe, and any suitable deposited chemical. The deposited material **6302** as illustrated in FIGS. 55A to 55F is used to define, using CMOS techniques, both portions of the passive optical waveguide device **800**, active optical waveguide devices **150**, electronic devices **5101** and the light coupling portions **5110**. The light coupling portion **5110** may include prisms or gratings that rely upon homogenous build up of silica or silicon (or etching of existing silicon in the silicon layer **160** in the SOI wafer **152**). In FIG. 55A, one or more layers of silicon or polysilicon **6302** is deposited on the upper surface of the integrated optical/electrical circuit **103** using known silicon deposition techniques (such as CVD, PVD, and sputtering). Whether polysilicon, silica, oxide or silicon is deposited in a particular processing step depends on the desired layout of the SOI wafer.

The polysilicon layers **191** associated with the active optical waveguide devices **150**, the passive optical waveguide devices **800**, and the electronic devices **5101** also rely on the deposition of, and etching of, polysilicon or other suitable semiconductors. Since the light coupling portion **5101** is typically formed from a homogenous material, as described below, relatively little processing will occur between the various silica deposition steps.

The planar lithography method continues in FIG. 55B in which a photoresist layer **6304** is deposited on the upper surface of the deposited material **6302** (e.g., that includes polysilicon or silicon). The substrate **102** is spun after the photoresist is deposited so the photoresist layer **6304** forms under the influence of centrifugal force to a substantially uniform thickness. In FIG. 55C, the lithography portion **6308** selectively applies light to the upper surface of the photoresist layer **6304**, thereby acting to develop certain regions of the photoresist layer. Depending upon the type of photoresist in the photoresist layer **6304**, the photoresist will harden if light is applied to it and will not harden if light is not applied to it. Alternatively the photoresist in the photoresist layer **6304** will harden if light is not applied to it and will not harden if light is applied to it. The lithography portion **6308** includes a lithography light source **6310** that directs light through openings in a lithography mask **6312** toward the photoresist layer **6304**.

The embodiment of lithography mask **6312** shown in FIG. 55C includes openings **6314** that define, and are aligned with, those areas of the photoresist layer **6304** layered on the deposited material **6302** at which it is desired to apply light, and subsequently etch. The lithography light source **6310** generates the light in a downwardly, substantially parallel, direction through the lithography mask **6312** and toward the photoresist layers **6304**. Those portions of the lithography mask **6312** that have an opening allow the light to extend to the photoresist layer **6304** as shown in FIG. 55C. Applying light from the lithography portion **6308** acts to develop certain portions of the photoresist layer **6304**. When the deposited material **6302** deposited in step 55A is the polysilicon used to form the polysilicon layers **191** and the gate electrodes **120**, the openings in the lithographic mask **6312** are configured to project light onto the photoresist layer **6304** at those locations that correspond to the locations of each one of the gate electrodes **120** (in the active optical waveguide devices **150** and the electronic devices **5101** as shown in FIG. 5) and the polysilicon layer **191** (in the passive optical waveguide devices **800** as shown in FIG. 5). The patterning of all of the gate electrodes **120** and the polysilicon layers **191**, as described herein, can therefore be simultaneously fabricated in a desired pattern on the SOI wafer, based on the location of the openings in the lithographic mask **6312**.

The photoresist layer **6304** is then washed from the layer of the deposited material **6302**, in which the undeveloped portions of the photoresist are substantially washed away while the developed portions of the photoresist layer remain as deposited as shown in FIG. 55D. The developed (and therefore remaining) portions of the photoresist layer **6304** represents the only material that covers the deposited material **6302**. The wafer **152** is thereupon etched. The developed portions of the photoresist layer **6304** thereby protect the covered portions of the deposited material **6302** from the etchant. The etchant in the etching process acts selectively on those uncovered portions of the deposited material **6302** that correspond to the undeveloped regions of the photoresist layer. In one embodiment during etching, the developed portions of the photoresist layer **6304** cover, and protect, the



covered portions of the silicon or polysilicon layer **6302** from the etchant. Following the etching, respective structures **6450** and **6452** remain that are ultimately used to form portions of the respective optical portions (e.g., the light coupler **112**, the active optical waveguide device **150**, and the passive optical waveguide device **800**) as well as the electronic device **5101**.

The active optical waveguide devices **150**, the passive optical waveguide devices **800**, and the electronic device **5101** also rely on the deposition of, and etching of, polysilicon to form the polysilicon layer **191**. When the polysilicon used in the polysilicon layer **191** and the gate electrode **120** is the deposited material, the openings in the lithography mask **6312** can simultaneously determine the patterning of the gate electrodes **120** in the active optical waveguide device **190** and the electronic device **5101**, as well as the polysilicon layer **191** in the passive optical waveguide device **800**.

Subsequent fabrication of the electric supply portion **5107** (as illustrated in FIGS. **55E** to **55G**) largely determines whether deposited polysilicon will be associated with a passive optical waveguide device **800**, an active optical waveguide device **150**, or an electronic device **5101**. For instance, gate electrodes **120** (which are integrated in active optical waveguide devices **150** and electronic devices **5101**, but not passive optical waveguide devices) must be in electrical contact with the vias **5121** illustrated in FIGS. **55F** and **55G**. As such, any deposited polysilicon material **6304** that is in electrical contact with a via **5121** (as shown in FIGS. **55F** and **55G**) will be used to form either the active optical waveguide device **150** or the electronic device **5101**, but not the passive optical waveguide device **800**. By comparison, any deposited polysilicon material **6304** that is not in electrical contact with a via **5121** (as shown in FIGS. **55F** and **55G**) may be used to form the passive optical waveguide device **800**, but not the active optical waveguide device **150** or the electronic device **5101**.

Structurally (including such material considerations as doping), many embodiments of the active optical waveguide device **150** are identical to the electronic device **5101**. For example, the device in FIG. **5** could either be configured as the active optical waveguide device **150** that controls the transmission of light, or alternatively as the electronic device **5101** that controls the transmission of electricity. The dimensions and configurations of the gate electrode **120** may differ as a matter of design between the active optical waveguide device **150** and the electronic device **5101**. Following the deposition, masking, and etching of the polysilicon deposited material **6302** as shown in FIGS. **55A** to **55C**, the resulting gate electrodes **120** can be doped (to become n or p type) using, for example, ion implantor source **6370** as illustrated in FIG. **55E**. As such, the portions of the polysilicon that eventually are etched to form the gate **120** will not be covered by an opening formed in an ion implanting mask **6372** that allows ions to be applied to selected portions of the polysilicon. The portions of the polysilicon that eventually are etched to form the polysilicon layers **101** will not be doped, and will be covered by (i.e., will not include an opening formed in) the ion implanting mask **6372**. The specific configuration of the ion implanting mask **6372** and the ion implantor source **6370** is intended to be illustrative, and not limiting in scope.

The well known process of metal deposition, doping, and selective etching is used in the semiconductor processing of electronic devices **5101** and circuits. This disclosure, however, applies integrated circuit processing techniques, involving etching and deposition, to active optical

waveguide devices **150**, passive optical waveguide devices **800**, and electronic devices **5101**. As such, all of the active optical waveguide device **150**, the passive optical waveguide device **800**, as well as the electronic devices **5101** can be simultaneously fabricated on the same SOI substrate **102** (or other substrate) using VLSI, CMOS, planar lithography or other semiconductor processing techniques.

As shown in FIGS. **55E** and **55F**, the electric supply portion **5107** is formed using a series of layers of interlayer dielectric **5109** (an oxide), interspersed with metallic interconnects **5120**, through which metallic vias **5121** vertically extend. A series of metalization and other steps are necessary between successive depositions of the interlayer dielectric **5109** to form the electric supply portion **5107**.

The fabrication of the SOI wafer **152** including the passive optical waveguide device **800** and the light coupler **112**, **114** is now described. The passive optical waveguide device **800** may be formed primarily from polysilicon forming the layer **191**. By comparison, the light couplers **112**, **114** as shown in FIGS. **42** to **52** may be formed primarily from silicon. The polysilicon and silicon may both be deposited using known VLSI and CMOS deposition techniques. The specific processing steps used to deposit and/or etch the silicon likely differ from the specific processing steps to deposit and/or etch the polysilicon (which would also differ from the processing steps to deposit and/or etch metal in other embodiments). In the embodiment of photolithographic process shown in FIGS. **55A** to **55F**, the polysilicon **3902** that forms the polysilicon layer **191** in the SOI wafer **152** is deposited, and then etched. In FIGS. **56E** to **56I**, the silicon **3960** that forms the light coupler **112**, **114** is deposited, and then etched, on the SOI wafer **152**. Whether the polysilicon **3902** is deposited/etched prior to, or following, when the silicon **3960** is deposited/etched is a design choice. One embodiment of photolithographic process described relative to FIGS. **55A** to **55F** as applied to the integrated optical/electronic circuit **103** can also be applied to a pure passive optical waveguide device **800**, and now described.

The passive optical waveguide devices **800** fabricated in the embodiment of silicon insulator (SOI) flip chip portion **5904** as shown in the FIGS. **51** to **54** can be fabricated using the deposition and etching techniques as illustrated in FIGS. **56A** to **56I**. In FIG. **56A**, a layer of polysilicon **3902** is deposited on the upper surface of the SOI wafer **152** using known semiconductor deposition techniques (such as CVD, PVD, and sputtering). Prior to the deposition of the polysilicon, the gate oxide layer **110** is deposited on the waveguide. The gate oxide layer **110** may be formed of silicon dioxide (oxidized silicon). The silicon dioxide that is eventually fabricated into the gate oxide layer **110** is deposited across the entire exposed upper surface of the SOI wafer **152**, and those portions of the gate oxide layer **110** that are to be removed are then etched using planar lithography techniques.

The planar lithography continues in FIG. **56B** in which a photoresist layer **3904** is deposited on the upper surface of the layer of the polysilicon material **3902**. The substrate **102** is spun after the photoresist is deposited to form the even photoresist layer under the influence of centrifugal force to a substantially uniform thickness. In FIG. **56C**, the lithography portion **6308** selectively applies light to the upper surface of the photoresist **3904**, thereby acting to develop (and harden) certain regions of the photoresist layer **3904**. Depending upon the type of photoresist, the photoresist will harden if light is applied to it and will not harden if light is not applied to it. Alternatively the photoresist will harden if



light is not applied to it and will not harden if light is applied to it. The lithography portion **6308** directs light through openings in the lithography mask **6312** toward the photoresist layer **3904**.

The photoresist layer **3904** is then washed from the polysilicon layer **3902**, in which the undeveloped (unhardened) portions of the photoresist are substantially washed away while the developed (hardened) portions of the photoresist layer remain as deposited as shown in FIG. **56D**. The developed (and therefore remaining) portions of the photoresist layer **6304** cover portions of the SOI wafer **152**. The developed portions of the photoresist layer **6304** thereby allow for selected portions of the silicon layer to be etched. The etching process is applied selectively on those uncovered portions of the layer of deposited material **3902** that correspond to the undeveloped (washed away) regions of the photoresist layer. In one embodiment during etching, the developed portions of the photoresist layer **6304** cover, and protect, the covered portions of the layer of deposited material **3902** from the etchant. Following the etching, respective structures **3950** remain, certain ones of the polysilicon layer **3950** are ultimately used either to form part of the polysilicon layer **191** included on the passive optical waveguide device **800**, such as the polyloaded waveguide shown in FIG. **18**, the interferometers shown in FIGS. **20** to **23**, the arrayed waveguide gratings (AWG) shown in FIG. **24** to **26**, the Echelle gratings as shown in FIGS. **30** to **35**, the beamsplitter shown in FIG. **27**, and the lens shown in FIGS. **28** and **29**. Alternatively, if the polysilicon layer is doped, the polysilicon layer **3950** shown in FIG. **56D** may be used to form the gate electrode **116** or body contact electrode in the embodiments of active optical waveguide device **150** shown in FIGS. **7A** to **7C**, and **8**–**11**. Finally, with proper doping, the polysilicon layer **3950** shown in FIG. **56D** may be used to form the gate electrode or the body contact electrode as shown in certain embodiments of active electronic device **5101**.

The light couplers **112**, **114** that are deposited and etched in the SOI wafer **152** as illustrated in FIGS. **56E** to **56I** can be any of the embodiments of light couplers illustrated in FIGS. **7A**, and **42** to **54**. Alternatively, the light couplers can be fabricated separately, and affixed to the silicon layer in a desired location following fabrication. To fabricate two different components of two different materials (e.g., silicon and polysilicon) on a single wafer may require the use of different masks and multiple processing steps. A sequence of processing steps is often defined by the masks associated with each step, the final desired configuration of each component formed by the mask, and the material that is being deposited or etched during the step. Different masks, such as a mask used to deposit a polysilicon layer(s) and a mask used to deposit a silicon layer(s) are often used during the same series of processing steps, such as is known in VLSI and CMOS processing.

In FIG. **56E**, the gate oxide layer **110** above the silicon layer **160** may be removed to provide a suitable surface to deposit the silicon **3960** that will form the light coupler **112** or **114** as shown in FIG. **56I**. Optionally, the gate oxide layer may be left while the passive optical waveguide device is undergoing operation. The etching of the gate oxide layer **110** may be performed shortly following the deposition of the gate oxide layer, which occurs prior to the deposition of the polysilicon **3902** on the SOI wafer **152** as shown in FIG. **56A**. In FIG. **56F**, silicon **3960** is deposited on the silicon layer **160**. The deposition of the silicon **3960** may be repeated for a considerable number of steps, depending on the desired height of the light coupler **112** or **114**. A

deposition source **3964** is used to deposit the silicon **3960** over the entire face of the SOI wafer. Though FIG. **56F** illustrates the silicon **3960** being built up by the deposition source **3964**, it is envisioned that the silicon **3960** may actually be part of the material of the original SOI wafer **152**, wherein the portions of the SOI wafer **152** that surround the silicon are etched at some time prior to FIG. **56F** to form the desired silicon configuration on the SOI wafer **152**.

The FIG. **56G**, the silicon layer **3960** is shown deposited on the upper surface of all of the components of the SOI wafer (including that region that will become the light coupler **112/114** in FIG. **56I**) and the upper surface of the polysilicon layer **191**. The silicon layer **3960** shown to the left in the figure of FIG. **56F** is thicker than the silicon layer **3960** to the right. The series of deposition and etching processes (and the location of the openings in the masks in the photolithography process) provides for this difference in depth. For example, the silicon **3960** in the left in FIG. **56F** will eventually become the light coupler **112** or **114** as shown in FIG. **56I**, and so a considerable amount of deposition occurs to build up the depth of the silicon light coupler prior to any etching. By comparison, the silicon **3960** to the right in FIG. **56F** covers the polysilicon layer **191**, and so during each deposition/etching cycle as shown in FIGS. **56F** to **56I**, the silicon will be etched away to keep the polysilicon layer exposed. The etchants that are used to etch the silicon **3960** typically are selected to not etch the polysilicon **3902** used in the polysilicon layer **191** (see FIGS. **56A** to **56D**), and vice versa.

The substrate **102** is spun after the photoresist **3966** is deposited to form an even layer of photoresist under the influence of centrifugal force to a substantially uniform thickness. In FIG. **56H**, the lithography portion **3970** selectively applies light through a mask **3972** to the upper surface of the photoresist **3966**, thereby acting to develop certain regions of the photoresist layer **3966**. Depending upon the type of photoresist **3966**, the photoresist will harden if light is applied to it and will not harden if light is not applied to it. Alternatively the photoresist **3966** will harden if light is not applied to it and will not harden if light is applied to it. The lithography portion **3970** directs light through openings in the lithography mask **3972** toward the photoresist **3966**.

After the photoresist is developed, portions of the photoresist **3966** are then washed from the polysilicon layer **3902**, in which the undeveloped portions of the photoresist are substantially washed away while the developed portions of the photoresist layer remain as deposited. The photoresist **3966** that covers the silicon **3960** over the polysilicon layer **191** in FIG. **56H** is not exposed, and as such is washed away following each silicon deposition. The developed (and therefore remaining) portions of the photoresist layer **6304** cover portions of the SOI wafer **152**. The developed portions of the photoresist layer **6304** thereby allow for selected portions of the silicon to be etched. The etching acts selectively on those uncovered portions of the layer of deposited material **3902** that correspond to the undeveloped (washed away) regions of the photoresist layer. In one embodiment during etching, the developed portions of the photoresist layer **6304** cover, and protect, the covered portions of the layer of silicon **3960** from the etchant.

Following the etching, respective light couplers **112** or **114** as shown in FIG. **56I** remain. A grating is shown as being etched in the embodiment of light coupler **112**, **114** in FIG. **56I**. It is envisioned that a prism, or any of the other light couplers described in the present disclosure may be used. Anisotropic etching may also be used, as appropriate, to etch the silicon at a desired angle as described herein to



form, for example, a prism. Alternatively, the light coupler **112** or **114** may be formed separately, and laid proximate the upper surface of the silicon layer. FIGS. **56A** to **56I** describe the deposition and etching process by which multiple passive optical waveguide devices **800** and multiple light couplers **112**, **114** (arranged according to a series of masks) can be fabricated using known SOI and CMOS fabrication techniques. These deposition and etching techniques can be applied to the embodiments of integrated optical circuits **103** that include the light coupler **112**, **114** and the passive optical waveguide device **800** as shown in FIGS. **8**, **9**, **36** and **37**. Alternatively, these deposition and etching techniques can be applied to those embodiments of integrated optical/electronic circuits **103** that include the light coupler **112**, **114**, the active optical waveguide devices **150**, the passive optical waveguide devices **800**, and the active electronic device **5101** as shown in FIGS. **26** to **35**. The deposition of the gate electrodes **120** of the active optical waveguide devices **150** and the active electronic device **5101** also require doping of the polysilicon by ion implantation.

FIG. **57** discloses one embodiment of method that is performed by the controller **201** associated with the active optical waveguide device **150** (as shown in FIG. **7B**), during normal operation of an optical circuit in which an active optical waveguide device **150** tunes an optical function of a passive optical waveguide device **800** within an optical circuit. FIGS. **51** and **52** illustrate one embodiment of optical circuit **5180** in which one or more active optical waveguide devices **150** are arranged relative to one or more passive optical waveguide devices **800** to provide some desired optical function. Though the concepts described herein provide for fabrication of active and passive optical waveguide devices that act precisely, slight production and design irregularities may exist that cause the passive optical waveguide device to deviate from the desired optical function. Additionally, as passive optical waveguide devices age and/or degrade, their optical functions or characteristics often change slightly. The active optical waveguide device **150** can compensate for the degradation, fabrication errors, and other optical function irregularities to improve the optical operation of the optical circuit **5180** including the passive optical waveguide **800**, as well as maintain the precise optical functionality of the optical circuit including the passive optical waveguide device for an extended period. The active optical waveguide device **150**, whose optical function is associated with the optical function of the passive optical waveguide device **800**, may therefore “tune” the optical function of the passive optical waveguide device.

While this description describes the tuning of the optical function of a single passive optical waveguide device **800** by a single active optical waveguide device **150**, it is to be understood that one or a plurality of active optical waveguide devices can be used to tune the optical function of one or a plurality of passive optical waveguide devices **800** in a similar manner to as described herein. Such tuning may be used, for example, to compensate for degradation of device performance due to aging. An active optical waveguide device that tunes the optical function of the passive optical waveguide device **800** may be located optically upstream or optically downstream of the passive optical waveguide device. Additionally, the active optical waveguide device **150** can be adjacent to, or have other devices located between it and, the passive optical waveguide device **800**.

The tuning method **5000** of the active optical waveguide device **150** that tunes the optical function of the passive optical waveguide device **800** starts with step **5002**, in which

the optical operation of the passive optical waveguide device is precisely measured. This optical measurement may be provided by using a separate testing device that is temporarily attached to the passive optical waveguide device that measures input versus output of the passive optical waveguide device. Alternatively, the optical function of the passive optical waveguide device may be tested by monitoring the optical circuit including the passive optical waveguide device when the optical circuit is connected with a functioning optical input providing valid optical signals, and considering the output optical operation of the passive optical waveguide device.

The tuning method **5000** continues to step **5004** where the controller **201**, or the human tester, compares the actual monitored optical function results to the desired optical function results. There are a wide variety of optical functions that may be monitored including, but not limited to, average light intensity, frequency, maximum or minimum light intensity, optical step drop-off rates, etc. The tuning method **5000** continues to step **5006** in which the controller **201**, or the human tester, analyzes the compared optical function results from step **5004**, and determines what adjustment should be performed by that active optical waveguide device **150** (or another active optical waveguide device) to effectively tune the optical function of the passive optical waveguide device **150**.

The tuning method **5000** continues to step **5008** in which the appropriate active optical waveguide device is adjusted, during normal operation, to tune the optical function of the passive optical waveguide device within the complete optical circuit **5180** as shown in FIGS. **51** and **52**. Many optical functions or parameters may be tuned in a large variety of passive optical waveguide devices **800**. However, to provide an example of tuning an optical function, consider if the optical signal strength of the passive optical waveguide device **800** is consistently too weak by a constant percentage of optical intensity. An associated active optical waveguide device **150** (either upstream or downstream of the passive optical waveguide device) that is under the control of the controller **201**, may perform the necessary optical function, such as optical amplification, and uniformly “boost” the optical signal intensity output by a prescribed amount during normal operation of the passive optical waveguide device. The output signal from the active optical waveguide device is therefore biased to be different from the normal output signal from the active optical waveguide device, to compensate for device irregularities of the passive optical waveguide device.

The tuning method **5000** then continues to decision step **5010** in which the controller **201**, or the human tester, determines whether the tuning provided in step **5008** adequately compensated for the optical function irregularities of the passive optical waveguide device analyzed in step **5006**. If the answer to decision step **5010** is no, then the method continues loops to step **5002** as described above. If the answer to decision step **5010** is yes, then the controller **201**, or human operator, provides normal operation of the optical circuit in the tuned configuration.

The tuning method **5000** may be repeated as frequently as desired to tune the optical signal of the passive optical waveguide device **800** to provide the desired optical functions within the complete optical circuit **5180** as shown in FIGS. **51** and **52**. The disclosure therefore provides a description not only of how to simultaneously fabricate active optical waveguide devices **150** and passive optical waveguide devices **800** on a single wafer **152** to form a variety of optical circuits **5180**, but also how to tune the



optical output of passive optical waveguide devices **800** using optically associated active optical waveguide devices **150**.

While the principles of the invention have been described above in connection with the specific apparatus and associated method, it is to be clearly understood that this description is made only by way of example and not as a limitation on the scope of the invention.

What is claimed is:

**1.** An optical waveguide device that controls the transmission of light through an optical waveguide, the optical waveguide device comprising:

a first passive optical waveguide device etched at least in part in a semiconductor layer of a wafer, wherein a value and a position of an effective mode index within the first passive optical waveguide device remains substantially unchanged over time and applies a substantially unchanging optical function to light traveling through the first passive optical waveguide device over the lifetime of the first passive optical waveguide device; and

a second passive optical waveguide device formed at least in part from a polysilicon layer, wherein the polysilicon layer is formed at least in part from polysilicon and deposited above an unetched portion of the semiconductor layer, an effective mode index of a region of static effective mode index within the optical waveguide is created by the polysilicon layer of the second passive optical waveguide device, the polysilicon layer has a shape and a height, the effective mode index of the region of static effective mode index is related to the shape of the polysilicon layer and the height of the polysilicon layer, and wherein a value and a position of the effective mode index within the region of static effective mode index remains substantially unchanged over time and applies a substantially unchanging optical function to light travelling through the region of static effective mode index over the lifetime of the second passive optical waveguide device;

wherein the optical waveguide forms at least a part of both the first passive optical waveguide device and the second passive optical waveguide device, the optical waveguide couples the first passive optical waveguide device and the second passive optical waveguide device, and the optical waveguide is formed at least in part using the semiconductor layer.

**2.** The optical waveguide device of claim **1**, wherein the second passive optical waveguide device further comprises a gate oxide layer deposited between the polysilicon layer and the semiconductor layer.

**3.** The optical waveguide device of claim **1**, wherein the polysilicon layer includes only pure polysilicon.

**4.** The optical waveguide device of claim **1**, wherein the polysilicon layer includes polySiGe.

**5.** The optical waveguide device of claim **1**, wherein the semiconductor layer is an upper silicon layer of a single Silicon-On-Insulator (SOI) wafer, wherein the SOI wafer further includes an optical insulator and a substrate, wherein the optical insulator is located between the upper silicon layer and the substrate.

**6.** The optical waveguide device of claim **5**, wherein the substrate includes one or more materials from the group of silicon, diamond, glass, or sapphire.

**7.** The optical waveguide device of claim **1**, wherein light transmitted from the first passive optical waveguide device is received by the second passive optical waveguide device.

**8.** The optical waveguide device of claim **1**, wherein light transmitted from the second passive optical waveguide device is received by the first passive optical waveguide device.

**9.** The optical waveguide device of claim **1**, wherein the first passive optical waveguide device includes one from the group of a filter, a lens, a grating, an optical deflector, and an interferometer.

**10.** The optical waveguide device of claim **1**, wherein the second passive optical waveguide device includes one from the group of a polyloaded waveguide, an arrayed waveguide grating, an Echelle grating, a passive deflector, and a passive lens.

**11.** The optical waveguide device of claim **1**, wherein an optical function of the region of static effective mode index is a factor of a shape of the polysilicon layer.

**12.** The optical waveguide device of claim **11**, wherein a shape of the region of static effective mode index closely mirrors the shape of the polysilicon layer.

**13.** The optical waveguide device of claim **1**, wherein a thickness of the optical waveguide is less than or equal to 10 microns.

**14.** The optical waveguide device of claim **1**, wherein the polysilicon layer is substantially undoped.

**15.** The optical waveguide device of claim **1**, wherein the polysilicon layer is doped.

**16.** The optical waveguide device of claim **1**, wherein the first passive optical waveguide device further includes polysilicon disposed above an etched silicon portion of the first passive optical waveguide device.

**17.** The optical waveguide device of claim **1**, wherein both the first passive optical waveguide device and the second passive optical waveguide device share a common portion of the optical waveguide.

**18.** The optical waveguide device of claim **1**, wherein the semiconductor layer includes a chemical compound including both silicon and germanium.

**19.** A method for forming an integrated optical device on a Silicon-On-Insulator (SOI) wafer using a first lithography mask and a second lithography mask, the integrated optical device comprising a first passive optical waveguide device and a second passive optical waveguide device, the SOI wafer including an insulator layer and an upper semiconductor layer formed at least in part from silicon, the method comprising:

depositing a gate oxide layer on a first portion of the upper semiconductor layer;

depositing a polysilicon layer formed at least in part from polysilicon on the gate oxide layer;

projecting light through the first lithography mask onto the polysilicon layer;

etching the polysilicon layer using a result of the projecting of the first lithography mask to form at least in part the first passive optical waveguide device, wherein a region of static effective mode index is created within the first passive optical waveguide device proximate the etched polysilicon layer;

projecting light through the second lithography mask onto a second portion of the upper semiconductor layer;

etching the second portion of the upper semiconductor layer using a result of the projecting of the second lithography mask to form at least in part the second passive optical waveguide device, wherein a value and a position of an effective mode index within the second passive optical waveguide device remains substantially unchanged over time and applies a substantially

**65**

unchanging optical function to light travelling through the second passive optical waveguide device over the lifetime of the second passive optical waveguide device; and

wherein the optical waveguide forms at least a part of both the first passive optical waveguide device and the second passive optical waveguide device, the optical waveguide couples the first passive optical waveguide device and the second passive optical waveguide

**66**

device, and the optical waveguide is formed at least in part using the upper semiconductor layer.

**20.** The method of claim **19**, wherein the first and second lithography masks correspond to separate portions of a common lithography mask.

**21.** The method of claim **19**, wherein the polysilicon layer is formed from polySiGe.

\* \* \* \* \*