



US008083770B2

(12) **United States Patent**  
**Ruff et al.**

(10) **Patent No.:** **US 8,083,770 B2**  
(45) **Date of Patent:** **\*Dec. 27, 2011**

(54) **SUTURE ANCHOR AND METHOD**

(75) Inventors: **Gregory L. Ruff**, Chapel Hill, NC (US);  
**Jeffrey C. Leung**, Chapel Hill, NC (US);  
**Andrew Kaplan**, Hillsborough, NC  
(US)

(73) Assignee: **Quill Medical, Inc.**

(\*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 830 days.

This patent is subject to a terminal disclaimer.

(21) Appl. No.: **12/119,749**

(22) Filed: **May 13, 2008**

(65) **Prior Publication Data**

US 2008/0234731 A1 Sep. 25, 2008

**Related U.S. Application Data**

(62) Division of application No. 10/914,755, filed on Aug. 9, 2004, now Pat. No. 7,371,253, which is a division of application No. 10/216,516, filed on Aug. 9, 2002, now Pat. No. 6,773,450.

(51) **Int. Cl.**  
**A61B 17/04** (2006.01)

(52) **U.S. Cl.** ..... **606/232; 606/329**

(58) **Field of Classification Search** ..... **606/228, 606/232, 300, 329, 331**

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

709,392 A 9/1902 Brown  
733,723 A 7/1903 Lukens

789,401 A 5/1905 Acheson  
816,026 A 3/1906 Meier  
879,758 A 2/1908 Foster  
1,142,510 A 6/1915 Engle  
1,248,825 A 12/1917 Dederer  
1,321,011 A 11/1919 Cottis  
1,558,037 A 10/1925 Morton  
1,728,316 A 9/1929 Wachenfeldt  
1,886,721 A 11/1932 O'Brien  
2,094,578 A 10/1937 Blumenthal

(Continued)

**FOREIGN PATENT DOCUMENTS**

BE 1014364 9/2003

(Continued)

**OTHER PUBLICATIONS**

International Search Report for PCT/US2007/074658 dated Jun. 12, 2007, 3 pages.

(Continued)


*Primary Examiner* — Julian Woo

(74) *Attorney, Agent, or Firm* — Angiotech

(57) **ABSTRACT**

A suture anchor is provided for approximating tissue to bone or other tissue. The suture anchor comprises an anchor member to fixedly engage the bone for securing the anchor member relative to the bone. A plurality of sutures are mounted to the proximal end of the anchor member so that the sutures extend outwardly from the anchor member. Each suture has a sharp pointed distal end for penetrating the tissue and a plurality of barbs extending from the periphery and disposed along the length of the body of the suture. The barbs permit movement of the sutures through the tissue in a direction of movement of the pointed end and prevent movement of the sutures relative to the tissue in a direction opposite the direction of movement of the pointed end. At least one pointed distal end of at least one suture comprises a needle.

**11 Claims, 11 Drawing Sheets**



U.S. PATENT DOCUMENTS							
2,201,610	A	5/1940	Dawson, Jr.	4,505,274	A	3/1985	Speelman
2,232,142	A	2/1941	Schumann	4,510,934	A	4/1985	Batra
2,254,620	A	9/1941	Miller	4,531,522	A	7/1985	Bedi
2,347,956	A	5/1944	Lansing	4,532,926	A	8/1985	O'Holla
2,355,907	A	8/1944	Cox	4,535,772	A	8/1985	Sheehan
2,421,193	A	5/1947	Gardner	4,548,202	A	10/1985	Duncan
2,472,009	A	5/1949	Gardner	4,553,544	A	11/1985	Nomoto
2,572,936	A	10/1951	Kulp	4,610,250	A	9/1986	Green
2,684,070	A	7/1954	Kelsey	4,610,251	A	9/1986	Kumar
2,779,083	A	1/1957	Eaton	4,635,637	A	1/1987	Schreiber
2,814,296	A	11/1957	Everett	4,637,380	A	1/1987	Oreja
2,817,339	A	12/1957	Sullivan	4,653,486	A	3/1987	Coker
2,866,256	A	12/1958	Matlin	4,669,473	A	6/1987	Richards
2,910,067	A	10/1959	White	4,676,245	A	6/1987	Fukuda
2,988,028	A	6/1961	Alcamo	4,719,917	A	1/1988	Barrows
3,003,155	A	10/1961	Mielzynski	4,741,330	A	5/1988	Hayhurst
3,068,869	A	12/1962	Shelden	4,750,910	A	6/1988	Takayanagi
3,068,870	A	12/1962	Levin	4,751,621	A	6/1988	Jenkins
3,123,077	A	3/1964	Alcamo	4,776,337	A	10/1988	Palmaz
3,166,072	A	1/1965	Sullivan	4,832,025	A	5/1989	Coates
3,187,752	A	6/1965	Glick	4,841,960	A	6/1989	Garner
3,206,018	A	9/1965	Lewis	4,865,026	A	9/1989	Barrett
3,209,652	A	10/1965	Burgsmueller	4,873,976	A	10/1989	Schreiber
3,209,754	A	10/1965	Brown	4,887,601	A	12/1989	Richards
3,214,810	A	11/1965	Mathison	4,895,148	A	1/1990	Bays
3,221,746	A	12/1965	Noble	4,898,156	A	2/1990	Gatturna
3,234,636	A	2/1966	Brown	4,899,743	A	2/1990	Nicholson
3,273,562	A	9/1966	Brown	4,900,605	A	2/1990	Thorgersen
3,352,191	A	11/1967	Crawford	4,905,367	A	3/1990	Pinchuk
3,378,010	A	4/1968	Codling	4,930,945	A	6/1990	Arai
3,385,299	A	5/1968	Le Roy	4,932,962	A	6/1990	Yoon
3,494,006	A	2/1970	Brumlik	4,946,468	A	8/1990	Li
3,525,340	A	8/1970	Gilbert	4,948,444	A	8/1990	Schutz
3,527,223	A	9/1970	Shein	4,950,258	A	8/1990	Kawai
3,545,608	A	12/1970	Berger	4,950,285	A	8/1990	Wilk
3,570,497	A	3/1971	Lemole	4,968,315	A	11/1990	Gatturna
3,586,002	A	6/1971	Wood	4,976,715	A	12/1990	Bays
3,608,095	A	9/1971	Barry	4,981,149	A	1/1991	Yoon
3,608,539	A	9/1971	Miller	4,994,073	A	2/1991	Green
3,646,615	A	3/1972	Ness	4,997,439	A	3/1991	Chen
3,683,926	A	8/1972	Suzuki	5,002,550	A	3/1991	Li
3,700,433	A	10/1972	Duhl	5,002,562	A	3/1991	Oberlander
3,716,058	A	2/1973	Tanner, Jr.	5,007,921	A	4/1991	Brown
3,720,055	A	3/1973	deMestral	5,007,922	A	4/1991	Chen
3,825,010	A	7/1974	McDonald	5,026,390	A	6/1991	Brown
3,833,972	A	9/1974	Brumlik	5,037,422	A	8/1991	Hayhurst
3,845,641	A	11/1974	Waller	5,041,129	A	8/1991	Hayhurst
3,847,156	A	11/1974	Trumble	5,046,513	A	9/1991	Gatturna
3,918,455	A	11/1975	Coplan	5,047,047	A	9/1991	Yoon
3,951,261	A	4/1976	Mandel	5,053,047	A	10/1991	Yoon
3,981,051	A	9/1976	Brumlik	5,084,063	A	1/1992	Korthoff
3,981,307	A	9/1976	Borysko	5,089,010	A	2/1992	Korthoff
3,985,138	A	10/1976	Jarvik	5,101,968	A	4/1992	Henderson
3,985,227	A	10/1976	Thyen	5,102,418	A	4/1992	Granger
4,006,747	A	2/1977	Kronenthal	5,102,421	A	4/1992	Anspach, Jr.
4,008,303	A	2/1977	Glick	5,103,073	A	4/1992	Danilov
4,027,608	A	6/1977	Arbuckle	5,112,344	A	5/1992	Petros
4,043,344	A	8/1977	Landi	5,123,911	A	6/1992	Granger
D246,911	S	1/1978	Bess, Jr.	5,123,913	A	6/1992	Wilk
4,069,825	A	1/1978	Akiyama	5,123,919	A	6/1992	Sauter
4,073,298	A	2/1978	Le Roy	5,127,413	A	7/1992	Ebert
4,137,921	A	2/1979	Okuzumi	5,133,738	A	7/1992	Korthoff
4,198,734	A	4/1980	Brumlik	5,141,520	A	8/1992	Goble
4,204,541	A	5/1980	Kapitanov	5,147,382	A	9/1992	Gertzman
4,204,542	A	5/1980	Bokros	5,156,788	A	10/1992	Chesterfield
4,259,959	A	4/1981	Walker	5,176,692	A	1/1993	Wilk
4,300,424	A	11/1981	Flinn	5,179,964	A	1/1993	Cook
4,311,002	A	1/1982	Dipalma	5,192,274	A	3/1993	Bierman
4,313,448	A	2/1982	Stokes	5,192,302	A	3/1993	Kensey
4,316,469	A	2/1982	Kapitanov	5,192,303	A	3/1993	Gatturna
4,317,451	A	3/1982	Cerwin	5,197,597	A	3/1993	Leary
4,428,376	A	1/1984	Mericle	5,207,679	A	5/1993	Li
4,430,998	A	2/1984	Harvey	5,207,694	A	5/1993	Broome
4,434,796	A	3/1984	Karapetian	5,217,486	A	6/1993	Rice
4,454,875	A	6/1984	Pratt	5,217,494	A	6/1993	Coggins
4,467,805	A	8/1984	Fukuda	5,222,508	A	6/1993	Contarini
4,492,075	A	1/1985	Faure	5,222,976	A	6/1993	Yoon
4,493,323	A	1/1985	Albright	5,224,946	A	7/1993	Hayhurst
				5,242,457	A	9/1993	Akopov



US 8,083,770 B2

5,246,441 A	9/1993	Ross	5,716,358 A	2/1998	Ochoa
5,249,673 A	10/1993	Sinn	5,716,376 A	2/1998	Roby
5,258,013 A	11/1993	Granger	5,722,991 A	3/1998	Colligan
5,263,973 A	11/1993	Cook	5,723,008 A	3/1998	Gordon
5,269,783 A	12/1993	Sander	5,725,557 A	3/1998	Gatturna
5,282,832 A	2/1994	Toso	5,728,114 A	3/1998	Evans
5,292,326 A	3/1994	Green	5,741,277 A	4/1998	Gordon
5,306,288 A	4/1994	Granger	5,763,411 A	6/1998	Edwardson
5,306,290 A	4/1994	Martins	5,765,560 A	6/1998	Verkerke
5,320,629 A	6/1994	Noda	5,779,719 A	7/1998	Klein
5,330,488 A	7/1994	Goldrath	5,782,864 A	7/1998	Lizardi
5,330,503 A	7/1994	Yoon	5,807,403 A	9/1998	Beyar
5,336,239 A	8/1994	Gimpelson	5,807,406 A	9/1998	Brauker
5,341,922 A	8/1994	Cerwin	5,810,853 A	9/1998	Yoon
5,342,376 A	8/1994	Ruff	5,814,051 A	9/1998	Wenstrom, Jr.
5,342,395 A	8/1994	Jarrett	5,843,087 A	12/1998	Jensen
5,352,515 A	10/1994	Jarrett	5,843,178 A	12/1998	Vanney
5,354,271 A	10/1994	Voda	5,863,360 A	1/1999	Wood
5,354,298 A	10/1994	Lee	5,884,859 A	3/1999	Ma
5,358,511 A	10/1994	Gatturna	5,887,594 A	3/1999	LoCicero, III
5,372,146 A	12/1994	Branch	5,891,166 A	4/1999	Schervinsky
5,374,268 A	12/1994	Sander	5,893,856 A	4/1999	Jacob
5,374,278 A	12/1994	Chesterfield	5,895,395 A	4/1999	Yeung
5,380,334 A	1/1995	Torrie	5,895,413 A	4/1999	Nordstrom
5,391,173 A	2/1995	Wilk	5,897,572 A	4/1999	Schulsinger
5,395,126 A	3/1995	Tresslar	5,899,911 A	5/1999	Carter
5,403,346 A	4/1995	Loeser	5,916,224 A	6/1999	Esplin
5,411,523 A	5/1995	Goble	5,919,234 A	7/1999	Lemperle
5,414,988 A	5/1995	Di Palma	5,921,982 A	7/1999	Lesh
5,417,691 A	5/1995	Hayhurst	5,925,078 A	7/1999	Anderson
5,425,746 A	6/1995	Proto	5,931,855 A	8/1999	Buncke
5,425,747 A	6/1995	Brotz	5,935,138 A	8/1999	McJames, II
5,437,680 A	8/1995	Yoon	5,938,668 A	8/1999	Scirica
5,450,860 A	9/1995	O'Connor	5,950,633 A	9/1999	Lynch
5,451,461 A	9/1995	Broyer	5,954,747 A	9/1999	Clark
5,462,561 A	10/1995	Voda	5,968,097 A	10/1999	Frechet
5,464,427 A	11/1995	Curtis	5,972,024 A	10/1999	Northrup, III
5,472,452 A	12/1995	Trott	5,984,933 A	11/1999	Yoon
5,478,353 A	12/1995	Yoon	5,993,459 A	11/1999	Larsen
5,480,403 A	1/1996	Lee	6,001,111 A	12/1999	Sepetka
5,480,411 A	1/1996	Liu	6,012,216 A	1/2000	Esteves
5,484,451 A	1/1996	Akopov	6,015,410 A	1/2000	Tormala
5,486,197 A	1/1996	Le	6,024,757 A	2/2000	Haase
5,494,154 A	2/1996	Ainsworth	6,027,523 A	2/2000	Schmieding
5,500,000 A	3/1996	Feagin	6,039,741 A	3/2000	Meislin
5,500,991 A	3/1996	Demarest	6,056,778 A	5/2000	Grafton
5,520,084 A	5/1996	Chesterfield	6,063,105 A	5/2000	Totakura
5,520,691 A	5/1996	Branch	6,074,419 A	6/2000	Healy
5,522,845 A	6/1996	Wenstrom, Jr.	6,076,255 A	6/2000	Shikakubo
5,531,760 A	7/1996	Alwafaie	6,083,244 A	7/2000	Lubbers
5,531,761 A	7/1996	Yoon	6,102,947 A	8/2000	Gordon
5,531,790 A	7/1996	Frechet	6,106,544 A	8/2000	Brazeau
5,533,982 A	7/1996	Rizk	D433,753 S	11/2000	Weiss
5,536,582 A	7/1996	Prasad	6,146,406 A	11/2000	Shluzas
5,540,705 A	7/1996	Meade	6,146,407 A	11/2000	Krebs
5,540,718 A	7/1996	Bartlett	6,149,660 A	11/2000	Laufer
5,546,957 A	8/1996	Heske	6,163,948 A	12/2000	Esteves
5,554,171 A	9/1996	Gatturna	6,165,203 A	12/2000	Krebs
5,566,822 A	10/1996	Scanlon	6,168,633 B1	1/2001	Shoher
5,571,175 A	11/1996	Vanney	6,174,324 B1	1/2001	Egan
5,571,216 A	11/1996	Anderson	6,183,499 B1	2/2001	Fischer
5,573,543 A	11/1996	Akopov	6,187,095 B1	2/2001	Labrecque
5,584,859 A	12/1996	Brotz	6,206,908 B1	3/2001	Roby
5,601,557 A	2/1997	Hayhurst	6,235,869 B1	5/2001	Roby
5,626,590 A	5/1997	Wilk	6,241,747 B1	6/2001	Ruff
5,632,753 A	5/1997	Loeser	6,251,143 B1	6/2001	Schwartz
5,643,288 A	7/1997	Thompson	6,264,675 B1	7/2001	Brotz
5,643,295 A	7/1997	Yoon	6,267,772 B1	7/2001	Mulhauser
5,643,319 A	7/1997	Green	6,270,517 B1	8/2001	Brotz
5,647,874 A	7/1997	Hayhurst	6,315,788 B1	11/2001	Roby
5,649,939 A	7/1997	Reddick	6,319,231 B1	11/2001	Andrulitis
5,653,716 A	8/1997	Malo	6,334,865 B1	1/2002	Redmond
5,662,714 A	9/1997	Charvin	6,387,363 B1	5/2002	Gruskin
5,669,935 A	9/1997	Rosenman	6,388,043 B1	5/2002	Langer
D386,583 S	11/1997	Ferragamo	6,395,029 B1	5/2002	Levy
5,683,417 A *	11/1997	Cooper ..... 606/223	D462,766 S	9/2002	Jacobs
5,697,976 A	12/1997	Chesterfield	6,443,962 B1	9/2002	Gaber
5,702,462 A	12/1997	Oberlander	6,463,719 B2	10/2002	Dey
5,709,692 A	1/1998	Mollenauer	6,471,715 B1	10/2002	Weiss



# US 8,083,770 B2

6,478,809 B1	11/2002	Brotz	7,112,214 B2	9/2006	Peterson
6,485,503 B2	11/2002	Jacobs	7,125,403 B2	10/2006	Julian
6,491,701 B2	12/2002	Tierney	7,125,413 B2	10/2006	Grigoryants
6,494,898 B1	12/2002	Roby	D532,107 S	11/2006	Peterson
6,495,127 B1	12/2002	Wallace	7,138,441 B1	11/2006	Zhang
RE037,963 E	1/2003	Thal	7,141,302 B2	11/2006	Mueller
6,506,190 B1	1/2003	Walshe	7,144,401 B2	12/2006	Yamamoto
6,511,488 B1	1/2003	Marshall	7,144,412 B2	12/2006	Wolf
6,514,265 B2	2/2003	Ho	7,144,415 B2	12/2006	Del Rio
6,527,795 B1 *	3/2003	Lizardi ..... 606/232	7,150,757 B2	12/2006	Fallin
6,551,343 B1	4/2003	Tormala et al.	7,156,858 B2	1/2007	Schuldt-Hempe
6,554,802 B1	4/2003	Pearson	7,156,862 B2	1/2007	Jacobs
6,565,597 B1	5/2003	Fearnot	7,160,312 B2	1/2007	Saadat
6,592,609 B1	7/2003	Bonutti	7,166,570 B2	1/2007	Hunter
6,596,296 B1	7/2003	Nelson	7,172,595 B1	2/2007	Goble
6,599,310 B2	7/2003	Leung	7,172,615 B2	2/2007	Morriss
6,607,541 B1	8/2003	Gardiner	7,186,262 B2	3/2007	Saadat
6,610,078 B1	8/2003	Bru-Magniez	7,195,634 B2	3/2007	Schmieding
6,613,059 B2	9/2003	Schaller	7,211,088 B2	5/2007	Grafton
6,613,254 B1	9/2003	Shiffer	7,214,230 B2	5/2007	Brock
6,616,982 B2	9/2003	Merrill	7,217,744 B2	5/2007	Lendlein
6,623,492 B1	9/2003	Berube	7,225,512 B2	6/2007	Genova
6,626,930 B1	9/2003	Allen	7,226,468 B2	6/2007	Ruff
6,641,592 B1	11/2003	Sauer	7,232,447 B2	6/2007	Gellman
6,641,593 B1	11/2003	Schaller	7,244,270 B2	7/2007	Lesh
6,645,226 B1	11/2003	Jacobs	7,279,612 B1	10/2007	Heaton
6,645,227 B2	11/2003	Fallin	7,297,142 B2	11/2007	Brock
6,648,921 B2	11/2003	Anderson	7,322,105 B2	1/2008	Lewis
6,656,182 B1	12/2003	Hayhurst	7,371,253 B2	5/2008	Leung
6,689,153 B1	2/2004	Skiba	7,513,904 B2	4/2009	Sulamanidze
6,702,844 B1	3/2004	Lazarus	7,514,095 B2	4/2009	Nelson
6,712,830 B2	3/2004	Esplin	7,582,105 B2	9/2009	Kolster
6,716,234 B2	4/2004	Grafton	7,601,164 B2	10/2009	Wu
6,720,402 B2	4/2004	Langer	7,624,487 B2	12/2009	Trull
6,726,705 B2	4/2004	Peterson	2001/0011187 A1	8/2001	Pavcnik
6,746,443 B1	6/2004	Morley	2001/0018599 A1	8/2001	D'Aversa
6,746,458 B1	6/2004	Cloud	2001/0039450 A1	11/2001	Pavcnik
6,749,616 B1	6/2004	Nath	2001/0044637 A1	11/2001	Jacobs
6,773,450 B2 *	8/2004	Leung et al. .... 606/232	2001/0051807 A1	12/2001	Grafton
6,783,554 B2	8/2004	Amara	2001/0051815 A1	12/2001	Esplin
6,814,748 B1	11/2004	Baker	2002/0007218 A1	1/2002	Cauthen
6,818,010 B2	11/2004	Eichhorn	2002/0022861 A1	2/2002	Jacobs
6,838,493 B2	1/2005	Williams	2002/0029066 A1	3/2002	Foerster
6,848,152 B2	2/2005	Genova	2002/0069617 A1	6/2002	Dey
6,852,825 B2	2/2005	Lendlein	2002/0077448 A1	6/2002	Antal
6,858,222 B2	2/2005	Nelson	2002/0077631 A1	6/2002	Lubbers
6,860,891 B2	3/2005	Schulze	2002/0095164 A1	7/2002	Andreas
6,860,901 B1	3/2005	Baker	2002/0099394 A1	7/2002	Houser
6,877,934 B2	4/2005	Gainer	2002/0111641 A1	8/2002	Peterson
6,881,766 B2	4/2005	Hain	2002/0111688 A1	8/2002	Cauthen
6,893,452 B2	5/2005	Jacobs	2002/0138009 A1	9/2002	Brockway
6,905,484 B2	6/2005	Buckman	2002/0151980 A1	10/2002	Cauthen
6,911,035 B1	6/2005	Blomme	2002/0173807 A1	11/2002	Jacobs
6,911,037 B2	6/2005	Gainer	2002/0173822 A1	11/2002	Justin
6,913,607 B2	7/2005	Ainsworth	2002/0179718 A1	12/2002	Murokh
6,921,811 B2	7/2005	Zamora	2003/0014077 A1	1/2003	Leung
6,923,819 B2	8/2005	Meade	2003/0040795 A1	2/2003	Elson
6,945,980 B2	9/2005	Nguyen	2003/0041426 A1	3/2003	Genova
6,960,221 B2	11/2005	Ho	2003/0065360 A1	4/2003	Jacobs
6,960,233 B1	11/2005	Berg	2003/0065402 A1	4/2003	Anderson
6,974,450 B2	12/2005	Weber	2003/0069602 A1	4/2003	Jacobs
6,981,983 B1	1/2006	Rosenblatt	2003/0074021 A1	4/2003	Morriss
6,984,241 B2	1/2006	Lubbers	2003/0074023 A1	4/2003	Kaplan
6,986,780 B2	1/2006	Rudnick	2003/0078604 A1	4/2003	Walshe
6,991,643 B2	1/2006	Saadat	2003/0088270 A1	5/2003	Lubbers
6,996,880 B2	2/2006	Kurtz, Jr.	2003/0097150 A1	5/2003	Fallin
7,021,316 B2	4/2006	Leiboff	2003/0105489 A1	6/2003	Eichhorn
7,033,379 B2	4/2006	Peterson	2003/0149447 A1	8/2003	Morency
7,033,603 B2	4/2006	Nelson	2003/0158604 A1	8/2003	Cauthen, III
7,037,984 B2	5/2006	Lendlein	2003/0167072 A1	9/2003	Oberlander
7,048,748 B1	5/2006	Üstüner	2003/0203003 A1	10/2003	Nelson
7,056,331 B2	6/2006	Kaplan	2003/0204195 A1	10/2003	Keane
7,056,333 B2	6/2006	Walshe	2003/0229361 A1	12/2003	Jackson
7,057,135 B2	6/2006	Li	2003/0236550 A1	12/2003	Peterson
7,070,610 B2	7/2006	Im	2003/0236551 A1	12/2003	Peterson
7,081,135 B2	7/2006	Smith	2004/0010275 A1	1/2004	Jacobs
7,083,637 B1	8/2006	Tannhauser	2004/0010276 A1	1/2004	Jacobs
7,083,648 B2	8/2006	Yu	2004/0015187 A1	1/2004	Lendlein
7,107,090 B2	9/2006	Salisbury, Jr.	2004/0024420 A1	2/2004	Lubbers



# US 8,083,770 B2

2004/0028655	A1	2/2004	Nelson	2006/0122608	A1	6/2006	Fallin
2004/0030354	A1	2/2004	Leung	2006/0135994	A1	6/2006	Ruff
2004/0039415	A1	2/2004	Zamierowski	2006/0135995	A1	6/2006	Ruff
2004/0059377	A1	3/2004	Peterson	2006/0142784	A1	6/2006	Kontos
2004/0059378	A1	3/2004	Peterson	2006/0193769	A1	8/2006	Nelson
2004/0060409	A1	4/2004	Leung	2006/0194721	A1	8/2006	Allen
2004/0060410	A1	4/2004	Leung	2006/0200062	A1	9/2006	Saadat
2004/0068293	A1	4/2004	Scalzo	2006/0207612	A1	9/2006	Jackson
2004/0068294	A1	4/2004	Scalzo	2006/0229671	A1	10/2006	Steiner
2004/0088003	A1	5/2004	Leung	2006/0235445	A1	10/2006	Birk
2004/0093023	A1	5/2004	Allen	2006/0235447	A1	10/2006	Walshe
2004/0093028	A1	5/2004	Ruff	2006/0235516	A1	10/2006	Cavazzoni
2004/0098051	A1	5/2004	Fallin	2006/0241658	A1	10/2006	Cerundolo
2004/0106949	A1	6/2004	Cohn	2006/0249405	A1	11/2006	Cerwin
2004/0138683	A1	7/2004	Shelton	2006/0253126	A1	11/2006	Bjerken
2004/0153153	A1	8/2004	Elson	2006/0257629	A1	11/2006	Lendlein
2004/0167572	A1	8/2004	Roth	2006/0258938	A1	11/2006	Hoffman
2004/0167575	A1	8/2004	Roby	2006/0272979	A1	12/2006	Lubbers
2004/0193191	A1	9/2004	Starksen	2006/0276808	A1	12/2006	Arnal
2004/0193217	A1	9/2004	Lubbers	2006/0282099	A1	12/2006	Stokes
2004/0193257	A1	9/2004	Wu	2006/0286289	A1	12/2006	Prajapati
2004/0226427	A1	11/2004	Trull	2006/0287675	A1	12/2006	Prajapati
2004/0237736	A1	12/2004	Genova	2006/0287676	A1	12/2006	Prajapati
2004/0254609	A1	12/2004	Esplin	2006/0293710	A1	12/2006	Foerster
2004/0260340	A1	12/2004	Jacobs	2007/0005109	A1	1/2007	Popadiuk
2004/0265282	A1	12/2004	Wright	2007/0005110	A1	1/2007	Collier
2004/0267309	A1	12/2004	Garvin	2007/0021779	A1	1/2007	Garvin
2005/0004601	A1	1/2005	Kong	2007/0027475	A1	2/2007	Pagedas
2005/0004602	A1	1/2005	Hart	2007/0038249	A1	2/2007	Kolster
2005/0033324	A1	2/2005	Phan	2007/0065663	A1	3/2007	Trull
2005/0033367	A1	2/2005	Leung	2007/0088391	A1	4/2007	McAlexander
2005/0034431	A1	2/2005	Dey	2007/0135840	A1	6/2007	Schmieding
2005/0038472	A1	2/2005	Furst	2007/0135843	A1	6/2007	Burkhart
2005/0059984	A1	3/2005	Chanduszko	2007/0151961	A1	7/2007	Kleine
2005/0065533	A1	3/2005	Magen	2007/0156175	A1	7/2007	Weadock
2005/0070959	A1	3/2005	Cichocki, Jr.	2007/0167958	A1	7/2007	Sulamanidze
2005/0080455	A1	4/2005	Schmieding	2007/0187861	A1	8/2007	Genova
2005/0085857	A1	4/2005	Peterson	2007/0208355	A1	9/2007	Ruff
2005/0096698	A1	5/2005	Lederman	2007/0208377	A1	9/2007	Kaplan
2005/0106211	A1	5/2005	Nelson	2007/0219587	A1	9/2007	Accardo
2005/0113936	A1	5/2005	Brustad	2007/0224237	A1	9/2007	Hwang
2005/0119694	A1	6/2005	Jacobs	2007/0225642	A1	9/2007	Houser
2005/0125020	A1	6/2005	Meade	2007/0225761	A1	9/2007	Shetty
2005/0125034	A1	6/2005	Cichocki, Jr.	2007/0227914	A1	10/2007	Cerwin
2005/0125035	A1	6/2005	Cichocki, Jr.	2007/0233188	A1	10/2007	Hunt
2005/0149064	A1	7/2005	Peterson	2007/0239206	A1	10/2007	Shelton, IV
2005/0149118	A1	7/2005	Koyfman	2007/0257395	A1	11/2007	Lindh
2005/0154255	A1	7/2005	Jacobs	2007/0282247	A1	12/2007	Desai
2005/0171561	A1	8/2005	Songer	2008/0004603	A1	1/2008	Larkin
2005/0177190	A1	8/2005	Zamierowski	2008/0009838	A1	1/2008	Schena
2005/0182444	A1	8/2005	Peterson	2008/0009888	A1	1/2008	Ewers
2005/0182445	A1	8/2005	Zamierowski	2008/0009902	A1	1/2008	Hunter
2005/0197699	A1	9/2005	Jacobs	2008/0027273	A1	1/2008	Gutterman
2005/0199249	A1	9/2005	Karram	2008/0027486	A1	1/2008	Jones
2005/0203576	A1	9/2005	Sulamanidze	2008/0046094	A1	2/2008	Han
2005/0209542	A1	9/2005	Jacobs	2008/0058869	A1	3/2008	Stopek
2005/0209612	A1	9/2005	Nakao	2008/0066764	A1	3/2008	Paraschac
2005/0234510	A1	10/2005	Zamierowski	2008/0066765	A1	3/2008	Paraschac
2005/0240220	A1	10/2005	Zamierowski	2008/0066766	A1	3/2008	Paraschac
2005/0240224	A1	10/2005	Wu	2008/0066767	A1	3/2008	Paraschac
2005/0267531	A1	12/2005	Ruff	2008/0077181	A1	3/2008	Jones
2005/0267532	A1	12/2005	Wu	2008/0082113	A1	4/2008	Bishop
2005/0277984	A1	12/2005	Long	2008/0082129	A1	4/2008	Jones
2005/0283246	A1	12/2005	Cauthen	2008/0086169	A1	4/2008	Jones
2006/0020272	A1	1/2006	Gildenberg	2008/0086170	A1	4/2008	Jones
2006/0030884	A1	2/2006	Yeung	2008/0109036	A1	5/2008	Stopek
2006/0036266	A1	2/2006	Sulamanidze	2008/0132943	A1	6/2008	Maiorino
2006/0058574	A1	3/2006	Priewe	2008/0195147	A1	8/2008	Stopek
2006/0058799	A1	3/2006	Elson	2008/0208358	A1	8/2008	Bellamkonda
2006/0058844	A1	3/2006	White	2008/0215072	A1	9/2008	Kelly
2006/0064115	A1	3/2006	Allen	2008/0221618	A1	9/2008	Chen
2006/0064116	A1	3/2006	Allen	2008/0234731	A1	9/2008	Leung
2006/0064127	A1	3/2006	Fallin	2008/0248216	A1	10/2008	Yeung
2006/0079935	A1	4/2006	Kolster	2008/0262542	A1	10/2008	Sulamanidze
2006/0085016	A1	4/2006	Eremia	2008/0281338	A1	11/2008	Wohlert
2006/0089525	A1	4/2006	Mamo	2008/0312688	A1	12/2008	Nawrocki
2006/0089672	A1	4/2006	Martinek	2009/0012560	A1	1/2009	Hunter
2006/0111734	A1	5/2006	Kaplan	2009/0018577	A1	1/2009	Leung
2006/0111742	A1	5/2006	Kaplan	2009/0043336	A1	2/2009	Yuan



2009/0076543	A1	3/2009	Maiorino	WO	WO03103733	12/2003
2009/0099597	A1	4/2009	Isse	WO	WO03103972	12/2003
2009/0107965	A1	4/2009	D'Agostino	WO	WO2004014236	2/2004
2009/0112259	A1	4/2009	D'Agostino	WO	WO2004020520	4/2004
2009/0200487	A1	8/2009	Maiorino	WO	WO2004030704	4/2004
2009/0210006	A1	8/2009	Cohen	WO	WO2004030705	4/2004
2009/0226500	A1	9/2009	Avelar	WO	WO2004112853	12/2004
2009/0248066	A1	10/2009	Wilkie	WO	WO2006005144	1/2006
2009/0248067	A1	10/2009	Maiorino	WO	WO2006061868	6/2006
2009/0248070	A1	10/2009	Kosa	WO	WO2006082060	8/2006
2009/0250356	A1	10/2009	Kirsch	WO	WO2006099703	9/2006
2009/0259233	A1	10/2009	Bogart	WO	WO2007053812	5/2007
2009/0259251	A1	10/2009	Cohen	WO	WO2007133103	11/2007
2009/0287245	A1	11/2009	Ostrovsky	WO	WO2007145614	12/2007
2009/0299407	A1	12/2009	Yuan	WO	WO2009068252	6/2009
2009/0299408	A1	12/2009	Schuldt-Hempe	WO	WO2009087105	7/2009
2009/0306710	A1	12/2009	Lindh, Sr.	WO	WO2010052007	5/2010
2010/0023055	A1	1/2010	Rousseau			
2010/0057123	A1	3/2010	D'Agostino			
2010/0063540	A1	3/2010	Maiorino			
2010/0071833	A1	3/2010	Maiorino			
2010/0087855	A1	4/2010	Leung			
2010/0101707	A1	4/2010	Maiorino			
2010/0140115	A1	6/2010	Kirsch			
2010/0294103	A1	11/2010	Genova			
2010/0294104	A1	11/2010	Genova			
2010/0294105	A1	11/2010	Genova			
2010/0294106	A1	11/2010	Genova			
2010/0294107	A1	11/2010	Genova			
2010/0298878	A1	11/2010	Leung et al.			
2010/0298879	A1	11/2010	Leung et al.			
2010/0313723	A1	12/2010	Genova			
2010/0313729	A1	12/2010	Genova			
2010/0313730	A1	12/2010	Genova			
2010/0318122	A1	12/2010	Leung et al.			
2011/0009902	A1	1/2011	Leung et al.			

OTHER PUBLICATIONS

International Search Report for PCT/US2008/060127 dated Sep. 23, 2008, 5 pages.

International Search Report for PCT/US2008/0064921 dated Nov. 19, 2008, 3 pages.

International Search Report for PCT/US2008/075849 dated Mar. 18, 2009, 4 pages.

Singapore Search Report for Singapore Patent Application No. 200702625-5 dated Nov. 26, 2008, 7 pages.

Singapore Search Report for Singapore Patent Application No. 200702350-0 dated Nov. 26, 2008, 6 pages.

Singapore Search Report for Singapore Patent Application No. 200703688-2 dated Nov. 26, 2008, 7 pages.

European Search Report for EP07015905.8 dated Oct. 23, 2007, 2 pages.

European Search Report for EP10000629.5. dated Mar. 10, 2010, 4 pages.

European Search Report for EP10011871.0 dated Dec. 3, 2010, 2 pages.

European Search Report for EP10011868.6 dated Dec. 6, 2010, 2 pages.

European Search Report for EP10186592.1 dated Jan. 19, 2011, 2 pages.

Mason, M.L., "Primary and secondary tendon suture. A discussion of the significance of technique in tendon surgery", *Surg Gynecol Obstet* 70 (1940).

McKee, G.K., "Metal anastomosis tubes in tendon suture", *The Lancet*, May 26, 1945, 659-660.

Mansberger, et al., "A New Type Pull-Out Wire for Tendon Surgery: A Preliminary Report", Department of Surgery, University Hospital and University of Maryland School of Medicine, Baltimore, Maryland, Received for Publication May 10, 1951, pp. 119-121.

Jennings et al., "A new technique in primary tendon repair", *Surg Gynecol Obstet* Nov. 1952;95(5):597-600.

Bunnell, S., "Gig pull-out suture for tendons", *J Bone Joint Surg Am.* Jul. 1954;36-A(4):850-1.

Verdan, Claude, "Primary Repair of Flexor Tendons", *Journal of Bone and Joint Surgery* Jun. 1960; 42(4):647-657.

Potenza, Austin, "Tendon Healing Within the Flexor Digital Sheath in the Dog: An Experimental Study", *Journal of Bone & Joint Surgery* Jan. 1962; 44A(1):49-64.

Pulvertaft, "Suture Materials and Tendon Junctions", *American Journal of Surgery* Mar. 1965; 109:346-352.

Buncke, Jr., H.J. et al., "The suture repair of one-millimeter vessels, micro-vascular surgery", Report of First Conference; Oct. 6-7, 1966; pp. 24-35 (esp. p. 34), USA.

McKenzie, A.R., "An Experimental Multiple Barbed Suture for the Long Flexor Tendons of the Palm and Fingers", *Journal of Bone and Joint Surgery* 1967; 49B(3): 440-447.

Zoltan, Janos, "Cicatrix Optimia: Techniques for Ideal Wound Healing", English language edition University Park Press, Baltimore, 1977:Chapter 3; pp. 54-55.

Han, Hongtao et al., "Mating and Piercing Micromechanical Structures for Surface Bonding Applications", *Proceedings of the 1991*

FOREIGN PATENT DOCUMENTS

CN	2640420	9/2004
DE	1810800	6/1970
DE	3227984	7/1982
DE	4302895	8/1994
DE	19618891	4/1997
DE	19833703	2/2000
DE	102005004317	6/2006
EP	0329787	8/1989
EP	0428253	5/1991
EP	0576337	12/1993
EP	0632999	1/1995
EP	0612504	11/1997
EP	0826337	3/1998
EP	0839499	5/1998
EP	0913123	5/1999
EP	1075843	2/2001
FR	2619129	2/1989
FR	2693108	1/1994
GB	267007	3/1927
GB	1091282	11/1967
GB	1428560	3/1976
GB	1506362	4/1978
JP	354116419	9/1979
JP	63288146	11/1988
JP	01113091	5/1989
JP	0960600	12/1999
JP	11332828	12/1999
KR	6013299 A	2/2006
NZ	501224	3/2002
NZ	531262	6/2002
RU	1745214	7/1992
RU	1752358	8/1992
RU	2139690	10/1999
WO	WO9606565	3/1996
WO	WO9852473	11/1998
WO	WO9921488	5/1999
WO	WO9905477	11/1999
WO	WO0051658	9/2000
WO	WO03001979	1/2003
WO	WO03017850	3/2003
WO	WO03045255	6/2003



- Micro Electro Mechanical Systems (MEMS >91), An Investigation of Micro Structures, Sensors, Actuators, Machines and Robots, Feb. 1991, pp. 253-258.
- Malina, Martin et al., "Endovascular AAA Exclusion: Will Stents With Hooks and Barbs Prevent Stent-Graft Migration", *Journal Endovascular Surgery* 1998(5): 310-317.
- Boenisch, U.W. et al., "Pull-out strength and stiffness of meniscal repair using absorbable arrows or Ti-Cron vertical and horizontal loop sutures", *American Journal of Sports Medicine*, Sep.-Oct. 1999, pp. 626-631, vol. 27, Issue 5.
- Sulamanidze, MD, M.A., et al., "Management of Facial Rhytids by Subcutaneous Soft Tissue Dissection", *International Journal of Cosmetic Surgery and Aesthetic Dermatology*, vol. 2(4), 2000, pp. 255-259.
- Rofin-Baasel, "Laser Marking on Plastic Materials", 2001.RB50.0, Rofin-Baasel Inc. 2001, 2 pages.
- Semenov, G. M. et al., "Surgical Suture", 2001, pp. 12-13 and 92-98, Piter, Saint Petersburg.
- Sulamanidze, M.A. et al., "Facial lifting with Aptos threads", *International Journal of Cosmetic Surgery and Aesthetic Dermatology*, 2001, pp. 1-8, No. 4.
- Dattillo, Jr., Philip Paul, "Medical Textile: Application of an Absorbable Barbed Bi-Directional Surgical Suture", *Journal of Textile and Apparel, Technology and Management*, vol. 2(2), Spring 2002, pp. 1-5.
- Lendlein, Andreas et al., "Biodegradable, Elastic Shape-Memory Polymers for Potential Biomedical Applications", *Science* vol. 296; May 31, 2002, pp. 1673-1676.
- Leung, J. et al., "Barbed, Bi-directional Medical Sutures: Biomechanical Properties and Wound Closure Efficacy Study", 2002 Society for Biomaterials 28<sup>th</sup> Annual Meeting Transactions, 1 page.
- Sulamanidze, MD, M.A., et al., "Removal of Facial Soft Tissue Ptosis with Special Threads", *Dermatol Surg* 2002; 28; pp. 367-371.
- Lendlein, Andreas et al., "Shape-Memory Polymers", *Angew. Chem. Int. Ed.* 2002, 41, 2034-2057.
- Sulamanidze, MD, M.A., et al., "Clinical aspects of bloodless facelift using APTOS filaments", A.V. Vishnevsky Institute of Surgery, Bolshaya Serpukhovskaya ul., 27, 113811 Moscow, Russia, (2002):24-34.
- Sulamanidze, MD, M.A., et al., "Morphological foundations of facelift using APTOS filaments", *Bolshaya Serpukhovskaya ul.*, 27, 113811 Moscow, Russia, (2002): 19-26.
- Dattillo, Jr., Philip Paul, et al., "Tissue Holding Performance of Knotless Absorbable Sutures", 2003 Society for Biomaterials 29<sup>th</sup> Annual Meeting Transactions, p. 101.
- Ingle, Nilesh P. et al., "Mechanical Performance and Finite Element Analysis of Bi-directional Barbed Sutures", Master of Science in Textile Technology & Management at North Carolina State University Aug. 2003, 126 pages.
- Kuniholm, Jonathan Fairbank, et al., "Automated Knot Tying for Fixation in Minimally Invasive, Robot Assisted Cardiac Surgery", Master of Science in Mechanical & Aerospace Engineering at North Carolina State University May 2003, 71 pages.
- Leung, J. et al., "Barbed Bi-directional Surgical Sutures: In Vivo Strength and Histopathology Evaluations", 2003 Society for Biomaterials 29<sup>th</sup> Annual Meeting Transactions, p. 100.
- Li, Yang Yang, et al., "Polymer Replicas of Photonic Porous Silicon for Sensing and Drug Delivery Applications", *Science* vol. 299; Mar. 28, 2003, pp. 2045-2047.
- Leung, Jeffrey C. et al., "Barbed, Bi-Directional Surgical Sutures", International Conference & Exhibition on Healthcare & Medical Textiles, Jul. 8-9 2003; 1-8.
- Szarmach, Robin et al., "An Expanded Surgical Suture and Needle Evaluation and Selection Program by a Healthcare Resource Management Group Purchasing Organization", *Journal of Long-Term Effects of Medical Implants* 2003; 13(3); 155-170.
- Ingle, Nilesh P et al., "Barbed Suture Anchoring Strength: Applicability to Dissimilar Polymeric Materials", College of Textiles, North Carolina State University, 7<sup>th</sup> World Biomaterials Congress 2004, 1 page.
- Leung, J. et al., "Performance Enhancement of a Knotless Suture via Barb Geometry Modifications", 7<sup>th</sup> World Biomaterials Congress 2004, 1 page.
- Wu, Woffles, "Barbed Sutures in Facial Rejuvenation", *Aesthetic Surgery Journal* 2004(24): 582-587.
- Quill Medical, Inc., "Quill Medical's Novel-Self-Anchoring Surgical Suture Approved for Sale in Europe", Press Release; Research Triangle Park, N.C., May 10, 2004, 1 page.
- Buckley, Patrick R., "Actuation of Shape Memory Polymer using Magnetic Fields for Applications in Medical Devices", Master of Science in Mechanical Engineering at the Massachusetts Institute of Technology Jun. 2003, 144 pgs.
- Quill Medical, Inc., "Barbed sutures, wrinkle filters give patients more innovative, non-surgical options", Press Release of Program presented at American Society of Plastic Surgeons annual scientific meeting; Philadelphia, Oct. 9, 2004, 3 pages.
- Leung, J. et al., "Barbed Suture Technology: Recent Advances", *Medical Textiles 2004, Advances in Biomedical Textiles and Healthcare Products, Conference Proceedings, IFAI Expo 2004*, Oct. 26-27, 2004, Pittsburgh, PA., pp. 62-80.
- Quill Medical, Inc., "Quill Medical, Inc. Receives FDA Clearance for First-in-Class Knot-Less Self-Anchoring Surgical Suture", Press Release; Research Triangle Park, N.C., Nov. 4, 2004, 1 page.
- Surgical Specialties Corporation, "Wound Closure Catalog"; Summer 2005, 5 pages.
- Rodeheaver, G.T. et al., "Barbed Sutures for Wound Closure: In Vivo Wound Security, Tissue Compatibility and Cosmesis Measurements", Society for Biomaterials 30<sup>th</sup> Annual Meeting Transactions, 2005, 2 pages.
- Belkas, J. S. et al., "Peripheral nerve regeneration through a synthetic hydrogel nerve tube", *Restorative Neurology and Neuroscience* 23 (2005) 19-29.
- Ingle, Nilesh P et al., "Testing the Tissue-holding Capacity of Barbed Sutures", College of Textiles, North Carolina State University, Fiber Science, The Next Generation Oct. 17-19, 2005, New Jersey Institute of Technology, Newark, NJ, 4 pages.
- Liu, Changdeng et al., "Shape Memory Polymer with Improved Shape Recovery", *Mater. Res. Soc. Symp. Proc.* vol. 855E, 2005 Materials Research Society, pp. W4.7.1-W4.7.6.
- De Persia, Raúl et al., "Mechanics of Biomaterials: Sutures After the Surgery", Applications of Engineering Mechanics in Medicine, GED-University of Puerto Rico, Mayaguez May 2005, p. F1-F27.
- Scherman, Peter et al., "Sutures as longitudinal guides for the repair of nerve defects-Influence of suture numbers and reconstruction of nerve bifurcations", *Restorative Neurology and Neuroscience* 23 (2005) 79-85.
- Sulamanidze, MD, M.A., et al., "Soft tissue lifting in the mid-face: old philosophy, new approach-internal stitching technique (APTOS Needle)", *Plastic and Aesthetic Surgery Clinic Total Sharm, Moscow, Russia*, (2005):15-29.
- Bacci, Pier Antonio, "Chirurgia Estetica Mini Invasiva Con Fili Di Sostegno", *Collana di Arti, Pensiero e Scienza; Minelli Editore*—2006; 54 pgs.
- Bellin, I. et al., "Polymeric triple-shape materials", *Proceedings of the National Academy of Sciences of the United States of America* Nov. 28, 2006; 2103(48):18043-18047.
- Delorenzi, C.L., "Barbed Sutures: Rationale and Technique", *Aesthetic Surg J.* Mar. 26, 2006(2): 223-229.
- Gross, Alex, "Physician perspective on thread lifts", *Dermatology Times* Feb. 27, 2006(2): 2 pages.
- Khademhosseini, Ali et al., "Nanobiotechnology Drug Delivery and Tissue Engineering", *Chemical Engineering Progress* 102:38-42 (2006).
- Murtha et al., "Evaluation of a Novel Technique for Wound Closure Using A Barbed Suture", *Journal of the American Society of Plastic Surgeons* 2006; 117(6); 1769-1780.
- Ruff, Gregory, "Technique and Uses for Absorbable Barbed Sutures", *Aesthetic Surgery Journal* Sep./Oct. 2006; 26:620-628.
- Behl, Marc et al., "Shape-Memory Polymers", *Materials Today* Apr. 2007; 10(4); 20-28.
- Kaminer, M. et al., "ContourLift™: A New Method of Minimally Invasive Facial Rejuvenation", *Cosmetic Dermatology* Jan. 2007; 20(1): 29-35.




- Kelch et al., "Shape-memory Polymer Networks from Olio[(0-hydroxycaproate)-co-glycolate]dimethacrylates and Butyl Acrylate with Adjustable Hydrolytic Degradation Rate", *Biomacromolecules* 2007;8(3):1018-1027.
- Maitland et al., "Prototype laser-activated shape memory polymer foam device for embolic treatment of aneurysms", *Journal of Biomedical Optics* May/June 2007;12(3): pp. 030504-1 to 030504-3.
- Moran et al., "Bidirectional-Barbed Sutured Knotless Running Anastomosis v Classic van Velthoven in a Model System", *Journal of Endourology* Oct. 2007; 21(10); 1175-1177.
- Mullner, "Metal Foam Has a Good Memory", Dec. 18, 2007 Original story at <<http://www.physorg.com/news117214996.html>>.
- Paul, Malcolm D. and Rui Avelar, "Quill™ SRS Techniques & Procedures a Novel Approach to Soft Tissue Approximation", Canada, Angiotech Pharmaceuticals, Inc., First Edition <sup>8</sup>2007: 20 pages.
- Paul, Malcolm D. and Rui Avelar, "Quill™ SRS Techniques & Procedures a Novel Approach to Soft Tissue Approximation", Canada, Angiotech Pharmaceuticals, Inc., Second Edition <sup>8</sup>2008: 20 pages.
- Paul, Malcolm D. and Rui Avelar, "Quill™ SRS Techniques & Procedures a Novel Approach to Soft Tissue Approximation", Canada, Angiotech Pharmaceuticals, Inc., Third Edition 2009, <sup>8</sup> 2007-2009: 27 pages.
- Paul, Malcolm D. and Rui Avelar, "Quill™ SRS Techniques & Procedures a Novel Approach to Soft Tissue Approximation", Canada, Angiotech Pharmaceuticals, Inc., Fourth Edition 2010, <sup>8</sup> 2007-2010: 27 pages.
- Dahlin, Lars, "Techniques of Peripheral Nerve Repair", *Scandinavian Journal of Surgery* 97: 310-316, 2008.
- Madduri, Srinivas, et al., "Neurotrophic factors release from nerve conduits for peripheral axonal regeneration", *European Cells and Materials* vol. 16; Suppl. 1 (2008), p. 14.
- Nie, Zhihong and Kumacheva, Eugenia, "Patterning surfaces with functional polymers", *Nature Materials* vol. 7(2008): 277-290.
- Paul, Malcolm D., "Using Barbed Sutures in Open/Subperiosteal Midface Lifting", *Aesthetic Surgery Journal* 2006(26): 725-732.
- Richert, Ludovic, et al., "Surface Nanopatterning to Control Cell Growth", *Advanced Materials* 2008(15): 1-5.
- Tan Ee Lim et al., "A wireless, passive strain sensor based on the harmonic response of magnetically soft materials", *Smart Materials and Structures* 17 (2008): p. 1-6.
- Villa, Mark T. et al., "Barbed Sutures: A Review of Literature", *Plastic and Reconstructive Surgery*; Mar. 2008; vol. 121, No. 3; pp. 102e-108e.
- Demyttenaere, Sebastian V. et al., "Barbed Suture for Gastrointestinal Closure: A Randomized Control Trial", *Surgical Innovation*; vol. 16, No. 3; Sep. 2009; pp. 237-242.
- Einarsson, Jon I. et al., "Barbed Suture, now in the toolbox of minimally invasive gyn surgery", *OBG Management*; vol. 21, No. 9; Sep. 2009; pp. 39-41.
- Paul, Malcolm D., "Bidirectional Barbed Sutures for Wound Closure: Evolution and Applications", *Journal of the American College of Certified Wound Specialists* (2009) 1, 51-57.
- Sulamanidze, Marlen et al., "APTOS Suture Lifting Methods: 10 Years of Experience", *Clin Plastic Surg* 36 (2009); pp. 281-306.
- Ingle, N. P. et al., "Optimizing the tissue anchoring performance of barbed sutures in skin and tendon tissues", *Journal of Biomechanics* 43 (2010); pp. 302-309.
- International Search Report for PCT/US2002/027525 dated Dec. 9, 2002, 3 pages.
- European Search Report for EP107006258.3 dated May 4, 2007, 4 pages.
- US 6,447,535, 09/2002, Jacobs (withdrawn)
- US 6,503,260, 01/2003, Schaller (withdrawn)


\* cited by examiner



**FIG. 1**





**FIG. 2**






**FIG. 4**




**FIG. 3**





**FIG. 5**



**FIG. 6**






FIG. 7






FIG. 8








FIG. 11




FIG. 13






FIG. 12





**FIG. 14**



**FIG. 15**




FIG. 16








FIG. 17





**FIG. 21**



**FIG. 20**



**SUTURE ANCHOR AND METHOD**

## CROSS-REFERENCES

This application is a divisional application of patent application Ser. No. 10/914,755, filed Aug. 9, 2004, and issued as U.S. Pat. No. 7,371,253 on May 13, 2008, which is a divisional of application Ser. No. 10/216,516, filed Aug. 9, 2002, and issued as U.S. Pat. No. 6,773,450 on Aug. 10, 2004, the contents of both of which are incorporated here by reference.

## BACKGROUND

This invention relates generally to a device and method for anchoring tissue within a body and, more particularly, to a suture anchor for use in surgical procedures requiring attachment of tissue, such as ligaments, tendons and the like, to other, preferably harder or more fibrous, tissue, such as a bone surface.

Suture anchors are used in surgical procedures wherein it is necessary for a surgeon to attach tissue to the surface of bone, for example, during joint reconstruction and ligament repair or replacement. Suture anchors generally comprise an anchor portion for fixed attachment to the bone, and a suture portion extending from the anchor portion used to connect the tissue to the bone. The anchor portion is often a generally cylindrical body having a sharp pointed end. An impact tool is typically used for driving the pointed end of the anchor into the bone. The outer surface of the anchor portion may be barbed or serrated to prevent the suture anchor from being withdrawn from the bone. The outer surface of the anchor portion could also be threaded and a driver, turned by a conventional drill, used to seat the threaded anchor portion into the bone. The anchor portion may also be fitted into a hole formed in the bone.

With the anchor portion securely in the bone, the suture portion is used for securing the tissue to the bone. The procedure typically involves passing a needle with the suture attached through the tissue. The tissue is advanced along the suture and tension is applied to the suture to draw the tissue tightly against the bone. The needle is removed and the tissue is secured against the bone by knotting the ends of the suture extending from the tissue. The knot is brought down to the surface of the tissue and tightened sufficiently to secure the tissue and bone in close approximation to promote reattachment and healing. A sliding retainer is sometimes used with the suture to pin the tissue against the bone.

There are other conventional suture anchors for attaching tissue to bone. For example, the anchor portion could take other forms including a staple which is driven into the bone surface with the suture positioned between the staple legs and the staple web fixing the suture to the bone surface. Also, a pair of closely-spaced holes can be drilled in the bone for passing the suture into one hole and out the other. However, these procedures are often difficult to perform, particularly in areas with limited access, such as deep wounds.

Further, conventional methods for approximating tissue to bone using a suture are difficult and inefficient because the procedure requires manipulation of the suture for securing the tissue in place. This is a time-consuming part of most surgical procedures, particularly in microsurgery and endoscopic surgery where there is insufficient space to properly manipulate the suture.

For the foregoing reasons, there is a need for an improved suture anchor for use in surgical procedures. The new suture anchor should eliminate the need for tying the suture to hold the tissue against the bone or other tissue surface. The method

for using the suture anchor in surgical applications should allow a surgeon to approximate tissue to the bone or tissue surface in an efficient manner. A particularly useful new suture anchor would be used in surgical applications where space is limited such as microsurgery, endoscopic surgery or arthroscopic surgery.

## SUMMARY

According to the present invention, a suture anchor is provided for approximating tissue to bone or other tissue. The suture anchor comprises an anchor member adapted to fixedly engage the bone for securing the anchor member relative to the bone. The anchor member has a distal end and a proximal end. A plurality of sutures are mounted to the proximal end of the anchor member so that the sutures extend outwardly from the anchor member. Each suture has a sharp pointed distal end for penetrating the tissue and a plurality of barbs extending from the periphery and disposed along the length of the body of the suture. The barbs permit movement of the sutures through the tissue in a direction of movement of the pointed end and prevent movement of the sutures relative to the tissue in a direction opposite the direction of movement of the pointed end. At least one pointed distal end of at least one suture comprises a needle.

Also according to the present invention, a suture anchor is for approximating tissue to bone or other tissue. The suture anchor comprises an anchor member having a distal end and a proximal end. The anchor member is adapted to fixedly engage the bone to secure the anchor member relative to the bone. A plurality of sutures are mounted to the proximal end of the anchor member so that the sutures extend outwardly from the anchor member. Each suture has a sharp pointed distal end for penetrating the tissue and a plurality of barbs extending from the periphery of the body of the suture. The barbs permit movement of the sutures through the tissue in a direction of movement of the pointed end and prevent movement of the sutures relative to the tissue in a direction opposite the direction of movement of the pointed end. At least one pointed distal end of at least one suture comprises a needle. Means are provided for mounting the sutures to the proximal end of the anchor member, the suture mounting means including a portion of the body of the anchor member which defines an opening in the proximal end of the anchor member for accepting the sutures.

## BRIEF DESCRIPTION OF DRAWINGS

For a more complete understanding of the present invention, reference should now be had to the embodiments shown in the accompanying drawings and described below. In the drawings:

FIG. 1 is a perspective view of an embodiment of a suture anchor according to the present invention;

FIG. 2 is a perspective view of another embodiment of a suture anchor including a plurality of barbed sutures according to the present invention;

FIG. 3 is a side elevation view of an ankle with a portion of the outer layer of tissue cut-away to schematically show a torn Achilles tendon;

FIGS. 4-6 are schematic views of an embodiment of a method according to the present invention for reattaching the Achilles tendon to bone;

FIGS. 7-10 are perspective views of a method for joining two ends of a severed tendon according to the present invention;



FIGS. 11-13 are perspective, side and top plan views, respectively, of the suture pattern generated by the method shown in FIGS. 7-10;

FIGS. 14-17 are perspective views of another method for joining two ends of a severed tendon according to the present invention;

FIGS. 18 and 19 are perspective and side elevation views, respectively, of the suture pattern generated by the method shown in FIGS. 14-17; and

FIGS. 20 and 21 are side and rear elevation views, respectively, of the ankle shown in FIG. 3 with the torn Achilles tendon reattached to the bone using the suture anchor and method shown in FIGS. 7-13 according to the present invention.

### DESCRIPTION

As used herein, the term "tissue" includes tendons, ligaments, cartilage, muscle, skin, organs, and other soft tissue. The term "bone" includes bone, cartilage, tendon, ligament, fascia, and other connective or fibrous tissue suitable for anchor for a suture.

Certain other terminology is used herein for convenience only and is not to be taken as a limitation on the invention. For example, words such as "upper," "lower," "left," "right," "horizontal," "vertical," "upward," and "downward" merely describe the configuration shown in the FIGs. It is understood that the components may be oriented in any direction and the terminology, therefore, should be understood as encompassing such variations unless specified otherwise.

Referring now to the drawings, wherein like reference numerals designate corresponding or similar elements throughout the several views, there is shown in FIG. 1 a suture anchor for use according to the present invention and generally designated at 30. The suture anchor 30 includes an anchor portion 32 and a suture portion 34. The anchor portion 32 comprises an elongated body 36 having a distal pointed tip 38 which serves as a leading end of the suture anchor 30 when the suture anchor is inserted into bone. A blind bore 40, or opening, is formed at the proximal end 41 of the anchor portion 32. A crossbar 42 integral with the anchor body 36 spans the opening 40 for threadably receiving the suture portion 34 at the proximal end of the anchor portion 32.

The anchor portion 32 is shown as having a circular cross-section, although other cross-sectional shapes could be utilized without departing from the present invention. As shown in FIG. 1, ridges 44, or barbs, may be formed on the outer surface of the anchor portion 32 which allow movement of the anchor portion 32 through bone in one direction but which resist the withdrawal of the anchor portion 32 after the anchor portion has been implanted in the bone.

As described above, the anchor portion 32 is driven into the bone surface, pointed tip 38 first, by impact against the proximal end 41, or by turning as when the anchor portion 32 is threaded (not shown). The anchor portion 32 can also be disposed into a hole bored in the bone, in which case insertion can be accomplished with direct pressure or gentle tapping on the proximal end 41 of the anchor portion 32. The ridges 44 on the surface of the anchor body 36 grasp the bone rendering the anchor portion 32 substantially irremovable from the bone. Tension on the suture portion 34 enhances this effect.

The suture portion 34 of the suture anchor 30 has an elongated body 46 and a plurality of barbs 48 disposed along the length of the body 46. First and second ends 50, 52 of the suture body 46 terminate in points 54, 56 for penetrating tissue. The body 46 of the suture portion 34 is, in one embodiment, circular in cross section. Suitable diameters for the

body 46 range from about 0.001 mm to about 5.0 mm. The body 46 of the suture portion 34 could also have a non-circular cross-sectional shape which would increase the surface area of the body 46 and facilitate the formation of multiple barbs 48. The length of the suture portion 34 can vary depending on several factors, including the desired surgical application, the type of tissue to be approximated to the bone, the location of the bone, and the like. A suture portion 34 of proper length is selected for achieving suitable results in a particular application.

The plurality of barbs 48 is axially-spaced along the body 46 of the suture portion 34. The barbs 48 are oriented in one direction facing toward the first end 50 of the suture body 46 for a first portion 58 of the length of the suture portion 34 and in an opposite direction facing the second end 52 of the suture body 46 for a second portion 60 of the suture portion 34. The point on the suture body 46 where the barbs 48 change direction is preferably positioned adjacent the crossbar 42 at the proximal end of the anchor body 36. The barbs 48 are yieldable toward the body 46. The barbs 48 on each portion 58, 60 of the suture body 46 are oriented so as to allow movement of the suture portion 34 through the tissue in one direction along with the corresponding end 50, 52 of the suture portion 34. The barbs 48 are generally rigid in an opposite direction to prevent the suture body 46 from moving in the tissue in the opposite direction.

The barbs 48 can be arranged in any suitable pattern, for example, in a helical pattern as shown in FIG. 1. The number, configuration, spacing and surface area of the barbs 48 can vary depending upon the tissue in which the suture portion 34 is used, and depending on the composition and geometry of the suture body 46. The proportions of the barbs 48 may remain relatively constant while the overall length and spacing of the barbs 48 are determined by the tissue being approximated to the bone. For example, if the suture portion 34 is intended to be used in tendon, the barbs 48 can be made relatively short and more rigid to facilitate entry into this rather firm, fibrous tissue. If the suture portion 34 is intended for use in soft tissue, such as fat, the barbs 48 can be made longer and spaced farther apart to increase the holding ability in the soft tissue. Moreover, the ratio of the number of barbs 48 on the first portion 58 of the suture body 46 to the number of barbs 48 on the second portion 60, and the lengths of each portion 58, 60, can vary depending on the surgical application and needs.

The surface area of the barbs 48 can also vary. For example, fuller-tipped barbs 48 can be made of varying sizes designed for specific surgical applications. For joining fat and relatively soft tissues, larger barbs 48 are desired, whereas smaller barbs 48 are more suited for collagen-dense tissues. There are also situations where a combination of large and small barbs 48 within the same structure will be beneficial such as when the suture portion 34 is used in the repair of tissue with differing layered structures. Use of the combination of large and small barbs 48 with the same suture portion 34 wherein barb 48 sizes are customized for each tissue layer will ensure maximum anchoring properties.

The barbs 48 may be formed on the surface of the suture body 46 according to any suitable method, including cutting, molding, and the like. The preferred method is cutting with acute angular cuts directly into the suture body 46 with the cut portions pushed outwardly and separated from the body 46. The depth of the barbs 48 formed in the suture body 46 depends on the diameter of the suture material and the depth of cut. Embodiments of a suitable cutting device for cutting a plurality of axially spaced barbs 48 on the exterior of suture filaments are shown and described in U.S. patent application



Ser. No. 09/943,733, entitled "Method Of Forming Barbs On A Suture And Apparatus For Performing Same", which was filed on Aug. 31, 2001, the contents of which are hereby incorporated by reference. This cutting device utilizes a cutting bed, a cutting bed vise, a cutting template, and a blade assembly to perform the cutting. When operated, the cutting device has the ability to produce a plurality of axially spaced barbs **48** in the same or random configuration and at different angles in relation to each other. Various other suitable methods of cutting the barbs **48** have been proposed including the use of a laser. The barbs **48** could also be cut manually. However, manually cutting the barbs **48** is labor intensive, decreases consistency, and is not cost effective. The suture portion **34** could also be formed by injection molding, extrusion, stamping and the like.

Barbed sutures suitable for use according to the methods of the present invention are described in U.S. Pat. No. 5,342,376, entitled "Inserting Device for a Barbed Tissue Connector", U.S. Pat. No. 6,241,747, entitled "Barbed Bodily Tissue Connector", and U.S. Pat. No. 5,931,855. The contents of U.S. Pat. Nos. 5,342,376, 5,931,855 and 6,241,747 are hereby incorporated by reference.

The suture portion **34** is attached to the proximal end of the anchor portion **32**. As seen in FIG. 1, the suture portion **34** is threaded around the crossbar **42** on the anchor body **36**. It is understood that the suture portion **34** may be attached to the anchor portion **32** in a number of ways, including inserting the end of the suture body **46** into the bore **40** formed in the proximal end of the anchor body **36** and securing the suture body **46** in place with a set screw, rivet, or the like, or, wherein the material of the anchor portion **32** is metal, by swaging or crimping. The anchor portion **32** and suture portion **34** could also be formed in one piece in the manufacturing process. However, the preferred attachment of the suture portion **34** is as shown in FIG. 1 since this arrangement allows a simple, secure threading of a double-ended suture portion **34** during manufacture or prior to use. Moreover, as seen in FIG. 2, the user may selectively attach several suture portions **34** to the anchor portion **32** depending upon the surgical application.

Suitable material for the body **46** of the suture portion **34** is available in a wide variety of monofilament suture material. The particular suture material chosen depends on strength and flexibility requirements. In one embodiment, the material for the suture body **46** is flexible and substantially nonresilient so that the shape of an inserted suture portion **34** will be determined by the path of insertion and the surrounding tissue. In some applications, however, it may be desirable for at least a portion of the suture body **46** to have sufficient dimensional stability to assume a substantially rigid configuration during use and sufficient resiliency to return to a predetermined position after deflection therefrom. The portions of the ends **50**, **52** of the suture body **46** adjacent the points **54**, **56** may be formed of a material sufficiently stiff to enable the points **54**, **56** to penetrate tissue in which the suture portion **34** is used when a substantially axial force is applied to the body **46**. Variations in surface texture of the suture body **46** can impart different interaction characteristics with the tissue.

The ends **50**, **52** of the suture portion **34** may be straight (FIG. 1) or curved (FIG. 2). In one embodiment, the ends **50**, **52** of the suture portion **34** may be surgical needles secured at each end of the suture portion **34** so that the body **46** extends between the shank ends of the two needles. The needles are preferably constructed of stainless steel or other surgical-grade metal alloy. The needles may be secured to the suture body **46** by means of adhesives, crimping, swaging, or the like, or the joint may be formed by heat shrinkable tubing. A detachable connection may also be employed such that the

needles may be removed from the suture body **46** by a sharp tug or pull or by cutting. The length of the needles is selected to serve the type of tissue being repaired so that the needles can be completely removed leaving the suture body **46** in the desired position within the tissue.

The suture anchor **30** of the present invention can be formed of a bioabsorbable material which allows the suture anchor **30** to be absorbed by the body over time. Bioabsorbable material is particularly useful in arthroscopic surgery and procedures. Many compositions useful as bioabsorbable materials can be used to make the suture anchor **30**. Generally, bioabsorbable materials are thermoplastic polymers. Selection of the particular material is determined by the desired absorption or degradation time period which depends upon the anticipated healing time for the subject of the procedure. Biodegradable polymers and co-polymers range in degradation time from about one month to over twenty-four months. They include, but are not limited to, polydioxanone, polylactide, polyglycolide, polycaprolactone, and copolymers thereof. Other copolymers with trimethylene carbonate can also be used. Examples are PDS II (polydioxanone), Maxon (copolymer of 67% glycolide and 33% trimethylene carbonate), and Monocryl (copolymer of 75% glycolide and 25% caprolactone). Germicides can also be incorporated into the suture anchor **30** to provide long lasting germicidal properties.

Alternatively, either the anchor portion **32** or the suture portion **34** of the suture anchor **30** can be formed from non-absorbable material such as, for example, nylon, polyethylene terephthalate (polyester), polypropylene, and expanded polytetrafluoroethylene (ePTFE). The suture body **46** can also be formed of metal (e.g. steel), metal alloys, or the like. Titanium is a preferred material when the anchor portion **32** is to remain permanently in the bone. A suitable anchor portion **32** for use according to the present invention is available from Mitek Products of Norwood, Mass. Alternatively, the anchor portion **32** can also be a rigid barbed structure made from thick monofilament suture material with barbs suitable for anchoring in bone.

In use in an orthopedic surgical procedure, the anchor portion **32** of the suture anchor **30** of the present invention is inserted into bone. Once the anchor portion **32** is fixed in place, the suture portion **34** extends outwardly from the anchor portion **32** and the bone for surgical suturing to tissue to be approximated to the bone. The tissue is brought into position over the suture anchor **30** site. The point **54** at one end **50** of the suture portion **34** is inserted into the tissue such that the point **54** pierces the tissue and the barbs **48** on the portion **58** of the suture body **46** corresponding to the one end **50** yield toward the body **46** to facilitate movement of the suture body as it is drawn through the tissue in the direction of insertion. The point **56** at the other end **52** of the suture portion **34** is also inserted into the tissue and advanced through the tissue in like manner. The tissue is then advanced along the suture portions **58**, **60** within the tissue to close the gap between the tissue and the bone. The barbs **48** of the suture body **46** grasp the surrounding tissue and maintain the tissue in position adjacent to the bone during healing. The leading ends **50**, **52** of the suture body **46** protruding from the tissue are then cut and discarded.

According to the present invention, a surgical procedure using the suture anchor **30** is provided for approximating a torn Achilles tendon to bone for reattachment and healing. It is understood that the applicants do not intend to limit the suture anchor **30** and method of the present invention to only the reattachment of the Achilles tendon.

Referring to FIG. 3, a human foot **70** is shown with a portion of the outer layer **72** of skin and tissue cutaway to



schematically show the Achilles tendon **74** tom away from the heel bone **76**. In this embodiment of the present invention, the user, such as a surgeon, selects a suture anchor **30** (FIG. **4**) having a suture portion **34** of sufficient length and having curved ends **50, 52** which, in one embodiment, as noted above may be surgical needles. As seen in FIG. **4**, the surgeon begins by inserting the suture anchor **30** into the heel bone **76**. The first and second portions **58, 60** of the elongated suture portion **34** extend from the anchor portion **32**. Next the surgeon inserts the first end **50** (FIG. **5**), or surgical needle, into the free end of the Achilles tendon **74** and pushes the needle **50** through the tendon **74** along a selected curvilinear path until the point **54** at the first end of the needle **50** extends from an exit point **78** at the periphery of the tendon **74** longitudinally spaced from the end of the tendon. The surgeon grips the needle **50** and pulls the needle out of the tendon **74** for drawing the first portion **58** of the suture body **46** through the tendon **74** leaving a length of the first portion **58** of the suture body **46** in the tendon **74** between the end of the tendon and the exit point **78**, as seen in FIG. **6**. These steps are repeated with the second portion **60** of the suture body **46** beginning with insertion into the end of the tendon **74**.

Methods according to the present invention useful in binding together partially or completely severed tendons, or other internal tissue repairs requiring considerable tensile strength, are suitable for use in attaching tissue to bone. One such method for joining two ends **82, 84** of a tendon **80** is shown in FIGS. **7-10**. Referring to FIG. **7**, the surgeon begins by inserting a first end **92** of a two-way barbed suture **90**, which may comprise a straight or curved surgical needle, into one end **82** of the tendon **80** and pushing the needle **92** through the tendon **80** along a selected curvilinear path until the point **94** of the needle **92** extends from an exit point **96** in the periphery of the tendon **80** longitudinally spaced from the one end **82** of the tendon **80**. The first needle **92** is gripped and pulled out of the tendon **80** for drawing a first portion **98** of the suture **90** through the tendon **80** leaving a length of the first portion **98** of the suture **90** in the tendon end **82** between the end of the tendon **80** and the exit point **96**. As seen in FIG. **7**, these steps are repeated with a second portion **100** of the suture **90** at the other end **84** of the tendon **80**, wherein a second end **93** of the suture **90** is inserted into the tendon end **84** and advanced along a selected curvilinear path to an exit point **97** longitudinally spaced from the end **84** of the tendon **80**. The second end **93** of the suture **90** projecting from the exit point **97** is gripped and pulled out of the tendon **80** for drawing the second portion **100** of the suture **90** through the tendon **80** and leaving a length of the second portion **100** of the suture **90** in the tendon end **84** (FIG. **8**).

Referring now to FIG. **8**, a second suture **90a** is introduced into the ends **82, 84** of the tendon **80**. The first needle **92a** of the second suture **90a** is inserted into the one end **82** of the tendon **80** and pushed through the tendon along a selected curvilinear path until the needle **92a** extends from an exit point **96a** in the periphery of the tendon **82** substantially co-located with the first exit point **96** of the first portion **98** of the first suture **90**. These steps are repeated with the second portion **100a** of the second suture **90a** at the other end **84** of the tendon **80** such that the exit point **97a** in the periphery of the end of the tendon **84** is substantially co-located with the first exit point **97** of the second portion **100** of the first suture **90**. The needles **92a, 93a** of the second suture **90a** are pulled out of the tendon **80** for drawing the first and second portions **98a, 100a**, respectively, of the second suture **90a** through the tendon **80** leaving a length of the second suture **90a** in the tendon **80** between the exit points **96a, 97a**.

As shown in FIG. **9**, the surgeon reinserts the first needle **92** of the first suture **90** into the periphery of the one end **82** of the tendon **80** at an entry point **102** immediately adjacent the exit point **96** and pushes the needle **92** along a selected curvilinear path until the point **94** of the needle **92** exits the same side of the tendon **82** at an exit point **104** that is longitudinally spaced from the entry point **102**. It is understood that the surgeon could use the exit point **96** as the entry point **102** for the needle **92** if desired. The surgeon pulls the needle **92** out of the tendon **82** for drawing the first portion **98** of the suture **90** through the tendon **82**. The surgeon may then reinsert the needle **92** into the tendon **82** at an entry point (not shown) immediately adjacent the exit point **104** and push the needle **92** along a selected curvilinear path and out of the same side of the tendon **82** at an exit point (not shown) longitudinally spaced from the previous entry point. It is understood that the surgeon makes as many passes as deemed necessary in a “wave-like” pattern for holding the end **82** of the tendon, or as the length or thickness of the tendon **82** allows, and removes the remaining length of the first portion **98** of the suture **90**.

The surgeon repeats the steps described above with the first portion **98a** of the second suture **90a** (FIG. **10**) by reinserting the needle **92a** into the tendon **82** at an entry point **102a** adjacent the exit point **96a**, crossing over the first portion **98** of the first suture **90**, and pushing the needle **92a** along a selected curvilinear path until the needle **92a** emerges from an exit point **104a** in the periphery of the tendon **82** substantially co-located with the second exit point **104** of the first portion **98** of the first suture **90**. In this manner, the surgeon advances longitudinally along the end **82** of the tendon **80** with the first portion **98a** of the second suture **90a** in a “wave-like” pattern which generally mirrors that of the first portion **98** of the first suture **90**.

The previous steps are repeated at the other end **84** of the tendon **80** with the second portions **100, 100a** of the first suture **90** and second suture **90a**. The pattern of the second portions **100, 100a** of the sutures **90, 90a** in the second end **84** of the tendon **80** generally mirrors that of the first portions **98, 98a** of the sutures in the first end **82** of the tendon **80**. Thus, the exit points and entry points of the first and second sutures **90, 90a** are substantially co-located.

The ends **82, 84** of the tendon **80** are brought together by pushing the tendon ends along the sutures while maintaining tension on the free ends **92, 92a, 93, 93a** of the sutures **90, 90a**. The barbs **48** maintain the sutures **90, 90a** in place and resist movement of the tendon ends **82, 84** away from this position. The needles along with remaining lengths of the suture portions **98, 98a, 100, 100a** are cut and discarded.

FIGS. **11-13** show the suture pattern resulting from use of the above-described method of the present invention. It is understood that we do not intend to limit ourselves to the depth or length of the suture paths shown in the FIGs. as the amount of tissue grasped by each pass, which is related to the depth of the suture path into the tissue and the length of the pass from entry point to exit point, may be determined by the surgeon based on a number of factors including the tissue to be joined.

Another method according to the present invention for joining two ends **82, 84** of a tendon **80** which is suitable for use in attaching tissue to bone is shown in FIGS. **14-17**. Referring to FIG. **14**, the surgeon begins by inserting the first end **92** of a two-way barbed suture **90**, which may comprise a straight or curved surgical needle, into one end **82** of the tendon **80** and pushing the needle **92** through the tendon **82** along a selected curvilinear path until the point **94** of the needle **92** extends from an exit point **96** in the periphery of the tendon **82** longitudinally spaced from the one end **82** of the



tendon. The first needle 92 is gripped and pulled out of the tendon 82 for drawing the first portion 98 of the suture 90 through the tendon 80 leaving a length of the first portion 98 of the suture in the tendon 80 between the tendon end 82 and the exit point 96. As seen in FIG. 14, these steps are repeated with the second portion 100 of the suture 90 at the other end 84 of the tendon 80. That is, a second end 93 of the suture 90 is inserted into the tendon end 84 and advanced along a selected curvilinear path to an exit point 97 longitudinally spaced from the end 84 of the tendon 80. The exit point 97 of the second needle 93 is on the opposite side of the tendon 80 from the first exit point 96 of the first portion 98 of the suture 90. The second end 93 of the suture 90 projecting from the exit point 97 is gripped and pulled out of the tendon 80 for drawing the second portion 100 of the suture 90 through the tendon 80 and leaving a length of the second portion 100 of the suture 90 in the tendon end 84 (FIG. 15).

Referring now to FIG. 15, a second suture 90a is introduced into the ends 82, 84 of the tendon 80. The first needle 92a of the second suture 90a is inserted into the end 82 of the tendon 80 and pushed through the tendon along a selected curvilinear path until the needle 92a extends from an exit point 96a in the periphery of the tendon 82 substantially co-located with the first exit point 96 of the first portion 98 of the first suture 90. These steps are repeated with the second portion 100a of the second suture 90a at the other end 84 of the tendon 80 such that the exit point 97a in the periphery of the end of the tendon 84 is substantially co-located with the first exit point 97 of the second portion 100 of the first suture 90. The needles 92a, 93a of the second suture 90a are pulled out of the tendon 80 for drawing the first portion 98a and second portion 100a of the second suture 90a through the tendon 80 leaving a length of the second suture 90a in the tendon 80 between the exit points 96a, 97a.

As shown in FIG. 16, the surgeon reinserts the second needle 92a into the periphery of the one end 82 of the tendon 80 at an entry point 102a immediately adjacent the exit point 96a and pushes the needle 92a along a selected curvilinear path until the point 94a of the needle 92a exits the opposite side of the tendon 82 at an exit point 104a that is longitudinally spaced from the entry point 102a. It is understood that the surgeon could use the first exit point 96a as the entry point 102a for the needle 92a if desired. The surgeon pulls the needle 92a out of the tendon 82 for drawing the first portion 98a of the suture 90a through the tendon 82. The surgeon may then reinsert the needle 92a into the tendon 82 at an entry point (not shown) immediately adjacent the exit point 104a and push the needle 92a along a selected curvilinear path and out of the opposite side of the tendon 82 at an exit point (not shown) longitudinally spaced from the previous entry point. It is understood that the surgeon makes as many passes in a "side-to-side" pattern as deemed necessary for holding the end 82 of the tendon 80, or as the length or thickness of the tendon end 82 allows, and removes the remaining length of the first portion 98a of the second suture 90a. With each pass, the longitudinal distance between the entry point and exit point decreases. The surgeon repeats these steps with the second portion 100a of the second suture 90a at the other 84 of the tendon 80. The second end 93a of the suture 90a is inserted into the other end 84 of the tendon 80 at an entry point 106a immediately adjacent the first exit point 97a and advanced along a selected curvilinear path to an exit point 108a opposite and longitudinally spaced from the entry point 106a. The second portion 100a of the second suture 90a is drawn through the tendon 80 leaving a length of the second portion 100a of the suture 90a in the tendon (FIG. 17).

The surgeon repeats the steps described above with the first portion 98 and second portion 100 of the first suture 90 at the ends 82, 84 of the tendon 80. As seen in FIG. 17, the needle 92 at the end of the first portion 98 is inserted into the tendon end 82 at an entry point 102 adjacent the exit point 96 and pushed along a selected curvilinear path until the needle 92 emerges from an exit point 104 in the periphery of the tendon 82 substantially co-located with the second exit point 104a of the first portion 98a of the second suture 90a. In this manner, the surgeon advances longitudinally along the end 82 of the tendon 80 with the first portion 98 of the first suture 90 in a "side-to-side" pattern which generally mirrors that of the first portion 98a of the second suture 90a. Similar steps are taken with the second portion 100 of the first suture 90 in the other end 84 of the tendon 80. The pattern of the first suture 90 and second suture 90a, as well as the respective first portions 98, 98a and second portions 100, 100a of the sutures 90, 90a, generally mirror one another. The exit points and entry points of the sutures are substantially co-located. The ends 82, 84 of the tendon 80 are brought together by pushing the tendon ends along the sutures while maintaining tension on the free ends of the sutures 90, 90a. The barbs 48 maintain the sutures 90, 90a in place and resist movement of the tendon ends 82, 84 away from this position. The needles, along with remaining lengths of the sutures, are cut and discarded. FIGS. 18 and 19 show the suture pattern using the above-described method of the present invention.

It is understood that more sutures may be used in any of the methods of the present invention. The number of sutures used depends on the size, caliber, and length of the tendon to be repaired. Large tendons will require more than two sutures whereas one may suffice for very small tendons. Tendon repair with two sutures according to the present invention exhibits equivalent or better holding power than conventional techniques. Moreover, tendons repaired according to the methods of the present invention maintain their original configuration, profile, contour, and form better when subject to stretching forces. Other methods of tendon repair suitable for use according to the present invention are shown and described in U.S. patent application Ser. No. 09/896,455, entitled "Suture Method", which was filed on Jun. 29, 2001, the contents of which are hereby incorporated by reference.

FIGS. 20 and 21 are two views of the Achilles tendon 74 reattached to the heel bone 76 to promote healing according to the present invention using the suture method shown in FIGS. 7-13. The tendon 74 and bone 76 will, over time, grow together.

The present invention provides a compact and easy to use suture anchor and method for reattaching tissue, such as tendons and ligaments, to bone or other connective tissue. The curvilinear placement paths of the suture portion, as contrasted with linear insertion, provide substantially increased biomechanical strength for approximating tissue and bone, or the ends of tendon. The barbed suture portion permits tissue to be approximated and held snug during suturing with less slippage of the suture in the wound. The barbs spread out the holding forces evenly thereby significantly reducing tissue distortion. The suture anchor is useful in endoscopic and arthroscopic procedures and microsurgery. Since knots do not have to be tied, arthroscopic knot tying instruments are unnecessary. If there is an accidental breakage of the barbed suture, the wound is minimally disturbed whereas, with conventional sutures, dehiscence would occur.

Although the present invention has been shown and described in considerable detail with respect to only a few exemplary embodiments thereof, it should be understood by those skilled in the art that we do not intend to limit the



## 11

invention to the embodiments since various modifications, omissions and additions may be made to the disclosed embodiments without materially departing from the novel teachings and advantages of the invention, particularly in light of the foregoing teachings. For example, the methods of the present invention can be used with a suture anchor alone as a two-way barbed suture. Accordingly, we intend to cover all such modifications, omissions, additions and equivalents as may be included within the spirit and scope of the invention as defined by the following claims.

The invention claimed is:

1. A suture anchor for approximating tissue and bone, the suture anchor comprising:

an anchor member having a distal end and a proximal end, the anchor member adapted to fixedly engage the bone to secure the anchor member relative to the bone; and

a plurality of sutures mounted to the proximal end of the anchor member so that the sutures extend outwardly from the anchor member, each suture having a sharp pointed distal end for penetrating the tissue and a plurality of barbs extending from the periphery and disposed along the length of the body of the suture, the barbs permitting movement of the sutures through the tissue in a direction of movement of the pointed end and preventing movement of the sutures relative to the tissue in a direction opposite the direction of movement of the pointed end, wherein at least one pointed distal end of at least one suture comprises a needle.

2. The suture anchor as recited in claim 1, wherein the distal end of the anchor member is pointed for driving into the bone.

3. The suture anchor as recited in claim 1, wherein the anchor member comprises a plurality of barbs extending from the periphery of the body of the anchor member, the barbs permitting movement of the anchor member through the bone in a direction of movement of the distal end and preventing movement of the relative to the bone in a direction opposite the direction of movement of the distal end.

4. The suture anchor as recited in claim 1, further comprising means for mounting the sutures to the proximal end of the anchor member.

## 12

5. The suture anchor as recited in claim 1, wherein the suture anchor is formed from a material that is absorbed by the body after a predetermined period of time.

6. The suture anchor as recited in claim 1, wherein the suture anchor is formed from a material that is not absorbed by the body.

7. The suture anchor as recited in claim 1, wherein the anchor member is formed from a material that is absorbed by the body after a predetermined period of time.

8. The suture anchor as recited in claim 1, wherein the anchor member is formed from a material that is not absorbed by the body.

9. The suture anchor as recited in claim 1, wherein the sutures are formed from a material that is absorbed by the body after a predetermined period of time.

10. The suture anchor as recited in claim 1, wherein the sutures are formed from a material that is not absorbed by the body.

11. A suture anchor for approximating tissue and bone, the suture anchor comprising:

an anchor member having a distal end and a proximal end, the anchor member adapted to fixedly engage the bone to secure the anchor member relative to the bone;

a plurality of sutures mounted to the proximal end of the anchor member so that the sutures extend outwardly from the anchor member, each suture having a sharp pointed distal end for penetrating the tissue and a plurality of barbs extending from the periphery of the body of the suture, the barbs permitting movement of the sutures through the tissue in a direction of movement of the pointed end and preventing movement of the sutures relative to the tissue in a direction opposite the direction of movement of the pointed end, wherein at least one pointed distal end of at least one suture comprises a needle; and

means for mounting the sutures to the proximal end of the anchor member, wherein the suture mounting means includes a portion of the body of the anchor member, which defines an opening in the proximal end of the anchor member for accepting the sutures.

\* \* \* \* \*