

US009271383B2

(12) United States Patent

Howard et al.

(54) SYSTEMS AND METHODS FOR PLASMA COMPRESSION WITH RECYCLING OF PROJECTILES

(71) Applicant: General Fusion, Inc., Burnaby (CA)

(72) Inventors: **Stephen James Howard**, Port Moody

(CA); Michel Georges Laberge, West Vancouver (CA); Lon McIlwraith, Delta (CA); Douglas Harvey Richardson, Anmore (CA); James Gregson,

Vancouver (CA)

(73) Assignee: General Fusion, Inc., Burnaby, British

Columbia (CA)

(*) Notice: Subject to any disclaimer, the term of this

patent is extended or adjusted under 35

U.S.C. 154(b) by 0 days.

(21) Appl. No.: 14/518,965

(22) Filed: Oct. 20, 2014

(65) Prior Publication Data

US 2015/0036777 A1 Feb. 5, 2015

Related U.S. Application Data

- (62) Division of application No. 12/845,071, filed on Jul. 28, 2010.
- (60) Provisional application No. 61/229,355, filed on Jul. 29, 2009.
- (51) Int. Cl.

 G21B 1/03 (2006.01)

 G21B 1/19 (2006.01)

 H05H 1/02 (2006.01)

 G21B 3/00 (2006.01)

 H05H 1/54 (2006.01)

 H05H 1/24 (2006.01)

(10) Patent No.:

US 9,271,383 B2

(45) **Date of Patent:**

Feb. 23, 2016

(52) **U.S. Cl.**

(58) Field of Classification Search

(56) References Cited

U.S. PATENT DOCUMENTS

2,715,389	A	8/1955	Johnson
2,939,048	A	5/1960	Waniek
2,953,718	A	9/1960	Ducati
2,991,238	A	7/1961	Phillips et al.

(Continued)

FOREIGN PATENT DOCUMENTS

CA 2031841 6/1992 CA 2104939 4/1995

(Continued)

OTHER PUBLICATIONS

An Acoustically Driven Magnetized Target Fusion Reactor. Laberge. (ICC 2007.)*

(Continued)


Primary Examiner — Jack W Keith Assistant Examiner — Sean P Burke

(74) Attorney, Agent, or Firm — Knobbe, Martens, Olson & Bear, LLP

(57) ABSTRACT

Embodiments of systems and methods for compressing plasma are disclosed in which plasma can be compressed by impact of a projectile on a magnetized plasma in a liquid metal cavity. The projectile can melt in the liquid metal cavity, and liquid metal may be recycled to form new projectiles.

8 Claims, 6 Drawing Sheets



US 9,271,383 B2 Page 2

(56)		Referen	ces Cited	5,659,173 A		Putterman et al.
	U.S.	PATENT	DOCUMENTS	5,811,944 A 5,818,498 A	10/1998	Sampayan et al. Richardson et al.
				5,821,705 A		Sampayan et al.
2,992,34 3,189,52			Hansen Patrick	5,858,104 A 5,920,394 A	1/1999 7/1999	Gelbart et al.
3,194,73			Kerst et al.	5,968,323 A	10/1999	
3,309,96		3/1967	-	6,141,395 A 6,181,362 B1		Nishimura et al. Laberge
3,313,70 3,338,78			Amsler Linhart	6,235,067 B1		Ahern et al.
3,341,18		9/1967		6,252,622 B1		Laberge
3,346,43 3,465,74		10/1967 9/1969		6,377,739 B1 6,396,213 B1	4/2002 5/2002	Richardson Koloc
3,503,4			Axthammer	6,408,052 B1	6/2002	McGeoch
3,624,23		11/1971		6,411,666 B1 6,418,177 B1		Woolley Stauffer et al.
3,631,76 3,748,22		1/1972 7/1973	Moran Ribe et al.	6,477,216 B2	11/2002	
3,753,30)4 A		Hughes	6,532,887 B1		Venier et al.
3,925,99 3,973,40		12/1975	Gross Russell, Jr.	6,587,211 B1 6,593,539 B1		Gelbart Miley et al.
3,983,30			Biermann et al.	6,611,106 B2	8/2003	Monkhorst et al.
3,990,33		11/1976		6,628,740 B2 6,654,433 B1		Monkhorst et al. Boscoli et al.
4,012,10 4,023,00		3/1977 5/1977	Kaesser et al. Koloc	6,660,997 B2		Laberge et al.
4,026,19	92 A	5/1977	Noren et al.	6,664,740 B2		Rostoker et al.
4,049,36 4,068,14		9/1977 1/1978	Tominaga et al.	6,665,048 B2 6,680,480 B2	12/2003 1/2004	Schoen
4,008,12			Navratil et al.	6,729,277 B2	5/2004	Yamaki et al.
4,140,03			Turchi et al.	6,763,160 B2 6,784,591 B2	7/2004 8/2004	Laberge et al.
4,158,59 4,166,76			Baird 376/104 Fowler et al.	6,832,552 B2		Patten et al.
4,182,63			Fischer	6,837,145 B1		McBride et al.
4,196,78		4/1980		6,842,553 B2 6,850,011 B2		Richardson Monkhorst et al.
4,207,13 4,217,17			Lemelson Schaffer	6,852,942 B2		Monkhorst et al.
4,228,38	80 A	10/1980	Wells	6,870,894 B2 6,888,434 B2		Lou et al. Nordberg
4,252,60 4,257,79			Schaffer Hendricks et al.	6,888,907 B2		Monkhorst et al.
4,263,09			Thode	6,891,911 B2		Rostoker et al.
4,269,63			Ohkawa	6,894,446 B2 6,941,035 B2		Monkhorst et al. Laberge et al.
4,269,63 4,277,30			Goldberg Bohachevsky	6,995,515 B2		Rostoker et al.
4,284,16	54 A	8/1981	Airhart	7,002,148 B2		Monkhorst et al.
4,290,84 4,292,12		9/1981 9/1981	Sudan Ohkawa	7,015,646 B2 7,026,763 B2		Rostoker et al. Rostoker et al.
4,292,50			Wells et al.	7,079,001 B2		Nordberg
4,304,62		12/1981		7,100,494 B2 7,119,491 B2		Petersen et al. Rostoker et al.
4,305,78 4,328,0°			Ohkawa Winterberg	7,126,284 B2		Rostoker et al.
4,333,79		6/1982	Flynn	7,129,656 B2 7,173,385 B2		Rostoker et al.
4,342,77 4,363,77		8/1982 12/1982	Wells Bussard et al.	7,173,383 B2 7,180,082 B1		Caporaso et al. Hassanein et al.
4,367,13			Lemelson	7,180,242 B2		Rostoker et al.
4,385,88			Lemelson	7,230,201 B1 7,232,985 B2		Miley et al. Monkhorst et al.
4,390,32 4,435,33			Budzich Winterberg	7,260,462 B2	8/2007	Keim et al.
4,449,89			Bentley	7,372,059 B2 7,391,160 B2		Shumlak et al. Monkhorst et al.
4,454,85 4,534,26			Horvath Heyne et al.	7,331,100 B2 7,439,678 B2		Rostoker et al.
4,563,34		1/1986		7,459,654 B2		Monkhorst et al.
4,625,68 4,643,83			Sutekiyo Kendall, Jr. et al.	7,477,718 B2 7,482,607 B2		Rostoker et al. Lerner et al.
4,687,04		8/1987		7,486,758 B1	2/2009	Turchi
4,735,70			Lasche	7,501,640 B2 7,550,741 B2	3/2009 6/2009	
4,761,13 4,790,73		8/1988 12/1988	Zanarini Maver	7,559,542 B2	7/2009	
4,930,3		6/1990	•	7,569,995 B2		Rostoker et al.
5,015,43 5,041,76	_	5/1991 8/1001	Koloc	7,576,499 B2 7,613,271 B2		Caporaso et al. Rostoker et al.
5,041,70			Potter et al.	7,619,232 B2	11/2009	Schmidt et al.
5,114,20			Sugimoto et al.	7,679,025 B1		Krishnan et al.
5,160,69 5,227,23			Bussard Upadhye et al.	7,679,027 B2 7,719,199 B2		Bogatu Monkhorst et al.
5,305,09			Gelbart et al.	7,825,391 B2	11/2010	Shumlak et al.
5,394,13		2/1995	•	7,831,008 B2		Parks et al.
5,397,90 5,429,03			Ayers et al. Tidman	7,973,296 B2 8,031,824 B2	7/2011 10/2011	Quick Bystriskii et al.
5,430,7			Stauffer et al.	8,059,779 B2	11/2011	Greatbatch
5,526,88	35 A	6/1996	Kuvshinov et al.	8,090,071 B2	1/2012	DeLuze

US 9,271,383 B2 Page 3

(56)	Refere	nces Cited					Guethlein	
	U.S. PATENT	DOCUMENTS	•	2012/015	2722 A1	6/2012	Amendt et al. Birnbach et al. Freeze	
8,139,287 8,279,994		Winterberg Kotschenreuther et al.					Mcllwraith et al. Laberge et al.	
8,537,958	B2 9/2013						NT DOCUMENTS	
8,891,719 2002/0057754		Howard et al. Stauffer et al.	C	A	21243	64	11/1995	
2002/0097734	A1 7/2002	Stringham	C		21243		2/1998	
2003/0074010 2003/0215046		Taleyarkhan Hornkohl	C		24779		2/2004	
2003/0213040		Enfinger		A H	27504 6072		4/2012 11/1978	
2005/0129161		Laberge	D	E	25162		10/1975	
2005/0271181 2006/0039519		Winterberg Rostoker et al.	E. E.		06626 24601	93 60 B1	5/1994 6/2013	
2006/0076897		Rostoker et al.	G	В	7740	52	6/1954	
2006/0198483 2006/0198486		Laberge Laberge et al.	G JI	B	8250 S38-0012		12/1959 2/1963	
2006/0198487	A1 9/2006	Laberge	JI		50-1201		9/1975	
2006/0254520 2006/0267504		Rostoker VanDrie et al.	JI JI		S55-5010 58-226		12/1980 2/1983	
2007/0058770		Fissenko et al.	JI		S59-0900		5/1984	
2007/0096659		Monkhorst et al. Monkhorst et al.	JI		61-1166		6/1986	
2007/0158534 2007/0172017		Rostoker et al.	JI JI		030671 032266		3/1991 10/1991	
2007/0211841			JF)	063176	84 A	11/1994	
2008/0008286 2008/0063132		Jacobson Birnbach	JI JI		H06-5115 H07-1748		12/1994 7/1995	
2008/0187086	A1 8/2008	Bussard	JI		H07-2014		8/1995	
2008/0205573 2009/0059718		Larson Tessien	JI JI		H09-1897 H11-1448		7/1997 5/1999	
2009/0091710		Farmer et al.	JI		2004-3354		11/2004	
2009/0152094 2009/0213975		Fissenko et al. Sturt	JI		2006-3101		11/2006	
2009/0213973		Gioscia et al.		/O /O	WO 80/000 WO 90/131		1/1980 11/1990	
2009/0290673		Svidzinski	W	/O	WO 90/131	36	11/1990	
2009/0310731 2010/0066252		Burke et al. Reijonen et al.		/O /O	WO 90/146 WO 91/102		11/1990 7/1991	
2010/0067639	A1 3/2010	Sturt	W	/O	WO 91/135		9/1991	
2010/0104058 2010/0150291		Birnbach Jung et al.		/O /O	WO 93/235 WO 94/164		11/1993 7/1994	
2010/0163130	A1 7/2010	Laberge et al.		/O	WO 95/036		2/1995	
2010/0202580 2010/0215136		Wurden et al. Rusnak et al.		/O /O	WO 95/169		6/1995 7/1996	
2010/0213130		Rogers		/O	WO 96/212 WO 96/369		11/1996	
2010/0329407 2011/0007860		Kotschenreuther et al.		/O	WO 97/492		12/1997	
2011/0007800		Sanders, Jr. Rostoker et al.		/O /O	WO 99/562 WO 01/391		11/1999 5/2001	
2011/0026657		Laberge et al.	W	/O	WO 01/391	98 A2	5/2001	
2011/0044416 2011/0064179		Galindo Cabello et al. Birnbach		/O /O	WO 01/391 WO 01/392		5/2001 5/2001	
2011/0075783	A1 3/2011	Mcgervey et al.	W	/O	WO 01/392		5/2001	
2011/0085632 2011/0091004		Klein et al. Farmer et al.		/O /O	WO 01/392 WO 01/392		5/2001 5/2001	
2011/0142185	A1 6/2011	Woodruff		/O	WO 01/392		5/2001	
2011/0158369 2011/0170647		Larson Bussard		/O /O	WO 01/392 WO 01/392		5/2001 5/2001	
2011/01/06/17		Shrier		/O	WO 01/392 WO 02/052		1/2002	
2011/0200153 2011/0216866		Ferreira, Jr. Pearson		/O	WO 02/0978		12/2002	
2011/0210800		Howard et al.		/O /O	WO 03/0344 WO 03/0772		4/2003 9/2003	
2011/0253682		Gutman	W	O W	VO 2010/1143	60 A1	10/2010	
2011/0261918 2011/0261919		Schmidt Sefcik et al.			VO 2011/0145 VO 2011/0849		2/2011 7/2011	
2011/0274228	A1 11/2011	Lopez			VO 2011/0015		12/2011	
2011/0286563 2011/0286570		Moses et al. Farmer et al.			VO 2011/1547		12/2011 3/2012	
2011/0293056	A1 12/2011	Slough			VO 2012/0374 VO 2012/0647		5/2012	
2012/0002773 2012/0008728		Hunter, Jr. et al.			VO 2012/0647		5/2012 5/2012	
2012/0008/28		Fleming Deeth			VO 2012/0647 VO 2012/1035		5/2012 8/2012	
2012/0031070		Slough et al.			VO 2012/1130		8/2012	
2012/0033775 2012/0039431		Santilli Schmidt			OTH	ER PUI	BLICATIONS	
2012/0039431		Moses et al.						
2012/0076253		Howard, Jr.		_			on' from glowing bubbles", ht	ttp://
2012/0085920	A1 4/2012	Guethlein	C1	.mond.or	g/9708/97081	v.ntml.		

(56) References Cited

OTHER PUBLICATIONS

- A. Takahashi, "comments on work on sonofusion of D in acetone", http://www.cf.ale.iwateu.ac.jp/jcf/mlist00042.html.
- L.A., Artsimovich, "Controlled Thermonuclear Reactions", Gordon & Breach, 1964, pp. 1-4, New York, USA.
- L. Bertolini, et al, "Sharp, a first step towards a full sized Jules Verne Launcher", Lawrence Livermore National Lab; OSTI ID: 10125664; Legacy ID: DE94007029 Report No. UCRL-JC--114041; CONF-9305233-2, May 1, 1993, Issue CONF-9305233-2.
- D. Bohm, "Quantum Mechanics", Dover Ed, 1989, pp. 277-281.
- D. Braaten, "Ridiculously easy' test yields claim of energy triumph", Washington Times, Mar. 24, 1989.
- Brenner et al, "Single-bubble Sonoluminescence", Reviews on Modern Physics, Apr. 2002, vol. 74, pp. 425-484.
- Brown, M.W., New Shot at Cold Fusion by Pumping Sound Waves Into Tiny Bubbles, New York Times, Dec. 20, 1994.
- Browning, P.K. et al., "Power Flow in a Gun-Injected Spheromak Plasma", The American Physical Society, Physical Review Letters, vol. 68, No. 11, Mar. 16, 1992, pp. 1718-1721.
- L. Crum, "Sonoluminescence and Acoustic Inertial Confinement", Fifth International Symposium on Cavitation, Nov. 1-4,2003, Osaka, Japan.
- J. H. Degnan, et al, "Compression of compact toroids in conical-coaxial geometry", Fusion Technology, Mar. 1995, vol. 27, Issue 2, pp. 107-114.
- J. H. Degnan, et al., "Compact toroid formation, compression, and acceleration", Phys. Fluids B, Aug. 1993, vol. 5, Issue (8), pp. 2938-2958.
- J. H. Hammer, et al, "Experimental demonstration of acceleration and focusing of magnetically confined plasma rings", Physical Review Letters, Dec. 19, 1988, vol. 61, Issue 25, pp. 2843-2846.
- C. W. Hartman et al, "A Compact Torus Fusion Reactor Utilizing a Continuously Generated String of CT's. The CT String Reactor", CTSR Journal of Fusion Energy (2008), Nov. 2, 2007, vol. published online, Issue 27, pp. 44-48.
- D. Foley, "Star in a Jar", Popular Science, Dec. 1998.
- D.N. Hill et al., "Field and Current Amplification in the SSPX Spheromak," 19th IAEA Fusion Energy Conference, Oct. 8, 2002, in 8 pages.
- Fortov, V., "Nonideal plasma under extreme conditions generated by shock waves", Plasma Phys. Control, 2003, vol. Fusion, Issue 45, pp. A1-A6.
- Fowler, T.K., "Pulsed Spheromak Fusion Reactors", Comments on Plasma Physics & Controlled Fusion, Comments on Modern Physics, vol. 1(3), Part C, 1999, pp. 83-98.
- Fowler, T.K., "Pulsed Spheromak Reactor With Adiabatic Compression", Lawarence Livermore National Laboratory, in 13 pages, Mar. 29, 1999.
- Fowler, T.K., "Stability of Spheromaks Compressed by Liquid Walls", Lawrence Livermore National Laboratory, in 9 pages, Aug. 17, 1999.
- G. Pusch, "Why is acetone used in sonofusion experiments?", website http://www.physics-talk.com.
- H. S. McLean et al, "Design and operation of a passively switched repetitive compact toroid plasma accelerator", Fusion Technology, May 1998, vol. 33, pp. 252-272.
- H.P. Furth, "The Tokamak," in Fusion, vol. 1, Magnetic Confinement, Part A. ed. Edward Teller, Academic Press, pp. 123-242, 1981.
- C. W. Hartman et al, "Acceleration of Spheromak Toruses, Experimental results and fusion applications", OSTI ID: 5240480; DE90005312, Proceedings of 11th US/Japan workshop on field-reversed configurations and compact toroids; Nov. 7-9, 1989, Dec. 1, 1989, Los Alamos, NM, USA.
- C.W. Hartman et al., "Acceleration of Compact Toruses and Fusion Applications", Workshop on Physics of Alternative Magnetic Confinement Schemes, UCRL-JC-106121 Preprint, Oct. 11, 1990, Issue UCRL-JC-106121 Prepr, Varenna, Italy.
- Howard, S. et al., "Development of merged compact toroids for use as a magnetized target fusion plasma," Journal of Fusion Energy, Nov. 11, 2008, vol. 28, No. 2, pp. 156-161, available Jun. 2008.
- Hsu, S.C. et al., "On the Jets, Kinks, and Spheromaks Formed by a Planar Magnetized Coaxial Gun", California Institute of Technology, Pasadena, CA 91125, Feb. 2, 2008, pp. 1-16.

- Intrator, T. et al., "A high density field reversed configuration (FRC) target for magnetized target fusion: First internal profile measurements of a high density FRC," Phys. Plasmas, vol. 11, No. 5, pp. 2580-2585, May 2004.
- Kirkpatrick, R.C., "Assessment of the Acoustically Driven MTF Experiments being conducted by Dr. Michel Laberge of General Fusion, Inc.," in 3 pages, May 2007.
- Knief, Nuclear Engineering, Hemisphere Publishing Corp., pp. 640-643.
- Laberge, M., "Acoustic Wave Driven MTF Fusion Reactor," in 20 pages, Mar. 2007.
- Laberge, M., "An Acoustically Driven Magnetized Target Fusion Reactor," Journal of Fusion Energy, vol. 27, Nos. 1-2, pp. 65-68, Jul. 11, 2007.
- Laberge, M., "Evidence of Fusion Products in Acoustically Driven MTF," in 41 pages, Mar. 2007.
- Laberge, M., "Experimental Results for an Acoustic Driver for MTF," Journal of Fusion Energy, Jun. 2009, vol. 28, Nos. 2, pp. 179-182, available Jun. 2008.
- J.D. Lawson, "Some Criteria for a Power Producing Thermonuclear Reactor", Proc. Phys. Soc, 1957, Issue B70, pp. 6-10.
- Liu, D. et al., "Bench Test and Preliminary Results of Vertical Compact Torus Injection Experiments on the STOR-M Tokamak", Nuclear Fusion 46 (006) pp. 104-109, Dec. 16, 2005.
- R. L. Miller and R. A. Krakowski, "Assessment of the slowly-imploding liner (LINUS) fusion reactor concept", Los Alamos Scientific Laboratory, Oct. 1980, Issue Rept. No. LA-UR-80-3, Los Alamos, NM, USA.
- Miyazawa, J. et al., "Design of Spheromak Injector Using Conical Accelerator for Large Helical Device", Fusion Engineering and Design 54 (2001), pp. 1-12.
- Moss et al, "Hydrodynamic Simulations of Bubble Collapse and Picosecond Sonoluminescence", The Physics of Fluid, 1994, vol. 6, Issue 9, pp. 2979-2985.
- Olynyk, G. et al., "Development of a Compact Toroid Fuelling System for ITER", Nuclear Fusion, vol. 48, No. 9, Sep. 2008.
- Olynyk, G. M., "Design and evaluation of a repetitive-fire compact toroid fuelling system for ITER," thesis submitted to the Department of Physics, Queen's University, Ontario, Canada, Mar. 2007, in 48 pages.
- R. E. Peterkin, Jr. "Direct electromagnetic acceleration of a compact toroid to high density and high speed", Physical Review Letters, Apr. 17, 1995, vol. 74, Issue 16, pp. 3165-3168.
- I. Sample, "Science runs into trouble with bubbles", The Guardian, Mar. 21, 2004.
- R. Siemon, et al., "The Relevance of Magnetized Target Fusion (MTF) to practical energy production", A white paper for consideration by the fusion community and the Fusion Energy Scientific Advisory Committee, Jun. 3, 1999, vol. Draft 2.
- K. Suslick, "Chemistry cast doubt on bubble fusion", Nuclear News, Sep. 2002.
- J. Wilson, "Hot Sounds", http://www. popularmechan ic.com/science/research/12816666.html, Feb. 1, 1998.
- International Search Report and Written Opinion mailed Jun. 23, 2009 for Int'l Application No. PCT/IB2010/000368.
- International Search Report and Written Opinion mailed Nov. 30, 2010 for Int'l Application No. PCT/US2010/043587.
- R. W. Moir et al., "HYLIFE-II: An approach to a long-lived, first-wall component for inertial fusion power plants", Lawrence Livermore National Lab, Aug. 1, 1994, vol. Report No. UCRL-J, Issue CONF-940933-46.
- R.C. Duck et al., "Structure of the n = 1 responsible for relaxation and current drive during sustainment of the SPHEX spheromak", Plasma Physics and Controlled Fusion, vol. 39, No. 5, May 1997.
- Raman, R. et al., "Compact Toroid Fuelling for ITER", Fusion Engineering and Design 39-40 (1998), pp. 977-985.
- Raman, R. et al., "Experimental Demonstration of Nondisruptive, Central Fueling of a Tokamak by Compact Toroid Injection," Phys. Rev. Lett., 1994.
- Raman, R. et al., "Experimental Demonstration of Tokamak Fueling by Compact Toroid Injection," Nuclear Fusion, vol. 37, 1997.
- Raman, R. et al., "ITER Task D315 (1997): Conceptual Design Definition of a Compact Toroid Injection System", CFFTP G-9729, in 24 pages, Sep. 1997.

(56) References Cited

OTHER PUBLICATIONS

Raman, Roger et al., "Design of the Compact Toroid Fueler for Center Fueling Tokamak de Varennes", Fusion Technology, A Journal of the American Nuclear Society, vol. 24, No. 3, Nov. 1993.

S. Putterman, "Sonoluminescence: Sound into Light", Scientific American, Feb. 1995, pp. 45-51.

Siemon, R.E. et al., "Why Magnetized Target Fusion Offers a Low-Cost Development Path for Fusion Energy," in 49 pages, Dec. 1997. Taleyarkhan et al, "Evidence for Nuclear Emissions During Acoustic Cavitation", Science, Mar. 8, 2002, vol. 295.

Thio, Y.C.F., et al., "Magnetized Target Fusion Driven by Plasma Liners", 2002, in 3 pages.

Thomas W. Kornack, "Magnetic Reconnection Studies on SSX", Swarthmore College Department of Physics and Astronomy, Jun. 10, 1998, pp. 2-56, Swarthmore, PA, USA.

Tobin, M. T., et al., "The Compact Torus Accelerator, A Driver for ICF," UCRL-93901-R1, Lawrence Livermore National Laboratory, Jul. 31, 1986, in 9 pages.

Wurden, G.A. et al., "FRC Plasma Studies on the FRX-L Plasma Injector for MTF", Paper IC/P6-53, 20th IAEA Fusion Energy Conference, Nov. 2004, in 7 pages.

Wurden, G.A. et al., "High Pressure Field Reversed Configuration Plasmas in FRX-L for Magnetized Target Fusion", in 2 pages, Jan. 26, 2006.

Wurden, G.A. et al., "Magnetized Target Fusion: A Burning FRC Plasma in an Imploded Metal Can," J. Plasma Fusion Res. SERIES, vol. 2, pp. 238-241, Aug. 1999.

Wurden, G.A. et al., "Progress on the FRX-L FRC Plasma Injector at LANL for Magnetized Target Fusion", pp. 1-6, Mar. 1, 2002.

Wurden, G.A., Letter to Dr. Laberge, in 1 page, May 2007.

Xiao, C. et al., "Improved Confinement Induced by Tangential Injection of Compact Torus Into the Saskatchewan Torus-Modified (STOR-M) Tokamak," Phys. Plasmas, vol. 11, 2004.

CH. Seife, "Sun in a Bottle", Chapter 10, pp. 220-227, Penguin Books Ltd., London, UK (2008).

Schaffer, M.J., "Slow Liner Fusion," General Atomics Report GA-A22689, Aug. 1997, in 6 pages.

B. E. McDonald, "Modeling nonlinear compressional waves in marine sediments", Nonlin. Processes Geophys., vol. 16, Feb. 26, 2009, pp. 151-157.

CH. Mangeant et al., "Syrinx Project: Compact Pulse-Current Generators Devoted to Material Study Under Isentropic Compression Loading", in Pulsed Power Plasma Science, IEEE, Jun. 2001, in 4 pages.

D. Orlikowski et al., "New experimental capabilities and theoretical insights of high pressure compression waves", Lawrence Livermore National Laboratory, UCRL-PROC-233023, Jul. 24, 2007, 10 pages. D.J. Meeker et al., "A High Efficiency I.C.F. Driver Employing Magnetically Confined Plasma Rings", UCRL-91693 Preprint, Lawrence Livermore National Laboratory, Mar. 4, 1985, in 8 pages. Gregory H. Miller et al., "The Equation of State of a Molten Komatiite 1. Shock Wave Compression to 36 GPa", Journal of Geophysical Research, vol. 96, No. B7, Jul. 10, 1991, pp. 11,831-11,848.

Hitoshi Takeuchi et al., "Equations of State of Matter from Shock Wave Experiments", Journal of Geophysical Research, vol. 71, No. 16, Aug. 15, 1966, pp. 3985-3994.

International Preliminary Report on Patentability dated Jan. 31, 2012 for Int'l Application No. PCT/US2010/043587, in 8 pages.

J. Nguyen et al., "Specifically Prescribed Dynamic Thermodynamic Paths and Resolidification Experiments", Lawrence Livermore National Laboratory, UCRL-JRNL-201169, Nov. 25, 2003, in 8 pages.

R. S. Hawke, "Design and Analysis of Isentropic Compression Experiments", Lawrence Livermore Laboratory, Preprint UCRL-81797, May 7, 1979, in 23 pages.

R.G. Kraus et al., "Equation of state of ductile granular materials", DYMAT International Conference on Mechanical and Physical Behaviour of Materials, Sep. 2009, pp. 1317-1323.

Robert S. Hixson et al., "Shock Compression Techniques for Developing Multiphase Equations of State", Los Alamos Science, No. 28, Jan. 2003, pp. 114-119.

Thomas S. Duffy et al., "Compressional sound velocity, equation of state, and constitutive response of shock-compressed magnesium oxide", Journal of Geophysical Research, vol. 100, No. B1, pp. 529-542, Jan. 10, 1995.

V.V. Prut et al., "Metallic Z-pinch method: the isentropic compression of hydrogen", JETP Lett. vol. 29, No. 1, Jan. 5, 1979, pp. 30-33. W. J. Nellis et al., "Equation of state of shock-compressed liquids: Carbon dioxide and air", American Institute of Physics, J. Chem. Phys., vol. 95 (7), Oct. 1, 1991, pp. 5268-5272.

Y. Mizuno et al., "A Rectangular Pulse Vertical Field Circuit for a Small Tokamak", Electrical Engineering in Japan, vol. 133, No. 4, 2000, Translated from Denki Gakkai Ronbunshi, vol. 119-A, No. 12, Dec. 1999, pp. 1390-1396.

C.W. Hartman et al., "Acceleration of Compact Torus Plasma Rings in a Coaxial Rail-Gun", 7th Symposium on Compact Toroid Research, Santa Fe, New Mexico, May 21-23, 1985, in 6 pages.

Ex parte Wilson Greatbatch, Decision on Appeal, Appeal 2009-010812, dated Jun. 29, 2011, in 7 pages.

Compact Toroid, Wikipedia, http://en.wikipedia.org/wiki/Compact_toroid, downloaded Mar. 14, 2014.

Bellan, P. M., "Spheromaks: A practical application of magnetohydrodynamic dynamos and plasma self-organization," Imperial College Press, 2000, pp. 1-9, 268-275.

U.S. Appl. No. 13/161,852, filed Jun. 16, 2011, titled "Systems and Methods for Plasma Compression With Recycling of Projectiles", 37 pages.

Jul. 13, 2011 Request for Participation in the Patent Cooperation Treaty-Patent Prosecution Highway (PCT-PPH) Pilot Program Between the European Patent Office (EPO) and the USPTO in U.S. Appl. No. 13/161,852 filed Jun. 16, 2011 in 21 pages.

Aug. 30, 2011 Decision on Request to Participate in Patent Prosecution Highway Program and Petition to Make Special Under 37 C.F.R. 1.102(a) in U.S. Appl. No. 13/161,852 filed Jun. 16, 2011 in 3 pages. Sep. 29, 2011 Office Action in U.S. Appl. No. 13/161,852 filed Jun. 16, 2011 in 29 pages.

Dec. 7, 2011 Written Declaration of Abandonment Pursuant to 37 C.F.R. § 1.138(a) in U.S. Appl. No. 13/161,852 filed Jun. 16, 2011 in 2 pages.

Dec. 12, 2011 Notice of Abandonment in U.S. Appl. No. 13/161,852 in 2 pages.

Communication Pursuant to Rule 71(3) EPC, dated Jan. 9, 2013 in corresponding European Application No. 10740096.2, in 43 pages. M. Delage et al., "Progress Towards Acoustic Magnetized Target Fusion: An Overview of the R&D Program at General Fusion", 33rd Ann. Conf. Can. Nuc. Soc., Jun. 2012, in 13 pages.

Logan, B.G., et al., "Compact Torus Accelerator Driven Inertial Confinement Fusion Power Plant HYLIFE-CT," Lawrence Livermore National Laboratory, UCRL-TR-211025, Apr. 1, 2005, in 85 pages.

B. Bauer et al., "Magnetized High Energy Density Laboratory Plasmas," http://fusionenergy.lanl.gov/mhedlp-wp.pdf, Apr. 20, 2007, in 24 pages.

J. Eddleman et al., "Final Report on the LLNL Compact Torus Acceleration Project," Lawrence Livermore National Laboratory, UCRL-ID-120238, Mar. 19, 1995, in 62 pages.

J. D. Graham et. al., "Shiva Star—MARAUDER Compact Torus System," Digest of Technical Papers, 8th IEEE International, Pulsed Power Conference, Jun. 1991 pp. 990-993.

C. W. Hartman et al., "Acceleration of Compact Toroid Plasma Rings for Fusion Applications," Lawrence Livermore National Laboratory, UCRL-98504, Prepared for Submittal to IAEA 12th International Conference on Plasma Physics and Controlled Nuclear Fusion Research in Nice, France, Oct. 12-19, 1988, in 16 pages.

T. E. Markusic et al., "Visualization of Current Sheet Canting in a Pulsed Plasma Accelerator", IEPC-99-206, 26th International Electric Propulsion Conference in Kitakyushu, Japan, Oct. 17-21, 1999, in 8 pages.

Y. C. F. Thio et al., "Magnetized Target Fusion in a Spheroidal Geometry With Standoff Drivers," Fusion Technology 20, 1991, in 22 pages.

Y. C. F. Thio et al., "Pulsed Electromagnetic Acceleration of Plasmas," 38th AIAA/ASME/SAE/ASEE Joint Propulsion Conference & Exhibit, Jul. 7-10, 2002, in 9 pages.


(56) References Cited


OTHER PUBLICATIONS


F. D. Witherspoon et al., "A contoured gap coaxial plasma gun with injected plasma armature," American Institute of Physics, Review of Scientific Instruments 80, 083506, Aug. 2009, in 15 pages.

F. D. Witherspoon et al., "Pulsed Injector Development for Dense Plasma Jets," Research Funded by the DOE Office of Fusion Energy Science through Grants DE-FG02-04ER83978, De-FG02-05ER54810, DE-FG02-05ER84189, Feb. 2007, in 32 pages.


^{*} cited by examiner









Feb. 23, 2016










FIG. 6

SYSTEMS AND METHODS FOR PLASMA COMPRESSION WITH RECYCLING OF PROJECTILES

CROSS-REFERENCE TO RELATED APPLICATIONS

This application is a division of U.S. patent application Ser. No. 12/845,071, filed Jul. 28, 2010, entitled "SYSTEMS AND METHODS FOR PLASMA COMPRESSION WITH 10 RECYCLING OF PROJECTILES," now U.S. Pat. No. 8,891, 719, which claims the benefit under 35 U.S.C. §119(e) of U.S. Provisional Patent Application No. 61/229,355, filed Jul. 29, 2009, titled "SYSTEMS AND METHODS FOR PLASMA COMPRESSION AND HEATING WITH RECYCLING OF 15 PROJECTILES," each of the foregoing is hereby incorporated by reference herein in its entirety.

BACKGROUND

1. Field

The present disclosure relates to embodiments of systems and methods for plasma compression.

2. Description of Related Art

Some systems for compressing plasma to high temperatures and densities typically are large, expensive, and are limited in repetition rate and operational lifetime. The addition of a magnetic field within the plasma is a promising method for improving the effectiveness of any given heating scheme due to decreased particle and energy loss rates from 30 the plasma volume.

Methods of compressing a plasma include the following six schemes.

- (1) Direct compression of a plasma using an external magnetic field that increases with time.
- (2) Compression by an ablative rocket effect of an outer surface of an implosion capsule, with the compression driven by intense electromagnetic radiation or high energy particle beams (such as certain Inertial Confinement Fusion (ICF) devices). See, for example, R. W. Moir et al., "HYLIFE-II: An 40 approach to a long-lived, first-wall component for inertial fusion power plants," Report Numbers UCRL-JC-117115; CONF-940933-46, Lawrence Livermore National Lab, August 1994, which is hereby incorporated by reference herein in its entirety.
- (3) Compression by electromagnetic implosion of a conductive liner, typically metal, driven by large pulsed electric currents flowing in the implosion liner.
- (4) Compression by spherical or cylindrical focusing of a large amplitude acoustic pulse in a conducting medium. See, 50 for example, the systems and methods disclosed in U.S. Patent Application Publication Nos. 2006/0198483 and 2006/0198486, each of which is hereby incorporated by reference herein in its entirety. In some implementations, the compression of a conductive medium can be performed using an 55 external pressurized gas. See, for example, the LINUS system described in R. L. Miller and R. A. Krakowski, "Assessment of the slowly-imploding liner (LINUS) fusion reactor concept", Rept. No. LA-UR-80-3071, Los Alamos Scientific Laboratory, Los Alamos, N. Mex. 1980, which is hereby 60 incorporated by reference herein in its entirety.
- (5) Passive compression by injecting a moving plasma into a static but conically converging void within a conductive medium, such that the plasma kinetic energy drives compression determined by wall boundary constraints. See, for 65 example, C. W. Hartman et al., "A Compact Torus Fusion Reactor Utilizing a Continuously Generated String of CT's.

2

The CT String Reactor", CTSR Journal of Fusion Energy, vol. 27, pp. 44-48 (2008); and "Acceleration of Spheromak Toruses: Experimental results and fusion applications," UCRL-102074, in Proceedings of 11th US/Japan workshop on field-reversed configurations and compact toroids; 7-9 Nov. 1989; Los Alamos, N. Mex., each of which is hereby incorporated by reference herein in its entirety.

(6) Compression of a plasma driven by the impact of high kinetic energy macroscopic projectiles, for example, by a pair of colliding projectiles, or by a single projectile impacting a stationary target medium. See, for example, U.S. Pat. No. 4,328,070, which is hereby incorporated by reference herein in its entirety. See, also, the above-incorporated paper by C. W. Hartmann et al., "Acceleration of Spheromak Toruses: Experimental results and fusion applications."

SUMMARY

An embodiment of a system for compressing plasma is 20 disclosed. The system can include a plasma injector that comprises a plasma formation system configured to generate a magnetized plasma and a plasma accelerator having a first portion, a second portion, and a longitudinal axis between the first portion and the second portion. The plasma accelerator can be configured to receive the magnetized plasma at the first portion and to accelerate the magnetized plasma along the longitudinal axis toward the second portion. The system for compressing plasma may also include a liquid metal circulation system configured to provide liquid metal that forms at least a portion of a chamber configured to receive the magnetized plasma from the second portion of the plasma accelerator. The magnetized plasma can have a first pressure when received in the chamber. The system may also include a projectile accelerator configured to accelerate a projectile 35 along at least a portion of the longitudinal axis toward the chamber. The system may be configured such that the projectile compresses the magnetized plasma in the chamber such that the compressed magnetized plasma can have a second pressure that is greater than the first pressure.

An embodiment of a method of compressing a plasma is disclosed. The method comprises generating a toroidal plasma, accelerating the toroidal plasma toward a cavity in a liquid metal, accelerating a projectile toward the cavity in the liquid metal, and compressing the toroidal plasma with the projectile while the toroidal plasma is in the cavity in the liquid metal. In some embodiments, the method may also include flowing a liquid metal to form the cavity. In some embodiments, the method may also include recycling a portion of the liquid metal to form at least one new projectile.

An embodiment of an apparatus for compressing plasma is disclosed. The apparatus can comprise a plasma injector configured to accelerate a compact toroid of plasma toward a cavity in a liquid metal. The cavity can have a concave shape. The apparatus can also include a projectile accelerator configured to accelerate a projectile toward the cavity, and a timing system configured to coordinate acceleration of the compact toroid and acceleration of the projectile such that the projectile confines the compact toroid in the cavity in the liquid metal.

BRIEF DESCRIPTION OF THE DRAWINGS

Throughout the drawings, reference numbers may be reused to indicate correspondence between referenced elements. The drawings are provided to illustrate example embodiments described herein and are not intended to limit the scope of the disclosure.

FIG. 1 is a schematic cross-sectional diagram showing an example embodiment of a plasma compression system with liquid metal wall confinement, where the system comprises a projectile acceleration device, a plasma injector, a liquid metal recirculating vessel and a projectile formation sub
system.

FIG. 2 is a schematic cross-sectional diagram showing a portion of an example embodiment of a plasma injector located coaxially around the muzzle of a projectile accelerator. In the illustrated embodiment, the plasma injector is rotationally symmetric around the projectile acceleration axis 40a.

FIG. 3 includes simplified schematic cross-sectional diagrams (A-I) that illustrate an example, in a time sequence, of how a projectile and plasma may behave from impact with a liquid metal to point of maximum pressure, and then subsequent fracture of projectile and intermixing with the liquid metal used for recycling of projectile material. Values of density in kg/m³ are illustrated as grayscale levels according 20 to the values in the status bar on the right of the figure.

FIGS. 4A-4F are schematic cross-sectional diagrams that illustrate various example embodiments of projectiles.

FIG. **5** schematically shows an example of timing of gas vent valves in an example embodiment of a projectile accelerator.

FIG. 6 is a flowchart that schematically illustrates an example embodiment of a method of compressing plasma in a liquid metal chamber using impact of a projectile on the magnetized plasma.

DETAILED DESCRIPTION

Overview

The plasma compression schemes described above have various advantages and disadvantages. However, a significant obstacle in the effective implementation of any plasma compression scheme is typically the monetary cost of constructing such a device at the necessary physical scale. For some of 40 the above schemes, construction costs impede or even prohibit testing and development of prototypes at full scale. Thus it may be beneficial to consider technologies that can be affordably constructed in prototype and full-scale, using some conventional methods and materials, and which have 45 relatively straightforward overall design and relatively small physical scale.

Embodiments of the above-described compression schemes are generally pulsed in nature. Two possible factors to consider are the cost per pulse and the pulse repetition rate. 50 Schemes that use high precision parts that are destroyed each pulse cycle (for example, schemes 2, 3, and some versions of scheme 6) may typically have a significantly higher cost per pulse than schemes that are either non-destructive (for example, scheme 1) or employ passive recycling of material 55 (for example, schemes 4, 5, and some versions of scheme 6). Non-destructive pulse schemes tend to have the highest repetition rate (which may be limited by magnetic effects) that may be as high as in a kHz range in certain implementations. Passive recycling may be the next fastest with repetition rates 60 (which may be limited by liner fluid flow velocities) that may be as high as several Hz in certain implementations. Schemes where the central assembly for the pulsed compression is destroyed every pulse tend to have the slowest intrinsic repetition rate, determined by time taken to clear destroyed ele- 65 ments and insert a new assembly. This is not likely to be more than once every few seconds at best in some implementations.

4

Because of the potential for emission of intense x-rays and energetic particles from plasmas at high density and temperature, it may be advantageous to consider schemes that incorporate a large volume of replaceable absorber material to reduce the extent to which radiation products from the plasma reach the permanent structural elements of the compression device. Devices that do not incorporate such an absorber material or blanket may tend to suffer from radiation damage in their structural components and have correspondingly shorter operational lifetimes. While some embodiments of schemes 1, 2, and 3 can be adapted to accommodate some amount of absorber material, this can complicate the design (see for example, the HYLIFE-II reactor design described in the above-incorporated article by Moir et al.). In contrast, schemes 4, 5, and 6 incorporate an absorber material, either by choice of material used for the compression liner fluid, and/or by the addition of material into large unused volumes surrounding the device. Systems with a recirculating absorber fluid can also provide a low cost method for extracting heat produced during compression. Recirculation of an absorber fluid can also allow radiation products from the compressed plasma to be used to transmute isotopes included in the absorber fluid. This approach can be used for processing waste material, or for providing a cost effective method of producing rare isotopes.

Impact driven compression schemes have typically involved methods to accelerate small but macroscopic projectiles to the ultra-high velocities needed to compress and heat the solid projectiles into an extremely dense, hot plasma state, typically with no magnetic field, or a magnetic field with only marginal confinement properties. This typically requires the use of an extremely long electromagnetic accelerator (for example, up to several kilometer long) to develop the requisite velocity, resulting in prohibitive construction costs.

Various embodiments of the present disclosure address some of these and other challenges. For example, in most systems using projectiles, there has not been any method for recycling the projectile material, which results in the destruction of high-precision parts, greatly increasing the cost per pulse. In addition, the mechanisms for absorbing plasma radiation products for useful purposes has not been integrated into some prior designs, and so any absorber blanket must be added on as an afterthought, possibly with significant engineering complications.

Some embodiments of the present approach involve the use of the impact of a projectile to drive plasma compression, and provide a system configuration that enables a significantly smaller scale system with higher repetition rates and/or longer system lifetime than previous approaches. In contrast to some impact compression methods (see for example U.S. Pat. No. 4,435,354, which is hereby incorporated by reference herein in its entirety), certain embodiments of the present approach utilize a larger mass traveling at lower velocity, which acts to compress a well-magnetized plasma. This can allow for the use of a less complex and less costly projectile acceleration method for compressing the plasma. For example, a light gas gun can be used to accelerate the projectile to a speed of up to several km/s over a span of, for example, approximately 100 meters. Examples of light gas guns and projectile launchers that can be used with embodiments of the plasma compression system disclosed herein are described in U.S. Pat. No. 5,429,030 and U.S. Pat. No. 4,534, 263, each of which is hereby incorporated by reference herein in its entirety. The projectile launcher described in the publication by L. R. Bertolini, et al., "SHARP, a first step towards a full sized Jules Verne Launcher", Report Number UCRL-

JC-114041; CONF-9305233-2, Lawrence Livermore National Lab, May 1993, which is hereby incorporated by reference herein in its entirety, may also be used with embodiments of the plasma compression system.

Embodiments of the present approach may incorporate an integrated passive recycling system for the projectile material. This can allow for an improved (e.g., relatively high) repetition rate and/or an increase in system lifetime. With suitable choice of materials, the projectile and liner fluid can act as an efficient absorber of plasma radiation products, resulting in a system that has an economic feasibility and practical utility.

Example Systems and Methods for Compressing Plasma

Embodiments of systems and methods for plasma compression are described. In some embodiments, plasma can be compressed by impact of a projectile on a magnetized plasma toroid in a liquid metal cavity. The projectile can melt in the liquid metal cavity, and liquid metal can be recycled to form new projectiles. The plasma can be heated during compression.

With reference to the drawings, a schematic cross-sectional diagram of an embodiment of a new and improved example plasma compression system 10 is shown in FIG. 1. The example system 10 includes a magnetized plasma formation/injection device 34, an accelerator 40 (for example, a 25 light gas pneumatic gun or an electromagnetic accelerator), which fires projectiles 12 along an acceleration axis 40atoward compression chamber 26 defined in part by a converging flow of liquid metal 46. Liquid metal 46 is contained within liquid metal recirculating vessel 18, and a conical 30 nozzle 24 directs the flow of liquid metal 46 into a magnetic flux conserving liner having a surface 27 with a desired shape at compression chamber 26. The compression chamber 26 may be substantially symmetric around an axis. The axis of the compression chamber 26 may be substantially collinear 35 with the acceleration axis 40a (see, e.g., FIGS. 1 and 2). The system 10 may include a timing system (not shown) configured to coordinate the relative timing of events such as, e.g., formation of the plasma, acceleration of the plasma, firing or acceleration of the projectile, etc. For example, since, in some 40 embodiments, the projectile velocity may be significantly less than the plasma injection velocity, plasma formation and injection can be delayed and can be triggered by the timing system when the projectile 12 reaches a prescribed position (e.g., near the muzzle) of the accelerator 40.

FIG. 1 schematically illustrates three example projectiles 12a, 12b, and 12c moving toward the compression chamber 26. A fourth projectile 12d is in the liquid metal 46 near the point of maximum compression of the plasma. The four projectiles 12*a*-12*d* are intended to illustrate features of the sys- 50 tem 10 and are not intended to be limiting. For example, in other embodiments, different numbers of projectiles (e.g., 1, 2, 4, or more) may be accelerated by the accelerator 40 at any time. FIG. 1 also schematically illustrates a plasma torus in three different positions in the system 10. In the illustrated 55 embodiment, the magnetized plasma torus can be formed near a formation region 36a of the formation/injection device **34**. The magnetized plasma shown at the position **36***b* has been accelerated and compressed between coaxial electrodes 48 and 50. At the position 36c, near the muzzle of the accelerator 40, the magnetized plasma expands off the end of the coaxial electrodes 48 and 50 into the larger volume of the compression chamber 26 defined by the front surface of projectile 12c (see FIG. 1) and the surface 27 of the liquid metal. The magnetized plasma can persist at the position 36c in the 65 compression chamber 26 with a magnetic decay time that is several times longer than the compression time.

6

The motion of the projectile 12c can compress the plasma near the position 36c, with the internal magnetic confinement of the plasma reducing or preventing significant particle loss back up into the plasma injector during the early phase of compression. In the system 10 schematically illustrated in FIG. 1, the size of the projectile 12c transverse to the acceleration axis 40a is smaller than the size of the opening to the compression chamber 26 so that an annular opening exists around the outside of the projectile when the projectile is near the position 36c. A later phase of compression begins after the projectile 12c closes off the opening to the chamber, and the compression chamber 26 is substantially or fully enclosed by the surface 27 of the liquid metal and the projectile 12c. See, e.g., FIG. 3 which schematically depicts a simulated time sequence of the compression geometry. Therefore, impact of the projectile 12 on the plasma in the compression chamber can increase the pressure, density, and/or temperature of the plasma. For example, the plasma may have a first pressure (or density or temperature) when in the compression chamber 26, and a second pressure (or density or temperature) after impact of the projectile 12, the second pressure (or density or temperature) greater than the first pressure (or density or temperature). The second pressure (or density or temperature) can be greater than the first pressure (or density or temperature), for example, by a factor of 1.5, 2, 4, 10, 25, 50, 100, or more. After the projectile is engulfed in liquid metal 46 (depicted in FIG. 1 as projectile 12d), the projectile can rapidly disintegrate and melt back into the metal 46. As will be further described below, liquid metal 46 from the vessel 18 can be recycled to form new projectiles.

As a result of the compression, the plasma may be heated. Net heating of the liquid metal 46 can occur due to the absorption of radiation products from the compressed plasma as well as thermalization of the projectile kinetic energy. For example, in some implementations, the liquid metal 46 can be heated by as much as several hundred degrees Celsius by the plasma compression event. Thus, as shown in the example in FIG. 1, as the liquid metal 46 is recirculated by a pump 14, the liquid metal can be cooled via a heat exchange system 16 to maintain a desired temperature at inlet pipe 28 or at the conical nozzle 24. In some implementations, heat generated by plasma compression can extracted by the heat exchanger and used in an electrical power generation system (e.g., a 45 turbine driven by steam generated from the extracted heat). In some embodiments, the temperature of the liquid metal can be maintained moderately above its melting point (e.g., T_{melt} +approximately 10-50° C.). The heat exchanger 16 can be any suitable heat exchanger.

In some embodiments, the heat exchanger output may be used in other processes. For example, in addition to the inlet pipe 28 which directs the flow of liquid metal 46 to the conical nozzle 24 to create the surface 27 of the compression chamber 26, a recirculation pipe 30 can deliver a supply of the liquid metal 46 to projectile molds 32 in a subsystem for making new batches of projectiles (e.g., projectile factory 37 shown in FIG. 1). In some embodiments, a loading mechanism 38 can be used to automatically load new projectiles into the breach of the accelerator 40. In certain embodiments, an array of projectiles 12 can be situated within a cartridge structure that can be loaded by the loading mechanism 38 into the breach of the accelerator 40 and fired in relatively rapid sequence along the acceleration axis 40a. In some cases, a brief time period, possibly as brief as 1-2 seconds in some implementations, without the accelerator 40 firing can be provided to allow for loading of the next cartridge of projectiles. In some embodiments, the loading mechanism 38 can have a direct load-

shoot-load-shoot cycle in which case a cartridge structure need not be used, and a substantially steady rate of projectile fire can be maintained.

In some embodiments, projectile molds 32 can be automated to receive recycled liquid metal 46, and provide a 5 cooling cycle suitable to allow casting of new projectiles using various manufacturing methods. The rate of liquid metal recirculation and new projectile production can be sufficient to supply projectiles at the desired launch rate. The total cooling time for the liquid metal to sufficiently solidify 10 within the molds can be taken up by parallelism within the method of preparing batches of new projectiles. In some implementations of the system 10, the cooling time may be made as short as practical and/or may be determined by the amount of rigidity needed for proper mechanical function of 15 the loading mechanism and/or the ability of the projectile 12 to survive acceleration down the gun. With this highly automated firing cycle, a reasonably high repetition rate can be achieved for extended durations. Also, with the possible exception of injecting plasma for each shot, certain embodi- 20 ments of the system 10 have the advantages of being effectively a closed-loop in which the solid projectile 12 can be fired into a vessel 18 filled with substantially the same material in liquid form, and the liquid metal 46 can be recycled to form new projectiles 12. In some embodiments, manufactur- 25 ing of projectiles can be performed using the systems and methods described in, e.g., U.S. Pat. No. 4,687,045, which is hereby incorporated by reference herein in its entirety.

The system 10 may be used in a variety of practical and useful applications. For example, in applications involving 30 transmutation of isotopes by absorption of radiation products, there can be another branch of the liquid metal flow cycle (not shown) in which isotopes may be extracted from the liquid metal 46, for example, using standard getter-bed techniques. If necessary in some embodiments, additional metal may be 35 added to the flow to replenish amounts that are lost to transmutation or other losses or inefficiencies.

In some implementations of the system 10, some or all of the recirculating liquid metal system may be similar to the systems used for some implementations of the above-described compression schemes 4 and 5. Certain implementation of this scheme may be different than certain implementations of scheme 4 in that no vortex hydrodynamics are used to create the central cavity of compression chamber 26, instead linear nozzle flow may be used. Some implementations of the present approach may also be different than some implementations of scheme 4 in that only a single projectile is used to drive each compression, and synchronization of the impact of a number of pistons used to create a substantially symmetric acoustic pulse may not be needed.

Certain embodiments of the present approach also have some possible advantages over scheme 5, which typically uses a significantly longer and more powerful plasma injector to develop the kinetic energy needed to develop full compression of the plasma, resulting in a higher construction cost due 55 to the price of capacitive energy storage. In some embodiments of the present approach, the energy that can be used to compress the plasma may be primarily derived from pressurized gas that accelerates the projectile 12 in the accelerator 40. In some cases, this may be a less complex and less expensive technology than used in certain implementations of scheme 5.

Embodiments of the plasma compression system 10 can include the accelerator 40 for firing a projectile 12 along a substantially linear path that passes along the axis 40a substantially through the center of the plasma injector 34 and ends in impact with the plasma and liquid metal walls of

8

compression chamber 26 within the recirculating vessel 18. In some embodiments, the accelerator 40 may be configured so that it can efficiently obtain high projectile velocities (such as, for example, approximately 1-3 km/s) for a large caliber projectile (such as, for example, approximately 100 kg mass, approximately 400 mm diameter) and can be able to operate in a mode of automated repeat firing. There are a number of known accelerator devices that may be adapted for this application. One possible approach can be to use a light gas gun. In some implementations, the design of the gun may allow rapid recharging of the plenum volume behind the projectile with a pressurized light "pusher gas" (which may comprise, e.g., hydrogen or helium). In some implementations, it may be advantageous for the region in front of the projectile to be at least partially evacuated before subsequent firing of the gun. For example, as a projectile 12 moves forward, it can push a fraction of the gas in its path into compression chamber 26. Depending on the gas composition, this may possibly contaminate the plasma that is injected into compression chamber 26. The presence of another (impurity) gas may in some cases cool the plasma through emission of line radiation, which reduces the energy available for heating the plasma. In embodiments in which hydrogen is used as the pusher gas, the hydrogen can be fully ionized and incorporated into the plasma without a high probability of such cooling problems. Further, residual gas in front of the projectile acts as a drag force, slowing the projectile's acceleration in the gun. Thus, in embodiments with at least a partial vacuum in front of the projectile, enhanced gun efficiency may be achieved.

In some embodiments, a conventional light gas gun may provide for rapid evacuation of gun barrel 44 during the intershot time period. For example, in one possible gun design, the main gun barrel 44 may be surrounded by a significantly larger vacuum tank (not shown in FIG. 1), with a large number of actuatable vent valves 42 distributed along the length of gun 44. One possible example method of operation of the valves includes the following. During the intershot time period all (or at least a substantial fraction) of the valves 42 can be open and the pusher gas from previous projectile firing can be exhausted into the vacuum tank. Once the valves open, without including the effect of outflow due to active pumping at the surface of the vacuum tank, an estimate for the initial equilibrium pressure is

$$P_{equ} = P_{push} V_{gun} / V_{tank} = P_{push} (r_{gun} / r_{tank})^2,$$

where P_{push} is the final pressure in the gun after the projectile has left the muzzle, V_{gun} , V_{tank} are the volumes of the gun barrel 44 and vacuum tank respectively, which for a coaxial 50 cylindrical gun-tank system is also proportional to the square of the ratios of the radii of the gun barrel and the tank. For example, if $(r_{gun}/r_{tank})=1/10$, and the final pushing pressure is $P_{push}=1$ atmosphere (where 1 atmosphere is approximately 1.013×10⁵ Pa), then the initial equilibrium pressure would be about 1/100 of an atmosphere. In certain system embodiments, this volumetric drop in pressure allows the use of standard high-speed turbo pump technology for evacuating the system, which typically are not used at the very high pressures provided in some gas gun designs. In certain such embodiments, the vacuum turbo pumps (not shown) may be distributed along the surface of the vacuum tank and, in the case of pumping in parallel, may have a combined pumping rate that equals or exceeds the time averaged gas inflow rate due to injection of the pusher gas to drive the projectile. One possible arrangement can be a closed-loop for the pusher gas, in which compressors take the exhaust from the vacuum pumps and pressurize the gun plenum directly. Heat energy from the

heat exchange system 16 can additionally or alternatively be used to thermally pressurize the gas in the plenum.

Continuing with the example method of valve operation, once the pressure in the gun 40 is reduced to sufficient levels, valves 42 can start to close and may be synchronized such that 5 the valves closest to the breach of the gun 40 may fully close first. In some cases, the time of full closing of valves 42 can be staggered in a linear sequence along the length of gun 40, such that it tracks the trajectory of the projectile. Other synchronization patterns can be used. With suitable synchronization, 10 some embodiments of the gun 40 can be configured to fire another projectile 12 as soon as the valves 42 near the breach have closed, and then as the projectile 12 advances down the gun 40, the projectile can pass by newly closed valves, with the valves ahead of the projectile being in the process of 15 closing, yet still open enough for any residual gas to be pushed out into the vacuum tank. Other gun firing patterns may be used in other embodiments.

Actuated vent valves 42 may, for example, operate via motion that may be linear or rotary in nature. FIG. 5 sche- 20 matically illustrates an example of timing of rotary gas vent valves 42a-42d in an embodiment of a projectile accelerator. Motors 78a-78d may be used to rotate valve rotors 72a-72d, respectively. In this example, the timing can be arranged such that the valve rotors 72a and 72b at least partially closed over 25 one or more vent holes 74a and 74b, respectively, behind the location 76 of the projectile (which is moving to the right in this example), and valve rotors 72c and 72d leave at least partially open one or more vent holes 74c and 74d, respectively, ahead of the location 76 of the projectile such that gas 30 can be at least partially confined in the region behind the projectile, while the region in front of the projectile can be at least partially evacuated. In some implementations, recycling of the pusher gas through the system may require significant energy expenditure during a short (e.g., sub-second) intershot 35 time period. In other methods of gun operation, the vent valves (if used) may be operated differently than described above.

In certain embodiments, the repetition rate of the projectile acceleration system can be greater than or equal to the intrinsic repetition rate of the compression scheme. In other embodiments, the repetition rate of the projectile acceleration system can be less than the intrinsic repetition rate of the compression scheme.

Other projectile acceleration methods may be used. For 45 example, another possible method of projectile acceleration includes use of an inductive coil gun, which in some embodiments, uses a sequence of pulsed electromagnetic coils to apply repulsive magnetic forces to accelerate the projectile. One possible advantage of the inductive coil gun may be that 50 the coil gun can be maintained at a high state of evacuation in a steady fashion.

In some embodiments of the system 10, additional sensors (not shown) and a triggering circuit (not shown) may be incorporated for precise triggering of firing the accelerator 55 40.

Embodiments of the projectile 12 and/or the liquid metal 46 can be made from a metal, alloy, or combination thereof. For example, an alloy of lead/lithium with approximately 17% lithium by atomic concentration can be used. This alloy 60 has a melting point of about 280° C. and a density of about 11.6 g/cm³. Other lithium concentrations can be used (e.g., 5%, 10%, 20%), and in some implementations, lithium is not used. In some embodiments, the projectile 12 and the liquid metal 46 have substantially the same composition (e.g., in 65 some pulsed, recycled implementations). In other embodiments, the projectile 12 and the liquid metal 46 can have

10

different compositions. In some embodiments, the projectile 12 and/or the liquid metal 46 can be made from metals, alloys, or combinations thereof. For example, the projectile and/or the liquid metal may comprise iron, nickel, cobalt, copper, aluminum, etc. In some embodiments, the liquid metal 46 can be selected to have sufficiently low neutron absorption that a useful flux of neutrons escapes the liquid metal.

Embodiments of the plasma torus injector **34** may be generally similar to certain known designs of the coaxial railguntype. See, for example, various plasma torus injector embodiments described in: J. H. Degnan, et al., "Compact toroid formation, compression, and acceleration," Phys. Fluids B, vol. 5, no. 8, pp. 2938-2958, 1993; R. E. Peterkin, "Direct electromagnetic acceleration of a compact toroid to high density and high speed", Physical Review Letters, vol. 74, no. 16, pp. 3165-3170, 1995; and J. H. Hammer, et al., "Experimental demonstration of acceleration and focusing of magnetically confined plasma rings," Physical Review Letters, vol. 61, no. 25, pp. 2843-2846, December 1988. See, also, the injector design that was experimentally tested and described in H. S. McLean et al., "Design and operation of a passively switched repetitive compact toroid plasma accelerator," Fusion Technology, vol. 33, pp. 252-272, May 1998. Each of the aforementioned publications is hereby incorporated by reference herein in its entirety. Also, embodiments of the plasma generators described in U.S. Patent Application Publication Nos. 2006/0198483 and 2006/0198486, each of which is hereby incorporated by reference herein in its entirety for all it discloses, can be used with embodiments of the plasma torus injector 34.

The toroidal plasma generated by the plasma injector 34 can be a compact toroid such as, e.g., a spheromak, which is a toroidal plasma confined by its own magnetic field produced by current flowing in the conductive plasma. In other embodiments, the compact toroid can be a field-reversed configuration (FRC) of plasma, which may have substantially closed magnetic field lines with little or no central penetration of the field lines.

Some such plasma torus injector designs can produce a high density plasma with a strong internal magnetic field of a toroidal topology, which acts to confine the charged plasma particles within the core of the plasma for a duration that can be comparable to or exceeds the time of compression and rebound. Embodiments of the injector can be configured to provide significant preheating of the plasma, for example, ohmically or resistive heating by externally driving currents and allowing partial decay of internal magnetic fields and/or direct ion heating from thermalization of injection kinetic energy when the plasma comes to rest in the compression chamber 26.

As schematically shown in FIG. 2, some embodiments of the plasma injector 34 can include several systems or regions: a plasma formation system 60, a plasma expansion region 62, and a plasma acceleration/focusing system or accelerator 64. In the embodiment shown in FIG. 2, the plasma acceleration/ focusing system or accelerator 64 is bounded by electrodes 48 and 50. One or both of the electrodes 48, 50 may be conical or tapered to provide compression of the plasma as the plasma moves along the axis of the accelerator 64. In the illustrated embodiment, the formation system 60 has the largest diameter and includes a separate formation electrode 68, coaxial with the outer wall of the plasma formation system 60, which can be energized in order to ionize the injected gas by way of a high voltage, high current discharge, thereby forming a plasma. The plasma formation system 60 also can have a set of one or more solenoid coils that produce the initial magnetic field prior to the ionization discharge, which then becomes

imbedded within the plasma during the formation. After being shaped by plasma processes during the expansion and relaxation in the expansion region 60, the initial field can develop into a set of closed toroidal magnetic flux surfaces, which can provide strong particle and energy confinement, 5 which is maintained primarily by internal plasma currents.

Once this magnetized plasma torus 36 has been formed, an acceleration current can be driven from the center conical accelerator electrode 48 across the plasma, and back along the outer electrode **50**. The resulting Lorentz force (J×B) accel- 10 erates the plasma down the accelerator **64**. The plasma accelerator 64 can have an acceleration axis that is substantially collinear with the accelerator axis 40a. The converging, conical electrodes 48, 50 can cause the plasma to compress to a smaller radius (e.g., at the positions 36b, 36c as schematically 15 shown in FIG. 1). In some embodiments, a radial compression factor of about 4 can be achieved from a moderatelysized injector 34 that is approximately 5 m long with an approximately 2 m outer diameter. This can result in an injected plasma density that can be about 64 times the original 20 density in the expansion region of the injector, thus providing the impact compression process with a starting plasma of high initial density. In other embodiments, the compression factor may be, e.g., 2, 3, 5, 6, 7, 10, or more. In some embodiments, compression in the plasma accelerator is not used, and 25 the system 10 compresses the plasma primarily through impact of the projectile on the plasma. In the illustrated embodiment, electrical power for formation, magnetization and acceleration of the plasma torus can be provided by pulsed electrical power system 52. The pulsed electrical 30 power system 52 may comprise a capacitor bank. In other embodiments, electrical power may be applied in a standard way such as described in, e.g., J. H. Hammer, et al., "Experimental demonstration of acceleration and focusing of magnetically confined plasma rings," Physical Review Letters, 35 18 can be selected such that the volume of liquid metal 46 vol. 61, no. 25, pp. 2843-2846, December 1988, which is hereby incorporated by reference herein in its entirety.

Embodiments of the liquid metal circulating vessel 18 may be configured to have a central substantially cylindrical portion that is shown in cross-section in FIG. 1, and which 40 supports a net flow of liquid metal along the axial direction that enters the main chamber through a tapered opening 24 (conical nozzle) at one end and exits at the opposing end through a pipe 20 or a set of such pipes. Also shown in FIG. 1 is an optional recirculation pipe 30 for directing liquid metal 46 to projectile molds 32. Optionally recirculation pipe 30 may be a separate pipe from another region of vessel 18. In various embodiments, flow velocities in the liquid metal 46 can range from a few m/s to a few tens of m/s, and in some implementations, it may be advantageous for substantially 50 laminar flow to be maintained substantially throughout the system 10. To promote laminar flow, honeycomb elements may be incorporated into vessel 18. Directional vanes or hydrofoil structures may be used to direct the flow into the desired shape in the compression region. The cone angle of 55 the converging flow can be chosen to improve the impact hydrodynamics for a given cone angle of the projectile shape. Recirculating vessel 18 may be made of materials of sufficient strength and thickness to be able to withstand the outgoing pressure wave that emanates from the projectile impact 60 and plasma compression event. Optionally, special flow elements near the exit of the vessel 18 (or at other suitable positions) may be used to dampen pressure waves that might cause damage to the heat exchange system. Optionally heaters (not shown) may be used to increase the liquid metal 65 temperature above its melting point for startup operations or after maintenance cycles. In certain embodiments, the sys-

tems and methods for liquid metal flow disclosed in U.S. Patent Application Publication Nos. 2006/0198483 and 2006/ 0198486, each of which is hereby incorporated by reference herein in its entirety for all it discloses, can be used with the system 10.

During the projectile acceleration and impact there may be significant momentum transfer resulting in recoil forces applied to the structures of the apparatus. In some implementations, the mass of the bulk fluid in the recirculation vessel 18 can be sufficient (for example, greater than about 1000 times the mass of the projectile) that recoil forces from the impact can be handled by mounting vessel 18 on a set of stiff shock absorbers so that the displacement of vessel 18 may be on the order of about one cm. The accelerator 40 may also experience a recoil reaction as it acts to accelerate the projectile. In some embodiments, the accelerator 40 may be a few hundred times as massive as the projectile 12, and the accelerator 40 may tend to experience correspondingly higher recoil accelerations, and total displacement amplitude during firing, than the vessel 18. With these finite relative motions, the three system components in the illustrated embodiment (e.g., the accelerator 40, the plasma injector 34, and the recirculating vessel 18) can advantageously be joined by substantially flexible connections such as, e.g., bellows, in order to maintain a desired vacuum and fluid seals. During full operation of some systems 10, the driving force may be approximately periodic at a frequency of a few Hz (e.g., in a range from about 1 Hz to about 5 Hz). Therefore, it may be advantageous for the mechanical oscillator system (e.g., mass plus shock absorber springs) to be constructed to have a resonant frequency significantly different from the driving frequency, and that strong damping be present.

In some embodiments, the size of the recirculating vessel surrounding the point of maximum compression 22 provides enough absorption of radiation by an absorber element (e.g., lithium) so there may be very little, if any, radiation transfer to solid metal structures of the system 10. For example, in some embodiments, a liquid thickness of approximately 1.5 meters for a lead/lithium mixture of about 17% Li atomic concentration may reduce the radiation flux to the solid support structure by a factor of at least about 10⁴.

FIG. 3 shows cross-sectional diagrams (A-I) schematically illustrating a time-sequence of an example of possible compression geometry during an impact of a projectile 12 on a fluid comprising liquid metal 46. The diagrams show the density of the fluid and the projectile material during the impact event. The diagrams are based on a simulation using an inviscid finite volume method on a fixed mesh, and where the plasma volume 36 has been added in by hand to schematically illustrate the approximate dynamics of collapse. In this example, prior to the time shown in diagram A, the accelerator 40 launches the projectile 12, which passes sensors near the end of the muzzle that in turn trigger the firing sequence of the plasma injector. The plasma torus in this example can then be injected into the steadily closing volume between the projectile 12 and the conical surface 27 of the compression chamber 26 formed in part by the flow of the liquid metal 46. As the projectile 12 impacts the compression chamber 26, the plasma torus 36 in this example is substantially uniformly compressed to a smaller radius into the conical compression chamber 26 formed by the liquid metal flow. The plasma may be compressed such that there can be an increase in density (or pressure or temperature) by a factor of two or more, by a factor of four or more, by a factor of 10 or more, by a factor of 100 or more, or by some other factor.

When the leading tip of the projectile 12 impacts the surface 27 of the liquid metal (as shown in diagram A), the plasma 36 becomes sealed within a closed volume. As the edge of the projectile begins to penetrate the liquid metal (e.g., as shown in diagrams B, C, and D) the rate of compression increases. For a projectile impact velocity at or exceeding the speed of sound in the liquid metal, the impact can produce a bow shock wave that moves with the projectile.

The front surface of the projectile 12 may comprise a shaped portion to increase the amount of compression. For 10 example, in the illustrative simulation depicted in FIG. 3, the projectile 12 comprises a concave, cone-shaped front portion (see, e.g., FIG. 4A). In some embodiments, the angle of the projectile cone may be selected to be substantially the same as the angle of the bow shock for a given impact velocity. In 15 some such embodiments, this selection of cone angle may be such that the compression occurs during the slowing down time of the projectile 12 rather than earlier during the crossing of the bowshock, which can be ahead of the surface of the projectile 12.

As the projectile 12 first encounters resistance from the impact, a compressional wave 70 can be launched backward through the projectile causing bulk compression of the projectile, while at the same time the normal impact force tends to cause a flaring of the opening of the projectile and begins 25 the process of deformation. On the outer edge of the projectile a possibly turbulent wake 72 may form in the liquid. As the projectile slows below the liquid metal speed of sound (e.g., diagram E), a compressional wave 70 can also be launched forward into the liquid metal flow. Peak compression of the 30 plasma may occur after this compression wave has passed beyond the compression chamber 26 (e.g., diagram F). When the backwards going compression wave reaches the back surface of the projectile it can reflect, yielding a decompression wave 74 that propagates forward through the projectile. 35 After the decompression wave reaches the plasma containing cavity, the collapse of the inner wall surface may begin to decelerate in pace, stagnate at peak plasma pressure, temperature and magnetic field strength and then begin to re-expand, driven by the increased net pressures in the plasma.

As an illustrative, non-limiting example, for the case of a 100 kg projectile traveling at an impact speed of 3 km/s, having a kinetic energy of 450 MJ, there may be an energy transfer time of approximately 200 microseconds, resulting in an average power of 2×10^{12} Watts. Since the time of peak 45 compression may be approximately ½ the energy transfer time, and there can be an angular divergence of energy into the fluid with approximately ½ of the energy going into compressing the plasma at any given time. For example, in this illustrative simulation, there may be a maximum of 50 approximately 1/6 of the total energy going into compressing the plasma. Thus, in this illustrative simulation, approximately 75 MJ of work would be done to compress the plasma. After the projectile has become fully immersed in the liquid metal flow, the projectile may develop fracture lines 76 and 55 begin to break up into smaller fragments, which remelt into the flow over the span of several seconds or less.

The projectile 12 shown in the simulations illustrated in FIG. 3 comprises a concave, conical surface. There are other possible projectile designs that may provide different compression characteristics, and some examples of projectile designs 12a-12f are schematically shown in FIGS. 4A-4F, respectively. The projectiles 12a-12f have a surface 13a-13f, respectively, that confines the liquid metal in the compression chamber 26. In some embodiments, the surface can be substantially conical, and portions of the surface may be concave or convex. Other surface shapes can be used, e.g., portions of

14

spheres, other conic sections, etc. In some embodiments comprising a conical surface, one possible parameter that may be adjusted to provide various concave surface designs is a cone angle, shown as angle Φ in FIGS. 4A and 4B. The cone angle can be chosen to improve the shock and flow dynamics as the projectile impacts the liquid metal liner. The cone angle Φ is larger in the projectile 12a than in the projectile 12f. The cone angle Φ can be about 20 degrees, about 30 degrees, about 40 degrees, about 45 degrees, about 50 degrees, about 60 degrees, or some other angle. In various embodiments, the cone angle Φ can be in a range from about 20 degrees to about 80 degrees, in a range from about 30 degrees to about 60 degrees, etc.

In some embodiments, the projectile 12c includes an elongated member 15 (e.g., a central spike; see FIG. 4C) that can act to continue the center electrode of the plasma injector 34. In some implementations of the system 10, such an elongated member 15 may prevent flipping of the magnetized plasma torus when it comes off the plasma injector 34. In some such 20 implementations, the plasma advantageously can be injected just as the forward end of the spike 15 contacts the liquid metal 46 in the compression chamber 26, and the plasma volume can be maintained in a substantially toroidal topology during the compression. Such implementations may advantageously allow for better magnetic confinement than a spherical collapse topology, but may have more surface area of metal exposed directly to the plasma, which may possibly increase impurity levels and lower the peak plasma temperature in some cases.

In some projectile designs, it can also be possible to have plasma compression less dominated by the fluid shock effect by using an appropriately shaped convex projectile 12d (see, for example FIG. 4D), which may compress the plasma for a significant fraction of total collapse time before the projectile intersects the liquid metal surface. To reduce or mitigate plasma impurities, the surface 13e of the projectile 12e may comprise a coating 19 formed from a second material (see, for example, FIG. 4E), such as, for example, lithium or lithiumdeuteride. Other portions of the projectile may include one or more coatings. Materials such as these typically are less likely to introduce impurities that may lead to, e.g., undesired plasma cooling if the impurities are swept into the edge of the plasma. In some embodiments, multiple coatings may be used. In some designs, the projectile may have features such as, e.g., grooves and/or indentations, around its surface to accommodate mechanical functioning of the loading system, or as a seal for a pneumatic accelerator gun. The projectile 13f schematically illustrated in FIG. 4F has a groove 17 around the circumference of the back edge into which a reusable sealing flange may be fitted, for example, during the initial casting of the projectile. In some embodiments using a pneumatic gun to accelerate the projectile 12f, the firing of the projectile 12f may occur when the pusher gas reaches sufficiently high pressure that the lead ring behind the sealing flange may be sheared off, thus freeing the projectile for acceleration, somewhat like the action of a burst diaphragm in a conventional gas gun.

FIG. 6 is a flowchart that schematically illustrates an example embodiment of a method 100 of compressing plasma in a liquid metal chamber using impact of a projectile on the plasma. At block 104, a projectile 12 is accelerated towards a liquid metal compression chamber. The projectile can be accelerated using an accelerator such as, e.g., the accelerator 40. For example, the accelerator can be a light gas gun or electromagnetic accelerator. The compression chamber can be formed in a liquid material such liquid metal. For example, in some implementations, at least a portion of the

compression chamber is formed by the flow of a liquid metal as described herein with reference to FIG. 1. At block 108, a magnetized plasma is accelerated toward the liquid metal chamber. For example, the magnetized plasma may comprise a compact torus (e.g., a spheromak or FRC). The magnetized 5 plasma may be accelerated using the plasma torus accelerator 34 in some embodiments. In some such embodiments, the magnetized plasma is generated and accelerated after the projectile has begun its acceleration toward the compression chamber, because the speed of the magnetized plasma can be much higher than the speed of the projectile. At block 112, impact of the projectile on the liquid metal (when the plasma is in the compression chamber) compresses the magnetized plasma in the compression chamber. The plasma can be heated during the compression. The projectile can break up and can melt into the liquid metal. At optional block 116, a portion of the liquid metal is recycled and used to form one or more new projectiles. For example, the liquid metal recirculation system and projectile factory 37 described with refer- 20 ence to FIG. 1 may be used for the recycling. The new projectiles can be used at block 104 to provide a pulsed system for plasma compression.

Embodiments of the above-described system and method are suited for applications in the study of high energy density 25 plasma including, for example, applications involving the laboratory study of astrophysical phenomena or nuclear weapons. Certain embodiments of the above-described system and method can be used to compress a plasma that comprises a fusionable material sufficiently that fusion reactions and useful neutron production can occur. The gas used to form the plasma may comprise a fusionable material. For example, the fusionable material may comprise one or more isotopes of light elements such as, e.g., isotopes of hydrogen (e.g., deuterium and/or tritium), isotopes of helium (e.g., helium-3), and/or isotopes of lithium (e.g., lithium-6 and/or lithium-7). Other fusionable materials can be used. Combinations of elements and isotopes can be used. Accordingly, certain embodiments of the system 10 may be configured to act as $_{40}$ pulsed-operation high flux neutron generators or neutron sources. Neutrons produced by embodiments of the system 10 have a wide range of uses in research and industrial fields. For example, embodiments of the system 10 may be used for nuclear waste remediation and generation of medical nucle- 45 otides. Additionally, embodiments of the system 10 configured as a neutron source can also be used for materials research, either by testing the response of a material (as an external sample) to exposure of high flux neutrons, or by introducing the material sample into the compression region and subjecting the sample to extreme pressures, where the neutron flux may be used either as a diagnostic or as a means for transmuting the material while at high pressure. Embodiments of the system 10 configured as a neutron source can also be used for remote imaging of the internal structure of objects via neutron radiography and tomography, and may be advantageous for applications requiring a fast pulse (e.g., several microseconds) of neutrons with high luminosity.

For some large scale industrial applications it may be economical to run several plasma compression systems at the same facility, in which case some savings may accrue by having a single shared projectile casting facility that recycles liquid metal from more than one system, and then distributes the finished projectiles to the loading mechanisms at the 65 breach of each accelerator. Some such embodiments may be advantageous in that a misfire in a single accelerator may not

16

bring the entire facility cycle to a halt, because the remaining compression devices may continue operating.

ADDITIONAL EMBODIMENTS AND EXAMPLES

The systems and methods described herein may be embodied in a wide range of ways. For example, in one embodiment, a method for compressing a plasma is provided. The method includes (a) circulating a liquid metal through a vessel and directing the liquid metal through a nozzle to form a cavity, (b) generating and injecting a magnetized plasma torus into the liquid metal cavity, (c) accelerating a projectile, having substantially the same composition as the liquid metal, 15 toward the cavity so that it impacts the magnetized plasma torus, whereby the plasma is heated and compressed, and the projectile disintegrates and melts into the liquid metal. The method may also include (d) directing a portion of the liquid metal to a projectile-forming apparatus wherein new projectiles are formed to be used in step (c). One or more steps of the method may be performed repeatedly. For example, in some embodiments, steps (a)-(c) are repeated at a rate ranging from about 0.1 Hz to about 10 Hz.

In some embodiments of the method, the cavity can be roughly conical in shape. In some embodiments, the liquid metal comprises a lead-lithium alloy. In some embodiments, the liquid metal comprises a lead-lithium alloy with about 17% atomic concentration of lithium. In some embodiments, the liquid metal comprises a lead-lithium alloy with an atomic concentration of lithium in a range from about 5% to 20%. In some embodiments, the liquid metal may be circulated through a heat exchanger for reducing the temperature of the liquid metal.

In some embodiments of the method, the plasma comprises a fusionable material. In some embodiments, the fusionable material comprises deuterium and/or tritium. In some embodiments, the deuterium and tritium are provided in a mixture of about 50% deuterium and about 50% tritium. In some embodiments of the method, compression of the plasma 40 results in heating of the plasma and/or production of neutrons and/or other radiation.

An embodiment of a plasma compression system is provided. The system comprises a liquid metal recirculation subsystem that comprises a containment vessel and a circulation pump for directing the liquid metal through a nozzle to form a cavity within the vessel. The system also comprises a plasma formation and injection device for repeatedly forming a magnetized plasma torus and injecting it into the metal cavity. The system also comprises a linear accelerator for repeatedly directing projectiles, having substantially the same composition as the liquid metal, toward the cavity. The system also comprises a projectile-forming subsystem comprising projectile-shaped molds in which new projectiles are formed and then directed to the linear accelerator, wherein the 55 molds are connected to at least periodically receive liquid metal, comprising melted projectiles, that are recirculated from the containment vessel.

An embodiment of a plasma compression device is provided. The device comprises a linear accelerator for firing a projectile at high speeds into a muzzle coupled to a vacuum pump for creating at least a partial vacuum inside the muzzle. The system also comprises a conical focusing plasma injector having coaxial tapered electrodes connected to a power supply circuit to provide an electrical current. The electrodes may form a cone tapering to a focusing region. The system also includes a magnetized coaxial plasma gun for injecting material for generating a magnetized compact torus (e.g., a sphero-

mak), and the open end of gun muzzle can be seated inside the cone in conductive contact with the inner electrode. The system also includes a recirculating vessel suitable for containing metal fluid and having an opening for receiving the tapered cone of accelerator and a base region, and a heat 5 exchange line connected between the base and conical opening regions with a recirculation pump to pump fluid from the base to the conical opening. The tapered electrodes of the accelerator are seated within the conical opening such that the outer electrode surface guides a convergent flow path for the 10 pressurized metal fluid creating a focusing region within the tapered fluid walls that confines and further focuses the magnetized spheromak compact torus, which can be compressed to a maximum compression zone in the inner cavity of the vessel. When the recirculating vessel is filled with fluid metal 15 and fusionable material is injected, a projectile is fired by the gun to intercept the magnetized plasma ring when it has traveled near the tapered fluid wall, and compresses the plasma within the fluid to an increased pressure, thereby imparting kinetic energy to the plasma to increase ion tem- 20 perature.

An embodiment of a plasma compression system includes an accelerator for firing a projectile toward a magnetized plasma (e.g., a plasma torus) in a cavity in a solid metal or a liquid metal. The system also may include a plasma injector 25 for generating the magnetized plasma and injecting the magnetized plasma into the cavity. In embodiments comprising a cavity in liquid metal, the system may include a vessel configured to contain the liquid metal and having a tapered nozzle to form the cavity by flow of the liquid metal. The magnetized 30 plasma is injected into the cavity, and a projectile fired by the accelerator intercepts the plasma and compresses the plasma against the surface of the cavity, creating a high pressure impact event that compresses the magnetized plasma. The plasma compression may result in heating of the plasma. 35 Impact of the projectile with the cavity can cause the projectile to disintegrate. In embodiments comprising a liquid metal cavity, the projectile may melt into the liquid metal. In some such embodiments, a portion of the liquid metal may be diverted to cast new projectiles that can be used to maintain a 40 repetitive firing cycle with a substantially closed inventory of liquid metal.

While particular elements, embodiments and applications of the present disclosure have been shown and described, it will be understood, that the scope of the disclosure is not 45 limited thereto, since modifications can be made by those skilled in the art without departing from the scope of the present disclosure, particularly in light of the foregoing teachings. Thus, for example, in any method or process disclosed herein, the acts or operations making up the method/process 50 may be performed in any suitable sequence and are not necessarily limited to any particular disclosed sequence. Elements and components can be configured or arranged differently, combined, and/or eliminated in various embodiments. The various features and processes described above may be 55 used independently of one another, or may be combined in various ways. All possible combinations and subcombinations are intended to fall within the scope of this disclosure. Reference throughout this disclosure to "some embodiments," "an embodiment," or the like, means that a particular 60 feature, structure, step, process, or characteristic described in connection with the embodiment is included in at least one embodiment. Thus, appearances of the phrases "in some embodiments," "in an embodiment," or the like, throughout this disclosure are not necessarily all referring to the same 65 embodiment and may refer to one or more of the same or different embodiments. Indeed, the novel methods and sys18

tems described herein may be embodied in a variety of other forms; furthermore, various omissions, additions, substitutions, equivalents, rearrangements, and changes in the form of the embodiments described herein may be made without departing from the spirit of the inventions described herein.

Various aspects and advantages of the embodiments have been described where appropriate. It is to be understood that not necessarily all such aspects or advantages may be achieved in accordance with any particular embodiment. Thus, for example, it should be recognized that the various embodiments may be carried out in a manner that achieves or optimizes one advantage or group of advantages as taught herein without necessarily achieving other aspects or advantages as may be taught or suggested herein.

Conditional language used herein, such as, among others, "can," "could," "might," "may," "e.g.," and the like, unless specifically stated otherwise, or otherwise understood within the context as used, is generally intended to convey that certain embodiments include, while other embodiments do not include, certain features, elements and/or steps. Thus, such conditional language is not generally intended to imply that features, elements and/or steps are in any way required for one or more embodiments or that one or more embodiments necessarily include logic for deciding, with or without operator input or prompting, whether these features, elements and/or steps are included or are to be performed in any particular embodiment. No single feature or group of features is required for or indispensable to any particular embodiment. The terms "comprising," "including," "having," and the like are synonymous and are used inclusively, in an open-ended fashion, and do not exclude additional elements, features, acts, operations, and so forth. Also, the term "or" is used in its inclusive sense (and not in its exclusive sense) so that when used, for example, to connect a list of elements, the term "or" means one, some, or all of the elements in the list.

The example calculations, simulations, results, graphs, values, and parameters of the embodiments described herein are intended to illustrate and not to limit the disclosed embodiments. Other embodiments can be configured and/or operated differently than the illustrative examples described herein.

Accordingly, while certain example embodiments have been described, these embodiments have been presented by way of example only, and are not intended to limit the scope of the inventions disclosed herein. Thus, nothing in the foregoing description is intended to imply that any particular feature, element, component, characteristic, step, module, or block is necessary or indispensable. Indeed, the novel methods and systems described herein may be embodied in a variety of other forms; furthermore, various omissions, substitutions and changes in the form of the methods and systems described herein may be made without departing from the spirit of the inventions disclosed herein. The accompanying claims and their equivalents are intended to cover such forms or modifications as would fall within the scope and spirit of certain of the inventions disclosed herein.

What is claimed is:

1. A method of compressing a plasma, the method comprising:

generating a toroidal plasma;

accelerating the toroidal plasma toward a cavity in a liquid metal;

accelerating a projectile toward the cavity in the liquid metal; and

compressing the toroidal plasma with the projectile while the toroidal plasma is in the cavity in the liquid metal and while the projectile is at least partially within the cavity in the liquid metal.

- 2. The method of claim 1, wherein generating a toroidal 5 plasma comprises generating a spheromak.
- 3. The method of claim 1, wherein accelerating the toroidal plasma further comprises compressing the toroidal plasma.
- 4. The method of claim 1, wherein accelerating the projectile comprises using high pressure gas to accelerate the projectile.
- 5. The method of claim 1, wherein accelerating the projectile comprises using electromagnetic forces to accelerate the projectile.
- 6. The method of claim 1, further comprising forming the 15 cavity in the liquid metal.
- 7. The method of claim 6, wherein forming the cavity comprises flowing a liquid metal to form the cavity.
- 8. The method of claim 6, further comprising recycling a portion of the liquid metal to form at least one new projectile 20 for compressing toroidal plasma while the toroidal plasma is in the cavity in the liquid metal and while the at least one new projectile is at least partially within the cavity in the liquid metal.

* * *

20