

[54] ANTI-MICROBIAL SYSTEMS  
CONTAINING THE MAGNESIUM SULFATE  
ADDUCT OF  
2,2'-DITHIOBIS-PYRIDINE-1,1'-DIOXIDE  
AND A WATER SOLUBLE ZINC SALT

4,161,526 7/1979 Gorman ..... 514/188  
4,163,783 8/1979 Klein et al. .... 514/335  
4,235,873 11/1980 Packman ..... 424/47  
4,410,446 10/1983 Cheng et al. .... 252/309

[75] Inventors: JoséE. Ramirez, Trumbull; Robert J.  
Tanko, Cheshire; Mohan Vishnupad,  
Monroe; William H. Schmitt,  
Branford, all of Conn.

FOREIGN PATENT DOCUMENTS

54-15939 2/1979 Japan ..... 514/335  
60-16973 1/1985 Japan ..... 514/335

[73] Assignee: Chesebrough-Pond's, Inc.,  
Greenwich, Conn.

OTHER PUBLICATIONS

Chemical Abstract 69:343387w (1968); Okomoto, et al.  
Chemical Abstract 80:91617x (1974); Elkhoully, et al.  
Chemical Abstract 87:161376p (1977); Wedig et al.  
Chemical Abstract 88:177003w (1978); Wedig, et al.  
Chemical Abstract 91:32995y (1979); Giloor, et al.  
The Merck Index 9th Ed. (1976)—pp. 1307-1309; Merck  
& Co.

[21] Appl. No.: 289,962

[22] Filed: Dec. 23, 1988

Related U.S. Patent Documents

Reissue of:

[64] Patent No.: 4,654,213  
Issued: Mar. 31, 1987  
Appl. No.: 774,725  
Filed: Sep. 11, 1985

Primary Examiner—Allen J. Robinson  
Attorney, Agent, or Firm—Morgan & Finnegan

[57] ABSTRACT

[51] Int. Cl.<sup>5</sup> ..... A61K 31/555; A61K 33/30;  
A01N 55/02; A01N 59/16

[52] U.S. Cl. .... 424/641; 424/56;  
424/642; 514/188

[58] Field of Search ..... 424/145, 49, 56, 641,  
424/642, 56; 514/188

This invention relates to novel antimicrobial systems containing a water-soluble, non-ionic pyrethione derivative known chemically as the magnesium sulfate adduct of 2,2'-dithiobis-pyridine-1,1'-dioxide (referred to hereinafter as "the magnesium sulfate adduct") and a water soluble zinc salt.

The antimicrobial systems of this invention may be incorporated in various useful therapeutic and cleansing compositions such, for example, as surgical scrub compositions, skin disinfectants, mouthwashes, deodorants, hospital cleaners, etc.

[56] References Cited

U.S. PATENT DOCUMENTS

3,890,434 6/1975 Weisse et al. .... 514/335  
4,152,431 5/1979 Klein ..... 514/335

5 Claims, No Drawings

**ANTI-MICROBIAL SYSTEMS  
CONTAINING THE MAGNESIUM SULFATE  
ADDUCT OF  
2,2'-DITHIOBIS-PYRIDINE-1,1'-DIOXIDE AND A  
WATER SOLUBLE ZINC SALT**

Matter enclosed in heavy brackets [ ] appears in the original patent but forms no part of this reissue specification; matter printed in italics indicates the additions made by reissue.

**SUMMARY OF INVENTION**

This invention relates to novel antimicrobial systems containing a water-soluble, non-ionic pyrethione derivative known chemically as the magnesium sulfate adduct of 2,2'-dithiobis-pyridine-1,1'-dioxide (referred to hereinafter as "the magnesium sulfate adduct") and a water soluble zinc salt. More particularly, it has been found that the presence of a water soluble zinc salt appears to enhance to an unexpected extent the antimicrobial activity of the magnesium sulfate adduct against certain types of microorganisms such, for example, as [Staphylococcus epidermidis, Staphylococcus aureus and] Pseudomonas aeruginosa.

The antimicrobial system of this invention may be incorporated in various useful therapeutic and cleansing compositions such, for example, as surgical scrub compositions, skin disinfectants, mouthwashes, deodorants, hospital cleaners, etc.

**BACKGROUND OF THE INVENTION**

The magnesium sulfate adduct used in accordance with this invention is a well known broad spectrum antimicrobial agent. For example, a well known commercially available form is sold by Olin Chemicals of Stanford, Conn. under the trade name "OMADINE MDS" which is the trihydrate form.

While the magnesium sulfate adduct used in this invention has broad spectrum antimicrobial activity, it lacks the desired activity against Pseudomonas aeruginosa, the microorganism associated with infection that often follows severe burning of the skin.

[Examples of additional microorganisms against which it would be desirable to enhance the antimicrobial activity of the pyrethione derivative used in this invention are Staphylococcus aureus and Staphylococcus epidermidis.]

**OBJECTS OF THE INVENTION**

An object of the invention is to provide novel antimicrobial systems wherein enhanced antimicrobial activity of the magnesium sulfate adduct is effectuated against certain types of microorganisms.

Another object of this invention is to provide novel therapeutic and cleansing compositions having incorporated therein the antimicrobial system set forth in the foregoing object.

**GENERAL DESCRIPTION OF THE INVENTION**

It has been found that the objects of this invention may be realized by forming an antimicrobial system containing the magnesium sulfate adduct and a water soluble salt.

For example, microbiological testing indicates that the activity of magnesium sulfate adduct against Ps.

aeruginosa is enhanced in the presence of water soluble zinc salts.

The preferred zinc salt used in accordance with this invention is zinc chloride (ZnCl<sub>2</sub>). Other water soluble zinc salts which may be used are zinc acetate, zinc sulfate, zinc nitrate, zinc phenylsulfonate, etc.

In general, it has been found that in order to obtain the desired enhancement of antimicrobial activity in accordance with the present invention the zinc salt should be in an amount from about 1 to about 10, and preferably from about 1 to 1 parts by weight per part of the magnesium sulfate adduct.

In the therapeutic and/or cleansing composition of this invention the magnesium sulfate adduct in general is in an amount from about 0.1 to 1.5% by weight and the zinc salt from about 0.1 to 1% by weight, of the total composition.

It has been found that a most useful antimicrobial composition that may be obtained utilizing the present invention is a surgical scrub compositions employing the antimicrobial system of this invention in an anhydrous foamable base composition. Such surgical scrub compositions have been found useful in killing [both Staphylococcus aureus and] the Pseudomonas aeruginosa [types of bacteria] bacterium. The anhydrous foamable base composition contains petroleum jelly, mineral oil and a mild detergent (Sodium cocoyl isethionate).

**SPECIFIC DESCRIPTION OF THE PRESENT INVENTION**

In order to illustrate the invention by specific examples a number of compositions containing the magnesium sulfate adduct and zinc chloride in accordance with the invention were tested for antimicrobial activity and compared with control compositions containing either the magnesium sulfate adduct and/or zinc chloride. These compositions are disclosed in Table I and their antimicrobial activity determined using the "Zone of Inhibition Test" determined.

Zone of inhibition test is the relationship between a standard application of a test formulation on a solid agar surface and the resulting zone of inhibited growth of a test organism applied to the agar surface. The larger the zone of growth inhibition, the greater the antimicrobial activity. This test method is used to determine antimicrobial activity in both liquids and solids.

The compositions of Table I which exemplify of the present invention are:

**TABLE I**

SYNERGISTIC EFFECTS OF ZnCl <sub>2</sub> ON THE ACTIVITY OF THE MAGNESIUM SULFATE ADDUCT @ vs. PSEUDOMONAS			
	ACTIVE ING.'S AND PERCENTAGE	PHYSICAL FORM	ZONES (mm) vs. PSEUDOMONAS
Example A	Omadine MDS @ 0.135%	Solution	0
Example B	Aluminum Chlorohydrate (ACH) @ 17.5%	Solution	0
Example C	Omadine MDS @ 0.135% ACH @ 17.5%	Solution	0
Example I	Omadine MDS @ 0.135% ACH @ 17.5%	Solution	7.6
Example D	ZnCl <sub>2</sub> @ 0.1%	Lotion	0
Example E	Omadine MDS @ 0.135% ACH @ 17.5%	Solution	0
Example	Omadine MDS @ 0.135%	Solution	8.6

TABLE I-continued

SYNERGISTIC EFFECTS OF ZnCl <sub>2</sub> ON THE ACTIVITY OF THE MAGNESIUM SULFATE ADDUCT (®) vs. PSEUDOMONAS			
	ACTIVE ING.'S AND PERCENTAGE	PHYSICAL FORM	ZONES (mm) vs. PSEUDOMONAS
2	ACH @ 17.5% ZnCl <sub>2</sub> @ 0.1%		
Example F	Omadine MDS @ 0.135%	Solution	0
Example 3	Omadine MDS @ 0.135% ZnCl <sub>2</sub> @ 0.10%	Solution	5.6
Example G	ZnCl <sub>2</sub> @ 0.10%	Solution	0
Example H	Omadine MDS @ 0.135%	Solution	0
Example I	Omadine MDS @ 0.135% ACH @ 17.5%	Solution	0
Example 4	Omadine MDS @ 0.135% ACH @ 17.5% ZnCl <sub>2</sub> @ 0.10%	Solution	8.3
Example J	Base Formula Only	Lotion	0
Example K	ZnCl <sub>2</sub> 1.0%	Lotion	2.9
Example L	Omadine MDS 0.225%	Lotion	1.9
Example 5	Omadine MDS 0.225% ZnCl <sub>2</sub> 1.0%	Lotion	11.9
Example M	ZnCl <sub>2</sub> 2.0%	Solution	1
Example N	Omadine MDS 0.225%	Solution	0.5
Example 6	Omadine MD @ 0.5% ZnCl <sub>2</sub> 2.0%	Powder	11.3

\*The magnesium sulfate adduct is sold by Olin Chemicals under the trade name OMADINE MDS.

Another useful determination for evaluating antimicrobial activity is to the minimal inhibitory concentration (M.I.C.) amount. The minimal inhibitory concentration is a serial twofold dilution of the test formulation in a broth culture medium which is inoculated with a standardized culture of microorganisms. The amount of test agent that will inhibit visible microbial growth is termed the minimal inhibitory concentration (M.I.C.) level. The lower the amount of test agent, the greater the antimicrobial activity.

[In Table 2 there is reported minimal inhibitory concentration values for Example 7 formed in accordance with the present invention and controls containing only the magnesium sulfate adduct and/or zinc chloride.]

TABLE 2

FORMULA NOS.	ACTIVE ING.'S AND PERCENTAGE	PHYSICAL FORM	MINIMUM INHIBITORY CONCENTRATION (PPM) vs. PSEUDOMONAS
Example O	ZnCl <sub>2</sub> 0.1%	Solution	No Activity
Example P	Omadine MDS 0.135%	Solution	250
Example 7	Omadine MDS 0.135% ZnCl <sub>2</sub> 0.1%	Solution	30

The results [reported in Table 2] of experimental analyses indicated [no activity for ZnCl<sub>2</sub>, activity of 250 ppm for Omadine MDS alone and 30 ppm for the combination of ZnCl<sub>2</sub> with Omadine MDS. This indicates] an eightfold increase in activity against *Pseudomonas aeruginosa* for the combination of ZnCl<sub>2</sub> with omadine MDS compared to the activity of ZnCl<sub>2</sub> alone or Omadine MDS alone.

In still further comparison study compositions were prepared and evaluated both by the minimum inhibitory concentration method and the zone of inhibition. The results were similar for all salts tested at 1% concentration with Omadine MDS at 0.5%. [The activities for all

the controls were from 125 to 550 ppm using the M.I.C. method and from 4 to 8 ppm for the combination of zinc salt with Omadine MDS.] Again, the zone of inhibition was almost non-existent for controls 0-2 mm and 10-14 mm for the combination of the magnesium sulfate adduct and ZnCl<sub>2</sub> combination employed in the present invention.

In Table 3 there is disclosed a surgical scrub composition Composition I employing the anhydrous foaming base composition of pending application Ser. No. 028,072 containing petroleum jelly, mineral oil, glycerine, TiO<sub>2</sub> and sodium cocoyl isethionate and the magnesium sulfate adduct and ZnCl<sub>2</sub> combination of the present invention and the control base Composition II.

TABLE 3

Formula	Composition I	Composition II
Petroleum Jelly	31.00	31.00
Mineral Oil	19.50	19.50
Glycerin	5.00	5.00
TiO <sub>2</sub>	0.50	0.50
Na Cocoyl Isethionate	40.00	42.00
Omadine MDS	2.00	2.00
ZnCl <sub>2</sub> (50% Solution)	2.00	

When tested for antimicrobial activity, the minimum inhibitory concentration activity was enhanced [from 125 ppm for the 2% Omadine MDS control Composition II to 2.0 ppm] for the Omadine MDS 2%, ZnCl<sub>2</sub> 1% in Composition I. This is over, providing a [sixtyfold] substantial increase in activity against *Pseudomonas aeruginosa* compared to Composition II. [Evidence for synergism was also observed against *Staphylococcus aureus*, for Composition I activity is 0.003 ppm, while the control Composition II with 2% Omadine is 0.1 ppm. This is a thirty-threefold increase in activity. For *Staphylococcus epidermidis*, once again the synergism was confirmed, with 0.0007 ppm activity for the 2% Omadine MDS 1% ZnCl<sub>2</sub> combination, while the Composition II control is 0.006 ppm. This is an elevenfold increase in activity.]

What is claimed is:

1. An antimicrobial composition comprising the magnesium sulfate adduct of 2,2'-dithiobis-pyridine-1,1'-dioxide and a water soluble zinc salt, the zinc salt being in an amount from about 1 to 10 parts by weight per part of the antimicrobial adduct.

2. An antimicrobial composition according to claim 1 wherein the zinc salt is selected from the group consist-

ing of zinc chloride, zinc acetate, zinc sulfate, zinc nitrate and zinc phenylsulfonate.

3. An antimicrobial system according to claim 1 wherein the zinc salt is zinc chloride.

4. An antimicrobial composition according to claim 1, 2 or 3 wherein the zinc salt is in an amount of 1 part by weight per part of the microbial adduct.

5. An antimicrobial composition according to claims 1, 2 or 3 wherein the magnesium sulfate adduct is in an amount from about 0.1 to 1.5% by weight and the zinc salt is in an amount from about 0.1 to 1% by weight of the total composition.

\* \* \* \* \*

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : REISSUE 33,512

DATED : JANUARY 1, 1991

INVENTOR(S) : Jose E. Ramirez; Robert J. Tanko; Mohan Vishnupad and  
William H. Schmitt

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 2, line 20 "compositions" should read --composition--.

Column 3, line 42 "gretaer" should read --greater--.

Signed and Sealed this  
Twenty-fifth Day of August, 1992

*Attest:*

DOUGLAS B. COMER

*Attesting Officer*

*Acting Commissioner of Patents and Trademarks*