



W. SOURS.  
Cooking Stove.

No. 6,720.

Patented Sept. 18, 1849.



# UNITED STATES PATENT OFFICE.

WILLIAM SOURS, OF MOUNT JACKSON, VIRGINIA.

## COOKING-STOVE.

Specification of Letters Patent No. 6,720, dated September 18, 1849.

*To all whom it may concern:*

Be it known that I, WILLIAM SOURS, of Mount Jackson, in the county of Shenandoah and State of Virginia, have invented  
5 certain new and useful Improvements in Cooking-Stoves, and that the following is a full, clear, and exact description of the principle or character which distinguishes them from all other things before known and of  
10 the usual manner of making, modifying, and using the same, reference being had to the accompanying drawing, in which—

Figure 1, represents a plan of the stove the top being transparent and in red lines.  
15 Fig. 2, is a section on *x, x*, of Fig. 1.

The invention consists in the arrangement of the flues, and their course around the oven; it is for the purpose of more equally distributing heat than has heretofore been,  
20 with a convenient mode of construction.

The fire chamber occupies the whole space (*a, a*,) under the top plate, contracted somewhat at the bottom by the side flues (*b*,); these flues open at each rear corner, at (*c*,)  
25 into the fire chamber, and convey the products of combustion directly back, horizontally, and on a level with the fire on each side to the front corners, where they descend into a common flue *d*,) gradually expanding laterally to the breadth of the  
30 stove, at which breadth it continues under the bottom of the oven (situated directly under the fire chamber) to the back, and

thence rises up to the pipe at (*p*,) located in, and projecting from the back of the  
35 stove, in which there is a projection (*e*,) for the purpose of enlarging the flues to facilitate the draft at that point, a device well known to stove makers. There is a damper (*h*,) which opens a direct draft into the pipe  
40 from the fire, through the center space (*i*,) when said damper is drawn back; as this is common to many stoves, a particular description will not be necessary. The products of combustion, when made to pass  
45 around the oven in the direction indicated by the arrows (said arrows being dotted when there is a partition behind which they are passed) flow first through the two horizontal pipes (*b*,) on each side fire, thence  
50 down the front under the oven and up the back to the exit pipe, which effectually distributes the heat all around the oven.

Having thus fully described my improvement in cooking stoves, what I claim therein  
55 as new, and for which I desire to secure Letters Patent, is—

The arrangement and direction of the flue, in combination with a fire chamber the whole size of the top of the stove, the flues  
60 forming the first part of the course being made a part of the walls of said chamber.

WILLIAM SOURS.

Witnesses:

LEMUEL ALLEN,  
J. S. PENNYBACKER.