




W. J. VAN HORN & W. ALEXANDER.
MACHINE FOR SHEETING PLUG TOBACCO.

No. 26,632.

Patented Dec. 27, 1859.



Witnesses:

R. C. Reed
J. A. Henry

Inventors:

Walter J. Van Horn
William Alexander

UNITED STATES PATENT OFFICE.

W. J. VAN HORN AND WM. ALEXANDER, OF LOUISIANA, MISSOURI.

IMPROVEMENT IN MACHINES FOR PREPARING PLUG CHEWING-TOBACCO.

Specification forming part of Letters Patent No. 26,632, dated December 27, 1859.

To all whom it may concern:

Be it known that we, WALTER J. VAN HORN and WILLIAM ALEXANDER, of the city of Louisiana, in the county of Pike and State of Missouri, have invented a new and useful Improvement in Machines for Preparing Plug Chewing-Tobacco; and we do hereby declare that the following is a full, clear, and exact description thereof, reference being had to the accompanying drawings, forming a part of this specification, in which—

Figure 1 represents a side elevation of my machine for pressing the tobacco. Fig. 2 is a vertical longitudinal central section taken through Fig. 1. Fig. 3 exhibits in detail the cutters for cutting the tobacco up into strips and plugs or lumps as it comes from the rollers in a compressed state.

Similar letters of reference indicate corresponding parts in the three figures.

By reference to the drawings, A represents the cast-iron frame-work for supporting the following parts:

B is a large cylinder having flanges projecting from either side of its circumference, and having its bearings in suitable journal-boxes on the top of frame A. Around this cylinder passes a belt, C, (indicated by red lines,) which may be of sheet metal or of any suitable material. This belt passes over two rollers, D D, which are also furnished with flanges. On one side of the cylinder, and fixed to its shaft, is a spur-wheel, E, of the same diameter as the cylinder, which receives its motion from any prime mover, and transmits it to the rollers for pressing and cutting the sheet of tobacco. The pressing-rollers F are arranged under the cylinder B and between the flanges of said cylinder, and are each furnished with a pinion spur-wheel, which engages with the teeth of the large wheel E, from which they all receive their rotary motion.

G is an endless belt, which passes around rollers H and I, and between the pressure-rollers F and belt C, and under these rollers F. This belt passes over a table, J, in the direction of the arrows of Fig. 2, upon which table the leaves of tobacco are laid in suitable thicknesses. The pressure-rollers have their bearings in an arc, K, which forms a part of the frame A.

In the rear of the machine, or where the

sheet of tobacco emerges from the rollers, are four cutting-rollers or rotary cutters.

L L are cutters, with their knives placed at a suitable distance apart, for cutting the continuous moving body of tobacco into lengths or longitudinal strips. The knives *a a* for this purpose are circular and work in annular slots in the upper roller. The sheet, after passing between these rotary cutters, is taken by the next cutters and cut into plugs or lumps of the required length. These last cutters consist of a cylinder, M, and rotary transverse knives N. These cutters are all operated by spur-gearing, as represented by Figs. 1 and 2, the motion being communicated to them by the main wheel E.

The operation of this machine may be described as follows: The tobacco in its natural state is placed upon the table J, and is carried down between the large revolving drum or cylinder B by belt G and submitted to the action of the pressure-rollers F, and after being pressed into a solid mass the sheets of tobacco are delivered on the opposite side of the machine of the proper thickness for plugs. This sheet then passes on between rollers, as above described, where it is cut into the required widths and lengths.

In the practical working of this machine, if the endless bands between which the tobacco is pressed should get choked up by adhering tobacco, they may be kept clean by arranging fixed scrapers so as to come in contact with the surface of the bands as they pass under the rollers.

What we claim as our invention, and desire to secure by Letters Patent, is—

A machine for pressing and cutting tobacco, consisting of a central cylinder, B, endless belts C G, belt-rollers D, pressing-rollers F, receiving-table J, and cutting-rollers I I M N, or their equivalents, constructed, arranged, and operating substantially as herein shown and described, so that the leaf-tobacco on being fed from the table will be pressed, cut, and delivered in the form of plugs, as herein set forth.

WALTER J. VAN HORN.
WILLIAM ALEXANDER.

Witnesses:

R. C. PEW,
J. A. T. HENRY.