

## S. Reage, Lathe Tool.

Nº27,598.

Patente al Mar. 20, 1860.





Witnesses: MoComby, Communghes, Elifabeth Keagy

Administratrix of the Estate of
Samil Keagy deleased

for Munifly attimess.

## UNITED STATES PATENT OFFICE.

ELIZABETH KEAGY, OF MINERAL POINT, PENNSYLVANIA, ADMINISTRATRIX OF THE ESTATE OF SAMUEL KEAGY, DECEASED.

## CENTERING-CHUCK FOR LATHES.

Specification of Letters Patent No. 27,598, dated March 20, 1860.

and State of Pennsylvania, administratrix 5 of the estate of Samuel Keagy, deceased, do hereby declare that the aforesaid Samuel Keagy did invent a new and Improved Centering-Chuck for Lathes; and I do hereby declare that the following is a full, clear, 10 and exact description of the same, reference being had to the annexed drawings, making a part of this specification, in which—

Figure 1 is a side view of a lathe with the within described invention applied to it.

15 Fig. 2 is a face view of the same.

Similar letters of reference indicate cor-

responding parts in the two figures.

The object of this invention is to obtain a simple attachment that may be applied to 20 any ordinary turning lathe, and serve as an efficient centering device therefor to admit of the very ready and proper adjustment of articles in the lathe.

The invention consists in placing on the thimble or sleeve, having its outer end of flaring form and so arranged relatively with [ the center points of the mandrel as to effect the desired end.

To enable those skilled in the art to fully understand and construct the invention I will proceed to describe it.

A represents the bed of an ordinary turning lathe; B, its stationary head, and C, the | 35 mandrel thereof, provided with center

points a. The above parts may be all constructed in the usual way with the exception of the mandrel C, which is a little longer than 40 usual to admit of a thimble or sleeve D, being placed on its inner end with a requisite degree of play or sliding movement allowed it. This thimble or sleeve is allowed to slide freely on the mandrel, and its outer end is 45 of flaring form or funnel-shaped, as shown clearly in Fig. 1. The thimble or sleeve is grooved externally and circumferentially to receive the fork at the upper end of a lever E, which is secured in the bed A, by a ful-50 crum pin  $a^*$ , the lower end of said lever

To all whom it may concern:

Be it known that I, Elizabeth Keagy, of Mineral Point, in the county of Cambria

having a cord b, attached, said cord passing over a pulley c, in the bed, and having a weight F, at its end—see Fig. 1.

The weight F, has a tendency to keep the thimble or sleeve D, thrust out to its fullest 55 extent on the mandrel, and at such a point that the flaring or funnel-shaped end of the thimble or sleeve will project over the points a, of the mandrel as shown in red Fig. 1.

The funnel-shaped interior of the thimble 60 or sleeve is concentric with the mandrel or center points a, and it is designed to have the funnel-shaped end of the thimble or sleeve of sufficient diameter to receive the end of the work or stick to be centered in the 65 lathe.

The operation will be readily seen: The work or stick to be operated on (shown in red, Fig. 1) has one of its ends shoved by the operation into the funnel-shaped end of 70 the thimble or sleeve D, and said end, being concentric with the mandrel C, and its points a, will guide and center the stick accurately the thimble or sleeve receding on 25 mandrel of the stationary head a sliding | the mandrel as the stick is pressed inward 75 to receive the points a. When the stick has been turned it is removed as usual and the weight F, throws the thimble or sleeve outward to its original position so that it may perform the function above described to the 80 succeeding stick. It will be understood, of course, that the other end of the stick is secured by the usual adjustable center point.

Having thus described the invention of Samuel Keagy, deceased, I, as administra- 85 trix of his estate, and in trust for the heirs of the aforesaid Samuel Keagy, do claim as new and desire to secure by Letters Patent:—

The sliding thimble or sleeve D, fitted on 90 the mandrel C, connected with a loaded lever E, and provided with a flaring or funnelshaped outer end concentric with the mandrel and its center points a, to form a centering chuck for a lathe, as set forth.

ELIZABETH KEAGY.

Witnesses:

S. B. Cohick, CYRUS L. PERSHING.