

I. Garrick, Accoulerments, Patented Sep. 24, 1861.







Witnesses. John Garthand. Joseph W. Moore.


Inventor. Thomas farriek

T. Gariel,

Accourterness,







United States Patent Office.

THOMAS GARRICK, OF PROVIDENCE, RHODE ISLAND.

IMPROVEMENT IN KNAPSACKS.

Specification forming part of Letters Patent No. 33,343, dated September 24, 1861.

To all whom it may concern:

Be it known that I, THOMAS GARRICK, of the city and county of Providence, in the State of Rhode Island, have invented a new and useful Improvement in Knapsacks for Soldiers' Use, which I style a "Combined Knapsack, Canteen, and Haversack;" and I do hereby declare that the following specification, taken in connection with the drawings making a part of the same, is a full, clear, and exact de-

scription thereof.

Figure 1 is a side view of the knapsack, &c., as it appears when strapped upon the back of the soldier. Fig. 2 is a view of the same as it appears when the back of the soldier is turned toward the observer. Fig. 3 is a view of the haversack and canteen when detached from the knapsack and worn at the side. Figs. 5 and 6 are views of the canteen and suction-tube. Fig. 7 is a view of the knapsack when opened. Fig. 8 is a view of the same when folded up, and Figs. 4 and 9 are details, to be referred to hereinafter.

The object of my invention is to provide an article for the convenience of the soldier which shall be so arranged that it can accommodate in one package to be carried on the back his clothing and rations, while the different parts which compose it can be used separately, if desired, and also to construct the knapsack in such a manner that it can be, when not in use, folded into a small space for convenience of storage or transportation.

A, Figs. 1 and 7, represents a knapsack the outward form of which is similar to those now in use, but whose construction will presently be described. Bis a water-proof flap attached to it, within which, as shown in Fig. 7, the blanket can be placed. Two ears p p, of leather, Figs. 1 and 7, are attached to the knapsack, extending below the bottom, which furnish a means for buttoning the canteen E to the knapsack, as shown. The canteen is

in the form of a semi-cylinder, Figs. 5 and 6, its length being equal to the width of the knapsack. It is provided with a flexible tube a, through which the contents of the canteen can be drawn into the mouth. The canteen is also provided with a supporting-strap b, which enables the wearer to sling it at his side whenever the knapsack is not worn.

The haversack C is arranged, as shown in Figs. 1 and 2, so that it can be secured to the knapsack, the upper straps passing over the shoulders and buckled to the straps which cross the breast and sustain the knapsack, Figs. 1 and 9. When the knapsack is not worn, the haversack can, by the use of the same straps, be slung at the side, as shown in

Fig. 3.

The knapsack, Fig. 7, has its four sides A A F F made of light wood or other suitable material, and is covered with a casing of enameled cloth or other flexible material. The two opposite sides A and F are hinged at opposite extremities to the other sides, respectively, a spring-catch at the ends not hinged securing them in position. When the knapsack is not required for use, the sides A and F can be readily folded against the other two sides and the whole folded together, making a package like that shown at Fig. 8.

What I claim as my invention, and desire

to secure by Letters Patent, is—

1. Combining and arranging a knapsack, canteen, and haversack in the manner sub-

stantially as described.

2. Making the sides of a knapsack in such manner that they can be folded together, substantially as described, for the purposes specified.

THOMAS GARRICK.

Witnesses:

JOHN GARTLAND. J. W. Mone.