

G. M. Story,

Cartet Stretcher.

10.10/677.

Fatented An: 5.1810.





Witnesses:

William Of Herthel

Robert Quens

Inventor:

Jeonge It. Story
This att feethel & Co

Anited States Patent Office.

GEORGE W. STORY, OF KANSAS CITY, MISSOURI.

Letters Patent No. 101,677, dated April 5, 1870.

IMPROVED CARPET-STRETCHER.

The Schedule referred to in these Letters Patent and making part of the same.

To all whom it may concern:

Be it known that I, George W. Story, of Kansas City, in the county of Jackson and State of Missouri, have made certain new and useful Improvements in Carpet-Adjusters; and I do hereby declare the following to be a full and true description thereof, reference being had to the accompanying drawings and to the letters of reference marked thereon.

This invention relates to the manner of adjusting the carpet to the room so that it may be uniformly and tightly drawn over the surface to be covered; and said invention relates, secondly, to the manner of holding or fastening the carpet securely in its place, but so as to be readily disconnected and taken up in case of emergencies.

To enable those herein skilled to make and use my said invention, I will now more fully describe the same, referring herein to the accompanying drawing—

Figure 1 as a sectional elevation; to

Figure 2 as an end section at line xy; and to

Figure 3, as a top plan.

To support the carpet and hold the ends thereof, I use metallic (usually light wrought iron) shafts or bars A. These bars are arranged in suitable lengths on the edges of a room, being supported in bearings B B'.

On the shafts A are proper hooks, a, for simply attaching the edge of a carpet or matting; then in turning the shafts A the carpet will be drawn taut over the floor.

The shaft A, if of great length, will be jointed, as shown at a', by preference in a bearing B', since then the use of a sleave may be avaided.

the use of a sleeve may be avoided..

The bearings B and B', to allow for adjustment of the carpet, will be arranged with spring, screw, or bolt-fastenings b; the springs b', being wound about the screws b, press down the bearings, so that in raising the bearings the tension of the springs b' must be overcome.

The mechanism for adjusting or drawing up a carpet is as follows:

In a corner bearing, such as B, the adjacent shafts

A and A' are joined by bevel-gear wheels c c'. One of the shafts A has a ratchet-wheel, D, secured thereto. On said shaft is a lever, D', which connects by the pawl d with the ratchet-wheel D, so that an operator by the ratchet-lever may turn the shafts A and A'.

When the carpet is drawn taut, the lever D' is removed, while to retain the shafts A A' (and to prevent unwinding) a spring-catch, E, raises to cause its hook e to engage in the teeth of the ratchet-wheel D and hold the same.

The spring-catch E has a lever extension, E', within easy reach of the operator, so that if it is desired to suddenly release the shafts A and A' and the carpet or matting, proper pressure upon said lever E' will have the effect required.

The hook e, by its form, follows up the movement of the shaft A under impulse of the ratchet-lever D'.

By the action of the several parts in the manner thus described, the carpet, matting, or floor-cloth is properly adjusted, and then securely held, and the release from the fastening at the same time may be immediate.

At the same time the material of the carpet is not so much torn, and the floors are not battered, and the usual wash-boards are not disfigured, as where carpets are tacked down.

Having thus fully described my invention,

What I claim is—

1. The bars A A', arranged with hooks a, joined by wheels c c', and supported in spring bearings B B', substantially as and for the purposes set forth.

2. The shafts A, ratchet-wheel D, lever D', and springs E, E', and e, substantially as and for the purposes set forth.

In testimony of said invention I hereunto set my hand in presence of—

G. W. STORY.

Witnesses:

WILLIAM W. HERTHEL, BOBERT BURNS.