

N. Hanchett,

Whip Holder.

No. 107,175.

Patented Sept. 6. 1870.

Fig. 1





Fig. 2.



Attest
Saml J. Sprague
Frederick E. Everts

Inventor.
Nelson Hanchett.
Per Attorney
Thos. J. Sprague

United States Patent Office.

NELSON HANCHETT, OF LESLIE, MICHIGAN.

Letters Patent No. 107,175, dated September 6, 1870.

IMPROVEMENT IN WHIP-HOLDER.

The Schedule referred to in these Letters Patent and making part of the same.

To whom it may concern:

Be it known that I, NELSON HANCHETT, of Leslie, in the county of Ingham and State of Michigan, have invented a new and useful Improvement in Whip-Holders; and I do declare that the following is a true and accurate description thereof, reference being had to the accompanying drawing and to the letters of reference marked thereon, and being a part of this specification, in which—

Figure 1 is a perspective view of my device

Figure 2 is a plan view, with the top disk removed.

Like letters indicate like parts in each figure.

The nature of this invention relates to an improved construction of a device, by means of which a great saving in room is had in storing whips, while, at the same time, they are exposed for examination.

The invention consists in the peculiar construction and arrangement of the various parts, as more fully hereinafter specified.

In the accompanying drawing—

A represents a concave and convex disk, and

B, a similar disk, arranged with their concave sides toward each other, and each disk is provided with a flat flange, as shown.

Between these disks, and secured to the flat flanges thereof, in such a manner that the whole is fastened together, is a wire, continuous or not, as may be desired, bent into the form of loops *a*, the longer sides of said loops forming parallel bars, between which the ends of the whips are inserted and hung.

Through the center of these disks is a suitable hole, through which passes a rod, C, the upper end of which may be screwed into, or, by a hook, suspended from the ceiling. By means of this rod the device is suspended at any desired height from the floor, in such a manner as to freely rotate.

What I claim as my invention, and desire to secure by Letters Patent, is—

The whip-holder above described, consisting of the disks A and B, the wire loops *a*, and the suspension-rod C, when the several parts are constructed as described and shown, and arranged as and for the purpose set forth.

NELSON HANCHETT.

Witnesses:

S. J. SPRAY,

FREDK. EBERTS.