


2 Sheets--Sheet 1.

J. ODENBAUGH.
Combined Stools and Foot-Rests.
No. 151,421. Patented May 26, 1874.




WITNESSES,
J. P. Connolly.
Anthony Connolly.

By

J. Odenbaugh
INVENTOR.
Connolly Bros.
Attorneys.

2 Sheets--Sheet 2.

J. ODENBAUGH.
Combined Stools and Foot-Rests.
No. 151,421. Patented May 26, 1874.



WITNESSES
J. B. Connolly
Anthony Connolly

By

J. Odenbaugh
INVENTOR
Connolly Bros
Attorneys.

UNITED STATES PATENT OFFICE.

JEFFERSON ODENBAUGH, OF GOSHEN, INDIANA, ASSIGNOR OF ONE-HALF
HIS RIGHT TO MELVIN B. HASCALL, OF SAME PLACE.

IMPROVEMENT IN COMBINED STOOLS AND FOOT-RESTS.

Specification forming part of Letters Patent No. **151,421**, dated May 26, 1874; application filed
February 13, 1874.

To all whom it may concern:

Be it known that I, JEFFERSON ODENBAUGH, of Goshen, in the county of Elkhart and State of Indiana, have invented a certain new and useful Combined Stool and Foot-Rest; and I do hereby declare the following to be a full, clear, and exact description of the invention, such as will enable others skilled in the art to which it pertains to make and use it, reference being had to the accompanying drawings, which form part of this specification, in which—

Figure 1 is a perspective view of my invention. Fig. 2 is an under-side plan view of the same.

This invention has relation to a combined stool and foot-rest; and consists in the construction and novel arrangement of parts, as hereinafter specifically described and claimed.

Referring to the accompanying drawings, A designates the seat of the stool, consisting of a suitably-shaped board, upholstered to suit the taste, and attached, by means of screws passing through flanges B, to the supports C. The latter are of cast metal of ornamental design, each support being in the form of two

legs, connected about or nearly midway between their upper and lower ends by means of a cast brace, D. E designates the foot-rest, consisting of the open plate or casting pivoted to the braces D, the pivots *d* thereof being threaded and provided on their outer ends with nuts *d'*, which may, if desired, be tightened to retain the foot-rest at any needed inclination. The foot plate or rest may be inclined to either side to suit the convenience of the user, lugs *e e* being cast on the inner surfaces of the braces D to sustain the rest at the proper inclination.

Having described my invention, I claim—

The combination of the pivoted foot-rest E with braces D, provided with the stops *e e*, and attached to the legs C, supporting the rest A, substantially as shown and described.

In testimony that I claim the foregoing I have hereunto set my hand this 23d day of January, 1874.

JEFFERSON ODENBAUGH.

Witnesses:

MELVIN B. HASCALL,
WILS. S. MILES.