
## AMMIM. GEORGE. Clothes-Pounders.

No.156,562.

Patented Nov. 3, 1874.



## UNITED STATES PATENT OFFICE.

AMMI M. GEORGE, OF NASHUA, NEW HAMPSHIRE.

## IMPROVEMENT IN CLOTHES-POUNDERS.

Specification forming part of Letters Patent No. 156,562, dated November 3, 1874; application filed September 5, 1874.

To all whom it may concern:

Be it known that I, AMMI M. GEORGE, of Nashua, in the county of Hillsborough and State of New Hampshire, have invented a new and valuable Improvement in Clothes-Pounders; and I do hereby declare that the following is a full, clear, and exact description of the construction and operation of the same, reference being had to the annexed drawings, making a part of this specification, and to the letters and figures of reference marked thereon.

of a front view of my clothes-pounder.

This invention has relation to devices for cleansing fabrics by pounding them, wherein an inverted cup-shaped pounder is combined with devices for giving it rapid vertical motion.

The nature of my invention consists in an inverted cup-shaped pounder having a valve in its upper end, and secured to a verticallyreciprocating rod, in combination with a leg or support, which is adjustably applied to the staff of the pounder, as will be hereinafter fully explained.

In the annexed drawings, A designates the staff of the pounder, having a T-shaped handle, a, and secured to a tubular guide, B, through which plays freely a rod, C, carrying on its lower end a cup-shaped pounder, D. The upper end of the rod C has connected to it a pitman-rod, E, and the upper end of this pitman-rod receives a wrist-pin, which is fixed into the face of a pinion spur-wheel, b, on staff |

A, which wheel engages with the teeth of a larger spur-wheel, c, to which a hand-crank, F, is secured.

By turning the crank F, the pounder D will receive a rapid reciprocating motion.

The pounder is a conical frustum, and it is provided with an air-inlet valve, d, in its upper end; also, with crossed rods e at its lower end. Valve d admits air into the pounder when it performs its upward strokes, and the rods e materially aid in beating the fabrics.

G designates a leg, which is secured to a Figure 1 of the drawing is a representation | head, g, that receives through it the tubular |portion B, and to which head a set-screw, g', is applied.

> By means of the leg G the device is supported on the bottom of a tub, and by means of the screw g' the device is adjustable vertically.

> What I claim as new, and desire to secure by Letters Patent, is—

> In combination with the clothes-pounder and operating mechanism, as described, the adjustable leg-support G, provided with head g and set-screw g', tubular guide B, and handle a, whereby the apparatus is made portable, and, also, adjustable in a wash-tub, substantially as specified.

> In testimony that I claim the above I have hereunto subscribed my name in the presence of two witnesses.

> > AMMI M. GEORGE.

Witnesses:

BEN. F. EMERSON, DAVID C. BUTTERFIELD.