

ZEBINA M. HIBBARD.  
Ironing Table.

No. 164,171.

Patented June 8, 1875.




Fig. 1.




Fig. 2.




Fig. 3.




Fig. 4.

Witnesses:

*Geo. W. Hawley.*  
*O. H. Adix.*

Inventor:

*Zebina M. Hibbard.*  
*By G. D. Lehigh.*  
*Atty.*

# UNITED STATES PATENT OFFICE.

ZEBINA M. HIBBARD, OF FREEPORT, ASSIGNOR OF ONE-HALF HIS RIGHT  
TO S. R. HIBBARD, OF CHICAGO, ILLINOIS.

## IMPROVEMENT IN IRONING-TABLES.

Specification forming part of Letters Patent No. **164,171**, dated June 8, 1875; application filed  
April 26, 1875.

*To all whom it may concern:*

Be it known that I, ZEBINA M. HIBBARD, of Freeport, in the county of Stephenson and State of Illinois, have invented a new and useful Improvement in Attachments for Ironing-Tables, of which the following is a specification:

The nature of the present invention consists in the novel construction of a metal plate, which sits in a vertical position, and is provided with a horizontal attachment for fastening to the end of an ironing-board, with an upwardly-projecting nib, for fastening the device to the wall of a house or room, and with inwardly-projecting jaws for fastening to a table, so as to bring the ironing-board over the table, whereby the latter may support the articles to be ironed; and, further, in hinged and detachable legs, whereby the ironing-board may have a suitable support when attached to a wall, and also have a support when attached to a table.

In the drawings, Figure 1 is a side elevation of my improvement in ironing-tables, as attached to the wall of a house or room; Fig. 2, an elevation thereof, as attached to an ordinary table; Fig. 3, a top or plan view of the ironing-table proper, with small ironing-board removed. Fig. 4 shows the small board, looking downward.

H represents an ironing-board, of ordinary construction, and of a convenient size for use. The end of this board is provided with a metal plate, I V, fastened to its top side, and extended down to support a clamp, J, which is used to fasten the board to a table, N, as shown at Fig. 2. In practice, a set-screw may be put through the clamp, as an additional security. The extreme end of the plate I is provided with a nib, S, Figs. 2 and 3, which fits into a socket, P, Fig. 1, attached to a wall. An upper board, L, is secured to the board H by means of a shank, *n*, Fig. 4, fitting into a socket, (dotted lines,) *m*, in the plate I. As a

support for the board L, the shank *n* is extended back under it, and bent down, as shown at K, Fig. 1, by which means the board L has a firm support on the board H. The under side of the board H is provided with a transverse dovetail, F, which fits into, and is removable from, the dovetailed part E. This part E is hinged to a frame or standard, C, which, when the part E is removed from the part F, can be folded up, and put in convenient shape for being stowed away.

At Fig. 1 the device is in position for using both boards, the device being fastened to the wall.

To attach the board H to a table, N, the dovetailed part E is detached from the part F by moving it transversely with the board H. This will detach the parts E F. The clamp J is then fixed to the edge of the table N, which position will bring the dovetail F on the top of the table as a support.

I am aware that ironing-boards have been clamped to tables, and that hinged legs have been employed; but I am not aware that such hinged legs have been detachable by means of a dovetail attachment; nor am I aware that a continuous plate has been constructed with the parts shown for supporting the board. In the application, parts have been illustrated and described which are not new; but I confine myself to the claim.

I claim and desire to secure by Letters Patent—

The plate V, provided with inwardly-projecting jaws or clamp J, nib S, and attaching-plate I, in combination with the hinged removable standard C and dovetail parts E F, attached to a board, H, as and for the purpose set forth.

ZEBINA M. HIBBARD.

Witnesses:

G. L. CHAPIN,  
JOHN EMMONS.