

R. JENNINGS.

WEATHER-STRIP.

No. 175,997.

Patented April 11, 1876.





WITNESSES.

WITNESSES.

M. W. Wharton

J. B. Leerre

Nobert fennings,

by G.H. V. Housede

attorneys.

UNITED STATES PATENT OFFICE.

ROBERT JENNINGS, OF BALTIMORE, MARYLAND, ASSIGNOR OF THREE-FIFTHS HIS RIGHT TO GEORGE FOWLER JENNINGS, OF SAME PLACE.

IMPROVEMENT IN WEATHER-STRIPS.

Specification forming part of Letters Patent No. 175,997, dated April 11, 1876; application filed December 24, 1875.

To all whom it may concern:

Be it known that I, Robert Jennings, of the city of Baltimore and State of Maryland, have invented certain new and useful Improvements in Weather-Strips, of which the following is a specification; and I do hereby declare that in the same is contained a full, clear, and exact description of my said invention, reference being had to the accompanying drawing, and to the letters of reference marked thereon.

This invention relates to a weather-strip to be attached to the bottom of a door, or at the side of a window-sash, to prevent the entrance of air, dust, &c.; and consists in means whereby the packing or flexible strip used to form a close joint offers no resistance to the opening of the door, and when applied to window-sash, to its elevation or depression.

In the further description of my invention, which follows, due reference must be had to the accompanying drawing, forming a part of this specification, and in which—

Figure 1 is a view of a door in a closed position and having attached thereto my improved weather-strip. Fig. 2 is a view of the same, with the door open. Fig. 3 is a back

view of the invention, and Fig. 4 a cross-section of the same.

Similar letters of reference indicate similar

parts of the invention in all the views.

A represents a door, to the lower edge of which is secured, by tacks, screws, or other devices, an offset metallic strip, a. The space b existing between the lower part of the strip a and the door is occupied by a folded plate, c, which holds the packing or flexible strip d. The plate c is slotted, the slots, which are represented by e, being inclined with reference to

the edges of the plate c and metallic strip a. The plate c is held within the space b by means of the bolts or pins e'. The position of the folded plate c and flexible strip d, or that occupied by them when the door or windowsash is open, is shown in Figs. 2, 3, and 4, the said parts being influenced to occupy such position by means of a spring, f, in connection with the pin g, which serve to elevate them and withdraw the flexible strip from contact with the floor or door-frame. In closing the door the projecting end c' of the folded plate c comes into contact with some part of the door-frame or a plate fastened thereto, and is forced in the direction of the slots, bringing the edge of the flexible strip d in contact with the floor or bottom of the door-frame.

In the adaptation of my invention to windows the operation is substantially the same.

I am aware that weather-strips rising and falling by means of springs in diagonal slots are not new, and such, therefore, I do not claim; but

What I claim as my invention and wish to secure by Letters Patent of the United States,

is__

The folded metallic clamping-strip c, provided with the diagonal slots e, rubber packing d, and pin g, combined with the offset metallic plate a, pins e', and spring f, as and for the purpose specified.

In testimony whereof I have hereunto subscribed my name this 2d day of December, in

the year of our Lord, 1875.

ROBERT JENNINGS.

Witnesses:

HENRY W. STAYLOR, CHARLES A. FRISBY.