


J. L. HYDE.
CORK-SCREW FRAMES.

No. 195,450.

Patented Sept. 25, 1877.



Attest.

Eugene Van Benschoten
Gas Hausen

Inventor.

J. Little Hyde

UNITED STATES PATENT OFFICE.

J. LITTLE HYDE, OF NEW YORK, N. Y.

IMPROVEMENT IN CORKSCREW-FRAMES.

Specification forming part of Letters Patent No. **195,450**, dated September 25, 1877; application filed February 12, 1877.

To all whom it may concern :

Be it known that I, J. LITTLE HYDE, of the city and State of New York, have invented an Improvement in Frames for Power Corkscrews, said improvement relating more particularly to the device shown in the patent granted to Charles Chinnoek, April 14, 1863; and I do hereby declare that the following is a full and exact description thereof, reference being had to the drawing and to the letters of reference marked thereon.

a a a is the frame, and *b* is the slot, making the improvement.

These frames have heretofore been made solid at the top, a hole drilled, the shank of the corkscrew passed through the hole and riveted fast to the handle; consequently, if a bad cork should be torn through, the screw could not be used separately to dig it out.

The frame *a* is made with a slot or division at *b*, a little less in width than the diameter of the shank of the corkscrew, and a section of a hole each side of the slot. The upright sides of the frame spring enough to hold the corkscrew in place when the frame is used as a fulcrum, the shank being the key to the arch, but allowing the corkscrew to be taken out and used separately.

What I claim, and desire to secure by Letters Patent, is—

The frame *a*, made with the slot *b*, as described, for the purpose set forth.

J. LITTLE HYDE.

Witnesses:

EUGENE VAN BENSCHOTEN,
JAS. HARRISON.