
M. POSZ. Bill-File Case.

No. 226,349.

Patented April 6, 1880.

Fig. 1



WITNESSES:

6. Neveresc\_


INVENTOR:

W. Sous

BY

ATTORNEYS.


M. POSZ. Bill-File Case.



## M. POSZ. Bill-File Case.

No. 226,349.

Patented April 6, 1880.



C. Neveux
6. Seugwick

INVENTOR:

M. Josz

BY

ATTORNEYS.

## United States Patent Office.

## MICHAEL POSZ, OF SHELBYVILLE, INDIANA.

## BILL-FILE CASE.

SPECIFICATION forming part of Letters Patent No. 226,349, dated April 6, 1880.

Application filed December 27, 1879.

To all whom it may concern:

Be it known that I, MICHAEL Posz, of Shelbyville, in the county of Shelby and State of Indiana, have invented a new and Improved 5 Bill-File Case, of which the following is a specification.

Figure 1 is a perspective view of the bill-file case. Fig. 2 is a vertical sectional elevation on line xx, Fig. 3. Fig. 3 is a vertical sectional 10 elevation on line y y, Fig. 2. Fig. 4 is a vertical sectional elevation on line z z, Fig. 3.

Similar letters of reference indicate corre-

sponding parts.

The invention consists in the bill and letter 15 file case provided with mechanism connecting with a treadle, as hereinafter described.

Immediately above the base A of the billfile case are the pigeon-holes B, for holding books and papers, and above them, in regular 20 order, the two drawers C, designed for the same purpose; the hinged writing shelf or desk D, which, when turned down for use, is supported by the drawers C, that are drawn out for the purpose; the pigeon-holes E, for holding pa-25 pers behind the desk D; the folding index tables or shelves F, consisting of folding slates a, set within hinged frames, lettered and numbered, as shown at b; and in an apartment, G, forming the top of the case, a letter and bill 30 file, H, consisting of movable shelves that are numbered or lettered on their front edges, as shown at c.

Fixed in the front of the apartment G, and on either side thereof, are the two vertical rods 35 d d, on which move the sliding blocks f f, through which pass the thumb-screws g g. In the bottom of the apartment G, and immediately beneath the movable shelves comprising the letter and bill file H, are spiral springs 40 I, whose purpose is to hold the said shelves and their contents pressed together upward.

To the bearer or lower shelf is attached a cord, K, which passes down through the case to its base A, wherein it passes over an anti-45 friction roller, h, to an adjusting screw-rod, L, which is fixed longitudinally in the free end of the lever M, and by means of this screwrod L the said cord K may be slackened or drawn taut, as desired, on turning the nut i50 on the end of said screw-rod. This lever or treadle M is pivoted on the bottom of the case,

as shown at k, and extends in front through a vertical slot, l, made in the base A, as shown, within reach of the foot of the operator. By pressure upon the free end of this lever or 55 treadle M the shelves of the letter and bill file H are pulled down, so that letters and bills, &c., may be laid upon and between them; and for facilitating the introduction or removal of letters, bills, &c., upon or from any particu- 60 lar shelf, the shelves above may be retained or held up by turning a thumb-screw, g, against the edge of that shelf which is next above the one which is to be used. In order to hold the shelves in this position, the lever M is pushed 65 aside and engaged in the notch M, which is formed at the side of the slot l.

Should this bill-file be used in a railroad or express office, when the agent receives a waybill from, say, Albany, New York, he assigns 70 such way-bill to the shelf marked with the letter "A," and places the name "Albany, New York," on the index-table F. Should, however, that same agent receive a way-bill from, say, Auburn, New York, then he takes shelf 75 marked "No. 1" and inserts it directly under the shelf marked with the letter "A," which

shelf No. 1 is then called shelf "A 1," and so recorded on the index.

This rule governs the operations of the file 80 with one exception, which is as follows: Should the instrument to be filed be a bill of lading, invoice, or letter, then the name of the sender and the place whence sent must be recorded on the index.

On the front of the bill-file case is a door, N, closing over the pigeon-holes B, drawer C, and shelf or desk D when the latter is closed.

Placed on the right of the bill-file H, and directly above the wash-basin, is the card-rack 90 O, which consists of a number of upright strips, n, of wood, fastened to a board, and having small notches cut diagonally in them for the reception of cards, &c.

Entering into an opening made in the left 95 side of the case, and sliding from left to right, is the bulletin-board P, which has a surface of slate or slate paper, as shown. This bulletinboard P is to be used for recording the arrival or departure of trains, dispatches, &c.

Immediately below the bulletin-board, and movable in the same manner from one side to the other of the case of the bill-file, is the hatrack Q, which consists of a recessed case, v, holding movable hooks o, which, when the case is drawn out, may be swung outward to hang a hat or coat upon. In the rear of the bill-file case and in its base A is a drawer, R', that may be used for any desired purpose.

The toilet arrangements consist of a wash-basin, R, fixed in a recess in the right of the case and below the card-rack O; of a hinged cover, S, that closes over the said basin and serves as a table; of a water-tank, T, set in rear of the basin, and having faucet p, for drawing the water from it, and plug q, for closing the opening through which water is introduced; of a drawer, U, for holding toilet articles; of

a towel-rack, V, that draws out from the side of the case, and of a looking-glass, W, that is inserted in the hinged door X, that closes the end of the bill-file H.

Having thus described my invention, I claim as new and desire to secure by Letters Patent—

The combination, with a bill and letter file case, of a series of shelves, rods d, slide-blocks 25 f, screws g, spiral springs I, cord K, roller h, and treadle M, as and for the purpose specified.

MICHAEL POSZ.

Witnesses:

RICHARD H. SHRALL, ANDERSON RHOADS.