

(No Model.)

H. J. WATTEYNE.

CIGAR PRESS.

No. 260,510.

Patented July 4, 1882.

Fig. 1.




Fig. 2.





Fig. 3.



WITNESSES:

Fr. H. Rosenbaum.

Otto Risch.

INVENTOR

Henry J. Watteyne

Paul Goepfer

ATTORNEY

UNITED STATES PATENT OFFICE.

HENRY J. WATTEYNE, OF NEW YORK, N. Y.

CIGAR-PRESS.

SPECIFICATION forming part of Letters Patent No. 260,510, dated July 4, 1882.

Application filed June 3, 1882. (No model.)

To all whom it may concern:

Be it known that I, HENRY J. WATTEYNE, of the city, county, and State of New York, have invented certain new and useful Improvements in Presses for Packing Cigars, of which the following is a specification.

This invention relates to an improved press for packing cigars into boxes; and the invention consists of a bent supporting-standard having a screw-nut at the upper end and side-wise-extending ears, and a follower guided by fixed rods in the said ears, and secured by a detachable locking device to the lower end of the vertical screw-spindle, which is provided above the standard with an adjustable stop-nut for regulating the depth to which the follower may be lowered.

In the accompanying drawings, Figure 1 represents a side elevation of my improved press for packing cigars, partly in section through the follower. Fig. 2 is a front elevation of the same, and Fig. 3 a detail horizontal section on line *x x*, Fig. 2.

Similar letters of reference indicate the corresponding parts.

A in the drawings represents the bed-plate, and B the upright standard of my improved press for packing cigars. The bed-plate A is screwed to or otherwise fastened securely to the table, bench, or other support, and the standard B bent forward at the upper end, and provided with a screw-collar, *a*, for the screw-spindle C of the follower D. A hand-wheel, C', is applied to the upper end of the spindle C above the standard B, and an adjustable screw-nut, E, below the hand-wheel, said screw-nut being adjusted higher or lower on the screw-spindle C, and then secured thereto by a clamp-screw, *a'*, so as to regulate the depth to which the follower may be lowered. Side-wise of the screw-collar *a* of the standard B extend lateral perforated ears *b b*, which are cast in one piece with the standard, and which serve to guide fixed vertical rods *d d* of the follower D.

The press is designed to be used with a number of interchangeable followers, D, of different size, according to the size of the cigar-boxes to be packed, each follower being intended to pass into the box of corresponding size, so as to compress the cigars without the use of the wooden compressing-blocks hereto-

fore in use. The follower can therefore be used to compress the cigars in the box after three or four rows have been placed in the same, so as to give them a slight pressure before the remaining rows are put in. As the follower fits exactly into the cigar-box, and as it is kept at the same level by the vertical guide-rods, a perfectly even pressure in a vertical direction is exerted upon the cigars, and consequently a more uniform compression of the same obtained. After all the rows have been placed into the box the cigars are pressed a second time by the follower, the screw-nut being properly adjusted on the screw-spindle, so as to accurately control the degree of compression in all boxes of the same size.

For the purpose of interchanging the different sizes of followers, the center socket, *e*, cast on the top of the follower, is provided with a diametrical slot, *e'*, for passing a U-shaped locking key or staple, *f*, preferably of square cross-section, through the same, said key engaging an annular groove, *f'*, at the lower end of the spindle C, so as to attach thereby each follower securely to the spindle.

The key *f* may be arranged at the bent end with a button or ring for being conveniently taken hold of in removing or inserting the key.

Any other fastening device by which the follower is readily attached to the lower end of the spindle or removed therefrom may be used, as I do not confine myself to the specific construction shown.

The advantages of my cigar-packing press are that cigars of different sizes may be pressed into boxes of corresponding sizes by the same press, simply by interchanging the followers, that the cigars may be pressed after three or four rows have been placed into the box, and that no sidewise displacement or injuring of the cigars in the box can take place, as the pressure is uniform over the entire surface of the cigars.

Having thus described my invention, I claim as new and desire to secure by Letters Patent—

1. A press for packing cigars into boxes, consisting of a bed-plate, a supporting-standard having a screw-collar and laterally-extending perforated ears, a vertical screw-spindle, and an interchangeable follower having fixed vertical guide-rods, and means whereby the follower is detachably connected to the lower

end of the spindle, substantially as and for the purposes set forth.

2. In a press for packing cigars into boxes, the combination of a bed-plate, A, bent standard B, having a screw-collar, *a*, and laterally-extending perforated ears *b b*, a screw-spindle, C, having an annular groove, *e'*, near its lower end, a follower, D, having vertical guide-rods *d d*, and a slotted center socket, *e*, and a locking key or staple, *f*, whereby the follower is detachably secured to the spindle, substantially as set forth.

3. The combination of a bed-plate, A, a standard, B, having a screw-collar, *a*, and laterally-extending guide-ears *b b*, screw-spin-

dle C, having an adjustable screw-nut, E, and clamp-screw *a'* above the screw-collar of the standard, and an annular collar, *e'*, at the lower end, a follower, D, having vertical guide-rods *d d*, and a slotted center socket, *e*, and a locking staple or key passing through the slotted socket and groove of the spindle, substantially as specified.

In testimony that I claim the foregoing as my invention I have signed my name in presence of two subscribing witnesses.

HENRY J. WATTEYNE.

Witnesses:

PAUL GOEPEL,
CARL KARP.