

(No Model.)

P. H. SWEET, Jr.

BUTTON FASTENER.

No. 275,435.

Patented Apr. 10, 1883.

Fig 1




Fig 2




Fig 3





Fig 4



WITNESSES:

Wm. L. Dieterich
Wm. L. Dieterich

INVENTOR.

Charles H. Sweet, Jr.

ATTORNEY.

UNITED STATES PATENT OFFICE.

PARKER H. SWEET, JR., OF WASHINGTON, D. C., ASSIGNOR TO THE HEATON
BUTTON FASTENER COMPANY, OF PROVIDENCE, R. I.

BUTTON-FASTENER.

SPECIFICATION forming part of Letters Patent No. 275,435, dated April 10, 1883.

Application filed January 24, 1883. (No model.)

To all whom it may concern:

Be it known that I, PARKER H. SWEET, Jr., a citizen of the United States, residing at Washington, in the District of Columbia, have
5 invented certain new and useful Improvements in Button-Fasteners; and I do declare the following to be a full, clear, and exact description of the invention, such as will enable
10 others skilled in the art to which it appertains to make and use the same, reference being had to the accompanying drawings, and to the letters and figures of reference marked thereon, which form a part of this specification.

My present invention has for its object to
15 provide a button-fastener or metallic connection for attaching buttons to articles of wearing-apparel, and which can be produced at a small cost, and at the same time form a most efficient and durable fastening; and it consists essentially of a staple-shaped connection,
20 provided with two sharp prongs or points and intermediate side lugs or projections adapted to form a table or central support, all as will be hereinafter more fully described, and specifically pointed out in the claim.

In the accompanying drawings, Figure 1 represents a side elevation of my improved fastener; Fig. 2, a similar view as attached to the shank of a button; Fig. 3, a like view as
30 attached to a button and fabric, and Fig. 4 a modification of my invention.

Similar letters of reference occurring on the several figures indicate corresponding parts.

In carrying out my improvements the fastener or connection is preferably cut from suitable metallic strips or sheets, the completed
35 article being of a staple-shaped form, having an upper loop portion, *a*, terminating in two sharp prongs or points, *b*, and provided with intermediate side lugs or projections, *c*, as
40 fully shown in the drawings. These lugs or projections may be either square, round, or oval in their shape, the rounded ones being deemed most desirable, as they enable the

shank of the button to more readily slip over 45
the same into the loop portion *a*.

The modification shown in Fig. 4 is formed of wire, and is of the same general construction as already described, being bent into shape by suitable machinery, so as to form the
50 loop portion *a*, side projections, *c*, and points or prongs *b*, as shown.

In the operation of attaching buttons to wearing-apparel or other articles, the shank of the button is passed up over one of the
55 prongs *b* and side projections, *c*, into the loop portion *a*, and the button and fastener thus connected adjusted within a suitable setting-instrument, which is then operated in a manner well known to force the prongs *b* of the
60 fastener down through the fabric and to deflect or clinch upon or into the under surface of the same, the lugs or projections *c* being adapted to rest upon the upper surface of the fabric or material to allow the shank of the
65 button to have a free play upon the loop portion, as also to insure the fabric being firmly held between the said projections and the lower curved ends of the prongs or points, as fully shown in Fig. 3.

By means of my improvements I am enabled
70 to provide a button-fastener of a simple and inexpensive construction, yet which is capable of firmly and durably securing buttons to fabrics or other materials.

Having thus described my invention, what I claim as new and useful is—

As an improved article of manufacture the herein-described button-fastener, consisting of the staple *a*, provided with side lugs or pro-
80 jections *c*, and points or prongs *b*, all substantially as and for the purpose specified.

In testimony whereof I affix my signature in presence of two witnesses.

PARKER H. SWEET, JR.

Witnesses:

C. FRED KELLER,
EDWIN J. McLAIN.