
(No Model.)

E. HAS.

WATCH CASE.

No. 321,021.

Patented June 30, 1885.



Wilnesses: H.C.C.ills MmDuralf Inventor:
Edwin Haas

Hy Estocking

Attyl

United States Patent Office.

EDWIN HAAS, OF PHILADELPHIA, PENNSYLVANIA.

WATCH-CASE.

SPECIFICATION forming part of Letters Patent No. 321,021, dated June 30, 1885.

Application filed January 14, 1885. (No model.)

To all whom it may concern:

Be it known that I, EDWIN HAAS, a citizen of the United States, residing at Philadelphia, in the county of Philadelphia and State of 5 Pennsylvania, have invented certain new and useful Improvements in Watch-Cases, of which the following is a specification, reference being had to the accompanying drawings.

This invention has relation to watch and 10 locket cases; and it consists in the construction of such articles as hereinafter described, whereby they are adapted to receive, retain, and permit the interchange of removable monogram, initial, design, and other ornamental

15 plates. Referring to the drawings, Figure 1 is a plan of a watch-case constructed in accordance with my invention; Fig. 2, a perspective of an initial-plate; Fig. 3, a plan of the inter-20 changeable design-plate, or of the reverse side of an initial-plate; and Fig. 4 is a vertical section of the outer cap of the case.

Like letters indicate like parts in all the

figures.

A represents a watch-case, one of the outer caps of which is provided with an inner bezel or recess, A', which bezel or recess may be of any desired configuration, and at any point on the cap, as is desired—that is, either ec-30 centric or central—to accord with the general design of the ornamentation of the cap.

B represents a plate of the same configuration as the recess A', which plate has engraved thereon any desired design, initial letter, mono-35 gram, &c., and which may be either flush with the surface of the case or cap, and provided with raised designs, or, said plate may be of sufficient thickness to project above the surface of the case, and the designs cut in the same as 40 desired. The removable plate B may bear any initial, monogram, coat of arms, or other design, either in relief or intaglio, and either ornamented or set with precious stones, or plain, and a companion-plate bearing another 45 design conforming to that of the general ornamentation of the cap is preferably furnished with the case, for a purpose hereinafter mentioned. The removable plate may be secured within the bezel or recess by screws, or by 50 burring the edge of the bezel thereon, or in any other desired or well-known manner which will permit of its easy removal.

I am aware that removable plates have been used in campaign-badges, buttons, &c., and do not, therefore, claim such, broadly, as of my 55 invention; but in such cases the purpose has been to permanently retain the removable plate when once in place, whereas in my invention the interchangeable plates accompany the cases, and my construction of the case or 60 cap thereof for the purposes in view is novel.

I am also aware that the central portion of an inside cap of a watch-case has been entirely removed for the purpose of saving material and to receive portraits or pictures, and 65 do not claim such construction as of my inven-

tion. The advantages arising from my invention will be seen and appreciated in that jewelers instead of being forced to carry a large stock 70 of initial-cases need only one, and any number of plates desired, so that any initial may be placed in the bezel or recess A', and should the owner wish to dispose of a watch it would reduce the commercial value 75 of the article should his name or initial be engraved thereon; but with my invention it would rather enhance the value to remove the initial or monogram and substitute therefor the companion plate in proper design, as described. 80 It will also be seen that silver cases may be provided with gold designs or initial-plates, or the plate may be made of different materials, and, if desired, may have enameled initials thereon. A hole, A², is shown in the cap 85 which may be used or not, for the purpose of forcing the plate out of the bezel in order to substitute another plate or for a soldering-hole.

The removable plate B may have upon one face an initial, and upon the back of the same, 90 as shown in Fig. 3, a design conforming to the general design of the cap, so that a single plate serves as an initial and a design plate.

Having described my invention and its operation, what I claim is-

1. As a new article of manufacture, a watchcase, an outer cap of which is provided with an independent bezel or recess, of any desired configuration, adapted to receive interchangeable and removable design-plates, substantially 100 as specified.

2. The combination, in a watch-case, of an outer cap having an independent bezel of any desired configuration, as A', and a removable

plate, as B, bearing a design, initial, or monogram, substantially as specified.

3. The combination, with the outer cap of a watch-case, of a removable initial-plate having a design upon its back conforming to the general design of the cap, substantially as specified.

In testimony whereof I affix my signature in presence of two witnesses.

EDWIN HAAS.

Witnesses:

GEO. W. GOUCHER, . WILLIAM JONES.