


(No Model.)

G. LAUBE.

EGG BEATER.

No. 346,375.

Patented July 27, 1886.



WITNESSES  
F. L. Curand  
Edward Stanton

Godfried Laube,  
INVENTOR

By Louis Bagger & Co.  
Attorney S.



# UNITED STATES PATENT OFFICE.

GODFRIED LAUBE, OF HURON, DAKOTA TERRITORY.

## EGG-BEATER.

SPECIFICATION forming part of Letters Patent No. 346,375, dated July 27, 1886.

Application filed April 26, 1886. Serial No. 200,155. (No model.)

*To all whom it may concern:*

Be it known that I, GODFRIED LAUBE, a citizen of the United States, and a resident of Huron, in the county of Beadle and Territory of Dakota, have invented certain new and useful Improvements in Egg-Beaters; and I do hereby declare that the following is a full, clear, and exact description of the invention, which will enable others skilled in the art to 5 which it appertains to make and use the same, reference being had to the accompanying drawings, which form a part of this specification, and in which—

Figure 1 is a perspective view of my improved egg-beater. Fig. 2 is a vertical sectional view of the same, and Fig. 3 is a perspective view of the beater removed from the glass.

Similar letters of reference indicate corresponding parts in all the figures.

My invention has relation that class of reciprocating egg-beaters in which a dasher, consisting of a perforated disk, is reciprocated within a vessel; and it consists in the improved construction and combination of parts of such an egg-beater, as hereinafter more fully described and claimed.

In the accompanying drawings, the letter A indicates a glass or similar vessel, over the open top of which is secured a cap or cover, B, having a notch, C, in its flange, for the purpose of fitting over the handle of the glass, if the latter is provided with a handle. A rectangular frame, D, projects from the cover, and is formed with a vertical slot, E, in one of its uprights, F, and a lever, G, is formed by a piece of wire doubled at its middle, and is formed at the united ends of the wire with a transverse eye, H, with which eye the lever 35 is pivoted upon a wire bail, I, upon the upright J of the frame, opposite to the slotted upright, the lever reciprocating with its free end in the slot of the said upright. The center of the cover is formed with a slot, K, through which slot the upper end of the dasher-staff L projects, and the upper end of this 45 dasher-staff is formed into an eye, M, with

which the staff is pivoted upon a cross-piece, N, secured at its ends upon the sides of the doubled-wire lever, the eye projecting between the sides, and the lower end of this dasher-staff is provided with two perforated disks, O O, secured, with a short distance between them, upon the staff, and having one or more loose disks, P, perforated similarly to the other disks playing upon the staff between the rigid disks. 55

It will be seen that the eggs may be placed in the glass and the cover placed over the top of the glass, whereupon the dasher may be reciprocated by rocking the lever, the perforated rigid disks and the loose disk or disks beating the eggs, and the loose disk or disks will, by playing upon the dasher-staff in the space between the rigid disks, add to the efficiency of the dasher. 65

The entire device may be made of wire and sheet metal, and will be very simple of construction, so that it may be manufactured and sold at a comparatively low expense. 70

The rectangular frame is preferably made, as shown in Fig. 3 of the drawings, of two parallel wires, bent into shape, and having the sheet-metal strip beaded with its edges around them, so that the slot in the upright may simply be formed between the wires at the point where the metallic strip stops. 75

Having thus described my invention, I claim and desire to secure by Letters Patent of the United States— 80

In an egg-beater, the combination of a glass vessel having a handle at one side, a slotted cover having a notch for the handle in the edge of its flange fitting tightly upon the open top of the glass vessel, and a reciprocating dasher, as and for the purpose shown and set forth. 85

In testimony that I claim the foregoing as my own I have hereunto affixed my signature in presence of two witnesses.

GODFRIED LAUBE.

Witnesses:

DAVE GOMBAR,  
FRANK GARSKE.