

(No Model.)

W. SPEAR.

COMBINED SWEAT SCRAPER AND CURRY COMB.

No. 348,067.

Patented Aug. 24, 1886.

Fig. 1.




Fig. 2.





Fig. 3.



Witnesses.

Thomas Holiday.

John F. C. Perkins.

Inventor.

William Spear

by Crosby & Gregory attys.

UNITED STATES PATENT OFFICE.

WILLIAM SPEAR, OF LYNN, MASSACHUSETTS.

COMBINED SWEAT-SCRAPER AND CURRY-COMB.

SPECIFICATION forming part of Letters Patent No. 348,067, dated August 24, 1886.

Application filed March 11, 1886. Serial No. 194,830. (No model.)

To all whom it may concern:

Be it known that I, WILLIAM SPEAR, of Lynn, county of Essex, and State of Massachusetts, have invented an Improvement in a
5 Combined Sweat-Scraper and Curry-Comb, of which the following description, in connection with the accompanying drawings, is a specification, like letters on the drawings representing like parts.

10 This invention has for its object to construct an implement which may be used both as a curry-comb or card for grooming horses or cattle, and also as a sweat-scraper.

My invention consists, essentially, of two
15 flexible bands or strips of metal of different lengths, combined with two hand-pieces, to which the ends of the said flexible bands are connected, so that when the said hand-pieces are separated from each other the said bands
20 are not parallel, but occupy different curves; also of two flexible bands of different lengths, and two hand-pieces, to which the ends of the said flexible bands are connected, combined with a locking device to lock the two hand-
25 pieces together, to thus present two flexible loops as acting portions of the comb, all substantially as will be described.

Figure 1 is an under side view of an implement embodying this invention; Fig. 2,
30 a side elevation, and Fig. 3 an edge view showing the parts separated and on a reduced scale.

In constructing the implement herein to be described, two flexible bands, *a b*, preferably
35 of metal, are employed, said bands being of substantially the same width, but of different lengths. One edge of each of the bands *a b* is serrated or toothed, as at *c*, and preferably the teeth will point or incline from the center of
40 each band toward the hand-pieces.

The ends of the bands *a b* are placed in slots
45 *d*, cut in the ends of two hand-pieces, *e f*, and secured therein by rivets *g*, or by other suitable fastenings. The hand-pieces *e f* are so bent as to form a compound curve, so that
50 when the flexible bands are extended and the hand-pieces separated they will conform to the hand of the operator, and so, also, to permit them, when brought together, to be grasped by one hand of the operator, the flexible bands in this latter instance forming two loops, as in Fig. 1.

When the apparatus is extended, as in Fig. 3, or even less extended, one of the flexible bands, as *a*, is substantially straight, while
55 the other band, *b*, forms a curve, and in no position of the handles are the bands parallel.

When the implement is used as a card or comb, and with the handles either together or separated, the serrated edges of the bands will
60 be used; but for a sweat-scraper the smooth edges will be used.

When the hand-pieces *e f* are brought together, the implement may be used by one
65 hand as a curry-comb.

A locking device consisting of a loop, *m*, preferably of wire, is connected with one of the hand-pieces—as *e*, for instance—the loop being of sufficient size to permit the other
70 hand-piece, *f*, to be passed therethrough, the loop entering a groove, *n*, cut in the hand-piece *f*, to thus firmly lock the two hand-pieces together.

It is obvious that, if desired, the ends of the flexible bands may be connected upon oppo-
75 site sides of the ends of the hand-pieces *e f* instead of at a common point, as herein described, without departing from this invention.

By employing two flexible bands which are
80 not parallel the pressure of the implement in use is more evenly distributed, and consequently is not so harsh at any one place.

Any other suitable locking device may be employed to lock the two hand-pieces togeth-
85 er; or the same may be entirely omitted, the hand-piece being held together by the operator.

I disclaim the inventions of United States Patent No. 202,769, and British Patent No. 7,193 of 1884.
90

I claim—

1. As a new article of manufacture, a combined curry-comb and sweat-scraper, consisting of two flexible bands of different lengths, one edge of which is serrated, combined with
95 two hand pieces of the shape of a compound curve, to the ends of which the ends of the flexible bands are connected, substantially as described.

2. As a new article of manufacture, a curry-
100 comb consisting of two flexible bands of different lengths, one edge of which is serrated, combined with two hand-pieces, to the ends of which the ends of the flexible bands are con-

nected, substantially as described, and a locking device for holding the hand-pieces together.

3. In an implement for grooming horses,
5 two flexible bands of unequal lengths, combined with two compound-curve hand-pieces, to the corresponding ends of which the ends of the flexible bands are connected, substantially as described.

In testimony whereof I have signed my name to this specification in the presence of two subscribing witnesses.

WILLIAM SPEAR.

Witnesses:

G. W. GREGORY,
C. M. CONE.