
(No Model.)

G. D. TOLMAN.

FLOWER POT AND FLOWER POT HOLDER.



United States Patent Office.

GAYGER D. TOLMAN, OF SHAWANO, WISCONSIN, ASSIGNOR TO HIMSELF AND LORENZO D. ROBERTS, OF SAME PLACE.

FLOWER-POT AND FLOWER-POT HOLDER.

SPECIFICATION forming part of Letters Patent No. 365,555, dated June 28, 1887,

Application filed September 11, 1886. Serial No. 213,311. (No model.)

To all whom it may concern:

Be it known that I, GAYGER D. TOLMAN, of Shawano, in the county of Shawano and State of Wisconsin, have invented a new and Im-5 proved Flower-Pot and Flower-Pot Holder, of which the following is a specification, reference being had to the annexed drawings, form-

ing a part thereof, in which—

Figure 1 is a plan view of the blank from to which my flower-pot is formed. Fig. 2 is a perspective view of my flower-pot, to which is applied a holder or bracket. Fig. 3 is a similar view of a modified form of the holder, showing only a portion of an ornamental strip 15 applied to the holder or bracket proper, and in dotted lines a flower-pot in position in the holder. Figs. 4 and 5 are also perspective views of two other forms of the holder or bracket.

Similar letters of reference indicate corre-

sponding parts in all the views.

The object of my invention is to provide an inexpensive flower-pot and a simple and efficient holder for attachment to a fixed support 25 for holding the flower-pot.

My invention consists in a flower pot made of a blank cut from a metal sheet, so as to form a strip for the sides, the disk for the bottom, and a tongue for covering the adjoining

30 ends of the sides of the flower-pot.

It also consists of a ring formed of a bar of metal or wire, provided with one or more arms for attachment to a fixed support, said bar or wire being covered by ornamental bands, 35 sheets, or strips, said covering to be of any suitable material for screening the holder and giving it a neat appearance.

The flower-pot A (shown in Fig. 2) is formed | of a sheet-metal blank of the shape shown in 40 Fig. 1, having the strip B, the curved edge a, the circular bottom piece, C, formed with the strip B, and the tongue b, projecting from the circular bottom C at a point diametrically opposite to the attachment of the strip B with

45 the bottom.

The flower-pot is made by bending the strip B at right angles to the bottom C, then bending it into cylindrical form around the periphery of the bottom, allowing the adjoining ends 50 to overlap or abut against each other, and the tongue b is bent up over the adjoining edges of | Patent—

the strip B, thus completing the flower pot. The holder D, which supports the flower-pot, and also holds the ends of the strip B and the tongue b in proper relation to each other, is 55formed of wire threaded at one end, bent into a circular loop, and twisted together, as shown in-Fig. 2, one end of the wire being tapered and threaded to permit of screwing it into the wood-work of a building or into any other 60

suitable support. When it is desirable to make the flower pot more ornamental, the serrated metal strip E, provided with tongues c, cut from the material of the strip, or fastened on the inside of 65 the strip by soldering or otherwise, is bent around the wire support, and the tongues care bent down over the wire, as shown in Fig. 3. In lieu of the metal strip E, I may employ a molded hoop, F, of any suitable material, 70 as shown partly in section in Fig. 4. The holder D may also be provided with a downwardly-projecting arm, d, having at the end thereof an eye, e, for receiving a screw, which passes into the wood-work for preventing the 75 turning of the holder, as shown in Fig. 3. Instead of the eye e, I may form upon the end of the wire arm d, parallel with the threaded end of the wire, a spur, f, to be driven into the wood, to keep the holder from turning, as 80 shown in Fig. 4.

In Fig. 5 I have shown a holder made of a flat bar of metal bent into annular form, with a right-angled arm, d', formed on one end of the bar and apertured at g to receive screws, 85 which are inserted into the wood-work of the building and take the place of the holding devices before described.

This holder may be used either in connection with the metal flower-pot above described, 90 or separately for holding wash-bowls, pitchers, vases, &c.

I am aware that it is not new to construct a paper vessel from a blank the portions of which forming the bottom and sides of the 95 vessel are all made in one piece and provided with tongues at their edges; also to produce the body of the vessel from a single piece with its ends overlapping each other.

Having thus fully described my invention, 100 I claim as new and desire to secure by Letters

.....

1. A flower pot made of a blank, consisting of a strip for the sides formed with a circular bottom piece having a tongue for closing the joint throughout between the adjoining ends | 5 of the side strip, substantially as described.

2. The flower-pot holder formed of a wire or plate having a circular or ring form and adapted to be connected to a fixed support, said ring having applied thereto an orna-10 mental metal strip provided with tongues or projections fitting upon the said circular wire or plate, substantially as and for the purpose ${f specified.}$

3. A flower pot made of a blank, consisting of a strip for the sides formed with a circular 15 bottom piece having a tongue for closing the joint throughout between the adjoining ends of the side strip, in combination with a wire or band applied thereto, and with one end adapted to be connected to a fixed support, 20 substantially as shown and described.

GAYGER D. TOLMAN.

Witnesses:

G. C. DICKINSON,

B. T. BRODERSEN.