G. CASTAN.

THEATRICAL APPARATUS FOR APPARENTLY SUSPENDING A PERSON IN MID AIR.

No. 389,198.

Patented Sept. 11, 1888.





FIG.2



UNITED STATES PATENT OFFICE.

GUSTAV CASTAN, OF BERLIN, GERMANY.

THEATRICAL APPARATUS FOR APPARENTLY SUSPENDING A PERSON IN MID-AIR.

SPECIFICATION forming part of Letters Patent No. 389,198, dated September 11, 1888.

Application filed April 30, 1888. Serial No. 272,236. (No model.) Patented in England April 9, 1888, No. 5,254.

To all whom it may concern:

Be it known that I, Gustav Castan, of the city of Berlin, in the Kingdom of Prussia, in the German Empire, have invented certain new and useful improvements in mechanism by means of which a human being or other object appears to float free in the air without the aid of wire, (for which I filed an application in England on April 9, 1888, No. 10 5,254,) of which I declare the following to be

This invention relates to an improved mechanism by means of which a human being or other object appears to float free in the air without the aid of wire. This mechanism consists of a horizontal rotary disk of glass, which is only supported at each edge, and serves to receive the person or other object to be exhibited, and also of a mirror arranged at an

angle of forty-five degrees to the glass disk. The mirror reflects the image of the person or object on the glass disk, but not the edge of the same, or the rings carrying and surrounding said disk toward the audience, and as the transparent glass disk is not reflected in the mirror the person or object on the former appears to be floating in the air, and when the glass disk is rotated the person or object ap-

pears to make various movements. When the edge of the mirror is appropriately decorated and the light properly arranged, the mirror is not to be detected and the audience is led to believe that the image is in reality the person or object on the glass disk.

from the space occupied by the audience. Fig. 2 is a top view of the apparatus without the mirror. Fig. 3 is a vertical section of the apparatus with the mirror arranged at an analyse of forty-five degrees to the glass disk. Fig. 4 is a view of the device for rotating the

A is the disk of glass for receiving the person or object to be exhibited, which is fixed in the rotary frame B. Around the periphery and also beneath the lower surface of the frame B in the frame work C, I arrange anti-friction rollers a in order to facilitate the rotary movement of the glass disk A.

E is a mirror arranged at an angle of fortyfive degrees to the glass disk and at appropriate distance from the same, said mirror being held in a suitable frame, D, which can be held or supported by the frame work, as represented in the accompanying drawings, or in 55 other appropriate manner, so that the person or object on the glass disk A will be reflected before the opening to the stage, and thus be visible to the audience.

The glass disk A can be rotated by means 65 of a suitable motor or by hand-power, as desired. In the drawings, Figs. 2 and 4, I have shown one rotating device, consisting of a driving-strap, b, strap-drum d, crank c, and bevel gear-wheels e. The driving-strap b runs 65 around the frame B of the glass disk A and passes around the strap-drum d. When it is desired to rotate the glass disk A, it is only necessary to turn the crank c at any desired speed, when the gear-wheels and the strap-7c drum will be set in motion, and the glass disk A will be revolved by means of the driving-strap b.

While I prefer to use the above-described apparatus for revolving the disk A, it should 75 be understood that I do not confine myself to this particular form of driving device, as any equivalent mechanism will answer my purpose as well.

The frame-work, the mirror, and other parts 80 as may be found requisite are appropriately decorated in order to obtain the best possible results, and it will be evident that the glass disk must be so operated that the reflected apparent movements of the person on the glass 85 disk appear as natural as possible, and in order to increase the effect the person can move his arms and legs, which said movements will, of course, be reflected in the mirror. The lights employed for illuminating the glass disk 90 and mirror must be so arranged that the glass disk is not reflected in the mirror.

It will be evident that the parts of my improved mechanism can be modified in various ways without departing from the nature of my 95 invention.

Having now particularly described the nature of my said invention and in what manner the same is to be performed, I declare that what I claim is—

1. In an apparatus for exhibiting living persons and other objects, the combination of the

100

•

rotary glass disk A and rotary frame B with the mirror E, substantially as set forth and shown.

2. In an apparatus for exhibiting living per-5 sons and other objects, the combination of the mirror E and frame D with the frames B and C and the rotary glass disk A, substantially

as set forth and shown.

3. In an apparatus for exhibiting living perto sons and other objects, the combination of the mirror E, frame D, and frame C with the rotary glass disk A, rotary frame B, and the anti-friction rollers a, substantially as set forth and shown.

4. In an apparatus for exhibiting living per- 15 sons and other objects, the combination of the rotary glass disk A, rotary frame B, anti-friction rollers a, frame C, and mirror E with driving-gear, such as b c d e, substantially as set forth and shown.

In witness whereof I have hereunto signed my name in the presence of two subscribing

witnesses.

GUSTAV CASTAN.

20

Witnesses: B. Roi, ANTHONY STEFFEN.