

(No Model.)

H. C. SEIP.
BABY CARRIAGE.

No. 390,909.

Patented Oct. 9, 1888.

Fig. I.




Fig. II.




Fig. IV.





Fig. III.



Inventor,

Henry C. Seip.

By Knight Bros.,
attys

Attest;
E. Arthur,
E. Askey.

UNITED STATES PATENT OFFICE.

HENRY C. SEIP, OF ST. LOUIS, MISSOURI.

BABY-CARRIAGE.

SPECIFICATION forming part of Letters Patent No. 390,909, dated October 9, 1888.

Application filed May 26, 1888. Serial No. 275,144. (No model.)

To all whom it may concern:

Be it known that I, HENRY C. SEIP, of the city of St. Louis, in the State of Missouri, have invented a certain new and useful Improvement in Children's Carriages, of which the following is a full, clear, and exact description, reference being had to the accompanying drawings, forming part of this specification, and in which—

10 Figure I is a perspective view showing the basket of a carriage with my invention applied. Fig. II is a perspective view illustrating my invention. Fig. III is an inverted perspective view looking at the inner face of one of
15 the side pieces of the upholstering. Fig. IV is a horizontal section.

My improvement relates to the removable upholstering and the box in which the upholstering is supported; and my invention consists in features of novelty hereinafter fully
20 described, and pointed out in the claims.

Referring to the drawings, 1 represents the basket of a child's carriage. Within this basket fits a box having a bottom, 3, sides 4, and
25 a back, 5, this box with its upholstering forming the seat of the carriage, and is removable from the basket.

6 represents the sides of the upholstering, and 7 the back. The sides are provided with
30 tongues 8, that fit in grooves 9 in the sides 4, forming dovetail connection between the parts. The grooves are shown best in Figs. II and IV and the tongues in Figs. III and IV. The back-piece 7 of the upholstering has tongues
35 10, fitting in grooves 11 of the back 5 of the

box, forming dovetail connection between these parts.

When it is desired to clean the upholstering, or to use the seat without it, the upholstering is simply lifted out of the box, (the tongues sliding in the grooves,) and when cleaned can be
40 quickly and easily inserted.

The outer edges of the upholstering are provided with flanges 12, which fit over the edges of the box, (see Figs. II and III,) covering and
45 hiding the tongues and grooves 8 and 9, and the back-piece 7 of the upholstering is provided with a flange, 13, for the same purpose.

I claim as my invention—

1. In a child's carriage, the combination of
50 the basket, removable box fitting in the basket, and upholstering removably secured to the box, substantially as and for the purpose set forth.

2. The combination, with a basket, of a
55 child's carriage, removable box fitting in the basket, and removable upholstering consisting of side pieces, and a back-piece secured to the box by dovetail joints, substantially as and for
60 the purpose set forth.

3. The combination of the basket of a child's carriage, box fitting in the basket, having
65 grooves 9 and 11, and removable upholstering consisting of sides 6 and back 7, having tongues 8 and 10 and flanges 12 and 13, substantially as and for the purpose set forth.

HENRY C. SEIP.

In presence of—

GEO. H. KNIGHT,
JOS. WAHLE.