
(No Model.)

A. J. ELIAS.

ENVELOPE AND STAMP MOISTENER.

No. 401,141.

Patented Apr. 9, 1889.



Witnesses:

Timothy Lingsas

Inventor: aham I Clias Wichael & Link

Attorney.

United States Patent Office.

ABRAHAM J. ELIAS, OF BUFFALO, NEW YORK.

ENVELOPE AND STAMP MOISTENER.

SPECIFICATION forming part of Letters Patent No. 401,141, dated April 9, 1889.

Application filed January 2, 1889. Serial No. 295,147. (No model.)

To all whom it may concern:

Be it known that I, ABRAHAM J. ELIAS, of Buffalo, in the county of Erie and State of New York, have invented certain new and useful 3 Improvements on Envelope and Stamp Moisteners; and I do hereby declare that the following description of my said invention, taken in connection with the accompanying sheet of drawings, forms a full, clear, and exact speciro fication, which will enable others skilled in the art to which it appertains to make and use . the same.

My present invention has general reference to improvements in envelope and stamp moist-15 eners; and it consists, essentially, in the novel and peculiar combination of parts and details of construction, as hereinafter first fully set forth and described, and then pointed out in

the claim.

In the drawings already mentioned, which serve to illustrate my said invention more fully, Figure 1 is a front elevation of my improved envelope and stamp moistener. Fig. 2 is a longitudinal sectional elevation in line 25 xx of Fig. 1. Fig. 3 is a side elevation of the same. Fig. 4 is a front elevation slightly modified.

Like parts are designated by corresponding letters of reference in all the figures.

The object of my present invention is the production of a simple and inexpensive device for moistening gummed envelopes, postage-stamps, &c.

To attain this result I construct a reservoir, 35 A, to contain water, of a flat tube of any suitable material, and of a width varying from one-fourth to three-fourths of an inch, (more or less,) having on its lower end a contracted portion, a, and on its upper end a neck, B, for 40 the reception of a cork, stopper, or screw-cap, C, a washer, D, being interposed between the flange E on the upper end of the said neck and the cap C, so as to hermetically seal the vessel A on its upper end.

In the interior of the vessel A, I locate a lamp-wick, F, the lower end, H, of which is passed through the contracted portion a of said tube A and fits the same a very snug fit, so that water contained in the chamber G, be-50 ing the interior of the vessel A, cannot escape

from the same except through said wick, and the latter, being fitted snugly, as described, will permit of the escape of but a very small portion of the liquid, so that the device will not leak water and moisten surrounding ob- 55 jects, no matter in what position the appara-

tus may be placed.

In use the gummed flap of an envelope is brushed over with the protruding portion H of the lamp-wick, which will convey sufficient 60 moisture to the same to enable the envelope being readily sealed, without, however, transmitting enough water to moisten the contents of the envelope or the portion of the flap adjacent to the gummed section.

When using the device heretofore described for sealing envelopes, I prefer to employ a narrow tube, just wide enough to approximately correspond with the gummed portion, while if the device is also to be employed for stick- 70 ing postage-stamps, I shall use a tube nearly, if not quite, as wide as the width of such a stamp.

As illustrated, this device can be readily manufactured from sheet metal, stamped, &c., 75 and provided with a metallic screw-cap, as shown, thereby producing a very cheap article for office use, which, when nickel-plated or otherwise suitably ornamented, forms a very handy and neat device for practical use.

In Fig. 4 I have shown a moistener slightly modified, the enlarged portion B being supplied with a stopper, C, of cork, rubber, or other suitable material, in place of the screwcap, such change in construction being read- 85 ily accomplished without departing from my invention.

It will be observed that this device, using a lamp-wick fitting the contracted opening in the tube a snug fit, possesses many advantages 9° over fountain-brushes, the principal one being that it will not leak water, no matter in what position it may be placed, while at the same time it can be produced at a price much less than any other device for the same pur- 95 pose with which I am acquainted. It will be further observed that the lamp-wick used in my device possesses capillarity in the greatest degree, so that the portion H, projecting from the tube, will always be moist, no mat- 100 ter in what position it may be held, thus radically distinguishing my moistener from a fountain-brush, the hairs of which will invariably dry as soon as the brush is held in an

5 upright position.

I am aware that stamp-moisteners have been made in which a brush of cotton, wool, or similar material has been used, the top of the implement being provided with a vent, 10 and I do not therefore claim such a device as my invention. In such devices the water will invariably escape through the wiper unless, when not in use, it is kept in an upright position with the brush or wiper uppermost. In 15 this case the liquid will escape through the vent and then soil everything near it. These objections are overcome in my device by using a wicking made from a woven fabric and by contracting the lower end of the tube at a, 20 which contraction forms a "stricture," so called, and prevents an escape of liquid, except that passing through the capillary tubes

of the wicking, and even then only when the

liquid outside of the tube is removed from the wiper.

Having thus fully described my invention, I claim as new and desire to secure to me by Letters Patent of the United States—

As an improved article of manufacture, an envelope and stamp moistener consisting, essentially, of a flat thin tube, A, having on its upper end a circular enlargement, B, provided with a screw-cap, C, said tube having on its lower end an inwardly-projecting neck or stricture, α , and being fitted with a flat wick 35 of woven fabric reaching to within a short distance of the circular enlargement, the whole being constructed and combined in the manner as and for the purpose set forth.

In testimony that I claim the foregoing as 40 my invention I have hereto set my hand in the presence of two subscribing witnesses.

ABRAHAM J. ELIAS.

Attest:

MICHAEL J. STARK, WM. O. STARK.