
(No Model.)

## W. FLAM & A. G. BRANDT. COMBINATION WALKING CANE.



## United States Patent Office.

WILLIAM FLAM AND ANDREW G. BRANDT, OF SCRANTON, PENNSYLVANIA.

## COMBINATION WALKING-CANE.

SPECIFICATION forming part of Letters Patent No. 412,379, dated October 8, 1889.

Application filed May 18, 1889. Serial No. 311,302. (No model.)

To all whom it may concern:

Be it known that we, WILLIAM FLAM and ANDREW G. BRANDT, citizens of the United States, residing at Scranton, in the county of 5 Lackawanna and State of Pennsylvania, have invented a new and useful Combination Walking-Cane, of which the following is a specification.

This invention has relation to a combined 10 walking-stick and camp-stool, and among the objects in view are to provide the same with certain other adjuncts of utility, in this instance comprising a fan, a drinking-cup, and

a whistle.

The invention consists in certain features of construction hereinafter specified, and more particularly pointed out in the claims.

Referring to the drawings, Figure 1 represents a perspective of a cane constructed in 20 accordance with our invention. Fig. 2 is a detail perspective when in position as a campchair. Fig. 3 is a detail in perspective of the seat-receiving socket, which is also adapted to serve as a drinking-cup and handle for the 25 cane. Fig. 4 is a perspective in detail of the ferrule, which is provided with a fan; and Fig. 5 is a longitudinal section of the same, the fan being in place.

Like numerals of reference indicate like 30 parts in all the figures of the drawings.

1 represents the staff or stick portion, serving as a cane, which is divided longitudinally into three sections, substantially triangular in cross-section, and designated as 2. The 35 sections 2 at about their centers are connected by means of bolts 3, and in such a manner as adapted for parting at their top and bottom, so as to form a tripod when opened. The upper ends of the tripod support a three-cor-4c nered canvas seat 4, the three corners of which are secured to the upper extremities of the sections 2 by means of tacks 5. When in this position, the cane is adapted to be used as a chair, as shown in Fig. 2.

6 represents the handle of the cane, and the same consists of a metal socket hollow to receive the seat 4 when the cane is folded or

closed and to receive the upper ends of the three sections 2, from which said socket is readily removable.

7 represents the ferrule of the cane, in the lower end of which we form a whistle 8, so constructed as to give a shrill call, ordinarily known as "hunters'" whistles. Within the ferrule 7 we mount a movable sleeve 9, which 55 is adapted to receive a neat linen or other folding fan 10. The fan 10 is of that construction that when open is circular in shape, which is formed by a series of radiating creases, all as is well known. A button 11 is 60 secured to the center of the fan at its top and from the same projects a pull-cord 12. The opposite edges of the fan at their corners are connected to the lower end of the fan, so that as the sleeve 9 is forced within 65 the ferrule the fan is drawn into the sleeve and packed snugly in a closed position. The pull-cord is now pushed in after the fan and the ferrule applied to the bottom of the walking-stick.

By our invention it will be seen that we have provided a neat and tasty stick adapted to serve as a seat or stool, and provided with a handle of such construction as adapts the same to serve as a drinking-cup, and with a 75 ferrule provided with a whistle and a fan.

Having described our invention, what we

claim is— 1. A walking-stick having a ferrule provided with a fan adapted to be withdrawn 80 from the ferrule and pushed therein, substantially as specified.

2. A walking-stick provided with a ferrule having a sliding sleeve adapted to be forced within the ferrule and carrying a fan con-85 structed to open when the sleeve is drawn out and to close within the same when the sleeve is pushed in, substantially as specified.

3. The herein-described walking-stick, con- 90 sisting of the sections 2, pivoted, as at 3, and having at their upper ends the seat 4, secured, as at 5, and having the handle 6, adapted to receive the seat and serve as a drinking-cup,

and having at their lower ends the ferrule 7, terminating in a whistle 8 and carrying the

fan 10, substantially as specified.

4. A combination walking-stick consisting of the pivoted sections 2, carrying the seat 4 at the top, the hollow handle 6, in the form of a cup, to confine the seat and the upper ends of the sections, and the ferrule 7 at the bottom carrying the sliding and folding fan 10, as set forth.

In testimony that we claim the foregoing as our own we have hereto affixed our signatures in presence of two witnesses.

> WILLIAM FLAM. ANDREW G. BRANDT.

Witnesses:
GEO. B. DAVIDSON,
E. H. SHURTLEFF.