
J. W. SUTTON. GAME BOARD.

No. 447,088.


Patented Feb. 24, 1891.



J. W. SUTTON. GAME BOARD.

No. 447,088.

Patented Feb. 24, 1891.



United States Patent Office.

JOHN W. SUTTON, OF NEW YORK, N. Y.

GAME-BOARD.

SPECIFICATION forming part of Letters Patent No. 447,088, dated February 24, 1891.

Application filed October 8, 1890. Serial No. 367,387. (No model.)

To all whom it may concern:

Beit known that I, John W. Sutton, of the city of New York, in the county of New York and State of New York, a citizen of the United States, have invented certain new and useful Improvements in Base-Ball Games, of which the following is a specification.

This invention relates to that class of games known as "base-ball games;" and the object of my invention is to provide a game-board of this kind on which the game of base-ball can be played by means of marbles or balls under the same rules as the regular game is played.

The invention consists in a game-board having a diamond-shaped track, the starting end of which is higher than the finishing end, and the board being inclined upward from both edges of the track.

The invention further consists in the combination, with said board, of forks arranged at the corners of the diamond and means for turning said forks to arrest or release the rolling balls.

the ball toward the first base b. At the first base b, second base d, and third base e a curved guard-wire H is arranged to prevent the ball that runs down on the sections of the track from running up the outer incline of the

The invention also consists in the construction and combination of parts and details, which will be fully described hereinafter, and finally pointed out in the claims.

In the accompanying drawings, Figure 1 is a plan view of my improved game-board for playing the game of base-ball. Fig. 2 is a transverse sectional view on the line 2 2 of Fig. 1. Fig. 3 is a plan view of the under side of my improved base-ball game-board; and Fig. 4 is a vertical longitudinal section on the line 4 4, Fig. 1.

Similar letters of reference indicate corre-

sponding parts. The batter's position a, the first base b, the second base d, the third base e, and the 40 home-plate A', adjacent to the batter's position a, are arranged in the shape of a diamond in the usual manner on the game-board A, and these are connected by the track f. From the outer edges of said track the game-45 board A is inclined upward and outward, and that part of the game-board bounded by the track is made in the shape of an obtuse pyramid, so that the game-board is inclined upward from both edges of the entire track. 50 The track f is not horizontal; but each section—that is, the part between each two bases—has an incline, so that the batter's

position is considerably higher than the end of the track. From the center of the diamond a level way or track B extends to the 55 batter's position a, and on one end of the same the chute C is pivoted, so as to adapt it to be shifted for guiding a ball, as may be necessary. Adjacent to the pitcher's position an adjustable guard E is pivoted on the 60 top of the track B, which guard can be arranged in different positions, so that its inner edge is a greater or less distance from the batter's position, according to the size of the ball used. A wire guard F extends from 65 the batter's position a in the direction of the first base b, and a curved wire guard G is arranged along the track and also extends in the direction from the batter's position ato the first base b for the purpose of guiding 70 the ball toward the first base b. At the first guard-wire H is arranged to prevent the ball. that runs down on the sections of the track from running up the outer incline of the 75 game-board, and to compel it to turn the corner and run down the next section of the track. At the first base b, second base d, and g_{ij} third base e a vertical shaft J is arranged, and provided on the upper end with a fork K.80 adapted to swing over the guide H. Each shaft is provided on its lower end with the crank L, Fig. 2, with which the spring M is connected in such a manner as to hold the forks K clear from the track—that is, out of 85 the way. From each crank L a cord M', suitably guided, extends to that corner of the game-board nearest the home-plate, where each cord is provided with a handle O for pulling it. The curved side of the fork K 90 when drawn forward, catches and holds the base-running ball, and when the handle O is let go the straight end of the fork K forces the base-running ball through the next base with more or less force, as the manipulator 95 desires, by releasing the handle O quickly or slowly.

On different parts of the game-board curved projections P are formed, upon which the balls representing the fielders can be placed. 100 As the fielder takes different positions in the actual game of base-ball, a ball representing the fielder can be placed in different positions on the game-board, making a game that has

no element of chance in it, but wholly one of skill.

The game is played in the following manner: Two parties play against each other, 5 each party composed of one or more persons, and each party representing one of the nines. A ball representing a player is placed on one of the curved projections marked "1 B," "2 B," "S S," "R F," "CF," and "L F," these to balls representing the "out" and "in" field. A ball X is placed on the batter's position, and a ball Z is held by the pitcher upon the upper end of the chute C. The pitcher guides the chute C, when he releases the ball Z, in 15 such a manner that it will run down the chute along the track B and strike the ball X, causing the same to run along between the guards F and G toward the first base b. If the pitcher manipulates the chute C so 20 that the ball X at the batter's position a strikes the guard E or forces the batter's ball X in any other direction than toward and between the guides F and G, this is called a "ball," and if this occurs four times the ball 25 X on the batter's position a is moved to the first base. If, on the contrary, the person manipulating the chute manages to cause the ball running down the chute C to pass between the ball X on the batter's position and 30 the guard E without striking the ball X, this is called a "strike," and if three such strikes are made the player represented by the ball X is declared "out." As soon as the baserunning ball X begins to run from the bat-35 ter's position to the first base or between any two bases the "out" players have the privilege to start any one of the fielder-balls on the curved projections P in an attempt to strike the ball X while the same is running 40 along the track, and if they succeed in thus striking said base-running ball X anywhere between the bases the player is declared "out." On the other hand, the player or players representing the "in" side manipulate the but-45 tons or handle O on the ends of the springs N in such a manner as to arrest the ball running along the track at any time they may see fit to prevent its being struck or put out by one of the balls rolled from one of the pro-50 jections P. If such running ball representing a base-runner is to be stopped, the corresponding button or handle O is pulled outward, whereby the corresponding fork K is turned in such a manner as to project over 55 the guard II, so as to catch and arrest the ball representing the runner. At the proper time when the player manipulating the buttons or handles O thinks there is no danger of a ball being put out he releases the corre-60 sponding button or handle O, when the corresponding spring M throws the fork clear of

the track, thereby releasing the ball repre-

senting the base-runner, which ball then con-

tinues to run along the track, the spring start-

lator chooses, by letting it go quickly or slowly,

so as to deceive the other side as to the speed

65 ing the ball quickly or slowly, as the manipu-

of the base-runner. When a ball has made the circuit of the track or diamond, this is called "one run" and scored for that side. If 70 three balls of one side are put out, either by strikes or by being struck by a ball from one of the projections representing the fielders, the side is out and the players exchange places, the party that manipulated the out 75 balls now taking charge of the buttons or handles O and the other party manipulating the balls representing the fielders.

The rules governing the regular game of base-ball also govern this game. A ball rep- 80 resenting the base-runner is always safe when at rest on one of the bases, and while between two bases can be put out at any time by being struck by one of the balls representing fielding-players. Nine innings constitute a game, and the side scoring the most runs wins the game.

Having thus described my invention, I claim as new and desire to secure by Letters Patent—

90

1. A game-board for playing base-ball, having a diamond and a track along the edges of the diamond, the entire track being inclined and the end being lower than the beginning, substantially as set forth.

2. A game-board for playing base-ball, having a diamond and an inclined track along the edges of the diamond, the game-board being inclined upward, outward, and inward from the edges of the track along the diamond, substantially as set forth.

3. A game-board for playing base-ball, having a diamond and a track along the edges of the diamond, the entire track being inclined and the end being lower than the beginning, and a track extending from the middle of the diamond to that corner representing the batter's position, substantially as set forth.

4. The combination, with a game-board having a diamond and a track along the edges of the diamond, the entire track being inclined and the end being lower than the beginning, of a track extending from the center of the diamond to the corner representing the 115 batter's position, and a pivoted chute at the inner end of said latter track, substantially as set forth.

5. The combination, with a game-board having a diamond and an inclined track along 120 the edges of the diamond, of a track extending from the center of the diamond toward that corner representing the pitcher's position, a pivoted chute on the inner end of said track, and guards at each side of the outer end of 125 said track, substantially as set forth.

6. The combination, with a game-board having a diamond and an inclined track along the edges of the same, of a track extending from the center of the diamond toward the batter's 130 position, a pivoted chute on the inner end of said track, two guards extending from the batter's position in the direction toward the first-base corner of the diamond, and a guard

at that side of the batter's position toward the corner representing the third base, sub-

stantially as set forth.

7. The combination, with a game-board having a diamond and a track along the edges of the same, of a swinging fork at each corner representing a base and means for swinging said forks, substantially as set forth.

8. The combination, with a game-board having a diamond and a track along the edges of the same, of a rocking vertical shaft at each corner representing a base, a fork on the upper end of each shaft, a spring acting on the

lower end of each shaft, a crank on the lower end of each shaft, and cords extending from 15 one corner of the game-board to the several cranks and serving to rock the shafts, substantially as set forth.

In testimony that I claim the foregoing as my invention I have signed my name in pres- 20

ence of two subscribing witnesses.

JOHN W. SUTTON.

Witnesses:

OSCAR F. GUNZ, MARTIN PETRY.