
H. S. SMITH, F. H. TREAT & C. PETTIGREW.
PROCESS OF AND MACHINE FOR BILLET FORMING.

No. 455,063.




5 Sheets—Sheet 2.

(No Model.)

H. S. SMITH, F. H. TREAT & C. PETTIGREW.
PROCESS OF AND MACHINE FOR BILLET FORMING.


No. 455,063.



H. S. SMITH, F. H. TREAT & C. PETTIGREW.

PROCESS OF AND MACHINE FOR BILLET FORMING.


No. 455,063.



(No Model.)

H. S. SMITH, F. H. TREAT & C. PETTIGREW. PROCESS OF AND MACHINE FOR BILLET FORMING.

No. 455,063.




(No Model.)

H. S. SMITH, F. H. TREAT & C. PETTIGREW.
PROCESS OF AND MACHINE FOR BILLET FORMING.

No. 455,063.

Patented June 30, 1891.



Witnesses: Edd Mylord, Elford W. White. Inventors:
(Horace S. Smith,
Francis H. Freat,
Charles Pettigrew,
By Banning Banning Hayson,
Attus

THE NORRIS PETERS CO., PHOTO-LITHO., WASHINGTON, D. C.

United States Patent Office.

HORACE S. SMITH AND FRANCIS H. TREAT, OF CHICAGO, AND CHARLES PETTIGREW, OF JOLIET, ASSIGNORS TO THE ILLINOIS STEEL COMPANY, OF CHICAGO, ILLINOIS.

PROCESS OF AND MACHINE FOR BILLET-FORMING.

SPECIFICATION forming part of Letters Patent No. 455,063, dated June 30, 1891.

Application filed July 18, 1890. Serial No. 359,153. (No model.)

To all whom it may concern:

Be it known that we, Horace S. Smith and Francis H. Treat, both of Chicago, Cook county, and Charles Pettigrew, of Joliet, Will county, State of Illinois, have invented a new and useful Improvement in the Process of and Mechanism for Billet-Forming, of which the following is a full, true, and exact description, reference being had to the accompanying drawings.

By our improvement we are enabled at one heat and without the interposition of manual labor to complete the production of perfect billets from the ingot, continually supplying the ingots to the apparatus and removing the billets without any manual interposition whatever, excepting such as may be required to

control the machinery.

Our invention will be readily understood 20 from the accompanying drawings, in which—

Figure 1 represents a plan view of the apparatus generally, showing the relation of the parts; Fig. 2, a plan view more in detail of the blooming-mill; Fig. 3, a plan view of the shears and mechanism for removing the ends of the blooms; Fig. 4, a plan view of the billet-mill; Fig. 5, a plan view of the billet-shears and billet-conveyer; Fig. 6, a view of the ingot, and Fig. 7 a view of the completed billet. Figs. 2, 3, 4, and 5 follow in succession in the process, and are supposed to be connected together, as shown in the general plan, Fig. 1.

A represents, generally, the blooming-mill 35 with automatic transfer-tables and powerrolls, having passes adapted to produce a bloom having a square section. The ingotis fed through these rollers a sufficient number of times to reduce it to the desired section, 40 and is then carried on the transfer-table B to be delivered to the automatic shears. The transfer-table B feeds it to the transfer-table C, independently operated through a reversible power D. The forward end of the bloom is liable to be imperfect and to contain cavities, and this is therefore removed by the shears E, operated from suitable power mechanism, the piece of the bloom dropping upon the conveyer F, by which it is removed from 50 the path of the advancing bloom. The bloom

is then carried to the transfer-table G and thence to the transfer-table H, independently operated, which feeds the billet-mill J, the passes of which are arranged to produce the billets square in section. The billet is passed 55 forward and backward a sufficient number of times to reduce it to the desired section, and is then fed outward upon the transfer-table to the transfer-rollers K, which deliver the billets to either channel L L' of the billet- 60 shears M M, which cut the billets into the desired lengths and drop them to the billet-conveyer N, whence they are removed to be utilized in the subsequent operations. These shears are alternately operated by the steam 65 or hydraulic motor P.

We do not in this application show the detail of the billet-shears and billet-conveyer, the same being shown in other applications filed by us July 18, 1890, Serial Nos. 359,140 jo and 359,152. We do not in this application claim the detail of said billet-shears and billet-

conveyer. The operation of our process can now be readily understood. The heated ingot is 75 passed rapidly through the blooming-mill, thence, without allowing it to cool, to the bloom-shears, where the imperfect end is removed. Thence the metal passes onward to the billet-mill, without reheating and auto- 80 matically, where it is reduced to the proper transverse section, and thence the still hot metal without reheating is fed to the billetshears, where it is cut off in desired lengths, and thence it falls upon the conveyer to be 85 carried away for separate use. This process requires likewise a peculiar mechanism in which the transfer-tables must be independently operated, and the said process is new in the accomplishment of these results auto- 90 matically and at one heat.

What we claim as our invention, and desire to secure by Letters Patent, is—

1. The process of forming a short billet from an ingot automatically and at one heat, 95 which consists in reducing the hot ingot to a bloom, in feeding the same mechanically to a shears, removing the imperfect end, feeding said bloom mechanically to the billet-mill, reducing it to the section of a billet, feeding it 100

to the billet-shears, shearing the proper length of billet, and mechanically removing the billet, all at one heat and without the interposition of manual labor, substantially as de-

5 scribed.

2. The combination, in a billet-mill, of a blooming-mill, a transfer-table for feeding the ingot to the mill and the bloom from the mill, an independent reversible transfer-table comro bined with said second table and feeding the bloom to the bloom-shears, a bloom-shears operating on the bloom so fed on said table, a transfer-table to feed said bloom onward, a reversible transfer-table connected therewith 15 and receiving said bloom and feeding it to the

billet-mill, the billet-mill, a transfer-table for feeding the metal onward to the billet-shears table, a transfer-table for feeding the metal to the billet-shears, the billet-shears for cutting the metal, and a conveyer for carrying 20 away the completed billet, the whole operating mechanically and without the interposition of manual labor, substantially as described.

HORACE S. SMITH. FRANCIS H. TREAT. CHARLES PETTIGREW.

Witnesses: EPHRAIM BANNING, SAMUEL E. HIBBEN.