





(No Model.)

2 Sheets—Sheet 1.

A. F. PAYNE.
WALL PAPER EXHIBITOR.

No. 459,567.

Patented Sept. 15, 1891.



WITNESSES.
Rich. A. George.
M. C. Robinson

INVENTOR.
Augustus F. Payne
By R. B. Berry
attys

(No Model.)

2 Sheets—Sheet 2.

A. F. PAYNE.
WALL PAPER EXHIBITOR.

No. 459,567.

Patented Sept. 15, 1891.





Fig. 11.




Fig. 10.




Fig. 12.

WITNESSES.

Rich. A. George.

M. C. Robinson

INVENTOR.

Augustus J. Payne
By Risley Perry
Atty

UNITED STATES PATENT OFFICE.

AUGUSTUS F. PAYNE, OF HAMILTON, NEW YORK.

WALL-PAPER EXHIBITOR.

SPECIFICATION forming part of Letters Patent No. 459,567, dated September 15, 1891.

Application filed February 24, 1891. Serial No. 382,348. (No model.)

To all whom it may concern:

Be it known that I, AUGUSTUS F. PAYNE, of Hamilton, in the county of Madison and State of New York, have invented certain new and useful Improvements in Wall-Paper Exhibitors; and I do hereby declare that the following is a full, clear, and exact description of the invention, which will enable others skilled in the art to which it appertains to make and use the same, reference being had to the accompanying drawings, and to the letters of reference marked thereon, which form part of this specification.

My invention relates to an improvement in wall-paper exhibitors.

In the drawings which accompany and form a part of this specification, and in which similar letters of reference refer to corresponding parts in the several views, Figure 1 shows a front elevation of my exhibitor closed. Fig. 2 shows a side elevation open. Fig. 3 shows a rear view closed. Fig. 4 shows a side elevation partially open. Fig. 5 shows a portion of the device, including a section of parts, taken on line C D of Fig. 7. Fig. 6 shows a partial cross-section taken on line A B of Fig. 5. Fig. 7 shows a portion of the device in detail. Fig. 8 shows an extension attachment hereinafter more fully explained. Fig. 9 shows an end elevation of the parts shown in Fig. 8, as seen from the right. Figs. 10 and 11 show details of construction. Fig. 12 shows a corresponding position to Fig. 2 with the shelf-piece more elevated.

In constructing my device I provide an exhibitor-body 1 with retaining-walls 2 2 along each side, forming the sides of the exhibitor-face. At the upper end of the exhibitor-body is provided an inlaid piece, preferably of metal 3, in which piece 3 are secured projecting pins 4 4 and screw-threaded openings for receiving thumb-screw clamps 5 5. Across the top of the exhibitor-body extends a retainer 6, composed of parts 6^a and 6^b, and of a thickness equal to the length of pins 4, and having recesses 6^c to receive the pins 4. On the piece is provided a bearing 6^b for connecting hinge 7, which hinge is preferably bent outward, as shown, and serves to connect shelf-piece 8 to the body portion of the device.

To the back of the exhibitor-body is hinged

at 9 a supporting-frame 10, having legs substantially of the length of the exhibitor, and when extended adapted, in connection with the body, to set up in an A shape. To the frame 10 is hinged an arm 11, having an extension portion 11^a hinged to its swinging end, and which arm 11 or extension 11^a are adapted to engage behind a stop 12 on the shelf-piece 8 and support it in open position, either substantially horizontal, as shown in Fig. 2, or at an angle. (Shown in Fig. 12.) To the free or swinging end of the shelf-piece 8 is secured a flap or curtain 13, adapted to cover and protect the samples on the board when the device is folded. 14 is also a flap secured to piece 6, and adapted to close the open space between the piece 8 in closed position and the upper end of the device, thus protecting the upper ends of the samples.

On the side of the exhibitor-body is provided a pair of eyes 15 15^a, adapted to receive hooks 16 16, fixed in a portion of the device, which, for convenience in describing, we will call the "exhibitor attachment" 17. The exhibitor attachment consists of a frame of a height equal to the length of the exhibitor-body and of a length preferably equal to three rolls of wall-paper, and is provided with a movable leg 18, hinged to the back of the attachment at 19. At the top the attachment is provided with a series of curved hooks 20, projecting from the rear of the device and curving upward in suitable position to receive a roll of wall-paper. I construct these hooks 20 of a doubled and bent wire inserted at the forked end in the single hole of the exhibitor-frame; but this particular construction is not essential.

The device is used substantially as follows: With the device lying upon its back on a table, the clamping-piece 6 being detached by removing thumb-screws 5, the parts 6 and 8 are removed, and the samples, (wall-paper,) of substantially the length of the device, are filed upon the pins 4. Those intended for ceilings may be filed with their backs to the front. The clamp 6 is then applied, and by means of thumb-screws 5 made to bind the samples to the back. In exhibiting, the device is set up as shown in Figs. 2 or 3 and 8 and 9, and the samples are shown by turning them from the face of the device over on the

shelf 8, and these samples, placed upon filing-pins with their backs to the front, are seen on the shelf and around the piece 6, in combination with what may be upon the face of the exhibitor; but for this purpose the device is preferably placed in the position shown at Fig. 12. The part 17 is used when it is desired to show a larger surface of paper, in which case the rolls are partially unrolled and the unrolled portion spread over the face of the parts 17, the rolls being held by hooks 20, and the surface appears in combination with what may be upon the front of the exhibitor proper. By turning the shelf-piece 8 over onto the face of the exhibitor when not in use the samples thereon are covered and protected by the piece 8 and flaps 13 and 14, and by allowing the frame 10 to close up to the back and detaching the part 17 the device becomes compact and readily portable.

What I claim as new, and desire to secure by Letters Patent, is—

1. The combination, in a wall-paper exhibitor, of the exhibitor-body 1, having retaining walls or rims 2, supporting-legs 10, the folding shelf 8, the paper-clamp 6, having pro-

jecting pins, the hinge 7, connecting the shelf 8 to the clamp-piece 6, and the jointed supporting-arm 11, adapted to support the shelf 8 in horizontal and inclined position, substantially as set forth.

2. The combination, in a wall-paper-sample exhibiting device, of the exhibitor-body having projecting pins at its upper end, the sample-clamp for securing the samples on the pin, the supporting-frame, and the shelf-piece hinged by hinges 7 to the clamping-piece and adapted to turn from its position as a shelf onto the samples on the face of the exhibitor, and the extension or attachment removably secured by hooks to the side of the exhibitor and extending in the same plane with the face thereof, and the hooks for supporting rolls of paper on the attachment, all combined substantially as and for the purposes set forth.

In witness whereof I have affixed my signature in presence of two witnesses.

AUGUSTUS F. PAYNE.

Witnesses:

JOHN J. TAYLOR,
WM. M. WEST.