


(No Model.)

J. M. GLOVER.
MOLDING.

No. 485,377.

Patented Nov. 1, 1892.



WITNESSES:

Louis S. Thomason.
L. J. Jorgensen

James M. Glover
INVENTOR
W. J. Dennis
Principal Attorney
BY
Chas. J. Stockman
Associate ATTORNEY.

UNITED STATES PATENT OFFICE.

JAMES M. GLOVER, OF RICHMOND, INDIANA.

MOLDING.

SPECIFICATION forming part of Letters Patent No. 485,377, dated November 1, 1892.

Application filed April 7, 1892. Serial No. 428,134. (No model.)

To all whom it may concern:

Be it known that I, JAMES M. GLOVER, a citizen of the United States, residing at Richmond, in the county of Wayne and State of Indiana, have invented certain new and useful Improvements in Moldings; and I do hereby declare the following to be a full, clear, and exact description of the invention, such as will enable others skilled in the art to which it ap-
10 pertains to make and use the same.

My invention relates to that class of moldings which are covered with cloth and used in the construction of caskets and coffins.

My invention consists in a molding for
15 caskets or coffins covered with a fabric cut to a pattern corresponding to the angles of the molding for one-half of the longitudinal dimensions of the casket or coffin at one end and applied to the molding unbroken.

20 In the drawings, Figure 1 is a top plan view of a molding finish for the end of a casket or coffin. Fig. 2 is a vertical cross-section of the same.

In Fig. 1, D D represents the molding in
25 the form in which it is applied to the end of a casket or coffin. *a a a a* are the corners of the angles, where the straight pieces composing the molding are mitered together. *b* is the center line of the head of the molding
30 and shows the joint where the cloth covering each lateral one-half of the molding meets. A A are the inside lines of the molding, where it is attached to the casket or coffin.

The cloth to be used in covering the mold-

ing is cut in a pattern or form to correspond 35 with the width and length and form of the molding from *b* to *c*, with excess in width sufficient to lap over and cover the edges *n n*, Fig. 2. The cloth so cut out and formed is then treated with the proper adhesive prepa- 40 ration and manipulated into position, producing a smooth unbroken surface over the angle-corners *a a* and meeting in a plain contact-joint at *b*.

B B shows that part of the molding not 45 covered by the cloth.

The figures 1 2 3 represent the angles of the molding in sections.

Having thus fully described my said improvement, what I claim as new, and desire 50 to secure by Letters Patent, is—

The combination, with a molding for a casket or coffin, of a fabric for covering the same, said fabric being cut to a pattern corresponding to the angles of the molding for one-half 55 of the longitudinal dimensions of the casket or coffin at one end and applied thereto by an adhesive preparation, thereby producing a smooth unbroken surface over the angle-corners of the molding, substantially as de- 60 scribed.

In testimony whereof I affix my signature in presence of two witnesses.

JAMES M. GLOVER.

Witnesses:

FRANK M. CONNER,
W. T. DENNIS.