
O. H. WILLIAMS. CABINET ALBUM.

No. 501,857.

Patented July 18, 1893.



Witnesses

Hickorden Offskell. Stig Hilliama Inventor
By
Robert & Carr Attorner

United States Patent Office.

OTIS H. WILLIAMS, OF HAMILTON, OHIO, ASSIGNOR OF ONE-THIRD TO JOHN M. RAY, OF SAME PLACE.

CABINET-ALBUM.

SPECIFICATION forming part of Letters Patent No. 501,857, dated July 18, 1893.

Application filed August 29, 1892. Serial No. 444,477. (No model.)

To all whom it may concern:

Be it known that I, Otis H. Williams, of Hamilton, Butler county, Ohio, have invented certain new and useful Improvements in Cabinet-Albums, of which the following is a specification.

My invention relates to that class of "cabinet albums" consisting of a rectangular box or cabinet, provided with a glass in the top ro or lid, through which the pictures in the cabinet may be seen; and the object of my improvement is to inclose the photographic pictures to protect them from injury; to provide convenient means of securing the photo cards 15 so that they may be successively, either singly or in pairs, exposed to view; to utilize the space in the cabinet for the largest number of pictures; and to mount the cabinet on a central pivot for greater convenience. I at-20 tain these objects in the following described manner as illustrated in the accompanying drawings in which—

Figure 1 represents a side elevation of the cabinet; Fig. 2 an end elevation mounted on a pivot and showing the lid removed; Fig. 3, a side view of one of the wire card holders; Fig. 4, an end view of Fig. 3; Fig. 5, a side view of a wire ring or clamp to secure the tops of pairs of cards together; Fig. 6, an end view of Fig. 5; Fig. 7, an enlarged vertical section of a portion of the base showing manner of caracteristics.

of construction.

In the drawings, A represents the base, B a rectangular frame secured thereon, C and 35 D glass panels forming the respective sides and ends of said frame, and E the cover or lid, consisting of a glass panel surrounded by a frame. The cabinet if desired may be mounted on standard F by means of pivot G depend-40 ing from the center of the base. The margin H of the base is raised to receive the frame B, groove I is formed lengthwise of the margin on one side of the base, and a series of equidistant transverse notches J, is formed 45 in said margin and extend inwardly from said groove and across the margin on the opposite side of the base. Holders K rest loosely in said notches and are retained by the bottom of frame B. Said holders are constructed of 50 spring wire and foot L is formed on one end

thereof to rest in groove I to prevent end mo-

tion of the holders. Ring or knob M formed on the opposite end extends outside the cabinet, by which said holders may be turned axially in said notches. Coils N are formed in 55 said holders on the side opposite foot L to receive and retain the bottom edges of the photo cards R. Said cards may be inserted in the holders in pairs, with their backs together, when the top corners may be secured together 60 by rings O being placed thereon.

As the combined thickness of the top ends of the cards secured in the cabinet occupies a less longitudinal distance than that of the holders, the cards are permitted to be turned 65 at such an angle as to be conveniently viewed through the top glass, and they may be successively turned in either direction until the pictures on opposite sides of the cards may be exposed to view.

The cabinet may be constructed wider than shown and with the card holders correspondingly larger, and provided with a greater number of coils for the reception of a double row of cards if desired.

Leaves similar to those of ordinary photo albums may be secured to the respective holders and the cards inserted therein in the usual

manner.

The ornamentation of the cabinet may be 80 as elaborate as desired to make its appearance attractive or in harmony with its surroundings or with the pictures it contains. The sides and ends may be of other material than glass; however transparent material is 85 preferable to opaque for the purpose.

The lid may be hinged and secured by a hook or a lock, to prevent the pictures from being unnecessarily removed or stolen, or it may be removably secured in any other de- 90

sired manner.

The pivot and standard shown in Fig. 2 are intended only for use on cabinets of the

larger sizes.

The groove I may be omitted, together with 95 the foot L on each of the holders K, when notches J are extended entirely across the top of the raised margins on both sides of the base and the holders are provided with knobs M on both ends to rest close to the frame to prevent end motion of the holders and by which they may be turned from either end.

What I claim, and desire to secure by Letters Patent, is—

1. In a cabinet album, the combination, with a base, one side of which is provided with a 5 longitudinal groove and with equidistant transverse notches, one end of each of which notches terminates in the longitudinal groove and the other end terminates at the opposite edge of the base, a card holder in each of the to said notches, one end of which is provided with a foot to fit in the longitudinal groove, and the other end projects beyond the opposite edge of the base, and is provided with means for rotating it, and the intermediate 15 portion of said holder is provided with means for holding cards, and a frame upon the base, the bottom of which rests upon and forms a cover for the grooves and notches in the base, substantially as set forth.

20 2. In a cabinet album, the combination, with a base, one side of which is provided with a longitudinal groove, and with equidistant transverse notches, one end of each of which notches terminates in the groove and the other end terminates at the opposite edge of the base, a card holder in each notch consisting of a single piece of wire, one end of which is provided with a foot to fit within the groove, and the opposite end projects beyond the edge

of the base and is provided with means for 30 rotating it, and the intermediate portion is provided with coils for the reception of the card, and a frame upon the base, the bottom of which covers the groove and the outer ends of the notches, whereby the removal of the 35 wires is prevented, substantially as set forth.

3. A cabinet album, having in combination, a rectangular base, constructed with a raised margin on each side of its top surface, the face of the margin on one side being provided 40 with a longitudinal groove and a series of equidistant transverse notches leading outwardly therefrom, the face of the opposite margin being intersected transversely by a series of corresponding notches, a series of 45 card holders constructed of wire having intermediate coils adapted to receive and engage the edge of the photo cards, one end of said holders terminating without said base and provided with a handle, and the other end 50 terminating at an angle within said groove, and a rectangular case secured to the base on said margin whereby the card holders are kept in place, substantially as set forth. OTIS H. WILLIAMS.

Witnesses:

ROBERT S. CARR, J. W. SLONEKER.