


(No Model.)

C. H. HASKER.


LABEL HOLDER FOR SHEET METAL VESSELS.

No. 505,312.


Patented Sept. 19, 1893.




*Fig. 2.*



*Fig. 3.*



*Fig. 4.*



Witnesses  
Chas. A. Mearns  
Howard Walmsley

Inventor  
Charles H. Hasker  
By Alexander & Davis  
his Attorneys



# UNITED STATES PATENT OFFICE.

CHARLES H. HASKER, OF RICHMOND, VIRGINIA, ASSIGNOR TO THE HASKER & MARCUSE MANUFACTURING COMPANY, OF SAME PLACE.

## LABEL-HOLDER FOR SHEET-METAL VESSELS.

SPECIFICATION forming part of Letters Patent No. 505,312, dated September 19, 1893.

Application filed July 15, 1893. Serial No. 480,636. (No model.)

*To all whom it may concern:*

Be it known that I, CHARLES H. HASKER, a citizen of the United States, residing at Richmond, in the county of Henrico and State of Virginia, have invented certain new and useful Improvements in Label-Holders for Sheet-Metal Vessels, of which the following is a specification, reference being had therein to the accompanying drawings, in which—

Figure 1 is a perspective view of a portion of a sheet-metal vessel provided with my improved label holder; Fig. 2 a vertical sectional view of the same; Fig. 3 an interior view of the side of the vessel provided with the holder. Fig. 4 is a section on line 4—4 of Fig. 3.

This invention has relation to certain improvements upon label holders for sheet-metal vessels, and it consists of certain novel features of construction described and particularly set forth in the following specification.

Referring to the drawings, *a* designates one of the walls of a sheet-metal can, box, or other vessel, and *b* a rib formed on the sheet-metal by pressing or forcing a narrow portion of the metal bodily outwardly without puncturing the same, except as hereinafter described, the body of the metal inclosed within the rib being uninjured and undisturbed. The rib has a lower portion *b'*, which is preferably horizontal and forms the bottom of the label receptacle, and the two vertical side-portions *b'' b''* which extend up from the ends of part *b'* and form the ends or sides of the label receptacle, the space between the two parts *b''* being free of obstructions.

Formed on each of the side ribs *b''* are two clamping ears *c*, which are flush with the outer edge of the ribs and extend inwardly toward each other a short distance and are made malleable to adapt them to be bent against the label and clamp the same securely in place. Two of these ears are shown on each vertical portion of the rib, but it is obvious that a greater or less number may be employed if desired. The ears are formed by cutting small portions of the body of the vessel inside of and adjacent to the vertical parts *b''* and pressing the cut parts outwardly

to bring them substantially even with the outer edges of said vertical ribs *b''*. The label is slipped down between the side ribs *b''* until it rests on the bottom rib *b'*, and it is then clamped securely in place by bending in the malleable ears, which press and hold the label against the body of metal inclosed by the ribs. It will be observed that by this construction the label holder may be not only entirely stamped up from the body of the metal vessel itself, thus avoiding the use of independent fastening devices which are costly and cumbersome, but the ribs and ears may be brought as nearly flush with the body of the vessel as is possible, thereby overcoming all inconvenience in packing and cleaning. This construction also insures extreme neatness and simplicity in appearance.

It will be observed that the ribs and ears may be stamped and cut in one operation, by means of suitable tools, which insures cheapness of manufacture.

Having thus fully described my invention, what I claim is—

1. A sheet-metal vessel having formed on it a label holder, said holder consisting of a receptacle formed by pressing a narrow portion of the sheet-metal body outwardly a short distance to form a rib and one or more securing ears, substantially as described.

2. A sheet-metal vessel provided with a label-holder, said label-holder consisting of a rib formed by pressing a portion of the metal bodily outwardly, said rib having a lower part *b'* and two end parts *b''*, the end parts being provided with ears, substantially as described.

3. A sheet-metal plate having formed on it a label-holder, said label-holder consisting of a rib having a lower horizontal portion and two upright portions at the ends of the same, suitable parts of the rib being provided with ears, said rib being formed by pressing a narrow portion of the sheet-metal bodily outward substantially as described.

4. A sheet-metal plate having formed on it a label-holder consisting of a narrow rib having a lower part and upright end parts, said rib being formed by pressing a narrow part

of the sheet-metal outwardly, the metal in-  
closed by the rib being unimpaired so as to  
form a back for the label, and malleable ears  
formed on the upright parts of the rib and  
5 adapted to be bent against the label, substan-  
tially as described and for the purpose speci-  
fied.

In testimony whereof I affix my signature in  
presence of two witnesses.

CHARLES H. HASKER.

Witnesses:

BLANCHE G. CRUKMORE,  
GEO. W. FOLKES.