





(No Model.)

A. BEVER.
PARASOL OR UMBRELLA CABINET.

No. 518,390.

Patented Apr. 17, 1894.



Witnesses { *Chas. Sundgren*
George Barry.

Inventor:
Alexander Bever
by attorneys
Rownt & Seward

UNITED STATES PATENT OFFICE.

ALEXANDER BEVER, OF SPOKANE, WASHINGTON.

PARASOL OR UMBRELLA CABINET.

SPECIFICATION forming part of Letters Patent No. 518,390, dated April 17, 1894.

Application filed February 21, 1893. Serial No. 463,203. (No model.)

To all whom it may concern:

Be it known that I, ALEXANDER BEVER, of Spokane, in the county of Spokane, in the State of Washington, have invented a new and useful Improvement in Parasol or Umbrella Cabinets, of which the following is a specification.

My invention is an improved parasol and umbrella cabinet which comprises an intermediate section and adjacent sections hinged to the intermediate section at its diagonally opposite edges so that certain of the sections open from the back of the cabinet and certain sections open from the front.

I preferably make the sides and front and back of my improved cabinet of transparent glass so that the parasols and umbrellas within the cabinet may be plainly exhibited and at the same time fully protected from dust and dirt.

One object is to provide a cabinet in which a parasol or umbrella may be easily removed or replaced without disturbing any of the other parasols or umbrellas within the cabinet and with the least possible wear upon the one which is removed or replaced.

Another object is to provide a cabinet in which a great number of sections may be used and yet allow of easy access to the interior of any one of the sections, the cabinet at the same time occupying a small floor or counter space.

A practical embodiment of my invention is represented in the accompanying drawings, in which—

Figure 1 is a view in side elevation of my cabinet. Fig. 2 is a front view of the same. Fig. 3 is a horizontal section on the line x, x of Fig. 2, showing in dotted lines one of the sections of the cabinet swung out away from its adjacent section, and Fig. 4 is an enlarged top plan view of the radiating arms of the rotary holder and the spring clamps thereon for embracing the parasols or umbrellas, and also showing the central rod of the rotary holder in cross section.

In the present case I have shown my cabinet as consisting of three sections, but I wish it understood that I may employ a greater number if so desired.

A designates the intermediate section of the cabinet and adjacent thereto are hinged

two swinging sections A', A^2 . The section A' is hinged to the back edge of the section A at one side and the section A^2 is hinged to the front edge of the section A diagonally opposite the edge to which the section A' is hinged. Therefore the section A' opens from the back and the section A^2 opens from the front; and if there were another adjoining the section A^2 , it would be so hinged thereto as to open from the back, and so on with as many sections as may be desired. The sections A', A^2 are suitably locked to the intermediate section A by fastenings a, a' respectively. The three sections are provided with front and back transparent glass panels B and the sections A', A^2 with side transparent glass panels B' , so that the interior of the cabinet may be easily seen from the outside. Each of the sections is preferably provided with three rotary holders for supporting the parasols or umbrellas within the case or cabinet. Each of these holders comprises a rod or spindle C mounted so as to rotate in socket pieces c, c' within the cabinet, a disk D secured on the bar near its lower end and a hub E having radiating arms e , in the present instance six, extending therefrom. This hub slides up and down upon the rod or spindle C and may be secured in any desired position by means of a set screw e' therein. Clamping springs F are fastened to the arms e and hub E in position to engage the parasol or umbrella sticks and hold them until they are forcibly released. In the present instance I secure one clamp upon the hub between each two radiating arms and four on each arm, two on each side, making a total of thirty clamps for each holder. But, however, I may have a greater or less number of clamps or arms if it is so desired. Sockets d are formed in the upper face of the disks D corresponding in number and arrangement to the clamping springs F for the purpose of receiving the lower ends or tips of the parasols or umbrellas and thus serving to more firmly hold them in position upon the holder. I preferably provide each of the sections with rollers or casters G on its base for the purpose of easily swinging it around into the position desired to gain access to the interior of the cabinet.

The operation is as follows: If the parasol

or umbrella desired is in either of the sections A' or A, the section A' is unlocked and swung back and the holder containing the parasol or umbrella desired is rotated until it
5 is presented at the open side of the case, when it may be released from its clamp F by a slight spreading of the jaws of the clamp without disturbing any of the other articles within the case. The section A' may then be shut
10 and locked. If the article desired is in either of the sections A² or A, the section A² is unfastened and swung back and the same operation as before is gone through with.

By constructing the sides, front and back
15 of my cabinet of transparent glass, the umbrellas and parasols within the case may be exhibited without exposing them to dust and dirt.

This cabinet may also be used for canes as
20 well as parasols and umbrellas.

It is evident that slight changes might be resorted to in the construction and arrangement of the several parts without departing

from the spirit and scope of my invention, hence I do not wish to limit myself strictly to 25 the construction and arrangement herein set forth, but

What I claim is—

In combination, a cabinet comprising an intermediate section having open sides and 30 adjacent sections hinged to the intermediate section at its diagonally opposite edges the said sections forming one compartment when closed, a bar mounted to rotate in one of the sections, a disk secured to said bar near its 35 lower end, a hub sliding upon the said bar and adapted to be secured thereto at different heights, arms radiating from the said hub and having clamps thereon, the whole forming a holder for supporting parasols and the 40 like, substantially as set forth.

ALEXANDER BEVER.

Witnesses:

JOHN GRACE,

WM. H. LANCASTER.