
F. W. WARNER. BODY GARMENT.

No. 519,487.

Patented May 8, 1894.



United States Patent Office.

FREDERICK W. WARNER, OF ROCHESTER, NEW YORK.

BODY-GARMENT.

SPECIFICATION forming part of Letters Patent No. 519,487, dated May 8, 1894.

Application filed July 29, 1893. Serial No. 481, 903. (No specimens.)

To all whom it may concern:

Be it known that I, FREDERICK W. WAR-NER, a citizen of the United States, residing in the city of Rochester, in the county of Monson and State of New York, have invented a new and useful Improvement in Garments; and I do hereby declare the following to be a full, clear, and exact description of the same, reference being had to the accompanying drawings, forming a part of this specification, and to the letters of reference marked thereon.

The usual form of a dress protector is a piece of non absorbent material like rubber or oil cloth, which is formed into two half moon shaped leaves, and so shaped as to fit under the arm pits. This is placed over and depends from the seam of the dress so as to cover and protect the fabric of the dress. This arrangement is inconvenient and unless the protector is carefully stitched upon each dress, is insecure.

My invention has for its object to overcome the defects and inconveniences incident to the employment of a shield or protector in this manner and to these ends it consists in a novel construction of garment to be hereinafter described and pointed out specifically in the appended claims.

Referring to the accompanying drawings:
30 Figure 1 is an elevation of a portion of a garment or body covering constructed in accord-

ment or body covering constructed in accordance with my invention. Fig. 2 is a sectional view of the same. Fig. 3 is an elevation looking under the sleeve and arm opening.

Like letters of reference in the several figures indicate the same parts.

I can apply the invention to a dress but preferably apply it to an under garment, worn about the waist, as a corset cover or underwaist or undershirt.

In carrying the invention into practice, I cut two pieces of suitable fabric D D, conforming to the shape of the two leaves of the dress protector, only they are cut larger so as to leave a margin. These pieces are sewed or otherwise secured to the margin. The one is attached along its outer curve to the under part of the sleeve, in such a manner that the inner curve, which is left open shall conform

to the seam by which the sleeve is attached 5c to the body of the garment, thus forming a pocket for the reception of the outer leaf of the protector extending from the arm hole outward on the sleeve. The other piece is attached to the body of the garment in a similar 55 manner, forming a pocket for the reception of the inner leaf of the protector and extending inward on the body portion from the arm hole. The dress protector is placed over the seam with one leaf in each pocket, is con- 60 cealed from view, is held firmly in place and can easily be removed for washing the garment and can as easily be replaced when desired. The pieces forming the pocket may be sewed or knit on the garment or may be 65 hooked or buttoned on as may seem best.

In the application of the pockets I do not limit myself to the use of the non absorbent dress shields or protectors, but any other kind may be inserted, as a pad made of cotton or 70 other fiber.

Some of the waist or body garments on which it will be desired to use the dress shield or protector pockets are commonly made without sleeves. In such garments the sleeve 75 may be attached directly to the garment forming a short sleeve on the under side or the pocket and the pad portion may be relied on to hold the shield.

I am aware that dress shields have been in-80 serted in removable covers, such as shown in Patent No. 234,909, for instance, and do not wish to be understood as claiming such device.

Having thus described my invention, what 85 I claim as new is—

1. A body garment having an arm opening and a pocket formed in the garment directly below said arm opening with its mouth in close proximity to it, whereby one side of a dress 90 shield may be inserted in said pocket and the shield removably held directly beneath the arm of the wearer; substantially as described.

or otherwise secured to the margin. The one is attached along its outer curve to the under part of the sleeve, in such a manner that the inner curve, which is left open shall conform

2. As an article of manufacture, a body garment having the arm opening, the sleeve 95 secured thereon and a pocket formed in the body of the garment directly beneath the arm hole, and a pocket in the under side of the

sleeve close to the arm opening, said pocket adapted to receive the two sides of a dress shield and hold it directly beneath the arm of the wearer, substantially as described.

3. A garment, such as described, having an arm opening and a sleeve secured therein and pockets in the body of said garment and sleeve respectively opening at the sleeve hole

or seam uniting the sleeve and body and adapted for the reception of the two halves so of a dress shield; substantially as described.

FREDERICK W. WARNER.

Witnesses:
Lovasso Field,
C. B. Jacobs.