
(No Model.)


## I. VORON.


## MOUTHPIECE FOR CIGARETTES.


No. 539,839.

Patented May 28, 1895.









Inventor:

Saac Voron

Milliam B. Greeley Atty.

## United States Patent Office.

ISAAC VORON, OF NEW YORK, N. Y.

## MOUTHPIECE FOR CIGARETTES.

SPECIFICATION forming part of Letters Patent No. 539,839, dated May 28, 1895.

Application filed March 7, 1895. Serial No. 540,821. (No model.)

To all whom it may concern:

Be it known that I, Isaac Voron, a subject of the Queen of Great Britain, and a resident of the city, county, and State of New York, 5 have invented certain new and useful Improvements in Mouthpieces for Cigarettes; and I do hereby declare that the following is a full and exact description thereof, reference being had to the accompanying drawings, and so to the letters of reference marked thereon,

making a part of this specification.

The object of this invention is to provide a cigarette mouth-piece of sheet-cork or other suitable material, which may be applied di-15 rectly to the cigarette and therefore add practically nothing to the size or weight thereof, which shall protect the lips of the smoker from contact with the paper or the tobacco of the cigarette, and shall not be liable to be-20 come detached by the moisture of the mouth. The blank from which the mouth-piece is made is so formed as to be easily applied and being itself of insignificant cost, the expense of providing eigarettes with a mouth-piece 25 which is particularly acceptable to the smoker is but trifling.

I have shown an embodiment of the invention in the accompanying drawings, in

which—

Figure 1 is an elevation of the blank or ----sheet of cork for forming the mouthpiece of the cigarette. Fig. 2 is a perspective view of a cigarette with a wad or sheet of absorbent material applied thereto. Fig. 3 is a perspec-35 tive view of a cigarette with the sheet-cork mouthpiece partly secured thereto, covering the absorbent material; and Fig. 4 is a perspective view of a cigarette with mouthpiece complete.

The cigarette A may be of any usual construction, being preferably oval in cross section rather than round, and preferably the paper wrapper turned in slightly at one end and a bit of absorbent material a, such as

45 cloth, pasted upon the end.

The blank B which forms the mouth-piece is preferably cut from a moisture resisting material such as very thin cork and is of substantially the shape shown in Fig. 1, compris-50 ing in its most desirable form a body-piece b, substantially rectangular, of a convenient l

width and of a length sufficient to permit it to be wrapped around the cigarette, as shown in Fig. 4, with the ends preferably overlapping. A cap-piece b', Figs. 1, 3 and 4, which 55 conforms to the end of the cigarette, being shown as oval in this case, is provided with perforations  $b^2$ ,  $b^2$ , and is integrally attached to the body-piece b at a convenient point on one edge thereof, as at  $b^3$ ; and strips  $b^4$ ,  $b^4$  to

which radiate from the cap-piece.

The method of applying the mouth-piece is a very simple one, and consists of laying the blank B on a smooth surface, such as a table or slab in a flat position, placing that end of 65 the cigarette which has already been provided with a wad of absorbent material, on to the blank B, in such a manner that the end will meet the cap-piece when it joins the bodypiece b. Then swing up the cap-piece so that 70 it will cover the end of the cigarette and hide the wad of absorbent material. The strips  $b^4$ ,  $b^4$  are now in position to turn over and on to the body of the cigarette, and lastly the ends of the body-piece are folded over to form 75 a complete covering to the end of the cigarette. To prevent these ends from breaking or being torn, it is advisable to apply a small amount of paste or fine gum in such a manner that they will be firmly secured together, 80 the one overlapping the other, and thus making a perfect cylinder of cork. For better results, I also apply adhesive to the strips  $b^4$ ,  $b^4$ , so that they will adhere to the body of the cigarette.

I am aware that it is not new to add a mouth-piece to the end of a cigarette, as that has been done before by reinforcing with a strip of paper or other material forming a little cylinder on the end of the cigarette, but 90 the advantages gained by my invention as herein set forth, are much greater than in the other methods and the end attained is superior. Furthermore I make use of a very small quantity of adhesive, placing it on the 95 under side of the overlapping ends of the body-piece b, and as cork does not permit of the passage of the saliva, the smoker will not be conscious of the presence of the adhesive material used to form the said cylinder.

I claim as my invention—

The combination with a cigarette, of a

mouth-piece formed of moisture resisting material and comprising a substantially rectangular body-piece, a perforated cap to conform to the end of the cigarette integrally attached

5 to the body-piece at one edge thereof, and strips radiating from the cap, the said cap being placed against the end of the cigarette, the radiating strips being bent to lie against the sides of the cigarette and the body-piece 10 being laid around the cigarette over the radi-

ating strips and secured by adhesive, substantially as shown and described.

In testimony whereof I have signed my name to this specification in the presence of two subscribing witnesses.

ISAAC VORON.

Witnesses:

A. N. JESBERA,

E. M. SHUSTER.