
(No Model.)


L. ARNOLD & M. LARY. STOVEPIPE THIMBLE.


No. 573,954.

WITNESSES:

Patented Dec. 29, 1896.







Leman Arnold.

Morris Lary.

BY

met Whomson

ATTORNEYS.

THE NORRIS PETERS CO., PHOTO-LITHO, WASHINGTON, D. C.

United States Patent Office.

LEMAN ARNOLD, OF NORTHVILLE, AND MORRIS LARY, OF AMSTERDAM, NEW YORK; SAID ARNOLD ASSIGNOR TO SAID LARY.

STOVEPIPE-THIMBLE.

SPECIFICATION forming part of Letters Patent No. 573,954, dated December 29, 1896.

Application filed June 8, 1896. Serial No. 594,642. (No model.)

To all whom it may concern:

Be it known that we, LEMAN ARNOLD, of Northville, county of Fulton, and Morris Lary, of Amsterdam, county of Montgomery, 5 State of New York, have invented new and useful Improvements in Stovepipe-Thimbles, of which the following, taken in connection with the accompanying drawings, is a full, clear, and exact description.

This invention relates to improvements in

stovepipe-thimbles.

Our object is to produce a stovepipe-thimble adapted to be easily and readily attached or detached from the opening in the chimney; and to that end our invention consists in the several new and novel features of construction and operation hereinafter described, and which are specifically set forth in the claim hereunto annexed.

It is constructed as follows, reference being had to the accompanying drawings, in which—

Figure 1 shows a vertical section of a chimney through the opening, showing a thimble therein as the same appears when in use.

Fig. 2 shows a front end view of the thimble and locking device detached. Fig. 3 shows a view of the thimble proper, the locking device being removed, and showing the same enlarged in dotted lines.

Similar letters of reference indicate corre-

sponding parts.

A is a chimney provided with an ordinary opening a. B is the thimble, constructed cylindrical in form, as shown, the edges b 35 and b' lapping each other, as shown in Fig. 2, the side lapping edges being held together by a thumb-screw c. The outer lap b' of the thimble is provided with a transverse slotway d', (shown in Fig. 1,) for the purpose of intereasing or diminishing the annular size of the thimble, as may be desired. When the desired size is reached, the thumb-screw is turned until the laps are securely held together. The thimble is also provided with a locking device comprising standards con-

structed of wire e, secured to the cylinder, as shown, and spring-brackets f, as shown. This locking device comprises the standard e, which is preferably a piece of wire bent upon itself and is secured to a thimble, one end of which 50 extends across and forms a part of the opposite standard, and the free ends being bent backward and inward, and this at right angles to form tips, the whole thus bent forming the spring-brackets f and assuming the position 55 shown in the drawings.

When it is desired to remove the thimble, the hand is inserted through the thimble and grips the inner ends of the brackets f and forces them to the position shown in dotted 60 lines of Fig. 1, when the thimble may be

readily withdrawn.

The stovepipe is inserted into the thimble and may be secured thereto by pins, screws, or in any ordinary or well-known manner.

Having described our invention, what we desire to secure by Letters Patent is—

A stovepipe-thimble comprising a cylinder and a locking device secured thereto, said locking device comprising standards formed 70 from a piece of wire bent upon itself at two points and secured to the cylinder and the out ends of said wire bent outwardly and then inwardly at an angle, for the purpose of forming a shoulder to engage with the inner face of 75 the chimney and the extreme ends of the said wire being bent to allow the finger and thumb of the hand to readily grasp them for the purpose of compressing the shoulders when it is desired to withdraw the thimble from the 80 chimney.

In witness whereof we have hereunto set our hands this 21st day of April, 1896.

LEMAN ARNOLD. MORRIS LARY.

Witness as to signature of Leman Arnold: JAMES R. VAN NESS.

Witnesses as to signature of Morris Lary:

H. P. DENISON, C. W. MORVIN.