




(No Model.)

2 Sheets—Sheet 1.

G. W. COPE.
HEATING STOVE.

No. 576,034.

Patented Jan. 26, 1897.



Witnesses
Cyrus L. Lathrop
Amelia J. Williams.

Inventor
George W. Cope


(No Model.)

2 Sheets—Sheet 2.

G. W. COPE.
HEATING STOVE.

No. 576,034.

Patented Jan. 26, 1897.



Witnesses
Cyril K. Cope
Amelia J. Williams

Inventor
George W. Cope

UNITED STATES PATENT OFFICE.

GEORGE W. COPE, OF DETROIT, MICHIGAN, ASSIGNOR TO RALPH M. DYAR,
OF SAME PLACE.

HEATING-STOVE.

SPECIFICATION forming part of Letters Patent No. 576,034, dated January 26, 1897.

Application filed May 18, 1895. Serial No. 549,806. (No model.)

To all whom it may concern:

Be it known that I, GEORGE W. COPE, of Detroit, in the county of Wayne and State of Michigan, have invented a new and useful Improvement in Heating-Stoves, of which the following is a specification.

My invention consists in an improvement in heating-stoves, hereinafter fully described and claimed.

Figure 1 is a perspective of a stove embodying my invention. Fig. 2 is a front elevation of one of the interior sections. Fig. 3 is a section on line *y y*, Fig. 1; and Fig. 4 is a section on line *z z*, Fig. 1.

My invention consists in making stoves of sections of improved construction, so that instead of being obliged to carry a great many sizes of patterns to make different sizes of stoves a greater or less number of sections may be put together to form stoves of different sizes.

My improved stove consists, essentially, of three parts, first, a front section (marked A) provided with a fire-door B and a draft-door (or not, at will) and with legs *d*; second, a rear section H, provided with legs *e*, closed entirely at its rear end, except for a draft-opening *h*, both the sections A and H being open on one side, and, third, an intermediate section or sections G, open on both sides, each section being provided with an aperture *a* near the top to receive a rod N, provided at one end with a head *n* and arranged at the other end to engage with a screw-nut F, and at the bottom the end sections are provided with apertures to take a rod M, provided at one end with a head M and at the other end to engage with a screw-nut E. The meeting edges of the sections are arranged in any convenient way to make a close joint between them when drawn together, a good way being that shown in Fig. 3, in which one section is provided with a groove *f* and the adjacent

edge of the next section with a tongue *b* to fit in said groove.

The stove is provided with a grate I, supported on lugs formed in the sections just below the opening for the door B. The grate is made in sections, there being one such grate-section for each stove-section, as most clearly shown in Fig. 3 of the drawings.

It is well known that the forms of grate adapted for burning coal or for burning wood differ somewhat, and there are a number of varieties of grates for these different fuels, and any known form of grate may be used.

It is evident that by means of my invention a dealer may buy and carry in stock a large number of sections and may fit up stoves of different lengths for different places by simply assembling a greater or less number of sections, and using longer or shorter tie-rods to fasten them together, whereby the cost of carrying stock is greatly reduced, and whereby also a large saving is made in freight, as the sections may be shipped separately and put together when and where desired.

What I claim as my invention, and desire to secure by Letters Patent, is—

A heating-stove, consisting of a front section having a fire-door on one side and open throughout on its opposite side, a rear section having a closed side provided with a draft-hole and open throughout on the other side, a plurality of intermediate sections all in unobstructed communication at their contiguous sides, tie-rods extending through the front, rear, and intermediate sections, and a grate made in sections, each section of the stove being provided with its own grate-section, substantially as described.

GEORGE W. COPE.

Witnesses:

CYRUS E. LOTHROP,
AMELIA J. WILLIAMS.