
No. 618,138.


Patented Jan. 24, 1899.


A. S. SECHRIST. CONDIMENT HOLDER.

(Application filed July 22, 1898.)

(No Model.)







ARon Applement By Mis Attorneys.

United States Patent Office.

AMMON S. SECHRIST, OF VERDILLA, PENNSYLVANIA.

CONDIMENT-HOLDER.

SPECIFICATION forming part of Letters Patent No. 618,138, dated January 24, 1899.

Application filed July 22, 1898. Serial No. 686,628. (No model.)

To all whom it may concern:

Be it known that I, AMMON S. SECHRIST, a citizen of the United States, residing at Verdilla, in the county of Snyder and State of Pennsylvania, have invented a new and useful Condiment-Holder, of which the following is a specification.

This invention relates to that class of casters or condiment-holders, particularly for salt and pepper, which are designed to contain both salt and pepper in separate compartments and capable of delivering either salt

or pepper, as desired.

The objects of the present invention are to provide a slide adapted to open and close the sets of openings or perforations in the top or cap of the caster with operating thumb-pieces and means for locking the slide when both sets of openings are closed.

These and further objects and advantages of my improvements will be hereinafter more fully described, shown in the drawings, and particularly pointed out in the claims.

In the drawings, Figure 1 is a vertical longitudinal sectional view of a cruet provided with my improvements. Fig. 2 is a top plan view of the cap with the slide closing the pepper-openings. Fig. 3 is a sectional view of the cap, taken at right angles to that of 30 Fig. 1. Fig. 4 is a detail perspective view of the slide.

Corresponding parts in the several figures are denoted by like characters of reference.

Referring to the drawings, 1 designates the 35 body of the cruet, of any preferred shape and material, having an exteriorly-threaded neck 2, whereby the cap 3 is removably secured thereon. The interior of the cruet is divided into two compartments 4 and 5 by means of a 40 longitudinal partition 6, and the salt and pepper are contained in either compartment entirely separated from each other. The cap is preferably of metal, having the inner side of its depending flange threaded and adapted 45 to engage the threaded neck of the caster in the usual manner. The openings or perforations for distributing the salt and pepper are provided in the top of the cap and are arranged at each side of the partition 6, preferably in 50 two parallel lines 7 and 8, as shown.

Arranged against the inner face of the cap is a slide 9, the body of which is preferably of

circular form, but smaller than the cap, so as to be moved from side to side therein. The slide is provided with a straight slot 10, ex- 55 tending diametrically across the center thereof and parallel with the two sets of perforations in the cap. At diametrically opposite points on the periphery of the slide are provided thumb-pieces 11, disposed transversely 60 with respect to the perforations 7 and 8 and extending through openings 12, respectively, in the upper edge of the cap. A suitable fillingpiece 13 is placed in the cap and against the slide to retain the same therein and yet allow 65 the required movement thereof. This fillingpiece is adapted to fit tightly against the top of the partition 6 to prevent mixing of the contents of the separate compartments and is provided with a pair of openings 14 and 15 70 directly over the compartments and alining with the sets of perforations in the cap. By this arrangement the slide is disposed between the top of the cap and the filling-piece 13, so as to open either set of perforations and close the 75 other to discharge either the salt or pepper separately. By reason of the thumb-pieces extending at diametrically opposite points of the cap they may be grasped between the thumb and forefinger and pushed in either 80 direction to close one or the other set of perforations.

By referring to Fig. 2 of the drawings it will be noted that the circular body of the slide contacts with the side of the cap and forms 85 a stop, limiting the movement of the slide in either direction and insures the proper alining of the slot of the slide with the openings of the caps and the filling.

When the cruet is not in use, the slide remains-in an intermediate position, with its
slot 10 disposed between the set of perforations and the openings 14 and 15 in the filling-piece, as in Fig. 1, and thus closing each
compartment and preventing spilling of the
compartment and preventing spilling of the
cruet. When in this normal position, the slide
is held against accidental displacement by
means of raised spurs 16, provided opposite
the ends of the slot 10, and similar spurs 17
on the thumb-pieces 11. The spurs 16 are
adapted to engage notches or recesses 18 in
the top of the cap, and the spurs 17 with the
upper edges of the openings 12, whereby the

slide is conveniently and effectively held against accidental displacement, and thereby prevents spilling of the contents of the cruet.

To guard against confusion as to which some compartment contains pepper and which salt, I prefer to inscribe "Pepper" and "Salt," respectively, next each set of perforations.

It will be observed that the filling-piece 13, fitting closely the top of the partition 6 and provided with the contracted openings 14 and 15, feeds the contents of the caster directly to the perforations 7 and 8 without coming in contact with and collecting between the slide and the cap, and the slide cuts off the supply quickly and effectively, as will be understood.

Changes in the form, proportion, and minor details may be made without departing from the spirit and scope or sacrificing any of the advantages of the invention, and therefore I do not wish to be understood as limiting myself to the precise construction and arrangement as herein set forth.

Having thus described my invention, what is claimed as new, and desired to be secured by Letters Patent, is—

1. In a condiment-holder, the combination with a cap provided with perforations and recesses in its top and slots at diametrically opposite sides thereof, of a slide having thumb-pieces provided at diametrically opposite sides, spurs formed upon the thumb-pieces and the body of the slide, and also a transverse opening formed therein, the slide being mounted below the cap with its thumb-pieces extending through the slots thereof and adapted to open and close the perforations of the cap, the spurs upon the body of the slide and upon the thumb-pieces being adapted to engage respectively with the recesses in the

cap and the edges of the slots therein, whereby

the slide may be held against accidental displacement, substantially as shown and described.

2. In a condiment-holder, the combination 45 with a cap provided with two separate sets of perforations, recesses formed between the sets of perforations in its top, and slots at diametrically opposite sides thereof, of a slide comprising a body and oppositely-extending 50 thumb-pieces, the body of the slide having a slot formed centrally therein, and spurs disposed at each end of the slot, the slide being mounted beneath the top of the cap with the thumb-pieces extending through the respec- 55 tive slots thereof, and the spurs engaging with the recesses of the cap, whereby the slide is normally held with its slot between the sets of perforations and thus closing the condiment-holder, substantially as shown and de- 60 scribed.

3. In a condiment-holder, the combination with a cap having separate sets of perforations formed in its top, and diametrically opposite slots formed in the sides thereof, of a 65 slide having a pair of spaced spurs, and a slot formed intermediate the ends thereof, the slide being mounted beneath the top of the cap and extending at each end through the slots formed therein, with the spurs normally 70 engaging the opposite sides of the cap and holding the slide with its slot disposed between the sets of perforations and thereby closing the condiment-holder, substantially as shown and described.

In testimony that I claim the foregoing as my own I have hereto affixed my signature in the presence of two witnesses.

AMMON S. SECHRIST.

Witnesses:

JNO. A. HEFFELFINGER, NEWTON TROUP.