X. O. HOWE. MIRROR.

(Application filed Oct. 14, 1897.)

(Model.)




Fig. 2



Fig. 3





Fig.4



Fig. 5.



Fig. 6.



Witnesses:

Frank & Blanchard

() Marchard

Inventor: Xenophin O. Home

United States Patent Office.

XENOPHON O. HOWE, OF CHICAGO, ILLINOIS.

MIRROR.

SPECIFICATION forming part of Letters Patent No. 647,139, dated April 10, 1900.

Application filed October 14, 1897. Serial No. 655,140. (Model.)

To all whom it may concern:

Be it known that I, Xenophon O. Howe, a citizen of the United States, residing at Chicago, in the county of Cook and State of Illinois, have invented certain new and useful Improvements in Mirrors, of which the following is a specification.

My invention relates to mirrors, and has for its object to provide a new and improved no mirror, of which the following is a description, reference being had to the accompany-

ing drawings, wherein—

Figure 1 is a plan view of the mirror. Fig. 2 shows the mirror held up to the light. Fig. 3 is a section on line 3 3, Fig. 1. Fig. 4 is a view of the design-plate associated with the mirror. Fig. 5 is a view similar to Fig. 1. Fig. 6 is a view showing the design-plate used as an advertisement.

• Like letters refer to like parts throughout

the several figures.

I have illustrated in the drawings a simple form of my device in order to make its application clear.

In carrying out my invention I provide a plate A of transparent material, preferably glass, provided with a mirrored surface A' and held in a suitable frame A² of any desired construction. Back of the mirror-plate 30 A, I provide a design-plate B, carrying some suitable design. This design may be a picture or may consist of words or figures or advertising matter or a combination of various devices, and I do not limit myself in any manner to the material or thing or descriptive

matter placed upon this design-plate. The design-plate is also held in position in the frame A². In making up my device I prefer to provide a second mirror-plate A³, having

the mirrored surface A⁴, the design-plate being intermediate or between the two mirrorplates. It is of course evident that one of these mirror-plates may be omitted, if desired, and I do not limit myself to the use of two

45 such plates. When these several parts are assembled, the device when acting by reflected light appears to be nothing but an ordinary mirror, the design being concealed. When the device is held up to the light so as

to act by transmitted light, the design is brought into view and can thus be clearly seen. When using my device as an adver-

tising medium, it may be desirable to place something upon the mirror-plate which will be exposed to view when the device is not act- 55 ing by transmitted light, indicating that the device is other than a simple mirror. For example, I may place upon one of the mirrorplates some such words as "Look through the glass," as shown, for example, in Fig. 5, for 60 without some such indication few people would know that the device was anything else than a mirror. As before stated, I may place upon the design-plate any suitable advertising matter, which may consist of pictures or 65 the like or may simply consist of reading matter, as shown, for example, in Fig. 6. The design-plate B may be made of any suitable material—as, for example, glass or thin paper, through which the light passes, or mica or 70 any other suitable material—the only condition being that it is able to transmit light. The design may be placed upon this plate in any suitable manner, and I do not limit myself to any particular method of producing 75 this design.

In using the word "design" I do not limit it to any technical meaning, but intend by this word to cover any matter or thing which may be placed upon this design-plate or oth- 80

erwise associated with the mirror.

I have described my device as having a separate plate, upon which the design is placed; but it is of course evident that this design may be placed directly on the back of the 85 mirrored surface of the mirror-plate, thereby obviating the use of an intermediate or additional plate.

I have illustrated a particular form of my device and for the purposes of illustration 90 have taken one of its simplest forms; but it is of course evident that these parts may be greatly varied without departing from the spirit of my invention, and I therefore do not wish to be limited in any manner by the construction shown.

The mirror to be used in connection with my device may be made in any desired manner. For example, a suitable mirror may be made by omitting the heavy opaque backing usu- 100 ally applied to mirrors and using in its stead some transparent protecting-coating—such, for example, as shellac or the like. It is of course evident that any suitable mirrored

surface may be used which will allow the design to be seen when the mirror is held up to the light, and I of course do not limit myself in any particular to the manner in which this mirror is made or to the construction of such mirror.

I claim—

1. As an article of manufacture, a device comprising a mirror-plate and a design associated together, the design being concealed and the device constituting a mirror when acting by reflected light, the design being brought into view when the device is acting by transmitted light.

2. As an article of manufacture, a device comprising a plate or the like having a reflecting mirror-surface on its back, a second plate in proximity to the first-mentioned plate and provided with a design, and a frame in

which said plates are placed, both of said plates of material adapted to transmit light, said plates arranged to normally act as a mirror, the design being brought into view when the device is held up to the light.

25 3. As an article of manufacture, a device comprising two mirror-plates placed back to back and a design-plate carrying some suitable design intermediate or between said mirror-plates.

4. As an article of manufacture, a device comprising two mirror-plates placed back to back, an intermediate plate between the two mirror-plates carrying advertising matter, a

frame holding said parts in position, the whole so arranged as to produce a double-faced mir- 35 ror, the advertising matter being normally concealed, except when the device is held up

to the light.

5. As an article of manufacture, a device comprising two mirror-plates placed back to 40 back, an intermediate plate of material adapted to transmit light and carrying a suitable design, a frame extending around the outer edge of said plates, so as to hold them together, but leaving the faces of the two mirtors exposed on each side of the device, the whole so arranged as to produce a double-faced mirror that ordinarily conceals the design, the design adapted to appear by varying the position of the device with relation 50 to the observer's eye, so that it acts by transmitted light instead of reflected light.

6. As an article of manufacture, a device comprising a transparent plate provided at its back with a mirror-surface, a design back 55 of said plate and mirror-surface and associated therewith so as to be held in proper position with relation thereto, the device constituting a mirror when acting by reflected light, the design being brought into view 60 when the device is acting by transmitted light.

XENOPHON O. HOWE.

Witnesses:

DONALD M. CARTER, HOMER L. KRAFT.