
## J. H. HUSSIE. SAW CABINET.

(Application filed June 21, 1897.)

(No Model.)



## UNITED STATES PATENT OFFICE.

## JOHN H. HUSSIE, OF OMAHA, NEBRASKA.

## SAW-CABINET.

SPECIFICATION forming part of Letters Patent No. 659,974, dated October 16, 1900.

Application filed June 21, 1897. Serial No. 641,711. (No model.)

To all whom it may concern:

Be it known that I, John H. Hussie, residing at Omaha, in the county of Douglas and State of Nebraska, have invented certain use-5 ful Improvements in Saw-Cabinets; and I do hereby declare that the following is a full, clear, and exact description of the invention, such as will enable others skilled in the art to which it appertains to make and use the 10 same, reference being had to the accompanying drawings, which form a part of this specification.

This invention has relation to a new and novel improvement in display-cabinets, the 15 object being more particularly to provide a

cabinet for the display of saws.

The aim of my invention is to provide a case that shall be neat and sightly and in which the saws may be held in a neat and 20 compact form and in such a way that they may be readily shown to a prospective purchaser.

In the accompanying drawings, Figure 1 shows a partly-central sectional view of a saw-25 cabinet embodying my invention. Fig. 2 shows a detached top view of the lower supporting-table. Fig. 3 shows an approximatelysectional top view of my saw-cabinet. Fig. 4 shows a broken detail disclosing the arrange-30 ment of one of the holders used to retain the saw-handles, while Fig. 5 shows a top view of the intermediate supporting-disk as used in my invention.

Ordinarily where the dealer has his saws in 35 simple packages they have each got to be unwrapped to disclose them to a purchaser, so that considerable space is required, first, to exhibit the different makes and grades of saws, and, secondly, the saws have got to be 40 kept within wrapped packages to keep them bright. To overcome this objection, I prepare a cabinet in which the saws may be positioned according to their grade or price and which is provided with a series of revolubly-45 supported holders, so that each and every | grade of saw may be slowly brought before the prospective purchaser in the neatest and

most compact form.

A represents a bottom of a suitable confor-50 mation and preferably in the shape of an octagon, which is provided below with a suitable molding 1, from which extend eight |

posts 2, between which are held glass panels, one set of posts, however, being provided with an ordinary door 21, supported by means 55 of the hinges 4. Both of these posts are united by an ordinary molding 3, as is shown more clearly in Fig. 1.

Removably held within the upper molding 3 is a top 8, provided with a central opening, 60 and below, secured to the base-plate A, is preferably an iron support 5, within which is held the point 6 of a suitable post B, which has a reduced end 7 at its upper end, passing through the top 8, so that this post B is rev- 65 olubly supported by its lower point 6 within the plate 5 and within the upper top 8, as shown.

Secured to the post B, near the bottom, is a supporting-table E, preferably circular, which 70 is provided with a series of cleats a, between two of which are adapted to be held the handles of a suitable saw z. Near the upper end is secured to the post B a second table C, provided with a series of slots, as is shown in 75 Fig. 3, within which slots are held the saws,

as shown at x in Fig. 1.

Intermediately positioned between the table E and the upper table C is preferably a wood disk D, which is provided with a series 80 of incisions e, the incisions within this disk D, which is preferably of metal, corresponding to the slots within the upper table C and to the spaces between the cleats a, so that the series of saws depending from the upper ta- 85 ble will be held within this plate, as will also the blades of the saws z, which stand upon the handle between the cleats a, as is shown in Fig. 1.

The saws can be positioned so that the 90 teeth extend outward, as is shown at x, or they may also be positioned so that their backs extend outward, as is shown at z in Fig. 1.

Now the grade or price, or both, of the saws within the respective racks can be affixed to 95 the tables, so that as the revolving holders are turned the grade and price can be slowly brought before the purchaser, as well as the article itself.

To remove a saw, it is simply necessary to 100 bring it opposite the door 21, when the same may be opened and the saw be removed either from the upper or lower table. Should through any cause a saw within the upper

table C be accidentally caught, the top 8 may be removed, so that the saws may be removed from above. This removable top also enables the stand to be readily inserted, the whole forming a neat and sightly and practical device.

Having thus described my said invention, what I claim as new, and desire to secure by

United States Letters Patent, is—

In a display-cabinet of the character described, having a removable top, of a post revolubly held within the bottom of the cabinet and said removable top, a table secured to the lower end of said post, provided with a series of pockets each adapted to hold a saw-

handle, a second table secured to the upper end of said post having a series of incisions, and an intermediate incised disk secured to said post, said lower table being adapted to support a plurality of saws in an upright and 20 the upper table a series of saws in a pendent position, all of said saws having their blades resting within openings of said incised disk.

In testimony whereof I affix my signature

in presence of two witnesses.

JOHN H. HUSSIE.

Witnesses:

J. H. McWilliams, John Hussie.