


No. 665,759.

Patented Jan. 8, 1901.

V. J. SCHRETTER.
PENCIL SHARPENER.

(Application filed Apr. 4, 1900.)

(No Model.)



Witnesses
Harry G. Wiseman
Walter Samaniss

Inventor
Valentine J. Schretter
By Kay & Lotter
Attorneys

UNITED STATES PATENT OFFICE.

VALENTINE J. SCHRETTTER, OF ALLEGHENY, PENNSYLVANIA.

PENCIL-SHARPENER.

SPECIFICATION forming part of Letters Patent No. 665,759, dated January 8, 1901.

Application filed April 4, 1900. Serial No. 11,464. (No model.)

To all whom it may concern:

Be it known that I, VALENTINE J. SCHRETTTER, a resident of Allegheny, in the county of Allegheny and State of Pennsylvania, have
5 invented a new and useful Improvement in Pencil-Sharpeners; and I do hereby declare the following to be a full, clear, and exact description thereof.

My invention relates to a pencil-sharpener, and especially one which is combined with a pocket-knife, and has for its object to provide a pencil-sharpener which is adjustable for various sizes of pencils, which permits of
10 varying the depth of cut in sharpening the pencil, and which provides for the ready removal and holding of the cutting-blade for the purpose of sharpening the same.

To enable others skilled in the art to construct and use my invention, I will now describe the same more fully, referring to the
20 accompanying drawings, in which—

Figure 1 is a view of the back of the device. Fig. 2 is a view of one side thereof. Fig. 3 is a view of the front thereof. Fig. 4 is a
25 view of the side opposite that disclosed in Fig. 2. Fig. 5 is a cross-sectional view on the line 5 5, Fig. 4; and Fig. 6 is a cross-section of the bowl of the pencil-sharpener to show the adjusting-screws.

30 My improved pencil-sharpener is shown combined with a pocket-knife, and it comprises a frame 1, preferably made of suitable cast metal, which has one side face formed flat, as at 2, upon which rests the flat face of
35 the pencil-sharpener blade 3. The frame 1 has formed integrally therewith the bowl of the pencil-sharpener 4, which is provided with a vertical slot 5 at its lower end adjacent to the flat face 2 of the frame, into which slot
40 projects the cutting end of the blade 3. Projecting radially into the bowl 4 near its top are the adjusting-screws 6 to adapt the sharpener to pencils of various sizes. On one edge of the frame 1, at the end adjacent the pencil-sharpener, is an undercut projecting lip
45 7 for receiving one of the beveled edges of the sharpener-blade 3, the frame on the side opposite the face 2 being provided with a lug 8, which has a screw-threaded hole for receiving the screw 9, said screw serving to secure
50 in place the clamp 10, which has an overhanging lip 11, taking over the opposite bev-

eled edge of the sharpener-blade 3. The clamp 10 has a rearwardly projecting lug 12, which is apertured to receive the screw 9, and
55 two legs 13, which straddle the lug 8 and lie close against the frame 1. The lug 8 is preferably formed of a separate piece having a screw extension 14 taking into a threaded aperture in the frame 1, as shown in dotted
60 lines in Fig. 3; but it is obvious that said lug 8 may be formed integrally with the frame 1 or may be secured thereto in any other suitable manner than that disclosed. Extending
65 through the frame 1 at the forward end of the pencil-sharpener blade 3 are suitable screws 15, which bear against the inner flat face of said blade and serve to adjust the cutting end of said blade toward and from the frame
70 1. By this means the depth of cut of said blade on the pencil may be varied as desired, while the means for clamping the blade to the frame permits its ready removal for sharpening and its adjustment forward into the bowl
75 as it wears away.

The frame 1 on the end opposite the bowl 4 is provided on its upper edge with the laterally-projecting portion 16, having a dovetailed recess 17 in the edges thereof, said recess serving to receive a dovetailed projection 18 on the plate 19, which is provided
80 with a stem 20, passing through an aperture in the frame 1 and having its outer end screw-threaded to receive the nut 21. The stem 20 serves as the pivot for the knife-
85 blades 22 23, said blades being provided on their opposing faces with suitable grooves for receiving the lateral ribs 26 27 on the locking-plate 28, placed between said blades. To open or close the blades, the nut 21 is loosened,
90 allowing the plate 19 to move slightly to unclamp the blades, and when the latter are opened or closed, as desired, the nut 21 is again tightened, drawing the plate 19 against the blade 23 and clamping the whole firmly
95 together, the ribs 26 27 of the locking-plate 28 being engaged by the grooves of the blades, thereby holding the latter rigidly in their open or closed position.

To conceal and protect the blades, the shell
100 or scale 30 is suitably secured to one side of the frame 1, as by means of the rivets 31. Seated in the top of the scale 30 is a metallic plate 32, which has a threaded aperture therein for

receiving the threaded shank of a small screw-driver 34, which is used to operate the adjusting-screws 6 and 15, and when not in use is screwed into the plate 32 and prevented
5 from being lost.

The undercut lip 7 and the overhanging lip 11 of the clamp 10 project sufficiently far from the face 2 to allow the blade 3 to rest on and project beyond the bowl 4, in which position the blade can be clamped to the tool
10 and the latter used as a holder for sharpening the blade.

It will be observed that my invention provides a pencil-sharpener which is adjustable
15 for various sizes of pencils, which permits of varying the depth of cut in sharpening the pencil, and which provides for the ready removal of the sharpener-blade for the purpose of sharpening the same. The device as a
20 whole is neat and compact in appearance and can be manufactured at a small cost.

What I claim as my invention, and desire to secure by Letters Patent, is—

1. In a pencil-sharpener a frame having a
25 flat face, a sharpener-bowl on one end thereof and integral therewith, said bowl having a slot adjacent to the flat face of the frame, a blade resting on the flat face of the frame and projecting into the slot in the bowl, means
30 for adjusting said blade toward and from the flat face on which it rests, and means for clamping the blade to the frame.

2. In a pencil-sharpener, a frame having a flat face, an undercut lip at one side thereof,
35 a sharpener-bowl on one end thereof, said bowl having a slot adjacent to the flat face of the frame, a blade resting on the flat face of the frame with one edge in the undercut lip and its cutting end projecting into the slot of

the bowl, a clamp fitting over the opposite 40 edge of the blade, and means for securing said clamp to the frame.

3. In a pencil-sharpener, a frame having a flat face, an undercut lip on one side thereof, a sharpener-bowl on one end thereof, said 45 bowl having a slot adjacent to the flat face of the frame, a blade resting on the flat face of the frame with one edge in the undercut lip and its cutting end projecting into the slot of the bowl, a clamp fitting over the opposite 50 edge of the blade, means for securing said clamp to the frame, and adjusting-screws passing through the frame and bearing against the front end of the blade.

4. In a pencil-sharpener, a holder and a 55 bowl thereon having a slot in the side thereof, radially-adjusting screws projecting into said bowl, a blade projecting into said bowl and secured to said holder, and means for adjusting said blade laterally and longitudinally in 60 the slot.

5. In a pencil-sharpener a frame having a flat face, a sharpener-bowl on one end thereof, said bowl having a slot adjacent to the flat 65 face of the frame, a blade resting on the flat face of the frame and projecting into the slot in the bowl, means for adjusting said blade toward and from the flat face on which it rests, and means for clamping the blade to the frame to allow it to be projected a greater 70 or lesser distance into the bowl.

In testimony whereof I, the said VALENTINE J. SCHRETTTER, have hereunto set my hand.

VALENTINE J. SCHRETTTER.

Witnesses:

ROBERT C. TOTTEN,
F. W. WINTER.