
No. 667,332.

## Patented Feb. 5, 1901. C. F. OLM, Sr. & J. THALHEIM.

TOY MONEY BOX.

(Application filed Mar. 31, 1900.)

(No Model.)



Eharles F. Olm. Sr. John Thalheim. H.G. Underwood Chrowney

## IJNITED STATES PATENT OFFICE.

CHARLES F. OLM, SR., AND JOHN THALHEIM, OF FOND DU LAC, WISCONSIN.

## TOY MONEY-BOX.

SPECIFICATION forming part of Letters Patent No. 667,332, dated February 5, 1901.

Application filed March 31, 1900. Serial No. 10,887. (No model.)

To all whom it may concern:

Be it known that we, CHARLES F. OLM, Sr., and JOHN THALHEIM, citizens of the United States, and residents of Fond du Lac, in the 5 county of Fond du Lac and State of Wisconsin, have invented certain new and useful Improvements in Toy Money-Boxes; and we do hereby declare that the following is a full, clear, and exact description thereof.

Our invention has for its object to provide simple, economical, and amusing toy moneyboxes; and it consists in certain peculiarities of construction and combination of parts, hereinafter particularly set forth with refer-15 ence to the accompanying drawing and sub-

sequently claimed.

The drawing illustrates a broken toy moneybox in accordance with our invention, and, referring by letter to said drawing, A indicates 20 a base having a depending supporting-flange b as well as a hollow vertical upper protuberance c at its front end, this protuberance being provided with a guide-aperture in its top for a bolt B in rigid connection with a leaf-25 spring C, riveted or otherwise fastened at its rear end underneath the base. The forward end of the leaf-spring extends through a recess in the base-plate flange b and, with the bolt aforesaid, constitutes a latch for a pivotal 30 spring-controlled coin-carrier, hereinafter more particularly specified.

Mounted on the base is a coin-receptacle D, provided with a front upper vertical slot d for the admittance of coin, and in common 35 with other toy money-boxes the one herein particularly set forth will be provided with a normally-closed convenient aperture through

which to eject its contents.

Abutting the bolt B of the above-described 40 spring-latch we show a lug e of an arm E, one end of which engages a forward play-slot in the coin-receptacle with which it has pivotal spring-controlled union, the lug end of the arm being curved and provided with an 45 upper recess f in which to stand a coin, said arm constituting what has heretofore been designated by the term "coin-carrier." As to the detail herein shown, F indicates the axis of the coin-carrier, and G a spring coiled 50 on an annular shoulder g of the same, the ends of the spring being in the form of hooks respectively caught on a lateral lug h of said coin-carrier and a lug i in the coin-receptacle.

With the exception of the springs the parts above specified will be preferably of cast 55 metal, and the spring G is under tension when the carrier E is swung down and held by the bolt B in position to receive a coin. A coin being positioned in the recess f of the set carrier and bolt B retracted said carrier will 60 be thrown upward on its axis by expansive force of spring G to have forcible impact with the front of the receptacle D above the slot d therein, whereby the coin is dislodged and deposited in said receptacle through said 65 slot, after which the aforesaid thrower is reset.

As herein shown, we prefer that the coinreceptacle shall simulate an elephant having a covered howdah erected thereon, the coin- 70 carrier being the trunk of the animal and the protuberance on the base an obstruction in

the path of said animal.

Having thus described our invention, what we claim as new, and desire to secure by Let- 75

ters Patent, is—

A base-plate having a depending supporting-flange and an upper protuberance, a leafspring fastened at one end underneath the base-plate and extended through a recess in 80 said flange, a bolt fast on the spring and extended through a guide-aperture in the top of the base-protuberance, a slotted receptacle mounted on the base-plate, a coin-carrier in the form of a recessed arm having pivotal 85 union with the receptacle and provided with a lug against which the aforesaid bolt is normally opposed, lugs on said receptacle and the arm, and a spring that being coiled on an annular shoulder of said arm has its ends in 90 connection with the latter lugs, retraction of said bolt permitting throw of the arm under expansive force of the latter spring whereby a coin set in the arm-recess is automatically discharged through the slot in the receptacle. 95

In testimony that we claim the foregoing we have hereunto set our hands, at Fond du Lac, in the county of Fond du Lac and State of Wisconsin, in the presence of two witnesses.

> CHAS. F. OLM, SR. JOHN THALHEIM.

Witnesses: ELIAS THALHEIM, GUSTAV WEYNER.