
G. L. PLUMLEY. SNELL HOOK BOOK.

(No Model.)

Application filed Nov. 5, 1900.)



United States Patent Office.

GARDNER L. PLUMLEY, OF NEW YORK, N. Y.

SNELL-HOOK BOOK.

SPECIFICATION forming part of Letters Patent No. 674,984, dated May 28, 1901.

Application filed November 5, 1900. Serial No. 35,464. (No model.)

To all whom it may concern:

Be it known that I, GARDNER L. PLUMLEY, a citizen of the United States, residing at New York, in the county of New York and State 5 of New York, have invented certain new and useful Improvements in Snell-Hook Books, of which the following is a full and complete specification, such as will enable those skilled in the art to which it appertains to make and ro use the same.

This invention relates to holders for snell fly fish-hooks; and one object thereof is to provide an improved holder of this class which is in the form of a book and which is prefer-15 ably provided with two leaves, but may have any desired number of leaves, a further object being to provide a snell-fly-hook holder of the class described which is simple in construction and operation and which is designed 20 to receive a large number of hooks, in proportion to the number of leaves employed.

The invention is fully disclosed in the following specification, of which the accompanying drawings form a part, and in which—

Figure 1 is a plan view showing my improved hook-holder open; Fig. 2, a transverse section on the line 22 of Fig. 1 and showing the leaves folded together and in an upright position and the back or cover of the book extended; Fig. 30 3, a section on the line 3 3 of Fig. 1; Fig. 4, a section on the line 4 4 of Fig. 1; and Fig. 5, a detail of the construction as shown in Fig. 1, showing modification.

In the practice of my invention, as shown 35 in the drawings, I provide a book with two leaves 7 and a back 8, and the back 8 is provided all around with an extension 9 and at one side with an extended flap 10, which is of a width equal to the thickness of the book, 40 and said extension-flap 10 is provided with a

supplementary flap 11.

The back 8 is preferably composed of leather, and the leaves 7 are preferably composed of thin aluminium or other metal, but may be composed of any desired material, and each leaf is provided centrally thereof and on each side thereof with a transverse rod or bar 12, (shown in dotted lines in Figs. 1 and 2,) and these rods or bars are provided with station-50 ary end supports 13, which are secured to the leaves, and mounted on said rods or bars are

springs 15, which operate to force said blocks together. The blocks 14 are designed to hold the snells of the hooks, and this construction 55 is the same as that described in United States Letters Patent No. 657,786, granted to me September 11, 1900, and forms no part of this invention.

At each end of each of the leaves 7 and 60 on each side thereof is a transverse strip or bar 16, composed of metal, and to these strips or bars are secured hooks 17, with which in practice the fly-hooks are connected, and in Fig. 1 I have shown two fly-hooks 18, having 65 snells 19, and in practice the fly-hooks are connected with the hooks 17, as shown, and the snells are passed between the blocks 14,

where they are held by friction.

The central portion of the cover 8 is pref- 70 erably cut out at each end, as shown at 20, and in practice I connect the leaves 7 with the central portion of the back 8 by a hinge consisting of three parts—a central plate 21, secured to the back or cover of the book, cen-75 trally thereof, and the two side plates 23, which are hinged to the plate 22 at 24—and in the construction shown in Fig. 1 the side portions 23 of the hinge are formed integrally with an extension 25 of the bars or 80 strips 16, which are secured to the inner sides of the leaves 7, and said side portions 22 of the hinge extend outwardly at an angle to the extension 25 of the strips or bars 16.

By means of this construction the leaves 7 85 may be opened horizontally, as shown in Fig. 1, or closed together in an upright position, as shown in Fig. 2, and in this position they form a compact book, and the corners of the leaves 7 when two leaves only are employed 90 are preferably provided with blocks 26, which make the thickness of the book at the corners the same as at the middle, where the blocks

14 are placed.

When constructed as shown in Fig. 1, it 95 will be seen that the side portions of the hinges are formed integrally with the transverse strips or bars 16; but in Fig. 5 I have shown a construction in which the side portions and the hinges are formed integrally 100 with separate plates 27, which are secured to the leaves 7, and the central plate 21 of the hinges is the same as in Fig. 1; but in both movable blocks 14, between which are placed | forms of construction the side portions 23 of

the hinges project outwardly and the points 24, at which the separate parts of the hinges are connected, are outside of the vertical line or plane of the outer side of the leaves when the latter are folded into a vertical position, as shown in Fig. 2.

By means of this construction I provide a snell-hook book which is simple in construction and operation and which will hold a large number of hooks, in proportion to the size of the book, and it will be apparent that any desired number of the blocks 14 may be employed and also of the hooks 17.

Having fully described my invention, what I claim as new, and desire to secure by Letters Patent, is—

1. A snell-hook book comprising a flexible back or cover, and a plurality of leaves secured thereto longitudinally of the center thereof, by means of hinges, said hinges being composed of three parts or plates hinged together, the central part being secured to the back or cover and the side parts or plates being provided with angular portions which are secured to the leaves, substantially as shown and described.

2. A snell-hook book, comprising a flexible

back or cover and a plurality of leaves secured to the back or cover centrally thereof, and by means of hinges consisting of three 30 parts, the central part being secured to the back or cover and the side portions being formed integrally with and at an angle to transverse strips or bars secured to the leaves, substantially as shown and described.

35

3. A snell-hook book, comprising a flexible back or cover and a plurality of leaves secured to the back or cover centrally thereof, and by means of hinges consisting of three parts, the central part being secured to the 40 back or cover and the side portions being formed integrally with and at an angle to transverse strips or bars secured to the leaves, said leaves being also provided with devices for holding snell - hooks, substantially as 45 shown and described.

In testimony that I claim the foregoing as my invention I have signed my name, in presence of two subscribing witnesses, this 2d day of November, 1900.

GARDNER L. PLUMLEY.

Witnesses:

F. A. STEWART, M. K. LOWERRE.