


A. HABERSTROH. ADHESIVE FASTENER.


(Application filed May 24, 1901.)


(No Model.)














Witgesses.

Lawitz. N. Moller.

Charles a Harris

Thert Haberstrok Waw Gudren his ath.

United States Patent Office.

ALBERT HABERSTROH, OF BOSTON, MASSACHUSETTS.

ADHESIVE FASTENER.

SPECIFICATION forming part of Letters Patent No. 682,062, dated September 3, 1901.

Application filed May 24, 1901. Serial No. 61,780. (No model.)

To all whom it may concern:

Be it known that I, Albert Haberstroh, a citizen of the United States, residing at Boston, in the county of Suffolk and State of Massachusetts, have invented new and useful Improvements in Adhesive Fasteners, of which the following is a specification.

This invention relates to improvements in adhesive fasteners for temporarily attaching one object to another—for instance, articles of cloth or papers to other objects, to tables, desks, walls, glass, &c.—so as to be readily removed therefrom when so desired, as will hereinafter be more fully shown and described, reference being had to the accompanion.

rigure 1 represents a front elevation of one form of my improved adhesive fastener. Fig. 2 represents a rear view of Fig. 1. Fig. 3 represents a cross-section on the line 3 shown in Fig. 1. Fig. 4 represents a front view of another form of my improved adhesive fastener. Fig. 5 represents a rear view of Fig. 4, and Fig. 6 represents a cross-section on the line 6 6 shown in Fig. 4.

Similar letters refer to similar parts wherever they occur on the different parts of the

drawings. The improved adhesive fastener consists 30 of two members A and B, shown in Figs. 1, 2, and 3 as arranged in the form of a cross. and in Figs. 4, 5, and 6 as arranged in the form of annular and circular disks, which are cemented together by any suitable adhe-35 sive material, as may be desired. The inner surface of the portion A is provided with an adhesive coating α , as shown in Fig. 2, and the inner surface of the portion B is provided with a similar adhesive coating b, as 40 shown in Fig. 1. a and b represent similar adhesively-coated surfaces on the disks A and B in Figs. 4, 5, and 6. It will be observed that the active adhesive surfaces of the two members are out of register with each other. In using the device the cemented or

gummed portions a a of one side of the fastener are temporarily attached to one of the objects or surfaces by gently pressing such adhesive portions a a against the object, after which the article that is to be attached to such object is placed on top of the fasteners and temporarily attached by pressing it onto the gummed or cemented portions b b. By this arrangement a doily or table cover may readily temporarily be attached to the 55 top of a table or a tidy attached in a similar manner to the back of a chair, &c., or a sheet of textile or fibrous material attached temporarily to a wall, surface, or other object, as may be desired.

In a device of this kind it is essential that it should be composed of two parts attached together, one of said parts being gummed or cemented on its front side and the other on its rear surface, so as to enable the device to 65 be temporarily attached to opposite objects or surfaces for the purpose above described. The form, size, or shape of the parts composing the oppositely gummed or cemented portions is immaterial, as they may be made 70 cruciform or circular, square, or otherwise, as may be desired, without departing from the essence of my invention.

What I wish to secure by Letters Patent and claim is—

The herein-described adhesive fastener, consisting of two members connected together and having their inner faces provided with an adhesive substance, the active adhesive surfaces of the two members being out of 80 register with each other, substantially as described.

In testimony whereof I have hereunto set my hand in presence of two subscribing witnesses.

ALBERT HABERSTROH.

Witnesses:
ALBAN ANDRÉN,
GERTRUDE BEATTY,