
J. A. ONDRAK.


COMBINED RIDING OR CYCLING HABIT.


(Application filed July 8, 1901.)

(No Model.)

2 Sheets-Sheet 1.







Wilnesses Cont.

However tea

Patented Dec. 17, 1901.


J. A. ONDRAK.

COMBINED RIDING OR CYCLING HABIT.

(Application filed July 8, 1901.)

(No Model.)

2 Sheets-Sheet 2.



UNITED STATES PATENT OFFICE.

JACOB A. ONDRAK, OF NEW YORK, N. Y.

COMBINED RIDING OR CYCLING HABIT.

SPECIFICATION forming part of Letters Patent No. 689,216, dated December 17, 1901.

Application filed July 8, 1901. Serial No. 67,533. (No model.)

To all whom it may concern:

Be it known that I, Jacob A. Ondrak, a citizen of the United States, residing at New York city, in the county of New York and State of New York, have invented certain new and useful Improvements in a Combined Riding or Cycling and Golf Habit; and I do declare the following to be a full, clear, and exact description of the invention, such as will enable others skilled in the art to which it apportains to make and use the same.

This invention relates to a combined riding or cycling and golf habit, the object being to provide a divided skirt or habit which is readily convertible for use for either of these pur-

poses at will.

The invention is illustrated in the accom-

panying drawings, in which—

Figure 1 is a front view of the skirt or habit
20 as adapted for use for horse-riding or cycling
purposes. Fig. 2 is a similar view of the skirt
as adapted for use as a golf-habit. Fig. 3 is
a central vertical section through the skirt on
the line x x of Fig. 1. Fig. 4 is a horizontal
25 section through the skirt on the line y y of
Fig. 2. Fig. 5 is a plan view of the pattern
of the body portion of one section of the skirt.
Fig. 6 is a similar view of the pattern of the
insert or other portion of the section of the
skirt, and Fig 7 is a view of the front flap or
apron.

Referring now more particularly to the drawings, the numeral 1 represents a divided skirt consisting of two sections 2 and 3, in each of which is inserted a leg of the wearer in the usual manner, the inner faces of the two sections being formed with the recesses or openings 4, the edges of which are united by stitching to form the crotch. The stitching may be extended the entire distance around the meeting edges of the recesses 4 or terminated at the lower rear portion of the front, leaving a placket-opening, closed by a suitable flap or fly-piece 5, as desired.

body portion 6 and an insert 7, the edges 8 and 9 of said insert being stitched to the edges 10 and 11 of the said body portion and turned or folded over thereon, forming a loose inclosure for the leg and one side of the hip

of the wearer, the two inclosures constituting the complete divided skirt, which is provided at the rear with the box-plaits 12, which conceal the seams. A waistband 13, either divided or continuous, accordingly as the 55 placket and fly 5 are used or not used, is united to the upper edges of the two sections 2 and 3.

Fig. 1 of the drawings shows the skirt or habit complete as adapted for use as a divided 60 riding or cycling habit, while Fig. 2 shows the same as adapted for use as a golf, tennis, or other like skirt. In order to enable the skirt to be used in playing golf or as a general athletic costume, I provide a flap or apron 65 14, which is adapted to conceal the line of demarcation or gap between the two skirt-sections 2 and 3 at the front, said apron being formed with buttonholes 15 to receive buttons 16 on the front of the skirt, whereby it 70 is secured in position, although any other suitable type of fastening means may be employed.

A skirt or habit constructed in accordance with my invention is light, strong, and dura-75 ble, neat in appearance, comfortable to the wearer, and allows free action of the limbs in cycling, walking, and athletic games.

Having thus described my invention, what I claim, and desire to secure by Letters Pat- 80

ent, is—

A divided skirt consisting of sections of body portions having inserts connected to the edges thereof, turned or folded over thereon to form box-plaits and inclosures for the legs 85 and hip portions of the wearer, the inner faces of the sections having recesses or openings connected together to form a crotch, said connection terminating at the lower rear portion of the front, whereby to permit of a 90 placket-opening, a flap for closing the same, and a detachable apron connected to the front of the sections, substantially as specified.

In testimony whereof I have hereunto set my hand in presence of two subscribing wit- 95

nesses.

JACOB A. ONDRAK.

Witnesses:

H. B. WILLSON,

J. A. WILLSON.